

CCC-C-461C  
AMENDMENT-1  
June 3, 1981

FEDERAL SPECIFICATION  
CLOTH, TWILL, UNIFORM COTTON

This amendment, which forms a part of Federal Specification CCC-C-461C, dated May 12, 1972, was approved by the Commissioner, Federal Supply Service, General Services Administration, for the use of all Federal agencies.

PAGE 5

3.3.3: Delete and substitute:

"3.3.3 Matching. When a standard sample is established, the color shall match the standard sample under artificial daylight having a color temperature of  $7000 \pm 500$  kelvin and shall be a good approximation to the standard sample under incandescent lamplight at  $2850 \pm 100$  kelvin."

3.4.1: Delete and substitute:

"3.4.1 Width. The width shall be as specified (see 6.2) and shall be the minimum acceptable width inclusive of selvages when fly shuttle looms are used and exclusive of selvages and fringe when shuttleless weaving machines are used, "

PAGE 6

3.9, second sentence: Delete and substitute: "The cloth shall be put-up on rolls as specified in PPP-P-1134".

PAGE 8

4.2.4: Delete and substitute:

"4.2.4 Examination for shade match and finish, individual rolls. Each roll in the lot shall be examined visually for shade match (see 3.3) and finish (see 3.5). A roll shall be unacceptable if it fails to meet the requirements for shade and finish. The sample unit shall be a 4-inch by 20-inch swatch of the cloth. A sample unit shall be drawn from each roll in the lot."

FSC 8305

CCC-C-461C  
Amendment-1

**Custodians:**

Army - GL  
Navy - NU  
Air Force - 99

**Review Activities:**

Army - MD, EA  
DLA - CT

**User Activities:**

Navy - MC  
Air Force - 45

**Preparing Activity:**

Army - 6L

**Civil Agency Interest:**

GSA - FSS  
USDA - AFS

**Project No. 8305-0278**

U.S. GOVERNMENT PRINTING OFFICE : 1981 - 341-706/4718