


FED. SUP CLASS  
9540

TABLE I. DASH NUMBERS.

DASH NO	A	B	C	D	E	F	G	H	R <sub>1</sub>	R <sub>2</sub>	TYPING
001	2.000	3.650	1.390	2.250	.340	.151	.090	17	.125	.125	0
003	2.250	3.025	1.484	1.544	.244	.244	.060	21	.094	.125	0

## REQUIREMENTS:

1. MATERIAL. ALUMINUM ALLOY 7075, (UNS A97075) AS SPECIFIED IN QQ-A-200/11.
2. FORMING PROCESS. EXTRUDED (CODE E).
3. PART NUMBER. THE PART NUMBER COMBINES OF THE BASIC MS NUMBER, PLUS A FORMING PROCESS CODE, PLUS A DASH NUMBER FROM TABLE I.

EXAMPLE: MS14371/DO1

— DASH NUMBER FROM TABLE I  
 — EXTRUDED (SEE REQUIREMENT 2)  
 — BASIC MS NUMBER

4. MARKING. ALUMINUM AND ALUMINUM ALLOYS SHALL BE MARKED IN ACCORDANCE WITH FED-STD-154 WITH THE EXCEPTION THAT A PART NUMBER FROM THIS MILITARY STANDARD SHALL BE INCLUDED AS PART OF THE IDENTIFICATION MARKING.

## NOTES:

1. ALL DIMENSIONS ARE IN INCHES.
2. STANDARD LENGTH OF TEE IS 10" MINIMUM, 12" MAXIMUM.
3. REFERENCED DOCUMENTS SHALL BE OF THE ISSUE IN EFFECT ON DATE OF INVITATION FOR BIDS, OR REQUEST FOR PROPOSAL, EXCEPT THE REFERENCED ADOPTED INDUSTRY DOCUMENTS SHALL GIVE THE DATE OF THE ISSUE ADOPTED.
4. FOR DESIGN FEATURE PURPOSES THIS STANDARD TAKES PRECEDENCE OVER PROCUREMENT DOCUMENTS REFERENCED HEREIN.

P. A. Other Cost	AS MR 99	INTERNATIONAL INTEREST	TITLE  TEE, STYLE II ALUMINUM ALLOY 7075	MILITARY STANDARD  MS14371
PROCUREMENT SPECIFICATION QQ-A-200			SUPERSEDES	PAGE 1 OF 1

DD FORM 672-1 (COORDINATED)

PREVIOUS EDITIONS OF THIS FORM ARE OBSOLETE

9540-0102

USER ACTIVITIES  
NAVY-MC, OS, SHREVIEWER ACTIVITIES  
AIR FORCE-84  
DLA-15

This military standard is approved for use by all Departments and Agencies of the Department of Defense. Induction for all new engineering and design applications and for repetitive use shall be made from this document.

APPROVED 22 May 1984 REVISED