


FED. SUP CLASS
9540

TABLE I. DATA SUMMARY.

DASH NO	A	B	C	D	E	F	T ₁	T ₂	T ₃	R ₁	TEMPER
001	.450	2.940	1.470	1.470	90°	90°	.060	.120	.120	.090	T6511
003	.812	1.250	.625	.625	90°	90°	.090	.090	.090	.094	0
005	.870	1.250	.620	.670	82.5°	97.5°	.090	.090	.090	.060	T6
007	.940	3.180	1.290	1.890	90°	90°	.080	.090	.090	.090	T6511
009	1.000	2.000	.968	1.032	100°	80°	.063	.063	.063	.094	T6511
011	1.000	2.400	1.200	1.200	90°	90°	.064	.064	.064	.094	T6
013	1.000	2.500	1.250	1.250	90°	90°	.160	.190	.190	.090	T6511
015	1.070	2.890	.825	2.065	91°	89°	.063	.063	.063	.125	T6511
017	1.100	1.640	.814	.826	90°	90°	.071	.060	.060	.125	0
019	1.120	2.900	1.192	1.708	80°	100°	.082	.060	.060	.156	0
021	1.128	3.060	.933	2.127	90°	90°	.063	.160	.160	.125	0
023	1.260	2.090	.990	1.060	90°	90°	.080	.060	.120	.125	0
025	1.250	2.140	1.065	1.075	90°	90°	.090	.090	.090	.090	T6511
027	1.250	2.170	1.070	1.100	100°	80°	.080	.130	.130	.125	T73511
029	1.250	2.200	1.028	1.171	90°	90°	.063	.063	.063	.090	T73511
031	1.250	3.000	1.500	1.500	90°	90°	.040	.040	.040	.090	T6511
033	1.250	3.500	1.750	1.750	90°	90°	.063	.063	.063	.125	0
035	1.350	1.760	.870	.820	90°	90°	.040	.040	.040	.090	0
037	1.400	2.500	1.147	1.353	90°	90°	.094	.060	.060	.125	0
039	1.418	3.312	1.531	1.781	90°	90°	.312	.375	.375	.156	T6
041	1.500	3.500	1.745	1.755	90°	90°	.090	.200	.200	.094	0
043	1.550	1.250	.625	.625	90°	90°	.090	.090	.090	.094	T6
045	1.600	1.770	.835	.835	90°	90°	.090	.090	.090	.090	T6511
047	1.625	4.880	2.440	2.440	90°	90°	.078	.078	.078	.090	0
049	1.640	3.570	1.695	1.875	90°	90°	.090	.098	.098	.090	T73511
051	1.750	2.300	1.151	1.168	85°	94°	.063	.080	.080	.090	0
053	1.750	2.750	1.260	1.490	90°	90°	.080	.080	.080	.090	T6511
055	1.770	2.010	.925	1.085	90°	90°	.090	.090	.090	.090	0
057	1.800	2.110	1.027	1.083	90°	90°	.094	.110	.110	.063	T73511
059	2.000	2.500	.970	1.530	83.7°	96.3°	.060	.060	.060	.125	0
061	2.120	2.120	1.060	1.060	90°	90°	.063	.063	.063	.125	0
063	2.120	2.120	1.060	1.060	90°	90°	.063	.063	.063	.125	T6511

APPROVED 22 May 1984 REVISED

P. A. Other Cont	AS MR 99	INTERNATIONAL INTEREST	TITLE TEE, STYLE III, ALUMINUM ALLOY 7075	MILITARY STANDARD MS14372
PROCUREMENT SPECIFICATION QQ-A-200		SUPERSEDES		PAGE 1 OF 2

USER ACTIVITY:
NAVY - MC, OS, SHREVIEWER ACTIVITY:
AIR FORCE - 84
DLA - 15

This military standard is approved for use by all Departments and Agencies of the Department of Defense. Selection for all new engineering and design applications and for repetitive use shall be made from this document.