


FED. SUP CLASS  
5340

FINISH: BRASS-PLAIN

STEEL-ZINC PLATED CLASS 2, TYPE III PER FEDERAL SPECIFICATION QQ-3-325

OR CADMIUM PLATED TYPE III, CLASS 1 PER FEDERAL SPECIFICATION QQ-P-416

MS PART NO.	DIMENSIONS			MATERIAL AND SPECIFICATION
	A LENGTH	B DIA	C COUNTERSINK	
MS35257-1	1 3/8	.204	82° TO 3/8 +1/64 DIA	BRASS PER FED SPEC QQ-B-613 COMPOSITION 2 HALF HARD
MS35257-2	1 3/8	.204	NONE	
MS35257-3	1 3/8	.180	82° TO 21/64 +1/64 DIA	
MS35257-4	1 3/8	.180	NONE	
MS35257-5	1 1/4	.204	82° TO 3/8 +1/64 DIA	
MS35257-6	1 1/4	.204	NONE	
MS35257-7	1 1/4	.180	82° TO 21/64 +1/64 DIA	
MS35257-8	1 1/4	.180	NONE	
MS35257-9	1 1/8	.204	82° TO 3/8 +1/64 DIA	
MS35257-10	1 1/8	.204	NONE	
MS35257-11	1 1/8	.180	82° TO 21/64 +1/64 DIA	
MS35257-12	1 1/8	.180	NONE	
MS35257-13	1 3/8	.204	82° TO 3/8 +1/64 DIA	STEEL PER FED SPEC QQ-3-698 COLD ROLLED COMMERCIAL QUALITY NO. 2 TEMPER NO. 1 FINISH
MS35257-14	1 3/8	.204	NONE	
MS35257-15	1 3/8	.180	82° TO 21/64 +1/64 DIA	
MS35257-16	1 3/8	.180	NONE	
MS35257-17	1 1/4	.204	82° TO 3/8 +1/64 DIA	
MS35257-18	1 1/4	.204	NONE	
MS35257-19	1 1/4	.180	82° TO 21/64 +1/64 DIA	
MS35257-20	1 1/4	.180	NONE	
MS35257-21	1 1/8	.204	82° TO 3/8 +1/64 DIA	
MS35257-22	1 1/8	.204	NONE	
MS35257-23	1 1/8	.180	82° TO 21/64 +1/64 DIA	
MS35257-24	1 1/8	.180	NONE	

TOLERANCES ON FRACTIONS  $\pm 1/64$ , ON DECIMALS  $\pm .005$ , ON ANGLES  $\pm 1^\circ$ , UNLESS OTHERWISE SPECIFIED.

ALL DIMENSIONS IN INCHES.

P.A. Other Cont 82	EL YD 82	TITLE EACH, CORNER, BOX, LARGE, 2 QUARTER-ELLIPSE FLANGES, 2 MOUNTING HOLES	MILITARY STANDARD MS35257
PROCUREMENT SPECIFICATION NONE	SUPERSEDES:	SHEET 1 OF 1	

Reviewers/Issuers information is current as of the date of this document. For future coordination of changes to this document, each circulation should be based on the information in the current DODD115 (FSC listing).

AF 82/ 85/

Any YD/

This military standard has been approved by the Department of Defense and is mandatory for use by all Departments and Agencies of the Department of Defense. Selection for all new engineering and design applications and for replacement use shall be made from this document.