


NOTICE—When Government drawings, specifications, or other data are used for any purpose other than in connection with a definitely related Government procurement operation, the United States Government incurs no responsibility nor any obligation whatsoever, and the fact that the Government may have formulated, furnished, or in any way supplied the said drawings, specifications, or other data is not to be regarded by implication or otherwise as in any manner licensing the holder or any other person or corporation, or conveying any rights or permission to manufacture use or sell any patented invention that may in any way be related thereto.

MS9392 (ASG)

FED SUP CLASS  
5340



PART NO.	NOMINAL TUBE SIZE	A RAD + .010 - .000	B RAD ± .005	C ± .005	D REF	APPROX WEIGHT LB/100
MS9392-01	.125	.062	.125	.188	.375	.152
MS9392-02	.188	.094	.156	.250	.500	.222
MS9392-03	.250	.125	.219	.344	.688	.447
MS9392-04	.312	.156	.250	.406	.812	.577
MS9392-05	.375	.188	.281	.469	.938	.684
MS9392-06	.438	.219	.312	.531	1.062	.807
MS9392-07	.500	.250	.375	.625	1.250	1.218
MS9392-08	.562	.281	.406	.688	1.375	1.380
MS9392-09	.625	.312	.438	.750	1.500	1.540
MS9392-10	.688	.344	.469	.812	1.625	1.710
MS9392-11	.750	.375	.500	.875	1.750	1.900
MS9392-12	.812	.406	.531	.938	1.875	2.080
MS9392-13	.875	.438	.562	1.000	2.000	2.250
MS9392-14	.938	.469	.594	1.062	2.125	2.450
MS9392-15	1.000	.500	.625	1.125	2.250	2.640

1. MATERIAL: SILICONE RUBBER AMS 3303
2. DIMENSIONS IN INCHES. UNLESS OTHERWISE SPECIFIED: TOLERANCES, LINEAR DIMENSIONS ± .010
3. DO NOT USE UNASSIGNED PART NUMBERS

AS & AMS ARE SOCIETY OF AUTOMOTIVE ENGINEERS PUBLICATIONS  
THIS STANDARD WAS DEVELOPED COOPERATIVELY WITH THE ENGINE AND PROPELLER UTILITY PARTS COMMITTEE OF THE SAE

P.A. USAF - AFSC Other Cust NAVY - WEP	TITLE CUSHION, LOOP CLAMP - MULTIPLE, 3-TUBE, AMS 3303	MILITARY STANDARD MS9392 (ASG)
PROCUREMENT SPECIFICATION NONE	SUPERSEDES:	SHEET 1 OF 1

This standard has been approved by the Department of the Army and is mandatory for use by that activity. All other military activities are required to employ this standard where suitable.