


MS 9515 (ASG)**FED SUP CLASS**
5340

| PART NO. | NOMINAL TUBE SIZE | A RAD + .010 - .000 | B RAD ± .005 | C ± .005 | APPROX WEIGHT LB/100 |
|-----------|-------------------------|------------------------------|--------------------|-------------|----------------------------|
| MS9515-01 | .125 | .062 | .125 | .188 | .236 |
| MS9515-02 | .188 | .094 | .156 | .250 | .343 |
| MS9515-03 | .250 | .125 | .219 | .344 | .707 |
| MS9515-04 | .312 | .156 | .250 | .406 | .943 |
| MS9515-05 | .375 | .188 | .281 | .469 | 1.098 |
| MS9515-06 | .438 | .219 | .312 | .531 | 1.213 |
| MS9515-07 | .500 | .250 | .375 | .625 | 1.848 |
| MS9515-08 | .562 | .281 | .406 | .688 | 2.088 |
| MS9515-09 | .625 | .312 | .438 | .750 | 2.319 |
| MS9515-10 | .688 | .344 | .469 | .812 | 2.567 |
| MS9515-11 | .750 | .375 | .500 | .875 | 2.819 |
| MS9515-12 | .812 | .406 | .531 | .938 | 3.134 |
| MS9515-13 | .875 | .438 | .562 | 1.000 | 3.337 |
| MS9515-14 | .938 | .469 | .594 | 1.062 | 3.593 |
| MS9515-15 | 1.000 | .500 | .625 | 1.125 | 3.878 |

- 1 MATERIAL. FABRIC, WIRE REINFORCED ASBESTOS, POLYTETRAFLUOROETHYLENE IMPREGNATED, SINTERED, AMS 3839
- 2 DIMENSIONS IN INCHES. UNLESS OTHERWISE SPECIFIED, TOLERANCES: LINEAR DIMENSIONS $\pm .010$.
- 3 DO NOT USE UNASSIGNED PART NUMBERS

AS AND AMS ARE SOCIETY OF AUTOMOTIVE ENGINEERS, INC., PUBLICATIONS.
THIS MILITARY STANDARD WAS DEVELOPED COOPERATIVELY WITH THE MILITARY SERVICES BY THE SAE AEROSPACE PROPULSION DIVISION.

| | | |
|---------------------------|--|--------------------------|
| P.A. USAF - 11 | TITLE | MILITARY STANDARD |
| Other Cust | CUSHION, LOOP CLAMP - MULTIPLE, 2-TUBE, AMS 3839 | MS 9515 (ASG) |
| Navy - AS | | |
| PROCUREMENT SPECIFICATION | SUPERSEDES: | SHEET 1 OF 1 |
| None | | |

DD FORM 1 SEP 67 672-1 (Limited coordination)

PREVIOUS EDITIONS OF THIS FORM ARE OBSOLETE

U.S. GOVERNMENT PRINTING OFFICE: 1967-261-610-7/87

Review activities
USAF - 11
Navy - AS

This military standard is approved by the Department of the Air Force and the Naval Air Systems Command and is mandatory for use by these activities. All other military activities are required to employ this standard where suitable.

REVISED

17 Apr 67

4 0000/10/57