

PERIODIC TABLE

Atomic Properties of the Elements

Period

Group
1
IA
1 ²S_{1/2}
H
 Hydrogen
 1.008*
 1s
 13.5984
2
IIA
3 ²S_{1/2}
Li
 Lithium
 6.94*
 1s²2s
 5.3917

4 ¹S₀
Be
 Beryllium
 9.0121831
 1s²2s²
 9.3227

11 ²S_{1/2}
Na
 Sodium
 22.98976928
 [Ne]3s
 5.1391

12 ¹S₀
Mg
 Magnesium
 24.305*
 [Ne]3s²
 7.6462

19 ²S_{1/2}
K
 Potassium
 39.0983
 [Ar]4s
 4.3407

20 ¹S₀
Ca
 Calcium
 40.078
 [Ar]4s²
 6.1132

21 ²D_{3/2}
Sc
 Scandium
 44.955908
 [Ar]3d4s
 6.5615

22 ³F₂
Ti
 Titanium
 47.867
 [Ar]3d²4s²
 6.8281

23 ⁴F_{3/2}
V
 Vanadium
 50.9415
 [Ar]3d³4s²
 6.7462

24 ⁷S₃
Cr
 Chromium
 51.9961
 [Ar]3d⁵4s
 6.7665

25 ⁶S_{5/2}
Mn
 Manganese
 54.938044
 [Ar]3d⁵4s²
 7.4340

26 ⁵D₄
Fe
 Iron
 55.845
 [Ar]3d⁶4s²
 7.9025

27 ⁴F_{9/2}
Co
 Cobalt
 58.933194
 [Ar]3d⁷4s²
 7.8810

28 ³F₄
Ni
 Nickel
 58.6934
 [Ar]3d⁸4s²
 7.6399

29 ²S_{1/2}
Cu
 Copper
 63.546
 [Ar]3d¹⁰4s
 7.7264

30 ¹S₀
Zn
 Zinc
 65.38
 [Ar]3d¹⁰4s²
 9.3942

31 ²P_{1/2}
Ga
 Gallium
 69.723
 [Ar]3d¹⁰4s²4p
 5.9993

32 ³P₀
Ge
 Germanium
 72.630
 [Ar]3d¹⁰4s²4p²
 7.8994

33 ⁴S_{3/2}
As
 Arsenic
 74.921595
 [Ar]3d¹⁰4s²4p³
 7.9886

34 ³P₂
Se
 Selenium
 78.971
 [Ar]3d¹⁰4s²4p⁴
 9.7524

35 ²P_{3/2}
Br
 Bromine
 79.904*
 [Ar]3d¹⁰4s²4p⁵
 11.8138

36 ¹S₀
Kr
 Krypton
 83.798
 [Ar]3d¹⁰4s²4p⁶
 13.9996

37 ²S_{1/2}
Rb
 Rubidium
 85.4678
 [Kr]5s
 4.7171

38 ¹S₀
Sr
 Strontium
 87.62
 [Kr]5s²
 5.6949

39 ²D_{3/2}
Y
 Yttrium
 88.90584
 [Kr]4d5s
 6.2173

40 ³F₂
Zr
 Zirconium
 91.224
 [Kr]4d²5s²
 6.6339

41 ⁶D_{1/2}
Nb
 Niobium
 92.90637
 [Kr]4d⁴5s
 7.0924

42 ⁷S₃
Mo
 Molybdenum
 95.95
 [Kr]4d⁵5s
 7.1194

43 ⁶S_{5/2}
Tc
 Technetium
 (98)
 [Kr]4d⁵5s²
 7.1194

44 ⁵F₅
Ru
 Ruthenium
 101.07
 [Kr]4d⁷5s
 7.3605

45 ⁴F_{9/2}
Rh
 Rhodium
 102.90550
 [Kr]4d⁸5s
 7.4589

46 ³S₀
Pd
 Palladium
 106.42
 [Kr]4d¹⁰
 8.3369

47 ²S_{1/2}
Ag
 Silver
 107.8682
 [Kr]4d¹⁰5s
 7.5762

48 ¹S₀
Cd
 Cadmium
 112.414
 [Kr]4d¹⁰5s²
 8.9938

49 ²P_{1/2}
In
 Indium
 114.818
 [Kr]4d¹⁰5s²5p
 5.7864

50 ³P₀
Sn
 Tin
 118.710
 [Kr]4d¹⁰5s²5p²
 7.3439

51 ⁴S_{3/2}
Sb
 Antimony
 121.760
 [Kr]4d¹⁰5s²5p³
 8.6084

52 ³P₂
Te
 Tellurium
 127.60
 [Kr]4d¹⁰5s²5p⁴
 9.0097

53 ²P_{3/2}
I
 Iodine
 126.90447
 [Kr]4d¹⁰5s²5p⁵
 10.4513

54 ¹S₀
Xe
 Xenon
 131.293
 [Kr]4d¹⁰5s²5p⁶
 12.1298

55 ²S_{1/2}
Cs
 Cesium
 132.9054520
 [Xe]6s
 3.8939

56 ¹S₀
Ba
 Barium
 137.327
 [Xe]6s²
 5.2117

57 ²D_{3/2}
La
 Lanthanum
 138.90547
 [Xe]5d6s
 5.5769

58 ¹G₄
Ce
 Cerium
 140.116
 [Xe]4f5d6s
 5.5386

59 ⁴I_{9/2}
Pr
 Praseodymium
 140.907
 [Xe]4f6s
 5.473

60 ⁵I₄
Nd
 Neodymium
 144.242
 [Xe]4f6s
 5.5250

61 ⁶H_{5/2}
Pm
 Promethium
 (145)
 [Xe]4f6s
 5.582

62 ⁷F₀
Sm
 Samarium
 150.36
 [Xe]4f6s
 5.6437

63 ⁸S_{7/2}
Eu
 Europium
 151.964
 [Xe]4f6s
 5.6704

64 ⁹D₂
Gd
 Gadolinium
 157.25
 [Xe]4f7s
 5.6914

65 ⁶H_{15/2}
Tb
 Terbium
 158.92535
 [Xe]4f7s
 6.1978

66 ⁵I₈
Dy
 Dysprosium
 162.500
 [Xe]4f7s
 6.2817

67 ⁴I_{15/2}
Ho
 Holmium
 164.93033
 [Xe]4f7s
 6.3676

68 ³H₆
Er
 Erbium
 167.259
 [Xe]4f7s
 6.50

69 ²F_{7/2}
Tm
 Thulium
 168.93422
 [Xe]4f7s
 6.58

70 ¹S₀
Yb
 Ytterbium
 173.054
 [Xe]4f7s
 6.65

71 ²D_{3/2}
Lu
 Lutetium
 174.9668
 [Xe]4f7s
 4.90

72 ³F₂
Hf
 Hafnium
 178.49
 [Xe]4f145d6s
 6.8251

73 ⁴F_{3/2}
Ta
 Tantalum
 180.94788
 [Xe]4f145d6s
 7.5496

74 ⁵D₀
W
 Tungsten
 183.84
 [Xe]4f145d6s
 7.8640

75 ⁶S_{5/2}
Re
 Rhenium
 186.207
 [Xe]4f145d6s
 7.8335

76 ⁵D₄
Os
 Osmium
 190.23
 [Xe]4f145d6s
 8.4382

77 ⁴F_{9/2}
Ir
 Iridium
 192.217
 [Xe]4f145d6s
 8.9670

78 ³D₃
Pt
 Platinum
 195.084
 [Xe]4f145d6s
 8.9588

79 ²S_{1/2}
Au
 Gold
 196.966569
 [Xe]4f145d6s
 9.2256

80 ¹S₀
Hg
 Mercury
 200.592
 [Xe]4f145d6s
 10.4375

81 ²P_{1/2}
Tl
 Thallium
 204.38*
 [Hg]6p
 6.1083

82 ³P₀
Pb
 Lead
 207.2
 [Hg]6p²
 7.4167

83 ⁴S_{3/2}
Bi
 Bismuth
 208.98040
 [Hg]6p³
 7.2855

84 ³P₂
Po
 Polonium
 (209)
 [Hg]6p⁴
 8.414

85 ²P_{3/2}
At
 Astatine
 (210)
 [Hg]6p⁵
 9.31751

86 ¹S₀
Rn
 Radon
 (222)
 [Hg]6p⁶
 10.7485

87 ²S_{1/2}
Fr
 Francium
 (223)
 [Rn]7s
 4.0727

88 ¹S₀
Ra
 Radium
 (226)
 [Rn]7s²
 5.2784

89 ²D_{3/2}
Ac
 Actinium
 (227)
 [Rn]5f7s
 5.3802

90 ³F₂
Th
 Thorium
 232.0377
 [Rn]6d7s
 6.3067

91 ⁴K_{11/2}
Pa
 Protactinium
 231.03688
 [Rn]5f6d7s
 5.89

92 ⁵L₆
U
 Uranium
 238.02891
 [Rn]5f3d7s
 6.1941

93 ⁶L_{11/2}
Np
 Neptunium
 (237)
 [Rn]5f6d7s
 6.2655

94 ⁷F₀
Pu
 Plutonium
 (244)
 [Rn]5f7s
 6.0258

95 ⁸S_{7/2}
Am
 Americium
 (243)
 [Rn]5f7s
 5.9738

96 ⁹D₂
Cm
 Curium
 (247)
 [Rn]5f7s
 5.9914

97 ⁶H_{15/2}
Bk
 Berkelium
 (247)
 [Rn]5f7s
 6.1978

98 ⁵I₈
Cf
 Californium
 (251)
 [Rn]5f7s
 6.2817

99 ⁴I_{15/2}
Es
 Einsteinium
 (252)
 [Rn]5f7s
 6.3676

100 ³H₆
Fm
 Fermium
 (257)
 [Rn]5f7s
 6.50

101 ²F_{7/2}
Md
 Mendelevium
 (258)
 [Rn]5f7s
 6.58

102 ¹S₀
No
 Nobelium
 (259)
 [Rn]5f7s
 6.65

103 ²P_{1/2}
Lr
 Lawrencium
 (262)
 [Rn]5f7s
 4.90

Frequently used fundamental physical constants

 For the most accurate values of these and other constants, visit physics.nist.gov/constants
 1 second = 9 192 631 770 periods of radiation corresponding to the transition between the two hyperfine levels of the ground state of ¹³³Cs

speed of light in vacuum	<i>c</i>	299 792 458 m s ⁻¹	(exact)
Planck constant	<i>h</i>	6.626 07 x 10 ⁻³⁴ J s	(<i>h</i> = <i>h</i> /2π)
elementary charge	<i>e</i>	1.602 177 x 10 ⁻¹⁹ C	
electron mass	<i>m_e</i>	9.109 38 x 10 ⁻³¹ kg	
	<i>m_ec²</i>	0.510 999 MeV	
proton mass	<i>m_p</i>	1.672 622 x 10 ⁻²⁷ kg	
fine-structure constant	<i>α</i>	1/137.035 999	
Rydberg constant	<i>R_∞</i>	10 973 731.569 m ⁻¹	
	<i>R_∞c</i>	3.289 841 960 x 10 ¹⁵ Hz	
	<i>R_∞hc</i>	13.605 69 eV	
Boltzmann constant	<i>k</i>	1.380 6 x 10 ⁻²³ J K ⁻¹	

Solids
 Liquids
 Gases
 Artificially Prepared

Physical Measurement

 Laboratory
www.nist.gov/pml

Standard Reference Data

 Reference Data
www.nist.gov/srd
13
IIIA
5 ²P_{1/2}
B
 Boron
 10.81*
 1s²2s²2p
 11.2603

13 ²P_{1/2}
Al
 Aluminum
 26.9815385
 [Ne]3s²3p
 5.9858

14 ³P₀
Si
 Silicon
 28.085*
 [Ne]3s²3p²
 8.1517

15 ⁴S_{3/2}
P
 Phosphorus
 30.97376200
 [Ne]3s²3p³
 10.4867

16 ³P₂
S
 Sulfur
 32.06*
 [Ne]3s²3p⁴
 10.3600

17 ²P_{3/2}
Cl
 Chlorine
 35.45*
 [Ne]3s²3p⁵
 12.9676

18 ¹S₀
Ar
 Argon
 39.948
 [Ne]3s²3p⁶
 15.7596

19 ²S_{1/2}
K
 Potassium
 39.0983
 [Ar]4s
 4.3407

20 ¹S₀
Ca
 Calcium
 40.078
 [Ar]4s²
 6.113

National Institute of Standards and Technology

Serving the Nation Since 1901

The Hubbard Chart of the Atoms, ca. 1924

Henry D. Hubbard, the designer of the “Chart of the Atoms,” was the first secretary of the National Institute of Standards and Technology (then-called the National Bureau of Standards) and served continuously in that capacity from 1901 until his retirement in 1938.

Secretary Hubbard made a contribution to instruction in physics that is still in use today, his modernization of Mendeleev’s periodic table. First constructed in the 1920s, it has been frequently revised and reprinted.

