

NOTICE OF CANCELLATION

INCH-POUND

AN784 Rev 12
 NOTICE 2
15 November 2010
 SUPERSEDING
 NOTICE 1
 22 April 1999

AIR FORCE/NAVY AERONAUTICAL STANDARD

TEE, FLARED TUBE, INTERNAL THREAD ON RUN

AN784 Rev 12, dated 5 October 1983, is hereby cancelled. Future acquisitions for this item should refer to SAE-AS1032, "Fitting, Tee, Standard and Reducer, Bulkhead on Run, Internal Port on Run, Flared".

(Copies of these documents are available from SAE International, 400 Commonwealth Drive, Warrendale, PA 15096-0001, Tel: 877-606-7323 (inside USA and Canada) or 724-776-4970 (outside USA), www.sae.org.)

Reason for NOTICE 2: SAE inactivated Part or Identifying Number (PIN) with material code letter D for replacement parts and for new design to use code letter W. This is because code letter W is stronger in tensile strength than code letter D. This is based on the previous PA's revision, as a result of lessons learned. Plus to add back material code letter S for replacement parts and for new design to use code letter R. The code letter R is better for applications requiring higher temperature.

Table I provides a detailed cross-reference of cancelled AN784 Rev 12 PINs and replacement SAE-AS1032 PINs.

CAUTION: The supersession information is valid as of the date of this notice and may be superseded by subsequent revisions of the superseding document.

CONCLUDING MATERIAL

Custodians:

Army - AV
 Navy - AS
 Air Force - 99
 DLA - CC

Preparing activity:

DLA - CC

(Project 4730-2010-026)

Review activities:

Army - AR, CR4
 Navy - MC, SA
 Air Force - 11, 71

NOTE: The activities listed above were interested in this document as of the date of this document. Since organizations and responsibilities can change, you should verify the currency of the information above using the ASSIST Online database at <https://assist.daps.dla.mil>.

AN784 Rev 12
NOTICE 2

TABLE I. AN784 Rev 12 to SAE-AS1032, cross-reference data.

Cancelled AN PIN	Tube Size	Replacement AS PIN	New Design	Cancelled AN PIN	Tube Size	Replacement AS PIN	New Design
AN784-2	.125	AS1032- 020202		AN784-8	.500	AS1032- 080808	
AN784D2	.125	AS1032 D020202	AS1032 W020202	AN784D8	.500	AS1032 D080808	AS1032 W080808
AN784J2	.125	AS1032 J020202		AN784J8	.500	AS1032 J080808	
AN784K2	.125	AS1032 K020202		AN784K8	.500	AS1032 K080808	
AN784S2	.125	AS1032 S020202	AS1032 R020202	AN784S8	.500	AS1032 S080808	AS1032 R080808
AN784T2	.125	AS1032 T020202		AN784T8	.500	AS1032 T080808	
AN784W2	.125	AS1032 W020202		AN784W8	.500	AS1032 W080808	
AN784-3	.188	AS1032- 030303		AN784-10	.625	AS1032- 101010	
AN784D3	.188	AS1032 D030303	AS1032 W030303	AN784D10	.625	AS1032 D101010	AS1032 W101010
AN784J3	.188	AS1032 J030303		AN784J10	.625	AS1032 J101010	
AN784K3	.188	AS1032 K030303		AN784K10	.625	AS1032 K101010	
AN784S3	.188	AS1032 S030303	AS1032 R030303	AN784S10	.625	AS1032 S101010	AS1032 R101010
AN784T3	.188	AS1032 T030303		AN784T10	.625	AS1032 T101010	
AN784W3	.188	AS1032 W030303		AN784W10	.625	AS1032 W101010	
AN784-4	.250	AS1032- 040404		AN784-12	.750	AS1032- 121212	
AN784D4	.250	AS1032 D040404	AS1032 W040404	AN784D12	.750	AS1032 D121212	AS1032 W121212
AN784J4	.250	AS1032 J040404		AN784J12	.750	AS1032 J121212	
AN784K4	.250	AS1032 K040404		AN784K12	.750	AS1032 K121212	
AN784S4	.250	AS1032 S040404	AS1032 R040404	AN784S12	.750	AS1032 S121212	AS1032 R121212
AN784T4	.250	AS1032 T040404		AN784T12	.750	AS1032 T121212	
AN784W4	.250	AS1032 W040404		AN784W12	.750	AS1032 W121212	

AN784 Rev 12
NOTICE 2

TABLE I. AN784 Rev 12 to SAE-AS1032, cross-reference data – Continued.

Cancelled AN PIN	Tube Size	Replacement AS PIN	New Design	Cancelled AN PIN	Tube Size	Replacement AS PIN	New Design
AN784-5	.312	AS1032- 050505		AN784-16	1.000	AS1032- 161616	
AN784D5	.312	AS1032 D050505	AS1032 W050505	AN784D16	1.000	AS1032 D161616	AS1032 W161616
AN784J5	.312	AS1032 J050505		AN784J16	1.000	AS1032 J161616	
AN784K5	.312	AS1032 K050505		AN784K16	1.000	AS1032 K161616	
AN784S5	.312	AS1032 S050505	AS1032 R050505	AN784S16	1.000	AS1032 S161616	AS1032 R161616
AN784T5	.312	AS1032 T050505		AN784T16	1.000	AS1032 T161616	
AN784W5	.312	AS1032 W050505		AN784W16	1.000	AS1032 W161616	
AN784-6	.375	AS1032- 060606		AN784-20	1.250	AS1032- 202020	
AN784D6	.375	AS1032 D060606	AS1032 W060606	AN784D20	1.250	AS1032 D202020	AS1032 W202020
AN784J6	.375	AS1032 J060606		AN784J20	1.250	AS1032 J202020	
AN784K6	.375	AS1032 K060606		AN784K20	1.250	AS1032 K202020	
AN784S6	.375	AS1032 S060606	AS1032 R060606	AN784S20	1.250	AS1032 S202020	AS1032 R202020
AN784T6	.375	AS1032 T060606		AN784T20	1.250	AS1032 T202020	
AN784W6	.375	AS1032 W060606		AN784W20	1.250	AS1032 W202020	