

NOTICE OF  
CANCELLATION

INCH-POUND

AN834 REV 9  
NOTICE 1  
22 April 1999

AIR FORCE/NAVY AERONAUTICAL STANDARD  
TEE, BULKHEAD AND UNIVERSAL FLARED TUBE

AN834 REV 9, dated 4 August 1983, is hereby cancelled. Future acquisitions for this item should refer to Society of Automotive Engineers (SAE) Aerospace Standard (AS) AS1039, "Tee, Standard and Reducer, Bulkhead on Side, Flared Tube."

Table 1 provides a detailed cross-reference of cancelled AN834 Part or Identifying Numbers (PINs) and replacement AS1039 PINs. The use of "AS" parts is preferable, but "AN" parts may be used for a period of three years from the date of this notice to deplete existing stock. Users are cautioned to evaluate replacements for their particular application.

(DoD activities may obtain copies of SAE AS1039 from the DoDSSP, Standardization Document Order Desk, 700 Robbins Avenue, Building 4D, Philadelphia, PA 19111-5094. The private sector and other Government agencies may purchase copies from the Society of Automotive Engineers International, 400 Commonwealth Drive, Warrendale, PA 15096-0001.)

Custodians:  
Army - AV  
Navy - AS  
Air Force - 99  
DLA - CC

Preparing activity:  
DLA - CC

(Project 4730-0419)

Review activity:  
Air Force - 82

AN834 REV 9  
NOTICE 1

TABLE 1 - Cross-Reference Data

Cancelled AN PIN	Tube Size	Replacement AS PIN	Cancelled AN PIN	Tube Size	Replacement AS PIN
AN834-2	.125	AS1039-020202	AN834-8	.500	AS1039-080808
AN834-2D	.125	AS1039D020202	AN834-8D	.500	AS1039D080808
AN834-2J	.125	AS1039J020202	AN834-8J	.500	AS1039J080808
AN834-2K	.125	AS1039K020202	AN834-8K	.500	AS1039K080808
AN834-2S	.125	AS1039S020202	AN834-8S	.500	AS1039S080808
AN834-2T	.125	AS1039T020202	AN834-8T	.500	AS1039T080808
AN834-2W	.125	AS1039W020202	AN834-8W	.500	AS1039W080808
AN834-3	.188	AS1039-030303	AN834-10	.625	AS1039-101010
AN834-3D	.188	AS1039D030303	AN834-10D	.625	AS1039D101010
AN834-3J	.188	AS1039J030303	AN834-10J	.625	AS1039J101010
AN834-3K	.188	AS1039K030303	AN834-10K	.625	AS1039K101010
AN834-3S	.188	AS1039S030303	AN834-10S	.625	AS1039S101010
AN834-3T	.188	AS1039T030303	AN834-10T	.625	AS1039T101010
AN834-3W	.188	AS1039W030303	AN834-10W	.625	AS1039W101010
AN834-4	.250	AS1039-040404	AN834-12	.750	AS1039-121212
AN834-4D	.250	AS1039D040404	AN834-12D	.750	AS1039D121212
AN834-4J	.250	AS1039J040404	AN834-12J	.750	AS1039J121212
AN834-4K	.250	AS1039K040404	AN834-12K	.750	AS1039K121212
AN834-4S	.250	AS1039S040404	AN834-12S	.750	AS1039S121212
AN834-4T	.250	AS1039T040404	AN834-12T	.750	AS1039T121212
AN834-4W	.250	AS1039W040404	AN834-12W	.750	AS1039W121212
AN834-5	.312	AS1039-050505	AN834-16	1.000	AS1039-161616
AN834-5D	.312	AS1039D050505	AN834-16D	1.000	AS1039D161616
AN834-5J	.312	AS1039J050505	AN834-16J	1.000	AS1039J161616
AN834-5K	.312	AS1039K050505	AN834-16K	1.000	AS1039K161616
AN834-5S	.312	AS1039S050505	AN834-16S	1.000	AS1039S161616
AN834-5T	.312	AS1039T050505	AN834-16T	1.000	AS1039T161616
AN834-5W	.312	AS1039W050505	AN834-16W	1.000	AS1039W161616
AN834-6	.375	AS1039-060606	AN834-20	1.250	AS1039-202020
AN834-6D	.375	AS1039D060606	AN834-20D	1.250	AS1039D202020
AN834-6J	.375	AS1039J060606	AN834-20J	1.250	AS1039J202020
AN834-6K	.375	AS1039K060606	AN834-20K	1.250	AS1039K202020
AN834-6S	.375	AS1039S060606	AN834-20S	1.250	AS1039S202020
AN834-6T	.375	AS1039T060606	AN834-20T	1.250	AS1039T202020
AN834-6W	.375	AS1039W060606	AN834-20W	1.250	AS1039W202020

AN834 REV 9  
NOTICE 1

TABLE 1 - Cross-Reference Data (Continued)

Cancelled AN PIN	Tube Size	Replacement AS PIN	Cancelled AN PIN	Tube Size	Replacement AS PIN
AN834-24	1.500	AS1039-242424	AN834-32	2.000	AS1039-323232
AN834-24D	1.500	AS1039D242424	AN834-32D	2.000	AS1039D323232
AN834-24J	1.500	AS1039J242424	AN834-32J	2.000	AS1039J323232
AN834-24K	1.500	AS1039K242424	AN834-32K	2.000	AS1039K323232
AN834-24S	1.500	AS1039S242424	AN834-32S	2.000	AS1039S323232
AN834-24T	1.500	AS1039T242424	AN834-32T	2.000	AS1039T323232
AN834-24W	1.500	AS1039W242424	AN834-32W	2.000	AS1039W323232
AN834-28	1.750	Not available			
AN834-28D	1.750	Not available			
AN834-28J	1.750	Not available			
AN834-28K	1.750	Not available			
AN834-28S	1.750	Not available			
AN834-28T	1.750	Not available			
AN834-28W	1.750	Not available			