

NOTICE OF
CANCELLATION

INCH-POUND

AN919 REV 9
NOTICE 1
28 September 1999

AIR FORCE/NAVY AERONAUTICAL STANDARD
REDUCER – EXTERNAL THREAD FLARED TUBE

AN919 REV 9, dated 4 August 1983, is hereby cancelled. Future acquisitions for this item should refer to Society of Automotive Engineers (SAE) Aerospace Standard (AS) AS5174, "Fitting, Union and Reducer, Flared."

Table 1 provides a detailed cross-reference of cancelled AN919 Part or Identifying Numbers (PINs) and replacement AS5174 PINs. The use of "AS" parts is preferable, but "AN" parts may be used for a period of three years from the date of this notice to deplete existing stock. Users are cautioned to evaluate replacements for their particular application.

(DoD activities may obtain copies of SAE AS5174 from the DoDSSP, Standardization Document Order Desk, 700 Robbins Avenue, Building 4D, Philadelphia, PA 19111-5094. The private sector and other Government agencies may purchase copies from the Society of Automotive Engineers International, 400 Commonwealth Drive, Warrendale, PA 15096-0001.)

Custodians:
Army - AV
Navy - AS
Air Force - 99
DLA - CC

Preparing activity:
DLA - CC

(Project 4730-0800)

Review activity:
Air Force - 82

AN919 REV 9
NOTICE 1

TABLE 1 - Cross-Reference Data

Cancelled AN PIN	Tube Size	Replacement AS PIN	Cancelled AN PIN	Tube Size	Replacement AS PIN
AN919-0	.188	AS5174-0302	AN919-5	.375	AS5174-0603
AN919-0D	.188	AS5174D0302	AN919-5D	.375	AS5174D0603
AN919-0J	.188	AS5174J0302	AN919-5J	.375	AS5174J0603
AN919-0K	.188	AS5174K0302	AN919-5K	.375	AS5174K0603
AN919-0S	.188	AS5174R0302	AN919-5S	.375	AS5174R0603
AN919-0T	.188	AS5174T0302	AN919-5T	.375	AS5174T0603
AN919-0W	.188	AS5174W0302	AN919-5W	.375	AS5174W0603
AN919-1	.250	AS5174-0402	AN919-6	.375	AS5174-0604
AN919-1D	.250	AS5174D0402	AN919-6D	.375	AS5174D0604
AN919-1J	.250	AS5174J0402	AN919-6J	.375	AS5174J0604
AN919-1K	.250	AS5174K0402	AN919-6K	.375	AS5174K0604
AN919-1S	.250	AS5174R0402	AN919-6S	.375	AS5174R0604
AN919-1T	.250	AS5174T0402	AN919-6T	.375	AS5174T0604
AN919-1W	.250	AS5174W0402	AN919-6W	.375	AS5174W0604
AN919-2	.250	AS5174-0403	AN919-7	.375	AS5174-0605
AN919-2D	.250	AS5174D0403	AN919-7D	.375	AS5174D0605
AN919-2J	.250	AS5174J0403	AN919-7J	.375	AS5174J0605
AN919-2K	.250	AS5174K0403	AN919-7K	.375	AS5174K0605
AN919-2S	.250	AS5174R0403	AN919-7S	.375	AS5174R0605
AN919-2T	.250	AS5174T0403	AN919-7T	.375	AS5174T0605
AN919-2W	.250	AS5174W0403	AN919-7W	.375	AS5174W0605
AN919-3	.312	AS5174-0504	AN919-8	.500	AS5174-0802
AN919-3D	.312	AS5174D0504	AN919-8D	.500	AS5174D0802
AN919-3J	.312	AS5174J0504	AN919-8J	.500	AS5174J0802
AN919-3K	.312	AS5174K0504	AN919-8K	.500	AS5174K0802
AN919-3S	.312	AS5174R0504	AN919-8S	.500	AS5174R0802
AN919-3T	.312	AS5174T0504	AN919-8T	.500	AS5174T0802
AN919-3W	.312	AS5174W0504	AN919-8W	.500	AS5174W0802
AN919-4	.375	AS5174-0602	AN919-9	.500	AS5174-0803
AN919-4D	.375	AS5174D0602	AN919-9D	.500	AS5174D0803
AN919-4J	.375	AS5174J0602	AN919-9J	.500	AS5174J0803
AN919-4K	.375	AS5174K0602	AN919-9K	.500	AS5174K0803
AN919-4S	.375	AS5174R0602	AN919-9S	.500	AS5174R0803
AN919-4T	.375	AS5174T0602	AN919-9T	.500	AS5174T0803
AN919-4W	.375	AS5174W0602	AN919-9W	.500	AS5174W0803

AN919 REV 9
NOTICE 1

TABLE 1 - Cross-Reference Data (Continued)

Cancelled AN PIN	Tube Size	Replacement AS PIN	Cancelled AN PIN	Tube Size	Replacement AS PIN
AN919-10	.500	AS5174-0804	AN919-15	.625	AS5174-1008
AN919-10D	.500	AS5174D0804	AN919-15D	.625	AS5174D1008
AN919-10J	.500	AS5174J0804	AN919-15J	.625	AS5174J1008
AN919-10K	.500	AS5174K0804	AN919-15K	.625	AS5174K1008
AN919-10S	.500	AS5174R0804	AN919-15S	.625	AS5174R1008
AN919-10T	.500	AS5174T0804	AN919-15T	.625	AS5174T1008
AN919-10W	.500	AS5174W0804	AN919-15W	.625	AS5174W1008
AN919-11	.500	AS5174-0805	AN919-16	.750	AS5174-1204
AN919-11D	.500	AS5174D0805	AN919-16D	.750	AS5174D1204
AN919-11J	.500	AS5174J0805	AN919-16J	.750	AS5174J1204
AN919-11K	.500	AS5174K0805	AN919-16K	.750	AS5174K1204
AN919-11S	.500	AS5174R0805	AN919-16S	.750	AS5174R1204
AN919-11T	.500	AS5174T0805	AN919-16T	.750	AS5174T1204
AN919-11W	.500	AS5174W0805	AN919-16W	.750	AS5174W1204
AN919-12	.500	AS5174-0806	AN919-17	.750	AS5174-1205
AN919-12D	.500	AS5174D0806	AN919-17D	.750	AS5174D1205
AN919-12J	.500	AS5174J0806	AN919-17J	.750	AS5174J1205
AN919-12K	.500	AS5174K0806	AN919-17K	.750	AS5174K1205
AN919-12S	.500	AS5174R0806	AN919-17S	.750	AS5174R1205
AN919-12T	.500	AS5174T0806	AN919-17T	.750	AS5174T1205
AN919-12W	.500	AS5174W0806	AN919-17W	.750	AS5174W1205
AN919-13	.625	AS5174-1004	AN919-18	.750	AS5174-1206
AN919-13D	.625	AS5174D1004	AN919-18D	.750	AS5174D1206
AN919-13J	.625	AS5174J1004	AN919-18J	.750	AS5174J1206
AN919-13K	.625	AS5174K1004	AN919-18K	.750	AS5174K1206
AN919-13S	.625	AS5174R1004	AN919-18S	.750	AS5174R1206
AN919-13T	.625	AS5174T1004	AN919-18T	.750	AS5174T1206
AN919-13W	.625	AS5174W1004	AN919-18W	.750	AS5174W1206
AN919-14	.625	AS5174-1006	AN919-19	.750	AS5174-1208
AN919-14D	.625	AS5174D1006	AN919-19D	.750	AS5174D1208
AN919-14J	.625	AS5174J1006	AN919-19J	.750	AS5174J1208
AN919-14K	.625	AS5174K1006	AN919-19K	.750	AS5174K1208
AN919-14S	.625	AS5174R1006	AN919-19S	.750	AS5174R1208
AN919-14T	.625	AS5174T1006	AN919-19T	.750	AS5174T1208
AN919-14W	.625	AS5174W1006	AN919-19W	.750	AS5174W1208

AN919 REV 9
NOTICE 1

TABLE 1 - Cross-Reference Data (Continued)

Cancelled AN PIN	Tube Size	Replacement AS PIN	Cancelled AN PIN	Tube Size	Replacement AS PIN
AN919-20	.750	AS5174-1210	AN919-25	1.250	AS5174-2012
AN919-20D	.750	AS5174D1210	AN919-25D	1.250	AS5174D2012
AN919-20J	.750	AS5174J1210	AN919-25J	1.250	AS5174J2012
AN919-20K	.750	AS5174K1210	AN919-25K	1.250	AS5174K2012
AN919-20S	.750	AS5174R1210	AN919-25S	1.250	AS5174R2012
AN919-20T	.750	AS5174T1210	AN919-25T	1.250	AS5174T2012
AN919-20W	.750	AS5174W1210	AN919-25W	1.250	AS5174W2012
AN919-21	1.000	AS5174-1604	AN919-26	1.250	AS5174-2016
AN919-21D	1.000	AS5174D1604	AN919-26D	1.250	AS5174D2016
AN919-21J	1.000	AS5174J1604	AN919-26J	1.250	AS5174J2016
AN919-21K	1.000	AS5174K1604	AN919-26K	1.250	AS5174K2016
AN919-21S	1.000	AS5174R1604	AN919-26S	1.250	AS5174R2016
AN919-21T	1.000	AS5174T1604	AN919-26T	1.250	AS5174T2016
AN919-21W	1.000	AS5174W1604	AN919-26W	1.250	AS5174W2016
AN919-22	1.000	AS5174-1610	AN919-27	1.500	AS5174-2416
AN919-22D	1.000	AS5174D1610	AN919-27D	1.500	AS5174D2416
AN919-22J	1.000	AS5174J1610	AN919-27J	1.500	AS5174J2416
AN919-22K	1.000	AS5174K1610	AN919-27K	1.500	AS5174K2416
AN919-22S	1.000	AS5174R1610	AN919-27S	1.500	AS5174R2416
AN919-22T	1.000	AS5174T1610	AN919-27T	1.500	AS5174T2416
AN919-22W	1.000	AS5174W1610	AN919-27W	1.500	AS5174W2416
AN919-23	1.000	AS5174-1612	AN919-28	1.500	AS5174-2420
AN919-23D	1.000	AS5174D1612	AN919-28D	1.500	AS5174D2420
AN919-23J	1.000	AS5174J1612	AN919-28J	1.500	AS5174J2420
AN919-23K	1.000	AS5174K1612	AN919-28K	1.500	AS5174K2420
AN919-23S	1.000	AS5174R1612	AN919-28S	1.500	AS5174R2420
AN919-23T	1.000	AS5174T1612	AN919-28T	1.500	AS5174T2420
AN919-23W	1.000	AS5174W1612	AN919-28W	1.500	AS5174W2420
AN919-24	1.250	AS5174-2004	AN919-29	1.000	AS5174-1608
AN919-24D	1.250	AS5174D2004	AN919-29D	1.000	AS5174D1608
AN919-24J	1.250	AS5174J2004	AN919-29J	1.000	AS5174J1608
AN919-24K	1.250	AS5174K2004	AN919-29K	1.000	AS5174K1608
AN919-24S	1.250	AS5174R2004	AN919-29S	1.000	AS5174R1608
AN919-24T	1.250	AS5174T2004	AN919-29T	1.000	AS5174T1608
AN919-24W	1.250	AS5174W2004	AN919-29W	1.000	AS5174W1608