

AN PART NO AN3056-3		CONDUIT SIZE 3/16	T THREAD . 5000-28 UNEF-2A	E 3/8	F 1/8	G DIA 198	K DIA 332	P 11/16	Q APPROX 51/64
	-6	3/8	7500-20 UNEF-2A	3/8	1/8	385	519	15/16	1-3/32
	-8	1/2	8750-20 UNEF-2A	3/8	3/16	510	669	1-1 16	1-15/64
	-10	5/8	1 0000-20 UNEF-2A	3/8	3/16	635	794	†ፕፕዣ —	7:7:16
	- 12	3/4	1 1875-18 NEF-2A	3/8	3/16	760	929	1-3/8	1-19/32
	-16	1	1 4375-18 NEF-2A	1/2	3/16	1 010	1 214	1-5 8	1 7/8
	-20	1-1/4	1 7500-18 NS-2A	1/2	3/16	1 261	1 469	2	2-5 16
	-24	1-1/2	2 0000-18 NS-2A	1/2	3/16	1 511	1 724	2-3 16	2-17/32
	-28	1-3/4	2 2500-16 UN-2A	1/2	1/4	1 761	1 976	2-7 16	2-13,16
1	-32	2	2 5000-16 UN-2A	9/16	1/4	2 011	2 229	2 13 16	3-1/4
AN3056-40		2-1/2	3 0000-16 UN-2A	B/8	1/4	2 512	2 744	3-3 8	3-57/64

NOTES

- MATERIAL ALUMINUM ALLOY QQ-A-225/5 (2017-T4) QQ-A-601 CLASS 4 OR QQ-A-250/4 OR COMMERCIAL GRADE SUITABLE TO PROCURING ACTIVITY

 SURFACE TEXTURE THE SURFACE TEXTURE SHALL BE IN ACCORDANCE WITH ANSI B46 1 CADMIUM PLATE, QQ-P-416, TYPE II, CLASS 2

 REMOVE ALL BURRS AND SHARP EDGES
- 2
- 3
- THE MUVE ALL BURRS AND SHARP EDGES

 THREADS TO BE IN ACCORDANCE WITH MIL-S-7742. EXCEPT 1 7500-18 NS-2A AND 2.0000-18 NS-2A WHICH SHALL BE IN ACCORDANCE WITH AMERICAN NATIONAL STANDARDS INSTITUTE B1 1

 DIMENSIONS IN INCHES (* LESS OTHERWISE SPECIFIED, TOLERANCES FRACTIONS: 1/64 DECIMALS: 005

 ANGLES: 1/2* 5

REFERENCED DOCUMENTS SHALL BE OF THE BSUE IN EFFECT ON DATE OF INVITATIONS FOR BID

	6 STANDARD REVISED AND REDRAWN					
	HAVY - AS	AERONAUTICAL STANDARD	AN3056			
	USAF - 85 ARMY - EL	ADAPTER, ELECTRICAL CONDUIT, RIGID TO FLEXIBLE				
•	PROCUPEMENT SPECIFICATION NONE	SUPERIEDES	SHEET 1 OF 1			

1040 STW00.01

SEVIEWER STREELS:

3791 Y 10L

7 9

REMISED

Ş 25 MAR

APPROVED

STANDARDIZATION DOCUMENT IMPROVE	OMB Approval No. 22-R255						
INSTRUCTIONS. The purpose of this form is to solicit suitable products at reasonable cost and minimum delay tractors, government activities, or manufacturers/vendo to submit comments to the government. Fold on lines on Comments submitted on this form do not constitute or in document(s) or to amend contractual requirements. Attac document. If there are additional papers, attach to form	y, or will otherwise er ors who are prospective or reverse side, staple uply authorization to the any pertinent data	nhance uses supplication of the supplication o	se of the document. DoD con- ers of the product are invited r, and send to preparing activity. y portion of the referenced ay be of use in improving this				
DOCUMENT IDENTIFIER AND TITLE AN3056 (6) ADAPTER, ELECTRICAL CONDUIT, RIGID TO FLEXIBLE							
NAME OF ORGANIZATION AND ADDRESS	CONTRACT NUMBER						
	MATERIAL PROCURE						
1 HAS ANY PART OF THE DOCUMENT CREATED PROBLEMS OR REQUIRED INTERPRETATION IN PROCUREMENT USE? A. GIVE PARAGRAPH NUMBER AND WORDING							
B RECOMMENDATIONS FOR CORRECTING THE DEFICIENCIES							
2. COMMENTS ON ANY DOCUMENT REQUIREMENT CONSIDERED TOO RIGID							
3 IS THE DOCUMENT RESTRICTIVE?	***************************************	*					
YES NO (If "Yes", in what way?)							
4 REMARKS							
SUBMITTED BY (Printed or typed name and eddress - Optional)	TELEPH	ONE NO					
	ř	DATE					

FOLD

DEPARTMENT OF THE NAVY laval Air Engineering Center Philadelphia, PA 19112

OFFICIAL BUSINESS

POSTAGE AND FEES PAID
DEPARTMENT OF THE NAVY
DOD 316



Engineering Specifications and Standards Department (Code ES) Naval Air Engineering Center Philadelphia, PA 19112

FOLD