





REVISION STATEMENT A Approved for public release, distribution is unlimited.

ANSC N/A

This military standard is approved for use by all Departments and Agencies of the Department of Defense. Section for all new engineering and design applications and for repetitive use shall be made from this document when applicable.

REVIEWER ACTIVITIES AIRFORCE - 11

USER ACTIVITIES

		FED SUP CLASS 3010	
 <p>SECTION A-A</p>		 <p>DETAIL A</p> <p>PITCH LINES SHALL BE PARALLEL AND CONCENTRIC WITHIN .002 FULL INDICATOR READING</p>	
 <p>EXTERNAL SPLINE DETAIL</p>		 <p>INTERNAL SPLINE DETAIL</p>	
<p>EXTERNAL SPLINE DATA</p> <p>24 TEETH</p> <p>20/30 PITCH</p> <p>30° PRESSURE ANGLE</p> <p>HARDEN ROCKWELL C58 MIN</p> <p>MIN DEPTH OF EFFECTIVE CASE .010</p>		<p>INTERNAL SPLINE DATA</p> <p>16 TEETH</p> <p>20/30 PITCH</p> <p>30° PRESSURE ANGLE</p> <p>HARDEN ROCKWELL C58 MIN</p> <p>MIN DEPTH OF EFFECTIVE CASE .010</p>	
<p>AN PART NO</p> <p>AN 4052-1</p>			
<p>MATERIAL CHROME-NICKEL-MOLYBDENUM STEEL, MIL-S-8690, CHROME-MOLYBDENUM-ALUMINUM, MIL-S-6709 OR EQUIVALENT STEELS HAVING THE SAME PHYSICAL PROPERTIES</p>			
<p>DIMENSIONS IN INCHES UNLESS OTHERWISE SPECIFIED, TOLERANCES THREE PLACE DECIMALS ± .010, ANGLES ± 2°</p>			
<p>7</p>		<p>7</p>	
<p>P A</p> <p>A F - 71</p> <p>Other Cust</p> <p>Air Force-99</p> <p>Navv - AS</p>		<p>INTERNATIONAL INTEREST</p>	
<p>PROUREMENT SPECIFICATION</p> <p>NONE</p>		<p>SUPERSEDES</p>	
<p>DD FORM 13, 672-1 (COORDINATED)</p>		<p>PREVIOUS EDITIONS OF THIS FORM ARE OBSOLETE</p>	
<p>3010 - 0044</p>		<p>3010 - 0044</p>	

APPROVED 26 DEC 41 REVISED ① 12 APR 44 ② 21 OCT 44 ③ 18 JUL 45 ④ 5 MAR 46 ⑤ 14 NOV 46 ⑥ 13 JUNE 72 ⑦ 10 JUN 87