Downloaded from http://www.everyspec.com





ACCEPTABLE DESIGNS OF INSULATION GRIP

AN5542-1

AN PART NO.	TERMINAL
AN5542-1	PLAIN
AN5542-2	LOCK

MATERIAL: TERMINAL - SOFT COPPER, SPECIFICATION QQ-C-502, CLASS "A". OR COPPER TUBING, SPECIFICATION WW-T-799. OPTIONAL BARREL MATERIAL, BRONZE, SPECIFICATION QQ-B-666. FINISH, TIN PLATE. NUT - BRASS, HARD, SPECIFICATION QQ-B-636.

REMOVE ALL BURRS.

DIMENSIONS IN INCHES. UNLESS OTHERWISE SPECIFIED, TOLERANCES: FRACTIONS ±1/64, DECIMALS ±.005, ANGLES ±1/2°.

APPROVED 30 Oct 44 REVISED 1 29 Jun 45 (2) 3 Apr 53

NOTE—This standard was approved by [illegible] of the Air Force and Navy Departments in the Air Force-Navy product control system for the procurement of aeronautical materials. Drawings for the item produced under this standard become effective for the procurement of aeronautical materials [illegible] or for use in new design, not later than six months after the latest date of approval shown.

PROCUREMENT SPECIFICATION	AIR FORCE-NAVY AERONAUTICAL STANDARD	AN5542
NONE	TERMINAL - THERMOCOUPLE	