

INCH-POUND

AN6201 Rev B
 21 April 2011
 SUPERSEDING
 AN6201 Rev A
 22 March 1982

DETAIL SPECIFICATION SHEET

PUMP-HYDRAULIC HAND

Inactive for new design after 19 January 1996.

This specification is approved for use by all Departments and Agencies of the Department of Defense.

The requirements for acquiring the product described herein shall consist of this specification sheet and MIL-DTL-5515.




FIGURE 1. Hydraulic hand pump.

AND201 REV D

Inches	mm	Inches	mm
.001	0.03	1.125	28.58
.005	0.13	1.375	34.93
.010	0.25	1.500	38.10
.020	0.51	1.625	41.28
.191	4.85	1.750	44.45
.250	6.35	2.000	50.80
.257	6.53	2.250	57.15
.375	9.53	2.750	69.85
.500	12.70	2.813	71.45
.510	12.95	2.875	73.03
.563	14.30	3.563	90.50
.750	19.05	4.000	101.60
.823	20.90	4.500	114.30
1.000	25.40	4.625	117.48
		7.625	193.68

NOTES:

1. Dimensions are in inches.
2. Metric equivalents are given for information only.
3. Unless otherwise specified tolerances for three place decimals ± 0.010 inch (0.25 mm), angles $\pm 0.5^\circ$.

FIGURE 1. Hydraulic hand pump - Continued.

REQUIREMENTS

Dimensions, see figure 1.

Part or Identifying Number (PIN): AN6201-1.

Changes from previous issue. Marginal notations are not used in this revision to identify changes with respect to the previous issue due to the extent of the changes.

Referenced documents. In addition to MIL-DTL-5515, this document references AND10050.

CONCLUDING MATERIAL

Custodians:

Army – AV
Navy - AS
Air Force - 99
DLA - CC

Preparing activity:

DLA - CC

(Project 4320-2010-005)

Review activities:

Army – AT
Navy - SH
Air Force - 71

NOTE: The activities listed above were interested in this document as of the date of this document. Since organizations and responsibilities can change, you should verify the currency of the information above using the ASSIST Online database at <https://assist.daps.dla.mil>.