


FED. SUP CLASS
4730

AN PART NO.	A	B	N
AN7023-1	1.875	0.938	5
AN7023-2	1.500	0.562	3

MATERIAL: ALUMINUM ALLOY, SPECIFICATION QQ-A-225

FINISH: ANODIC TREATMENT, SPECIFICATION MIL-A-8625

REMOVE ALL BURRS AND SHARP EDGES

DIMENSIONS IN INCHES. UNLESS OTHERWISE SPECIFIED, TOLERANCES:
DECIMALS ± 0.005 , ANGLES $\pm 1^\circ$.

② REINSTATED

This standard has been approved by the Department of the Air Force and is mandatory for use by that activity. All other military activities are required to employ this standard where suitable.

P.A. 99 Other Cust	TITLE CONNECTOR-VACUUM HOSE,	AIR FORCE - NAVY AERONAUTICAL STANDARD
PROCUREMENT SPECIFICATION NONE	SUPERSEDES:	AN 7023
		SHEET 1 OF 1

INCH-POUND

NOTICE
OF VALIDATION

AN-7023 (REV. 2)
NOTICE 1
16 NOVEMBER 1993

MILITARY SPECIFICATION

CONNECTOR-VACUUM HOSE

AN-7023 dated 4 May 1981, has been reviewed and determined to be valid for use in acquisition.

Custodians:
Air Force - 99

Preparing activity:
Air Force - 82

Review Activities:
Air Force - 70

AMSC N/A

FSC 4730

DISTRIBUTION STATEMENT A. Approved for public release; distribution is unlimited.

