

OFFICE: When Government drawings, specifications, or other data are used for any purpose other than in connection with a definitely related Government procurement operation, the Government assumes no liability for any infringement of any patent or other right in connection with the use of such data. It is the policy of the Department of Defense to make available to the public, without charge, the drawings, specifications, and other data which are prepared in connection with the procurement of military equipment or services, and which are not otherwise available to the public. It is the policy of the Department of Defense to make available to the public, without charge, the drawings, specifications, and other data which are prepared in connection with the procurement of military equipment or services, and which are not otherwise available to the public.

DISTRIBUTION STATEMENT A: Approved for public release; distribution is unlimited

NOTE: This drawing was prepared by joint action of the Air Force and Navy Departments as the Air Force, Department of Defense, and the Department of the Navy. This drawing is the property of the Department of Defense and is loaned to the user. It is to be used for the purpose of the procurement of military equipment or services, and is not to be used for any other purpose. It is to be used for the purpose of the procurement of military equipment or services, and is not to be used for any other purpose.

L			K			PART NO.			L			K			PART NO.			L			K			PART NO.		
			+.000 -.060									+.000 -.060									+.000 -.060					
.375	(A)	AN107306	1 188	.562	AN107319	2 625	2 000	AN107333																		
438	(A)	AN107307	1 250	.625	AN107320	2 750	2 125	AN107334																		
			1 312	.688	AN107321	2 875	2 250	AN107335																		
500	(A)	AN107308	1 375	.750	AN107322	3 000	2 375	AN107337																		
562	(A)	AN107309	1 438	.812	AN107323	3 125	2 500	AN107337																		
625	(A)	AN107310	1 500	.875	AN107324	3 250	2 625	AN107338																		
688	(A)	AN107311	1 625	1 000	AN107325	3 375	2 750	AN107339																		
750	125	AN107312	1 750	1 125	AN107326	3 500	2 875	AN107340																		
812	188	AN107313	1 875	1 250	AN107327	3 625	3 000	AN107341																		
875	250	AN107314	2 000	1 375	AN107328	3 750	3 125	AN107342																		
938	312	AN107315	2 125	1 500	AN107329	3 875	3 250	AN107343																		
1 000	375	AN107316	2 250	1 625	AN107330																					
1 062	438	AN107317	2 375	1 750	AN107331																					
1 125	500	AN107318	2 500	1 875	AN107332																					

(A) THREAD TO HEAD MAXIMUM TWO IMPERFECT THREADS

NOTE (1) SHANK SHALL BE STRAIGHT WITHIN .004 FIR. PER INCH OF BOLT LENGTH
(2) THE CONCENTRICITY OF THREAD PD IN RELATION TO THE SHANK SHALL BE WITHIN .006 FIR
(3) THE CONCENTRICITY OF THE SHANK IN RELATION TO THE WASHER FACE DIAMETER AND HEXAGON SHALL BE WITHIN .011 FIR

INACTIVE FOR DESIGN AFTER 27 DEC 1966 NO SUPERSEDING STANDARD

MATERIAL CORROSION RESISTANT STEEL - SEE MANUFACTURING SPECIFICATION

SURFACE ROUGHNESS AS107

MANUFACTURING SPECIFICATION AMS 7472

③ INSPECTION ALL PARTS SHALL UNDERGO FLUORESCENT PENETRANT INSPECTION IN ACCORDANCE WITH AMS2645

BREAK SHARP EDGES .003 - .015 UNLESS OTHERWISE SPECIFIED

DIMENSIONS IN INCHES UNLESS OTHERWISE SPECIFIED TOLERANCES, LINEAR DIMENSIONS ± .010, ANGULAR DIMENSIONS ± 2°

DO NOT USE UNASSIGNED PART NUMBERS

THIS STANDARD WAS DEVELOPED COOPERATIVELY WITH THE ENGINE AND PROPELLER UTILITY PARTS COMMITTEE OF THE SAE

P.A. USAF - 11 Other Comd Navy-AS Army-AV	AIR FORCE-NAVY AERONAUTICAL STANDARD BOLT - CRS DRILLED HEX HEAD, 6 HOLES, .190-32	AN107301 THRU AN107400
---	--	--

U.S. GOVERNMENT PRINTING OFFICE: 1967-301-019/200

Project No. 5306-1057

APPROVED 10 Jul 49 REVISED ① 31 Aug 54 ② 27 Dec 66 ③ 30 June 1966

FED SUP CLASS
5306

