

INCH - POUND

A-A-56028

30 August 1993

SUPERSEDING

AN240

15 April 1943

## COMMERCIAL ITEM DESCRIPTION

### EYELET, LACING

The General Services Administration has authorized the use of this Commercial Item Description as a replacement for AN240 which is cancelled.

Abstract. This commercial item description covers a metallic lacing eyelet intended to be used in a variety of military hardware applications.

Salient characteristics. The material used for this eyelet shall be brass or steel. The brass shall conform to ASTM B36 or ASTM B121 and the steel shall conform to ASTM A366 or ASTM A619. Unless otherwise specified the finish shall be black enamel. The physical requirements are as shown in figure 1 and table I.

FIGURE 1. Eyelet, lacing.

Beneficial comments, recommendations, additions, deletions, clarifications, etc. and any data which may improve this document should be sent to: Commander, U.S. Army Missile Command, ATTN: AMSMI-RD-SE-TD-ST, Redstone Arsenal, AL 35898-5270.

AMSC N/A

FSC 5325

DISTRIBUTION STATEMENT A. Approved for public release; distribution is unlimited.

A-A-56028

TABLE I. Salient characteristics.

TRADE	A ID	B FLG DIA	LENGTH L OVERALL	LENGTH UNDER FLG	METAL THICKNESS
0	.128 ± .002	.300 ± .005	.175 ± .005	.145 ± .005	.008
AA	.190 ± .002	.390 ± .005	.200 ± .005	.165 ± .005	.008
A Small Klondike	.280 ± .002	.468 ± .005	.215 ± .005	.180 ± .005	.008
B Large Klondike	.306 ± .002	.593 ± .005	.240 ± .005	.185 ± .005	.008

## A-A-56028

Contractor certification. The contractor shall certify and maintain objective quality evidence that the product offered meets this Commercial Item Description, and that the product conforms to the producer's own drawings, specifications, standards, and quality assurance practices. The government reserves the right to require proof of such conformance prior to first delivery and thereafter as may be otherwise provided for under the provisions of the contract.


Metric products. Products manufactured to metric dimensions will be considered on an equal basis with those manufactured using inch-pound units, provided they fall within specified tolerances using conversion tables contained in the latest revision of ASTM E380, and all other requirements of this Commercial Item Description are met. If a product is manufactured to metric dimensions and those dimensions exceed the tolerances specified in the inch/pound units, a request should be made to the contracting officer to determine if the product is acceptable. The contracting officer has the option of accepting or rejecting the product.

Regulatory requirements. The offeror/contractor is encouraged to use recovered materials in accordance with Public Law 94-580 to the maximum extent practical.

Preservation, packaging, packing, labeling, and marking. The preservation, packaging, packing, labeling, and marking shall be as specified in the contract or order.

CID-based part identification number. The following part identification number procedure is for government purposes and does not constitute a requirement for the contractor.

Example of part identification number A56028-I-0



A-A-56028

Notes:

a. Types. The purchaser should specify the type in the contract or purchase order.

Type I - Steel

Type II - Brass

b. Source for referenced documents. Referenced ASTMs may be obtained by sending a request for copies to the American Society for Testing and Materials, 1916 Race Street, Philadelphia, PA 19103-1187.

c. Source of supply. This product is currently available commercially from Stimpson Co., Inc., 900 Sylvan Avenue, Bayport, NY 11705-1097; however, competition is not limited to products supplied by this manufacturer.

## MILITARY INTERESTS:

Civil Agency Coordinating Activity:  
GSA - FSS (7 FXE)

## Custodian:

Army - MI

Air Force - 99

Navy - OS

## Preparing Activity:

Army - MI

## Review Activities:

Air Force - 82

DLA - IS

Project No. 5325 - 0316