INCH-POUND
A-A-59125B
21 June 2012
SUPERSEDING
A-A-59125A NOT 1
22 February 2007


#### COMMERCIAL ITEM DESCRIPTION

# TERMINAL BOARDS, MOLDED, BARRIER SCREW AND STUD TYPES AND ASSOCIATED ACCESSORIES

The General Services Administration has authorized the use of this commercial item description (CID) as a replacement for MIL-T-55164 for all federal agencies.

#### 1. SCOPE

- 1.1 <u>Scope</u>. This CID covers the requirements for one-piece molded, barrier, front-end through-connection, screw and stud-type terminal boards used for connections in electrical and electronic circuits. This CID also covers the general requirements for bus (jumper) connectors for use with both types of boards and marker strips for use with screw type boards.
- \*2. <u>CLASSIFICATION</u>. Items procured under this CID shall be identified by part numbers as follows:



Note: The identification for Class, Number of Terminals, Jumper Connectors and Marking Strips is optional depending on slash sheet.

- 2.1. <u>CID Sheet Identifier</u>. The CID sheet identifier shall consist of the number of the CID, a slash (/) and a two-digit number denoting the CID sheet covering the item.
- 2.2. <u>Class</u>. The class is identified by a two letter symbol "TB" preceded by a number designating a terminal board of a given rating and construction.

Comments, suggestions, or questions on this document should be emailed to <a href="mailto:usarmy.APG.cerdec.mbx.standardization-crx@mail.mil">usarmy.APG.cerdec.mbx.standardization-crx@mail.mil</a>. Since contact information can change, you may want to verify the currency of this address information using the ASSIST Online database at <a href="https://assist.dla.mil/">https://assist.dla.mil/</a>.

AMSC N/A FSC 5940 <u>DISTRIBUTION STATEMENT A</u>. Approved for public release; distribution is unlimited.

#### A-A-59125B

- 2.3 <u>Number of Terminals</u>. The number of terminals is identified by a two-digit number, which indicates the total number of rows of insulated connection points contained on the terminal board. A two-digit number indicates terminal boards of less than ten rows with zero as the first digit (i.e., 03).
- 2.4 <u>Terminal Board Bus (Jumper) Connectors</u>. The first letter indicates lug type or jumper type connectors. The code (L) identifies lug type and the code (J) identifies jumper type connectors. For the lug type connectors, the second letter identifies double (D) or single (S) end configuration. For the jumper type connectors, the second letter identifies the style of jumper.
- 2.5 <u>Terminal Board Marker Strips</u>. The first letter identifies the particular style that will be utilized as follows: "A" numerals marked below the contact area with the terminal board only; "B" numerals marked both above and below the contact area with the terminal board; and "C" is a blank marker strip.

## 3. SALIENT CHARACTERISTICS

- 3.1 <u>CID Sheets</u>. The individual item requirements shall be as described herein and in accordance with the applicable CID sheet. In the event of any conflict between the requirements of this CID and the CID sheet, the latter shall govern.
- 3.2 <u>Materials</u>. Unless otherwise specified herein, materials shall conform to the manufacturer's specifications/standards. The use of recycled or reclaimed materials is acceptable provided that all requirements of this CID are met.
- 3.3 <u>Design and Construction</u>. The terminal boards shall conform to the manufacturer's design and construction. The dimensions shall be in accordance with the individual CID sheet.
- 3.3.1 <u>Conductor Material and Finish</u>. The terminals shall be made of brass or bronze and shall have a corrosion resistant finish.
- 3.3.2 <u>Mounting Plates</u>. Mounting plates shall be permanently affixed to the terminal board and be made of nonmagnetic corrosion resistant steel.

## 3.4 Performance.

- 3.4.1 <u>Dielectric Withstanding Voltage</u>. The terminal boards shall meet the value specified in the CID sheet (see 3.1).
- 3.4.2 <u>Current Carrying Capacity</u>. The terminal board shall be capable of withstanding the current capacity specified in the individual CID sheet.

#### A-A-59125B

3.5 <u>Workmanship</u>. Terminal boards shall be processed in such a manner as to be uniform in quality and shall be free from any defects that affect life, serviceability or appearance.

# 4. REGULATORY REQUIREMENTS

4.1 <u>Recovered Materials</u>. The offeror/contractor is encouraged to use recovered materials to the maximum extent practicable in accordance with paragraph 23.403 of the Federal Acquisition Regulation (FAR).

## 5. QUALITY ASSURANCE PROVISIONS

- 5.1 <u>Contractor Certification</u>. The contractor shall certify and maintain substantiating evidence that the product offered meets the salient characteristics of this Commercial Item Description, and that the product conforms to the producer's own drawings, specifications, standards, and \*quality assurance practices, and is the same product offered for sale in the commercial marketplace. The government reserves the right to require proof of such conformance prior to first delivery and thereafter as may be otherwise provided for under the provisions of the contract.
- 5.2 <u>Market Acceptability (MA)</u>. The following market acceptability criteria are necessary to document the quality of the product to be provided under this CID.
- 5.2.1 The item offered must have been sold to the government or commercial market.

# 6. PACKAGING.

- 6.1 Preservation, packing, and marking shall be as specified in the contract or order.
- 6.2 <u>Changes from previous issue</u>. The margins of this specification are marked with asterisks to indicate where changes from the previous issue were made. This was done as a convenience only, and the Government assumes no liability whatsoever for any inaccuracies in these notations. Bidders and contractors are cautioned to evaluate the requirements of this document based on the entire content irrespective of the marginal notations and relationship to the last previous issue.

#### 7. NOTES

- 7.1 Ordering Data. Acquisition documents must specify the following:
  - a. Title, number, and date of this CID and the required CID sheet and part number.
  - b. Packaging requirements (see 6.).

## A-A-59125B

MILITARY INTERESTS: CIVIL AGENCY COORDINATING ACTIVITY:

Custodian: GSA-7FXE

Army - CR

Navy - AS Preparing activity:
Air Force - 11 Army - CR

Reviewer: (Project No. 5940-2012-015)

DLA - GS

NOTE: The activities listed above were interested in this document as of the date of this document. Since organizations and responsibilities can change, you should verify the currency of the information above using the ASSIST Online database at <a href="https://assist.dla.mil/">https://assist.dla.mil/</a>.