

INCH-POUND

A-A-59664A

30 August 2001

SUPERSEDING

A-A-59664

17 July 2001

COMMERCIAL ITEM DESCRIPTION

CLEANING COMPOUND, WINDSHIELD
(SOLVENT AND ANTI-FREEZE)

The General Services Administration has authorized the use of this commercial item description for all federal agencies.

1. **SCOPE.** This commercial item description (CID) establishes the government acquisition requirements for cleaning compound to be used in vehicle windshield washing systems.

2. **CLASSIFICATION.** The cleaning compound shall be classified and identified by types and sizes specified. The selected type and size of product to be supplied shall be specified in the acquisition order (see 7.6(b)).

2.1 Type.

Type I - Ready-to-use

Type II - Concentrate

2.2 Size. See table I.TABLE I. Product size.

Size code	Size/unit of issue
A	16-ounce
B	1-gallon
C	5-gallon
D	55-gallon

Beneficial comments, recommendations, additions, deletions, clarifications, etc. and any data that may improve this document should be sent to: Defense Supply Center Richmond (DSCR), ATTN: DSCR-VBD, 8000 Jefferson Davis Highway, Richmond, VA 23297-5610.

AMSC N/A

FSC 6850

DISTRIBUTION STATEMENT A. Approved for public release; distribution is unlimited.

A-A-59664A

3. SALIENT CHARACTERISTICS

3.1 Freezing.

3.1.1 Type I. A solution of one part cleaning compound and one-half part distilled water by volume shall be placed in a closed container, and the container with the solution shall be allowed to stand overnight in a freezer maintained at 0 °F (-17.8 °C). The solution shall remain liquid and show no evidence of freezing or formation of ice crystals.

3.1.2 Type II. A solution of one part cleaning compound and two parts distilled water by volume shall be placed in a closed container, and the container with the solution allowed to stand overnight in a freezer maintained at 0 °F (-17.8 °C). The solution shall remain liquid and show no evidence of freezing or formation of ice crystals.

3.2 Surface tension.

3.2.1 Type I. A solution of one part cleaning compound and seven and one-half parts distilled water shall have a surface tension between 30 and 37 dynes per centimeter.

3.2.2 Type II. A solution of one part cleaning compound and sixteen parts distilled water shall have a surface tension between 30 and 37 dynes per centimeter.

3.3 Insoluble matter. Insoluble matter shall not exceed 0.005 percent by weight of a test sample of cleaning compound.

3.3.1 Test method. Filter the contents of one 16-ounce container, which has been weighed to the nearest 0.1 gram into a beaker. Then re-weigh the empty container. The ashless filter paper containing the precipitate, if any, shall be washed with distilled water, then ignited, and the residue weighed to the nearest 0.0001 g (0.1 mg). The ignited residue shall be as specified in 3.3.

3.4 Deleterious action.

3.4.1 Type I. A solution of one part cleaning compound and one and one-half parts distilled water shall have no deleterious action on painted test panels.

3.4.2 Type II. A solution of one part cleaning compound and four parts distilled water shall have no deleterious action on painted test panels.

3.4.3 Test method. A solution prepared as in 3.4.1 or 3.4.2 shall be applied drop-wise to a painted test panel. The drops shall be allowed to dry, and the panel rinsed with tap water and wiped with a soft cloth. There shall be no evidence of spotting, pitting, or discoloration on the painted surface. A typical test panel is a 4 X 6 inch (or larger) sheet of cold rolled 20 gauge steel on which has been applied one coat of primer and a subsequent coat of enamel. The painted panels should be allowed to dry at least 48 hours prior to use.

3.5 Workmanship. The cleaning compound shall be a colorless or tinted transparent solution, free from foreign matter and miscible with water in all concentrations.

4. REGULATORY REQUIREMENTS

4.1 Recovered materials. The offeror/contractor is encouraged to use recovered materials to the maximum extent practicable, in accordance with paragraph 23.403 of the Federal Acquisition Regulation (FAR).

5. PRODUCT CONFORMANCE PROVISIONS

5.1 Product conformance. The products provided shall meet the salient characteristics of this commercial item description, conform to the producer's own drawings, specifications, standards, and quality assurance practices, and be the same product offered for sale in the commercial marketplace. The government reserves the right to require proof of such conformance.

5.2 Market acceptability. The product offered must have been previously sold either to the government or on the commercial market.

6. PACKAGING


6.1 Preservation, packing, and marking. For acquisition purposes, the products shall be preserved, packed, and marked as specified in the acquisition order (see 7.6(c)).

7. NOTES

7.1 Sources of documents.

7.1.1 FAR. The FAR may be obtained from the Superintendent of Documents, P.O. Box 371954, Pittsburgh, PA 15250-7954. Electronic copies of FAR documents may be obtained from <http://www.arnet.gov/far/>.

7.2 Part or identification number (PIN). The following PIN procedure is for government purposes and does not constitute a requirement for the contractor.



A-A-59664A

7.3 National stock number (NSN). The NSNs listed below are assigned for the listed product types and sizes (see table I). Other NSNs may also correspond with this document.

<u>NSN</u>	<u>Type</u>	<u>Size</u>
6850-00-926-2275	I	A
6850-01-347-0073	I	B
6850-01-368-4799	I	C
6850-01-368-5489	I	D

7.4 Material safety data sheets. Contracting officers will identify those activities requiring copies of the completed material safety data sheets (MSDS) prepared in accordance with FED-STD-313. The pertinent government mailing addresses for submission of data are listed in FED-STD-313 and 29 CFR 1910.1200 requires that the MSDS for each hazardous chemical used in an operation must identify the activities requiring copies of the MSDS.

7.5 Sources of supply. The manufacturers and/or suppliers listed below are known to supply products that meet the salient characteristics requirements of this document. Competition is not limited to the listed firms.

Telechem International, Incorporated
Sunnyvale, CA 94089

A-J Chemical and Equipment Company
Richmond, VA 23223

Alfa Kleen Chemical Labs, Incorporated
San Luis Obispo, CA 93401

7.6 Ordering data. Acquisition documents must specify the following information:

- a. CID document number, revision, and CID PIN
- b. Product classification type (see 2.1) and size (see 2.2)
- c. Preservation, packing, and marking requirements (see 6.1)

7.7 Subject term (key word) listing.

concentrate
washing

MILITARY INTERESTS:

NONE: DoD has no registered interest in revisions and amendments to this commercial item description until further notice.

**CIVIL AGENCY
COORDINATING ACTIVITY:**

GSA - 7FXE

Preparing activity:
DLA - GS3

(Project 6850-1462)