

DATA ITEM DESCRIPTION			Form Approved OMB No. 0704-0188	
Public reporting burden for this collection of information is estimated to average 110 hours per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden, to Washington Headquarters Services, Directorate for Information Operations and Reports, 1215 Jefferson Davis Highway, Suite 1204, Arlington, VA 22202-4302, and to the Office of Management and Budget, Paperwork Reduction Project (0704-0188), Washington, DC 20503.				
1. TITLE  Fragment Impact Test Data			2. IDENTIFICATION NUMBER  DI-SAFT-81133	
3. DESCRIPTION / PURPOSE  3.1 This data comprises the test and inspection conditions and results of the fragment impact test. It is used to evaluate the response of a test item being pelted by metallic particles.				
4. APPROVAL DATE (YYMMDD) 910308	5. OFFICE OF PRIMARY RESPONSIBILITY (OPR)  OS		6a. DTIC APPLICABLE	6b. GIDEP APPLICABLE
7. APPLICATION / INTERRELATIONSHIP  7.1 This Data Item Description (DID) contains the format and content preparation instructions for data generated by the fragment impact test of MIL-STD-2105.  7.2 The following DID is used in conjunction with this DID and applies only if Listed on the DD Form 1423 incorporated into the contract: DI-SAFT-81126 Photographic Requirements				
8. APPROVAL LIMITATION		9a. APPLICABLE FORMS		9b. AMSC NUMBER  N6033
10. PREPARATION INSTRUCTIONS  10.1 <u>Format.</u> The fragment impact test data shall be formatted in accordance with figures 1, 2 and 3.  10.2 <u>Content.</u> The fragment impact test data shall include the information of figures 1, 2 and 3 and the following:  a. Location and identification of the post-test remains depicted on figure 2. b. Description, location (linear and angular distance from original test position), dimensions and weight of the post-test remains tabulated onto figure 3.				
11. DISTRIBUTION STATEMENT  DISTRIBUTION STATEMENT A. Approved for public release; distribution is unlimited.				

DI-SAFT-81133

FRAGMENT IMPACT TEST  
DATA SHEET

Item Tested: \_\_\_\_\_

Lot # \_\_\_\_\_ S/N \_\_\_\_\_

Ambient Conditions: \_\_\_\_\_

Test Facility: \_\_\_\_\_ Date: \_\_\_\_\_

Test Item Description: \_\_\_\_\_

Fragment Projector Description: \_\_\_\_\_

Test Setup (attach sketch): \_\_\_\_\_

Test Results

Narrative Description: \_\_\_\_\_

Explosive reaction level: \_\_\_\_\_

Post Test Description

Number and location of impact fragments: \_\_\_\_\_ Impact Velocity: \_\_\_\_\_

\* Airblast overpressure \_\_\_\_\_ psi at \_\_\_\_\_ ft, time to peak \_\_\_\_\_ msec

\_\_\_\_\_ psi at \_\_\_\_\_ ft, time to peak \_\_\_\_\_ msec

\_\_\_\_\_ psi at \_\_\_\_\_ ft, time to peak \_\_\_\_\_ msec

\* Airblast overpressure data shall be supplied if there is an explosive reaction.

Witness Plate Description: \_\_\_\_\_


Test Engineer: \_\_\_\_\_

Signature: \_\_\_\_\_

FIGURE 1. Fragment impact test data sheet.

DI-SAFT-81133

POST TEST REMAINS MAP



**NOTE:** Identify shotline and test item orientation. Identify each fragment numerically (see figure 3).

**FIGURE 2. Post-test remains map.**

