

Department of Defense Standardization Program



ASSIST UPDATE

(A bi-monthly summary of changes to the ASSIST document database)

1 July 2014

(For the Period 15 June 2014 to 30 June 2014)

ASSIST UPDATE

Documents listed in the ASSIST UPDATE have an indicator of “N” or “M” to describe the last action taken on a listed document.

“N” indicates that a “new” document has been entered into the ASSIST database.

“M” indicates that a document already in ASSIST has been “modified” in some way.

The ASSIST UPDATE is published twice a month and provides a summary of changes to Department of Defense standardization documents for the period indicated. Since changes are processed to the ASSIST database on a daily basis, users should consult the ASSIST web site at <https://assist.dla.mil/> for the most current information.

If you need to track changes more frequently, or if you have an interest in specific Federal Supply Classes or individual specifications, standards, or other standardization documents, you may wish to take advantage of the ASSIST Alert Service. This feature lets you establish a list of documents of interest to you, and then the ASSIST will alert you with an E-mail message each day there is a change to one or more documents of interest to you. There is no charge for this service; however, you must have an ASSIST user account. To obtain one, complete the ASSIST online registration form at <https://assist.dla.mil/online/registration/registration.cfm>.

Once you have your account, you can establish your Alert Portal profile. For more information on the ASSIST Alert Service, go to: <https://assist.dla.mil/online/news/AlertService.htm>.

ACTIVE SECTION

ASSIST UPDATE

| LAST ACTION | DOCUMENT NUMBER | DOCUMENT TITLE | DISTRIBUTION | FSC/AREA | | MCA | PREP ACTY | DATE |
|-------------|-------------------------|--|--------------|----------|---|-----|-----------|-------------|
| | | | | | | | | |
| M | MIL-G-70790(1) NOT 3 | Gun, Machine, 40MM MK19 Mod 3 [CUST: AR] | A | 1010 | | AR | | 16-JUN-2014 |
| M | MIL-DTL-46610F | Primers, Percussion, Styphnate and Chlorate Types, for Small Arms Ammunition [CUST: AR OS 70] [REVIEW: 99 AS MC MR SH] | D | 1305 | | AR | | 06-JUN-2014 |
| M | MIL-W-48271A NOT 4 | Warhead Metal Parts Assembly M251 Parts and Assembling [CUST: AR] | A | 1340 | | AR | | 22-MAY-2014 |
| M | MIL-C-206A(2) NOT 3 | Cellulose, Cotton (for use in Explosives) [CUST: AR] | A | 1376 | | AR | | 22-APR-2014 |
| M | MIL-STD-1791A NOT 1 | Designing for Internal Aerial Delivery in Fixed Wing Aircraft [CUST: 11] | A | 1510 | | 11 | | 11-JUN-2014 |
| M | MIL-DTL-5500G | Cap, High Pressure Air Valve [CUST: AV AS 71] [REVIEW: 06 99] | A | 1650 | | 71 | | 13-JUN-2014 |
| N | MIL-DTL-32481 | Modular Ammunition Restraint System (MARS) Assembly [CUST: AR] | D | 2540 | | AR | | 01-MAY-2014 |
| N | MIL-PRF-32497 | Refrigerator, Biomedical, for Surface Ships [CUST: GL SH 99] [REVIEW: 03 35 AV CR4 FAS IS MI QMI YD] | A | 4110 | | SH | | 15-MAY-2014 |
| M | MIL-PRF-39014/1H NOT 2 | Capacitors, Fixed, Ceramic Dielectric (General Purpose), Established Reliability and Nonestablished Reliability, Style CKR05, NATO Type Designation NCC61 [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS AT AV MC MI] | A | 5910 | | CR | | 25-JUN-2014 |
| M | MIL-PRF-39014/2L NOT 2 | Capacitors, Fixed, Ceramic Dielectric (General Purpose), Established Reliability and Nonestablished Reliability, Style CKR06, NATO Type Designation NCC62 [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS AT AV MC MI] | A | 5910 | | CR | | 27-JUN-2014 |
| M | MIL-DTL-9129G | Discharges, Electrostatic General Specification for [CUST: CR AS 85 CC] [REVIEW: 19 99 CE MC MI] | A | 5920 | | CC | | 19-JUN-2014 |
| M | MIL-DTL-642/3B | Plugs Telephone (Types PJ-054B and PJ-054R) and Accessory Screws [CUST: CR EC 85 CC] [REVIEW: 19 99 AS AT AV CR4 MC MI OS SH] | A | 5935 | | CC | | 27-JUN-2014 |
| M | MIL-DTL-642/7B | Plugs, Telephone (Type PJ-292) and Accessory Screws [CUST: CR EC 85 CC] [REVIEW: 19 99 AS AT AV CR4 MC MI OS SH] | A | 5935 | | CC | | 20-JUN-2014 |
| M | MIL-DTL-642/8B | Plugs, Telephone (Type PJ-309) and Accessory Screws [CUST: CR EC 85 CC] [REVIEW: 19 99 AS AT AV CR4 MC MI OS SH] | A | 5935 | | CC | | 20-JUN-2014 |
| M | MIL-DTL-642/9B | Plugs, Telephone (Type PJ-327) and Accessory Screws [CUST: CR EC 85 CC] [REVIEW: 19 99 AS AT AV CR4 MC MI OS SH] | A | 5935 | | CC | | 20-JUN-2014 |
| M | MIL-DTL-642/10B | Plugs, Telephone (Types PJ-540B and PJ-540R) and Accessory Screws [CUST: CR EC 85 CC] [REVIEW: 19 99 AS AT AV CR4 MC MI OS SH] | A | 5935 | | CC | | 27-JUN-2014 |
| M | MIL-DTL-642/13C | Plugs, Telephone (Types PJ-777 and PJ-778) 3 Conductor, Single, Double [CUST: CR EC 85 CC] [REVIEW: 19 99 AS AT AV CR4 MC MI OS SH] | A | 5935 | | CC | | 20-JUN-2014 |
| M | W-C-596H | Connector, Electrical, Power, General Specification for [CUST: CR YD 85 CC] [REVIEW: 19 99 AR AS AV CR4 EC MC MI SH] | A | 5935 | / | CC | | 25-MAY-2014 |
| M | MIL-PRF-39016/37D | Relays, Electromagnetic, Established Reliability, DPDT, Low Level to 2 Amperes (0 150-Inch Terminal Spacing), with Internal Diode for Coil Transient Suppression [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS MC OS SH] | A | 5945 | | CC | | 02-JUN-2014 |
| M | MIL-PRF-3098K(2) SUP 1 | Crystal Units, Quartz General Specification for [CUST: CR EC 99 CC] [REVIEW: 19 84 AR AS CG MC MDA MI NA OS SH SM] | A | 5955 | | CR | | 16-MAY-2014 |
| M | QPL-3098-100 | Crystal Units, Quartz, General Specification for | A | 5955 | | CR | | 11-JUN-2014 |
| M | MIL-PRF-19500/118L | Semiconductor Device, Diode, Silicon, Types 1N483B, 1N485B, 1N486B, 1N5194, 1N5194UR, 1N5194US, 1N5195, 1N5195UR, 1N5195US, 1N5196, 1N5196UR, 1N5196US, JAN, JANTX, and JANTXV [CUST: CR EC 85 CC NA] [REVIEW: 19 AR AS MC MI] | A | 5961 | | CC | | 09-JUN-2014 |
| M | MIL-M-38510/52E NOT 2 | Microcircuits, Digital, CMOS, NOR Gates, Monolithic Silicon, Positive Logic [CUST: CR EC 85 CC] [REVIEW: 03 19 99 AS CG MC MI SH SM] | A | 5962 | | CC | | 25-JUN-2014 |
| M | MIL-M-38510/58D NOT 2 | Microcircuits, Digital, CMOS, Switches, Monolithic Silicon, Positive Logic [CUST: CR EC 85 CC] [REVIEW: 03 19 99 AS CG MC MI SH SM] | A | 5962 | | CC | | 25-JUN-2014 |
| M | MIL-M-38510/129B NOT 2 | Microcircuits, Monolithic Silicon Interface, Dual, Peripheral Drivers [CUST: CR EC 85 CC NA] [REVIEW: 03 19 99 AS CG MI SH SM] | A | 5962 | | CC | | 25-JUN-2014 |
| M | MIL-M-38510/139C NOT 2 | Microcircuits, Linear, Internally Trimmed Analog Multiplier, Hybrid and Monolithic Silicon [CUST: CR EC 85 CC NA] [REVIEW: 03 19 99 AS CG MC MI SH SM] | A | 5962 | | CC | | 25-JUN-2014 |
| M | MIL-STD-883J(3) | Microcircuits [CUST: CR EC 85 CC NA] [REVIEW: 03 19 99 AR AS CG EA MC MI SH SM] | A | 5962 | | CC | | 20-JUN-2014 |
| M | MIL-STD-1835D NOT 2 | Electronic Component Case Outlines [CUST: CR EC 85 CC NA] [REVIEW: 03 19 99 AS CG MC MI SH SM] | A | 5962 | | CC | | 25-JUN-2014 |
| M | MIL-DTL-39030F | Dummy Loads, Electrical, Coaxial and Stripline, General Specification for [CUST: CR EC 11 CC] [REVIEW: 19 99 AS AV MC MI OS SH] | A | 5985 | | CC | | 25-MAY-2014 |
| M | MIL-DTL-22442/5B NOT 1 | Cable, Assembly, Aircraft Audio, Connector [CUST: AS] [REVIEW: GS] | A | 5995 | | AS | | 18-JUN-2014 |
| M | MIL-DTL-22442/6A NOT 1 | Cable Assembly, Aircraft Audio, Qualification by Similarity [CUST: CR AS 85] [REVIEW: 99 CC GS] | A | 5995 | | AS | | 18-JUN-2014 |
| M | MIL-DTL-22442/25B NOT 1 | Assembly, Aircraft Audio, Molded Rubber Connector Mechanical Gauges [CUST: AS] [REVIEW: GS] | A | 5995 | | AS | | 18-JUN-2014 |
| M | MIL-PRF-85045/28A | Cable, Fiber Optic, Nineteen Tube, Blown Optical Fiber, Standard and Enhanced Performance, Cable Configuration Type 5 (Tube), Application B (Shipboard), Cable Class SM and MM, (Metric) [CUST: SH 85 CC] [REVIEW: 99] | A | 6015 | | CC | | 09-JUN-2014 |
| M | MIL-PRF-85045/29B | Cable, Fiber Optic, Twelve/Eighteen Fiber Bundle, Blown Optical Fiber, Cable Configuration Type 3 (Cable Bundle), Application B (Shipboard), Cable Class SM and MM, (Metric) [CUST: SH 85 CC] [REVIEW: 99] | A | 6015 | | CC | | 09-JUN-2014 |
| M | MIL-PRF-64266A | Connectors, Fiber Optic, Circular and Rectangular, Plug and Receptacle Style, Multiple Removable Genderless Termini, Environment Resisting General Specification for [CUST: CR SH 85 CC NA] [REVIEW: 13 19 93 99 AS] | A | 6060 | | CC | | 24-MAY-2014 |
| M | MIL-PRF-64266/8B | Connectors, Fiber Optic, Circular, Receptacle Style, Multiple Removable Genderless Termini, Screw Threads, EMI Retention Nut [CUST: CR SH 85 CC] [REVIEW: 13 19 93 99 AS NA] | A | 6060 | | CC | | 10-JUN-2014 |
| M | MIL-DTL-17/188C | Cable, Radio Frequency, Flexible Coaxial, 50 OHMS, M17/188-00001 [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS AT CR4 MC MI OS SH] | A | 6145 | | CC | | 12-JUN-2014 |
| M | MIL-DTL-17/189C | Cable, Radio Frequency, Flexible Coaxial, 50 OHMS, M17/189-00001 Unarmored, M17/189-00002 Armored [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS AT CR4 MC MI OS SH] | A | 6145 | | CC | | 12-JUN-2014 |
| M | MIL-DTL-17/190C | Cable, Radio Frequency, Flexible, Coaxial, 50 OHMS, M17/190-00001 [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS AT CR4 MC MI OS SH] | A | 6145 | | CC | | 12-JUN-2014 |
| M | MIL-DTL-17/193C | Cable, Radio Frequency, Flexible, Coaxial, 50 OHMS, M17/193-00001 Unarmored, M17/193-00002 Armored [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS AT CR4 MC MI OS SH] | A | 6145 | | CC | | 12-JUN-2014 |
| M | MIL-DTL-17/194C | Cable, Radio Frequency, Flexible, Coaxial, 50 OHMS, M17/194-00001 [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS AT CR4 MC MI OS SH] | A | 6145 | | CC | | 12-JUN-2014 |
| M | MIL-DTL-17/195C | Cable, Radio Frequency, Coaxial, 93 OHMS, M17/195-00001 [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS AT CR4 MC MI OS SH] | A | 6145 | | CC | | 12-JUN-2014 |

ACTIVE SECTION

ASSIST UPDATE

| LAST ACTION | DOCUMENT NUMBER | DOCUMENT TITLE | DISTRIBUTION | FSC/AREA | | MCA | | DATE |
|-------------|----------------------|--|--------------|----------|---|-----|-----------|-------------|
| | | | | FSC/AREA | | MCA | PREP ACTY | |
| M | MIL-DTL-17/196C | Cable, Radio Frequency, Flexible, Coaxial, 50 OHMS, M17/196-00001 [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS AT CR4 MC MI OS SH] | A | 6145 | | | CC | 12-JUN-2014 |
| M | MIL-DTL-17/205A | Cable, Radio Frequency, Flexible, Coaxial, 50 OHMS, M17/205-00018 and M17/205-00050 [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS AT CR4 MC MI OS SH] | A | 6145 | | | CC | 12-JUN-2014 |
| M | MIL-DTL-17/206B | Cable, Radio Frequency, Flexible, Coaxial, 50 OHMS, M17/206-00018 and M17/206-00030 [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS AT CR4 MC MI OS SH] | A | 6145 | | | CC | 12-JUN-2014 |
| M | MIL-DTL-17/208A | Cable, Radio Frequency, Flexible, Coaxial, 185 OHMS, M17/208-00001 [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS AT CR4 MC MI OS SH] | A | 6145 | | | CC | 12-JUN-2014 |
| M | MIL-DTL-17/209A | Cable, Radio Frequency, Flexible, Coaxial, 75 OHMS, M17/209-00001, Unarmored, M17/209-00002, Armored [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS AT CR4 MC MI OS SH] | A | 6145 | | | CC | 12-JUN-2014 |
| M | MIL-DTL-17/210A | Cable, Radio Frequency, Flexible, Coaxial, 50 OHMS, M17/210-00001 [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS AT CR4 MC MI OS SH] | A | 6145 | | | CC | 12-JUN-2014 |
| M | MIL-L-3661/28B NOT 4 | Lampholders, Indicator Lights, Indicator-Light Housings, and Indicator-Light Lenses, (Electromagnetic Interference Type) Dustlight Lenses, Style LC28 [CUST: CR4 AS 99 GS2] [REVIEW: IS] | A | 6210 | | | GS2 | 25-JUN-2014 |
| M | A-A-59946A | Scale, Weighing Systems, Aircraft Top-of-Jack [CUST: 84] [REVIEW: 99] | A | 6670 | / | 84 | | 02-JUN-2014 |
| M | MIL-L-18618A NOT 2 | Lead Carbonate, Basic, Dry (For Ordnance Use) [CUST: OS] [REVIEW: GS] | A | 6810 | | | OS | 08-APR-2014 |
| M | MIL-DTL-12468E NOT 1 | Decontaminating Agent, STB [CUST: EA 68 GS] [REVIEW: MD1] | A | 6850 | | | GS3 | 18-JUN-2014 |
| M | MIL-DTL-3628/59F | Badge, Qualification, Diver, National Oceanic and Atmospheric Administration [CUST: IH] [REVIEW: CT] | A | 8455 | | | IH | 04-JUN-2014 |
| M | MIL-DTL-3628/238C | Badge, Occupational, Space, Air Force/Army [CUST: IH 11] [REVIEW: CT] | A | 8455 | | | IH | 10-JUN-2014 |
| M | MIL-DTL-11484/307B | Lapel Button, Instructor's Award, Bronze, U S Army JROTC [CUST: IH] [REVIEW: CT] | A | 8455 | | | IH | 04-JUN-2014 |
| M | MIL-DTL-11589/588D | Ribbon, Instructor's Award, Bronze, Army JROTC [CUST: IH] [REVIEW: CT] | A | 8455 | | | IH | 10-JUN-2014 |
| M | MIL-DTL-11589/590C | Ribbon, Instructor's Award, Gold, Army JROTC [CUST: IH] [REVIEW: CT] | A | 8455 | | | IH | 10-JUN-2014 |
| M | MIL-DTL-11589/627B | Ribbon, Civilian Achievement, Defense Intelligence Agency [CUST: IH] [REVIEW: CT] | A | 8455 | | | IH | 10-JUN-2014 |
| M | MIL-DTL-11589/631B | Ribbon, LTG Richard G Trefry Lifetime of Service Award, Office of the Secretary of the Army [CUST: IH] [REVIEW: CT] | A | 8455 | | | IH | 10-JUN-2014 |
| M | A-A-59834 NOT 1 | Anchor, Rock, Chock [CUST: GL MC] | A | 8465 | / | | GL | 27-JUN-2014 |
| M | MIL-DTL-32221A NOT 1 | Filled Bakery Item, Shelf Stable, for Operational Rations [CUST: GL SA 35] [REVIEW: MC MD QM SS] | A | 8920 | | | GL | 25-JUN-2014 |
| M | MIL-HDBK-267A NOT 1 | Guide for Selection of Lubricants and Hydraulic Fluids for Use in Shipboard Equipment [CUST: SH] [REVIEW: GS] | A | 9150 | | | SH | 18-JUN-2014 |
| M | ITOP-2 2 713(1) | Ballistic Testing of Armor [CUST: TE] | D | ISDA | | | TE | 23-AUG-2013 |
| M | ITOP-3 2 802 ED A | Measurement and Inspection of Gun Tubes [CUST: TE] | C | ISDA | | | TE | 23-MAY-2008 |
| N | ITOP-5 2 550 | Cueing Accuracy For Threat Warning Sensors [CUST: TE] | C | ISDA | | | TE | 14-DEC-2012 |
| M | TOP-1-2-500A | Transportability [CUST: TE] | A | ISDA | | | TE | 25-APR-2013 |
| M | TOP-1-2-511A | Electromagnetic Environmental Effects System Testing [CUST: TE] | A | ISDA | | | TE | 20-NOV-2013 |
| N | TOP-2-2-718 | Electronic Stability Control [CUST: TE] | A | ISDA | | | TE | 12-MAY-2013 |
| N | TOP-3-2-812 | Field of Vision-Vehicles [CUST: TE] | A | ISDA | | | TE | 16-DEC-2009 |
| N | TOP-4-2-842 | Vehicle Vulnerability Tests against Explosively Formed Penetrator (EFP) Improvised Explosive Devices (IEDs) [CUST: TE] | D | ISDA | | | TE | 27-NOV-2012 |
| N | TOP-6-2-246 | Digital Communication Transmitter and Receiver Test Procedures [CUST: TE] | D | ISDA | | | TE | 28-MAR-2013 |
| N | TOP-6-2-071 | Direction Finding Equipment, Radio And Gyroscope [CUST: TE] | D | ISDA | | | TE | 23-FEB-2011 |
| N | TOP-8-2-109 | Simulant Agent Resistance Test Manikin (SMARTMAN)Testing of Protective Masks [CUST: TE] | A | ISDA | | | TE | 16-SEP-2013 |
| N | AAP-6 ED 2014(1) | NATO GLOSSARY OF TERMS AND DEFINITIONS (ENGLISH AND FRENCH) | A | ISDD | | | SO1 | 29-APR-2014 |
| N | AJEPP-4 ED A(1) | JOINT NATO DOCTRINE FOR ENVIRONMENTAL PROTECTION DURING NATO-LED MILITARY ACTIVITIES - AJEPP-4 EDITION A | A | ISDD | | | SO1 | 15-MAY-2014 |
| N | AASSEP-1 ED A | AIRCRAFT JACKING | A | ISDF | | | 06 | 14-MAY-2014 |
| N | AASSEP-2 ED A(1) | PRESSURE REFUELLING CONNECTIONS AND DEFUELLING FOR AIRCRAFT | A | ISDF | | | 06 | 06-MAY-2014 |
| N | STANAG-3105 ED 7 | PRESSURE REFUELLING CONNECTIONS AND DEFUELLING FOR AIRCRAFT - AASSEP-2 EDITION A | A | ISDF | | | 06 | 06-MAY-2014 |
| N | ATP-1-2 ED F(1) | ALLIED MARITIME TACTICAL SIGNAL AND MANEUVERING BOOK | A | ISDN | | | NI | 22-APR-2014 |
| N | ATP-4 ED F(1) | ALLIED NAVAL FIRE SUPPORT | A | ISDN | | | NI | 25-FEB-2013 |
| N | MMP-17 ED A(1) | NAVAL MINEHUNTING SONAR, FACTORS AFFECTING PERFORMANCE, MEASUREMENT AND RECORDING | A | ISDN | | | NI | 27-JAN-2009 |
| M | MIL-STD-1916 NOT 2 | DOD Preferred Methods for Acceptance of Product [CUST: AR] | A | QCIC | | | AR | 05-JUN-2014 |

INACTIVE SECTION

ASSIST UPDATE

| LAST ACTION | DOCUMENT NUMBER | DOCUMENT TITLE | DISTRIBUTION | MCA | | DATE |
|-------------|-------------------------|--|--------------|----------|-----------|-------------|
| | | | | FSC/AREA | PREP ACTY | |
| M | MIL-DTL-13931J NOT 1 | Cannon: General Specification for [CUST: AR OS 68] [REVIEW: 11 EA GS MC] | A | 10GP | AR | 16-MAY-2014 |
| M | MIL-S-46371(3) NOT 3 | Sight, Infinity, 8635466 [CUST: AR] | A | 1240 | AR | 15-MAY-2014 |
| M | MIL-C-46578D(1) NOT 2 | Cartridge, 20MM, High Explosive, Incendiary, M56A3 Loading, Assembling and Packing [CUST: AR] | A | 1305 | AR | 06-MAY-2014 |
| M | MIL-C-48368A(6) NOT 1 | Cartridge, HE, 60MM, M720 Loading, Assembling and Packing [CUST: AR] | A | 1310 | AR | 15-MAY-2014 |
| M | MIL-P-63061A NOT 4 | Projectile, 155MM, M692/M731, Plug, Housing for [CUST: AR] | A | 1320 | AR | 12-MAY-2014 |
| M | MIL-G-13706D NOT 3 | Grenade, Hand, Offensive, MK3A2 with M206A2 Loading, Assembling and Packing [CUST: AR] | A | 1330 | AR | 19-MAY-2014 |
| M | MIL-F-48370A(3) NOT 3 | Fuze M934E6, Hybrid Microcircuits for [CUST: AR] | A | 1336 | AR | 16-MAY-2014 |
| M | MIL-W-48855C(5) NOT 3 | Warhead Body Assembly for Warhead Section, GM, HE, M258 [CUST: AR] | A | 1336 | AR | 22-MAY-2014 |
| M | MIL-F-48863C(3) NOT 3 | Fuze, Guided Missile, M934E6 Parts Assembly, Loading and Packing for [CUST: AR] | A | 1336 | AR | 19-MAY-2014 |
| M | MIL-W-48272(10) NOT 3 | Warhead Section, GM, HE: M251, M251A1 and M251 (MOD) with Live FLSC and Inert Bombs, Dummy Loading, Assembling & Packing [CUST: AR] | A | 1340 | AR | 22-MAY-2014 |
| M | MIL-W-48369(5) NOT 3 | Warhead Section, GM, Practice, Lightweight, M252 Parts and Assembling [CUST: AR] | A | 1340 | AR | 22-MAY-2014 |
| M | MIL-W-48381(3) NOT 3 | Warhead Section, GM, Practice, Lightweight, M252E1 Parts And Assembling [CUST: AR] | A | 1340 | AR | 22-MAY-2014 |
| M | MIL-W-48757(5) NOT 3 | Warhead Section, GM, HE: M251 and M251A1 Spare Parts for [CUST: AR] | A | 1340 | AR | 22-MAY-2014 |
| M | MIL-C-10244G(1) NOT 2 | Cryptographic Equipment Destroyer, Incendiary, TH4, M2A1 [CUST: AR OS 99] [REVIEW: 11 AS AV MC] | A | 1375 | AR | 15-MAY-2014 |
| M | MIL-C-45469E(1) NOT 3 | Cap, Blasting, Non-Electric: M7 Loading, Assembling and Packing [CUST: AR] | A | 1375 | AR | 03-JUN-2014 |
| M | MIL-F-50495A NOT 2 | Firing Device, Pressure Release Type, M5 and M5 Inert Assembly Parts for and Loading, Assembling and Packing [CUST: AR] | A | 1375 | AR | 15-MAY-2014 |
| M | MIL-G-155A(2) NOT 3 | Graphite, Dry (For Use in Ammunition) [CUST: AR] [REVIEW: CR4 EA] | A | 1376 | AR | 15-MAY-2014 |
| M | MIL-A-166C NOT 3 | Ammonium Picrate (Explosive D) [CUST: AR OS 99] | A | 1376 | AR | 15-MAY-2014 |
| M | MIL-T-46938C(1) NOT 1 | Tetracene [CUST: AR] | A | 1376 | AR | 03-JUN-2014 |
| M | MIL-P-60463B NOT 4 | Propellant Powder (for Use in Base Grain OGK) [CUST: AR] | A | 1376 | AR | 12-MAY-2014 |
| M | MIL-STD-650(6) NOT 7 | Explosive Sampling, Inspection and Testing [CUST: AR OS] [REVIEW: EA YD] | A | 1376 | AR | 06-MAY-2014 |
| M | MIL-P-46518D NOT 3 | Primer, Electric, M73, Parts for [CUST: AR] | A | 1390 | AR | 08-MAY-2014 |
| M | MIL-F-48625A(2) NOT 3 | Fuze, 25MM, Point Detonating, Self Destruct M758 [CUST: AR] | A | 1390 | AR | 06-MAY-2014 |
| M | MIL-P-60454(1) NOT 4 | Primer, Percussion, Mark 2A4 Metal Parts for [CUST: AR] | A | 1390 | AR | 12-MAY-2014 |
| M | MIL-DTL-22263C NOT 1 | Coupling Fuel Line, Flexible, 125 PSI General Specification for [CUST: AV AS 11] [REVIEW: 71 99 AT CC MI SA SH] | A | 4730 | AS | 18-JUN-2014 |
| M | MIL-PRF-39035/1E(1) | Resistors, Variable, Nonwirewound (Adjustment Type, Lead-Screw Actuated), Nonestablished Reliability, and Established Reliability Style RJR12 [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS AT AV CR4 MC MI OS] | A | 5905 | CC | 24-APR-2014 |
| M | MIL-M-38510/60B NOT 2 | Microcircuits, Digital, ECL, Multiple NOR Gates, Monolithic Silicon [CUST: CR EC 85 CC] [REVIEW: 03 19 99 AS CG MC MI SH SM] | A | 5962 | CC | 25-JUN-2014 |
| M | MIL-M-38510/133B NOT 2 | Microcircuits, Linear, 10-BIT Digital-To-Analog Converter, Monolithic Silicon [CUST: CR EC 85 CC NA] [REVIEW: 03 19 99 AS CG MC MI SH SM] | A | 5962 | CC | 25-JUN-2014 |
| M | MIL-M-38510/204F NOT 1 | Microcircuit, Digital, 2048-Bit, Schottky, Bipolar, Programmable Read-Only Memory (PROM), Monolithic Silicon [CUST: CR EC 85 CC] [REVIEW: 03 19 99 AS CG MC MI SH SM] | A | 5962 | CC | 25-JUN-2014 |
| M | MIL-K-8144B NOT 3 | Keyer, Overheat Warning Light, Type MA&1 [CUST: 71] [REVIEW: 99 GS] | A | 6340 | 71 | 25-JUN-2014 |
| M | MIL-DTL-17896E(1) NOT 1 | Barometer, Aneroid [CUST: SH GS1] | A | 6685 | GS1 | 27-JUN-2014 |
| M | MIL-L-65A NOT 2 | Lead Thiocyanate (Sulphocyanate) [CUST: AR] [REVIEW: EA GS MD MI] | A | 6810 | AR | 15-MAY-2014 |
| M | MIL-A-159D NOT 2 | Antimony Sulfide (for use in Ammunition) [CUST: AR] [REVIEW: EA GS MD] | A | 6810 | AR | 15-MAY-2014 |
| M | MIL-A-192B NOT 3 | Ammonium Perchlorate [CUST: AR OS 19] [REVIEW: 68 AS EA GS] | A | 6810 | AR | 16-MAY-2014 |
| M | MIL-C-216B NOT 2 | Cellulose, Woodpulp (Sulfite) [CUST: AR OS 99] [REVIEW: 11 28 AS EA GS MD MI OS SH] | A | 6810 | AR | 19-MAY-2014 |
| M | JAN-H-257 NOT 2 | Hexachlorbenzene [CUST: AR OS 99] [REVIEW: 02 11 28 AS EA GS MD MI SH] | A | 6810 | AR | 19-MAY-2014 |
| M | MIL-T-301A(2) NOT 4 | Triacetin (Glyceryl Triacetate) [CUST: AR OS] | A | 6810 | AR | 30-MAY-2014 |
| M | MIL-S-322C(1) NOT 2 | Sodium Nitrate [CUST: AR OS 68] [REVIEW: 11 AS EA GS MI] | A | 6810 | AR | 16-MAY-2014 |
| M | MIL-C-324C NOT 4 | Calcium Silicide, Technical [CUST: AR] [REVIEW: GS] | A | 6810 | AR | 03-JUN-2014 |
| M | MIL-Z-399D(1) NOT 4 | Zirconium (Granular and Powdered) [CUST: AR OS 68] [REVIEW: AS EA GS MD MI] | A | 6810 | AR | 22-MAY-2014 |
| M | MIL-S-12210A NOT 4 | Strontium Oxalate [CUST: AR OS] | A | 6810 | AR | 30-MAY-2014 |
| M | MIL-T-70681(1) NOT 3 | Triphenyl Bismuth [CUST: AR] [REVIEW: GS] | A | 6810 | AR | 22-MAY-2014 |
| M | MIL-L-46075A NOT 2 | Lacquer, Red (for Ammunition Primers) [CUST: AR] | A | 8010 | AR | 15-MAY-2014 |
| M | MIL-A-16288/6 NOT 5 | Adapter, Compressed Gas Cylinder Valve Connections: U S Regulator to British Acetylene Valve [CUST: AT YD 68 GS7] [REVIEW: AS AV MD MS SH] | A | 8120 | GS7 | 18-JUN-2014 |
| M | MIL-A-16288/16 NOT 5 | Adapter, Compressed Gas Cylinder Valve Connections: Class 300-510, Acetylene [CUST: AT YD 68 GS7] | A | 8120 | GS7 | 25-JUN-2014 |
| M | MIL-C-71165(1) NOT 1 | Container, Ammunition, Lightweight Metal for Tow 2A Guided Missile, Surface Attach: BGM - 71E - 5B Weapon System [CUST: AR] | A | 8140 | AR | 06-MAY-2014 |
| M | MIL-W-13945D NOT 3 | Wax, Hydrocarbon (For Ordnance Use) [CUST: AR] | A | 9160 | AR | 22-MAY-2014 |
| M | MIL-STD-139A NOT 2 | Radiographic Inspection, Soundness Requirements for Aluminum and Magnesium Castings (for Small Arms Parts) [CUST: AR] [REVIEW: AT MI] | A | NDTI | AR | 15-MAY-2014 |

CANCELED SECTION

ASSIST UPDATE

| LAST ACTION | DOCUMENT NUMBER | DOCUMENT TITLE | DISTRIBUTION | MCA | PREP ACTY | DATE |
|-------------|-----------------------------|--|--------------|-----|-----------|-------------|
| | | | FSC/AREA | | | |
| M | MIL-L-15581K NOT 2 | Life Preservers, CO2 Inflatable, Pouch Type (S/S by A-A-59772) [CUST: SH] | A 4220 | | SH | 03-JUN-2014 |
| M | MIL-L-16383H NOT 1 | Life Preserver, CO2 Inflatable, Underwater Demolition Team (No S/S Document) [CUST: SH] | A 4220 | | SH | 05-JUN-2014 |
| M | QPL-15581-34 NOT 2 | Life Preservers, CO2 Inflatable, Pouch Type (No S/S Document) | A 4220 | | SH | 03-JUN-2014 |
| M | QPL-16383-27 NOT 2 | Life Preserver, CO2 Inflatable, Underwater Demolition Team | A 4220 | | SH | 05-JUN-2014 |
| M | MIL-B-85667A(2) SUP 1 NOT 1 | Bolt, Sleeve, Straight Shank, Protruding and Flush Head, General Specification for (No S/S Document) [CUST: AV AS 99 IS] | A 5306 | | IS | 11-JUN-2014 |
| M | MIL-B-85667/1A NOT 3 | Bolt, Sleeve, Straight Shank, Protruding and Flush Head, Reliability and Maintainability Requirements for (No S/S Document) [CUST: AV AS 99] [REVIEW: 71] | A 5306 | | IS | 11-JUN-2014 |
| M | MIL-B-85667/2A NOT 2 | Bolt, Sleeve, 100 Degree Reduced Flush Head, Straight Shank, CRES 304 Sleeve, CRES PH 13-8MO Pin, 125 KSI FSU (No S/S Document) [CUST: AV AS 99 IS] [REVIEW: 71] | A 5306 | | IS | 11-JUN-2014 |
| M | MIL-DTL-85667/3B NOT 1 | Bolt, Sleeve, Protruding Head, Straight Shank, CRES 304 Sleeve, CRES PH 13-8MO Pin, 220 KSI FSU (No S/S Document) [CUST: AV AS 99 IS] | A 5306 | | IS | 11-JUN-2014 |
| M | MIL-B-85667/4A NOT 2 | Bolt, Sleeve, 100 Degrees Reduced Flushed Head, Straight Shank, Titanium Alloy Pin, 95 KSI FSU (No S/S Document) [CUST: AV AS 99 IS] [REVIEW: 71] | A 5306 | | IS | 11-JUN-2014 |
| M | MIL-DTL-85667/5B(1) NOT 2 | Bolt, Sleeve, Protruding Head, Straight Shank, Titanium Alloy Pin, 160 KSI FTU (No S/S Document) [CUST: AS 99 IS] | A 5306 | | IS | 11-JUN-2014 |
| M | MIL-B-85667/6A NOT 2 | Bolt, Sleeve, 100 Degrees Reduced Flushed Head, Straight Shank, CRES 304 Sleeve, Nickel Alloy 718 Pin, 125 KSI FSU, 450 Degrees F (No S/S Document) [CUST: AV AS 99 IS] [REVIEW: 71] | A 5306 | | IS | 11-JUN-2014 |
| M | MIL-DTL-85667/7B NOT 2 | Bolt, Sleeve, Protruding Head, Straight Shank, CRES 304 Sleeve, Nickel Alloy 718 Pin, 125 KSI FSU, 220 KSI FTU, 450 Degrees F (No S/S Document) [CUST: AV AS 99 IS] | A 5306 | | IS | 11-JUN-2014 |
| M | MIL-B-85667/8 NOT 2 | Bolt, Sleeve, 100 Degrees Reduced Flush Head, Straight Shank, CRES 304 Sleeve, CRES A-286 Pin, 95 KSI FSU, 450 Degrees F (No S/S Document) [CUST: AV AS 99 IS] [REVIEW: 71] | A 5306 | | IS | 11-JUN-2014 |
| M | MIL-B-85667/9 NOT 2 | Bolt, Sleeve, Protruding Head, Straight Shank, CRES 304 Sleeve, CRES A-286 Pin, 95 KSI FSU, 160 KSI FTU, 450 Degrees F (No S/S Document) [CUST: AV AS 99 IS] [REVIEW: 71] | A 5306 | | IS | 11-JUN-2014 |
| M | MIL-B-85667/10 NOT 2 | Bolt, Sleeve, 100 Degrees Tension Flush Head, Straight Shank, CRES 304 Sleeve, CRES A-286 Pin, 160 KSI FTU, 450 Degrees F (No S/S Document) [CUST: AV AS 99 IS] [REVIEW: 71] | A 5306 | | IS | 11-JUN-2014 |
| M | MIL-N-85729 NOT 2 | Nut, Self-Locking, A-286, 160 KSI FTU, 450 Degrees F, General Specification for (No S/S Document) [CUST: AV AS 99 IS] [REVIEW: 71] | A 5310 | | IS | 10-JUN-2014 |
| M | MIL-N-85729/1 NOT 2 | Nut, Self-Locking, Assembled Washer, A-286, 160 KSI FTU, 450 Degrees F, Spline Wrenching Element (No S/S Document) [CUST: AV AS 99 IS] [REVIEW: 71] | A 5310 | | IS | 10-JUN-2014 |
| M | MIL-PRF-27/18E NOT 1 | Transformer, Power 5 76 VA, 60 HZ (No S/S Document) [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS CR4 MC OS SH] | A 5950 | | CC | 13-JUN-2014 |
| M | MIL-T-27/3B NOT 1 | Transformer, Audio Frequency (No S/S Document) [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS CR4 MC] | A 5950 | | CC | 13-JUN-2014 |
| M | MIL-T-27/4 NOT 6 | Transformer, Audio Frequency, TF4R21AJ002 (No S/S Document) [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS CR4 MC] | A 5950 | | CC | 13-JUN-2014 |
| M | MIL-T-27/5A NOT 5 | Transformer, Audio Frequency, TF4R21AJ (No S/S Document) [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS CR4 MC] | A 5950 | | CC | 13-JUN-2014 |
| M | MIL-T-27/8A NOT 6 | Transformer, Audio Frequency, TF4R21AJ (No S/S Document) [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS CR4 MC] | A 5950 | | CC | 13-JUN-2014 |
| M | MIL-T-27/9B NOT 1 | Transformer, Audio Frequency (No S/S Document) [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS CR4 MC] | A 5950 | | CC | 13-JUN-2014 |
| M | MIL-T-27/11B NOT 1 | Transformer, Audio Frequency (No S/S Document) [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS CR4 MC] | A 5950 | | CC | 13-JUN-2014 |
| M | MIL-T-27/36C NOT 1 | Transformer, Power, Step Down and Step Up (No S/S Document) [CUST: CR EC 85 CC] [REVIEW: 19 99 AR CR4 MI OS SH] | A 5950 | | CC | 13-JUN-2014 |
| M | MIL-T-27/74B NOT 1 | Transformer, Audio Frequency (No S/S Document) [CUST: CR EC 85 CC] [REVIEW: 19 AR AS CR4 MC MI OS SH] | A 5950 | | CC | 13-JUN-2014 |
| M | MIL-T-27/85B NOT 1 | Transformers and Inductors (Audio, Power, and High-Power Pulse), Inductor, Power (No S/S Document) [CUST: CR EC 85 CC] [REVIEW: 19 AR AS CR4 MC MI OS SH] | A 5950 | | CC | 13-JUN-2014 |