

Department of Defense Standardization Program



ASSIST UPDATE

(A bi-monthly summary of changes to the ASSIST document database)

1 July 2014

(For the Period 15 June 2014 to 30 June 2014)

ASSIST UPDATE

Documents listed in the ASSIST UPDATE have an indicator of “N” or “M” to describe the last action taken on a listed document.

“N” indicates that a “new” document has been entered into the ASSIST database.

“M” indicates that a document already in ASSIST has been “modified” in some way.

The ASSIST UPDATE is published twice a month and provides a summary of changes to Department of Defense standardization documents for the period indicated. Since changes are processed to the ASSIST database on a daily basis, users should consult the ASSIST web site at <https://assist.dla.mil/> for the most current information.

If you need to track changes more frequently, or if you have an interest in specific Federal Supply Classes or individual specifications, standards, or other standardization documents, you may wish to take advantage of the ASSIST Alert Service. This feature lets you establish a list of documents of interest to you, and then the ASSIST will alert you with an E-mail message each day there is a change to one or more documents of interest to you. There is no charge for this service; however, you must have an ASSIST user account. To obtain one, complete the ASSIST online registration form at <https://assist.dla.mil/online/registration/registration.cfm>.

Once you have your account, you can establish your Alert Portal profile. For more information on the ASSIST Alert Service, go to: <https://assist.dla.mil/online/news/AlertService.htm>.

ACTIVE SECTION

ASSIST UPDATE

LAST ACTION	DOCUMENT NUMBER	DOCUMENT TITLE	DISTRIBUTION	FSC/AREA	MCA	PREP ACTY	DATE
M	MIL-G-70790(1) NOT 3	Gun, Machine, 40MM MK19 Mod 3 [CUST: AR]	A	1010		AR	16-JUN-2014
M	MIL-DTL-46610F	Primers, Percussion, Styphnate and Chlorate Types, for Small Arms Ammunition [CUST: AR OS 70] [REVIEW: 99 AS MC MR SH]	D	1305		AR	06-JUN-2014
M	MIL-W-48271A NOT 4	Warhead Metal Parts Assembly M251 Parts and Assembling [CUST: AR]	A	1340		AR	22-MAY-2014
M	MIL-C-206A(2) NOT 3	Cellulose, Cotton (for use in Explosives) [CUST: AR]	A	1376		AR	22-APR-2014
M	MIL-STD-1791A NOT 1	Designing for Internal Aerial Delivery in Fixed Wing Aircraft [CUST: 11]	A	1510		11	11-JUN-2014
M	MIL-DTL-5500G	Cap, High Pressure Air Valve [CUST: AV AS 71] [REVIEW: 06 99]	A	1650		71	13-JUN-2014
N	MIL-DTL-32481	Modular Ammunition Restraint System (MARS) Assembly [CUST: AR]	D	2540		AR	01-MAY-2014
N	MIL-PRF-32497	Refrigerator, Biomedical, for Surface Ships [CUST: GL SH 99] [REVIEW: 03 35 AV CR4 FAS IS MI QMI YD]	A	4110		SH	15-MAY-2014
M	MIL-PRF-39014/1H NOT 2	Capacitors, Fixed, Ceramic Dielectric (General Purpose), Established Reliability and Nonestablished Reliability, Style CKR05, NATO Type Designation NCC61 [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS AT AV MC MI]	A	5910		CR	25-JUN-2014
M	MIL-PRF-39014/2L NOT 2	Capacitors, Fixed, Ceramic Dielectric (General Purpose), Established Reliability and Nonestablished Reliability, Style CKR06, NATO Type Designation NCC62 [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS AT AV MC MI]	A	5910		CR	27-JUN-2014
M	MIL-DTL-9129G	Discharges, Electrostatic General Specification for [CUST: CR AS 85 CC] [REVIEW: 19 99 CE MC MI]	A	5920		CC	19-JUN-2014
M	MIL-DTL-642/3B	Plugs Telephone (Types PJ-054B and PJ-054R) and Accessory Screws [CUST: CR EC 85 CC] [REVIEW: 19 99 AS AT AV CR4 MC MI OS SH]	A	5935		CC	27-JUN-2014
M	MIL-DTL-642/7B	Plugs, Telephone (Type PJ-292) and Accessory Screws [CUST: CR EC 85 CC] [REVIEW: 19 99 AS AT AV CR4 MC MI OS SH]	A	5935		CC	20-JUN-2014
M	MIL-DTL-642/8B	Plugs, Telephone (Type PJ-309) and Accessory Screws [CUST: CR EC 85 CC] [REVIEW: 19 99 AS AT AV CR4 MC MI OS SH]	A	5935		CC	20-JUN-2014
M	MIL-DTL-642/9B	Plugs, Telephone (Type PJ-327) and Accessory Screws [CUST: CR EC 85 CC] [REVIEW: 19 99 AS AT AV CR4 MC MI OS SH]	A	5935		CC	20-JUN-2014
M	MIL-DTL-642/10B	Plugs, Telephone (Types PJ-540B and PJ-540R) and Accessory Screws [CUST: CR EC 85 CC] [REVIEW: 19 99 AS AT AV CR4 MC MI OS SH]	A	5935		CC	27-JUN-2014
M	MIL-DTL-642/13C	Plugs, Telephone (Types PJ-777 and PJ-778) 3 Conductor, Single, Double [CUST: CR EC 85 CC] [REVIEW: 19 99 AS AT AV CR4 MC MI OS SH]	A	5935		CC	20-JUN-2014
M	W-C-596H	Connector, Electrical, Power, General Specification for [CUST: CR YD 85 CC] [REVIEW: 19 99 AR AS AV CR4 EC MC MI SH]	A	5935	/	CC	25-MAY-2014
M	MIL-PRF-39016/37D	Relays, Electromagnetic, Established Reliability, DPDT, Low Level to 2 Amperes (0 150-Inch Terminal Spacing), with Internal Diode for Coil Transient Suppression [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS MC OS SH]	A	5945		CC	02-JUN-2014
M	MIL-PRF-3098K(2) SUP 1	Crystal Units, Quartz General Specification for [CUST: CR EC 99 CC] [REVIEW: 19 84 AR AS CG MC MDA MI NA OS SH SM]	A	5955		CR	16-MAY-2014
M	QPL-3098-100	Crystal Units, Quartz, General Specification for	A	5955		CR	11-JUN-2014
M	MIL-PRF-19500/118L	Semiconductor Device, Diode, Silicon, Types 1N483B, 1N485B, 1N486B, 1N5194, 1N5194UR, 1N5194US, 1N5195, 1N5195UR, 1N5195US, 1N5196, 1N5196UR, and 1N5196US, JAN, JANTX, and JANTXV [CUST: CR EC 85 CC NA] [REVIEW: 19 AR AS MC MI]	A	5961		CC	09-JUN-2014
M	MIL-M-38510/52E NOT 2	Microcircuits, Digital, CMOS, NOR Gates, Monolithic Silicon, Positive Logic [CUST: CR EC 85 CC] [REVIEW: 03 19 99 AS CG MC MI SH SM]	A	5962		CC	25-JUN-2014
M	MIL-M-38510/58D NOT 2	Microcircuits, Digital, CMOS, Switches, Monolithic Silicon, Positive Logic [CUST: CR EC 85 CC] [REVIEW: 03 19 99 AS CG MC MI SH SM]	A	5962		CC	25-JUN-2014
M	MIL-M-38510/129B NOT 2	Microcircuits, Monolithic Silicon Interface, Dual, Peripheral Drivers [CUST: CR EC 85 CC NA] [REVIEW: 03 19 99 AS CG MI SH SM]	A	5962		CC	25-JUN-2014
M	MIL-M-38510/139C NOT 2	Microcircuits, Linear, Internally Trimmed Analog Multiplier, Hybrid and Monolithic Silicon [CUST: CR EC 85 CC NA] [REVIEW: 03 19 99 AS CG MC MI SH SM]	A	5962		CC	25-JUN-2014
M	MIL-STD-883J(3)	Microcircuits [CUST: CR EC 85 CC NA] [REVIEW: 03 19 99 AR AS CG EA MC MI SH SM]	A	5962		CC	20-JUN-2014
M	MIL-STD-1835D NOT 2	Electronic Component Case Outlines [CUST: CR EC 85 CC NA] [REVIEW: 03 19 99 AS CG MC MI SH SM]	A	5962		CC	25-JUN-2014
M	MIL-DTL-39030F	Dummy Loads, Electrical, Coaxial and Stripline, General Specification for [CUST: CR EC 11 CC] [REVIEW: 19 99 AS AV MC MI OS SH]	A	5985		CC	25-MAY-2014
M	MIL-DTL-22442/5B NOT 1	Cable, Assembly, Aircraft Audio, Connector [CUST: AS] [REVIEW: GS]	A	5995		AS	18-JUN-2014
M	MIL-DTL-22442/6A NOT 1	Cable Assembly, Aircraft Audio, Qualification by Similarity [CUST: CR AS 85] [REVIEW: 99 CC GS]	A	5995		AS	18-JUN-2014
M	MIL-DTL-22442/25B NOT 1	Assembly, Aircraft Audio, Molded Rubber Connector Mechanical Gauges [CUST: AS] [REVIEW: GS]	A	5995		AS	18-JUN-2014
M	MIL-PRF-85045/28A	Cable, Fiber Optic, Nineteen Tube, Blown Optical Fiber, Standard and Enhanced Performance, Cable Configuration Type 5 (Tube), Application B (Shipboard), Cable Class SM and MM, (Metric) [CUST: SH 85 CC] [REVIEW: 99]	A	6015		CC	09-JUN-2014
M	MIL-PRF-85045/29B	Cable, Fiber Optic, Twelve/Eighteen Fiber Bundle, Blown Optical Fiber, Cable Configuration Type 3 (Cable Bundle), Application B (Shipboard), Cable Class SM and MM, (Metric) [CUST: SH 85 CC] [REVIEW: 99]	A	6015		CC	09-JUN-2014
M	MIL-PRF-64266A	Connectors, Fiber Optic, Circular and Rectangular, Plug and Receptacle Style, Multiple Removable Genderless Termini, Environment Resisting General Specification for [CUST: CR SH 85 CC NA] [REVIEW: 13 19 93 99 AS]	A	6060		CC	24-MAY-2014
M	MIL-PRF-64266/8B	Connectors, Fiber Optic, Circular, Receptacle Style, Multiple Removable Genderless Termini, Screw Threads, EMI Retention Nut [CUST: CR SH 85 CC] [REVIEW: 13 19 93 99 AS NA]	A	6060		CC	10-JUN-2014
M	MIL-DTL-17/188C	Cable, Radio Frequency, Flexible Coaxial, 50 OHMS, M17/188-00001 [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS AT CR4 MC MI OS SH]	A	6145		CC	12-JUN-2014
M	MIL-DTL-17/189C	Cable, Radio Frequency, Flexible Coaxial, 50 OHMS, M17/189-00001 Unarmored, M17/189-00002 Armored [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS AT CR4 MC MI OS SH]	A	6145		CC	12-JUN-2014
M	MIL-DTL-17/190C	Cable, Radio Frequency, Flexible, Coaxial, 50 OHMS, M17/190-00001 [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS AT CR4 MC MI OS SH]	A	6145		CC	12-JUN-2014
M	MIL-DTL-17/193C	Cable, Radio Frequency, Flexible, Coaxial, 50 OHMS, M17/193-00001 Unarmored, M17/193-00002 Armored [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS AT CR4 MC MI OS SH]	A	6145		CC	12-JUN-2014
M	MIL-DTL-17/194C	Cable, Radio Frequency, Flexible, Coaxial, 50 OHMS, M17/194-00001 [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS AT CR4 MC MI OS SH]	A	6145		CC	12-JUN-2014
M	MIL-DTL-17/195C	Cable, Radio Frequency, Coaxial, 93 OHMS, M17/195-00001 [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS AT CR4 MC MI OS SH]	A	6145		CC	12-JUN-2014

ACTIVE SECTION

ASSIST UPDATE

LAST ACTION	DOCUMENT NUMBER	DOCUMENT TITLE	DISTRIBUTION	FSC/AREA	MCA	PREP ACTY	DATE
M	MIL-DTL-17/196C	Cable, Radio Frequency, Flexible, Coaxial, 50 OHMS, M17/196-00001 [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS AT CR4 MC MI OS SH]	A	6145		CC	12-JUN-2014
M	MIL-DTL-17/205A	Cable, Radio Frequency, Flexible, Coaxial, 50 OHMS, M17/205-00018 and M17/205-00050 [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS AT CR4 MC MI OS SH]	A	6145		CC	12-JUN-2014
M	MIL-DTL-17/206B	Cable, Radio Frequency, Flexible, Coaxial, 50 OHMS, M17/206-00018 and M17/206-00030 [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS AT CR4 MC MI OS SH]	A	6145		CC	12-JUN-2014
M	MIL-DTL-17/208A	Cable, Radio Frequency, Flexible, Coaxial, 185 OHMS, M17/208-00001 [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS AT CR4 MC MI OS SH]	A	6145		CC	12-JUN-2014
M	MIL-DTL-17/209A	Cable, Radio Frequency, Flexible, Coaxial, 75 OHMS, M17/209-00001, Unarmored, M17/209-00002, Armored [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS AT CR4 MC MI OS SH]	A	6145		CC	12-JUN-2014
M	MIL-DTL-17/210A	Cable, Radio Frequency, Flexible, Coaxial, 50 OHMS, M17/210-00001 [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS AT CR4 MC MI OS SH]	A	6145		CC	12-JUN-2014
M	MIL-L-3661/28B NOT 4	Lampholders, Indicator Lights, Indicator-Light Housings, and Indicator-Light Lenses, (Electromagnetic Interference Type) Dustlight Lenses, Style LC28 [CUST: CR4 AS 99 GS2] [REVIEW: IS]	A	6210		GS2	25-JUN-2014
M	A-A-59946A	Scale, Weighing Systems, Aircraft Top-of-Jack [CUST: 84] [REVIEW: 99]	A	6670	/	84	02-JUN-2014
M	MIL-L-18618A NOT 2	Lead Carbonate, Basic, Dry (For Ordnance Use) [CUST: OS] [REVIEW: GS]	A	6810		OS	08-APR-2014
M	MIL-DTL-12468E NOT 1	Decontaminating Agent, STB [CUST: EA 68 GS] [REVIEW: MD1]	A	6850		GS3	18-JUN-2014
M	MIL-DTL-3628/59F	Badge, Qualification, Diver, National Oceanic and Atmospheric Administration [CUST: IH] [REVIEW: CT]	A	8455		IH	04-JUN-2014
M	MIL-DTL-3628/238C	Badge, Occupational, Space, Air Force/Army [CUST: IH 11] [REVIEW: CT]	A	8455		IH	10-JUN-2014
M	MIL-DTL-11484/307B	Lapel Button, Instructor's Award, Bronze, U S Army JROTC [CUST: IH] [REVIEW: CT]	A	8455		IH	04-JUN-2014
M	MIL-DTL-11589/588D	Ribbon, Instructor's Award, Bronze, Army JROTC [CUST: IH] [REVIEW: CT]	A	8455		IH	10-JUN-2014
M	MIL-DTL-11589/590C	Ribbon, Instructor's Award, Gold, Army JROTC [CUST: IH] [REVIEW: CT]	A	8455		IH	10-JUN-2014
M	MIL-DTL-11589/627B	Ribbon, Civilian Achievement, Defense Intelligence Agency [CUST: IH] [REVIEW: CT]	A	8455		IH	10-JUN-2014
M	MIL-DTL-11589/631B	Ribbon, LTG Richard G Trefry Lifetime of Service Award, Office of the Secretary of the Army [CUST: IH] [REVIEW: CT]	A	8455		IH	10-JUN-2014
M	A-A-59834 NOT 1	Anchor, Rock, Chock [CUST: GL MC]	A	8465	/	GL	27-JUN-2014
M	MIL-DTL-32221A NOT 1	Filled Bakery Item, Shelf Stable, for Operational Rations [CUST: GL SA 35] [REVIEW: MC MD QM SS]	A	8920		GL	25-JUN-2014
M	MIL-HDBK-267A NOT 1	Guide for Selection of Lubricants and Hydraulic Fluids for Use in Shipboard Equipment [CUST: SH] [REVIEW: GS]	A	9150		SH	18-JUN-2014
M	ITOP-2 2 713(1)	Ballistic Testing of Armor [CUST: TE]	D	ISDA		TE	23-AUG-2013
M	ITOP-3 2 802 ED A	Measurement and Inspection of Gun Tubes [CUST: TE]	C	ISDA		TE	23-MAY-2008
N	ITOP-5 2 550	Cueing Accuracy For Threat Warning Sensors [CUST: TE]	C	ISDA		TE	14-DEC-2012
M	TOP-1-2-500A	Transportability [CUST: TE]	A	ISDA		TE	25-APR-2013
M	TOP-1-2-511A	Electromagnetic Environmental Effects System Testing [CUST: TE]	A	ISDA		TE	20-NOV-2013
N	TOP-2-2-718	Electronic Stability Control [CUST: TE]	A	ISDA		TE	12-MAY-2013
N	TOP-3-2-812	Field of Vision-Vehicles [CUST: TE]	A	ISDA		TE	16-DEC-2009
N	TOP-4-2-842	Vehicle Vulnerability Tests against Explosively Formed Penetrator (EFP) Improvised Explosive Devices (IEDs) [CUST: TE]	D	ISDA		TE	27-NOV-2012
N	TOP-6-2-246	Digital Communication Transmitter and Receiver Test Procedures [CUST: TE]	D	ISDA		TE	28-MAR-2013
N	TOP-6-2-071	Direction Finding Equipment, Radio And Gyroscope [CUST: TE]	D	ISDA		TE	23-FEB-2011
N	TOP-8-2-109	Simulant Agent Resistance Test Manikin (SMARTMAN)Testing of Protective Masks [CUST: TE]	A	ISDA		TE	16-SEP-2013
N	AAP-6 ED 2014(1)	NATO GLOSSARY OF TERMS AND DEFINITIONS (ENGLISH AND FRENCH)	A	ISDD		SO1	29-APR-2014
N	AJEPP-4 ED A(1)	JOINT NATO DOCTRINE FOR ENVIRONMENTAL PROTECTION DURING NATO-LED MILITARY ACTIVITIES - AJEPP-4 EDITION A	A	ISDD		SO1	15-MAY-2014
N	AASSEP-1 ED A	AIRCRAFT JACKING	A	ISDF		06	14-MAY-2014
N	AASSEP-2 ED A(1)	PRESSURE REFUELLING CONNECTIONS AND DEFUELLING FOR AIRCRAFT	A	ISDF		06	06-MAY-2014
N	STANAG-3105 ED 7	PRESSURE REFUELLING CONNECTIONS AND DEFUELLING FOR AIRCRAFT - AASSEP-2 EDITION A	A	ISDF		06	06-MAY-2014
N	ATP-1-2 ED F(1)	ALLIED MARITIME TACTICAL SIGNAL AND MANEUVERING BOOK	A	ISDN		NI	22-APR-2014
N	ATP-4 ED F(1)	ALLIED NAVAL FIRE SUPPORT	A	ISDN		NI	25-FEB-2013
N	MMP-17 ED A(1)	NAVAL MINEHUNTING SONAR, FACTORS AFFECTING PERFORMANCE, MEASUREMENT AND RECORDING	A	ISDN		NI	27-JAN-2009
M	MIL-STD-1916 NOT 2	DOD Preferred Methods for Acceptance of Product [CUST: AR]	A	QCIC		AR	05-JUN-2014

INACTIVE SECTION

ASSIST UPDATE

LAST ACTION	DOCUMENT NUMBER	DOCUMENT TITLE	DISTRIBUTION	FSC/AREA	MCA	PREP ACTY	DATE
M	MIL-DTL-13931J NOT 1	Cannon: General Specification for [CUST: AR OS 68] [REVIEW: 11 EA GS MC]	A	10GP		AR	16-MAY-2014
M	MIL-S-46371(3) NOT 3	Sight, Infinity, 8635466 [CUST: AR]	A	1240		AR	15-MAY-2014
M	MIL-C-46578D(1) NOT 2	Cartridge, 20MM, High Explosive, Incendiary, M56A3 Loading, Assembling and Packing [CUST: AR]	A	1305		AR	06-MAY-2014
M	MIL-C-48368A(6) NOT 1	Cartridge, HE, 60MM, M720 Loading, Assembling and Packing [CUST: AR]	A	1310		AR	15-MAY-2014
M	MIL-P-63061A NOT 4	Projectile, 155MM, M692/M731, Plug, Housing for [CUST: AR]	A	1320		AR	12-MAY-2014
M	MIL-G-13706D NOT 3	Grenade, Hand, Offensive, MK3A2 with M206A2 Loading, Assembling and Packing [CUST: AR]	A	1330		AR	19-MAY-2014
M	MIL-F-48370A(3) NOT 3	Fuze M934E6, Hybrid Microcircuits for [CUST: AR]	A	1336		AR	16-MAY-2014
M	MIL-W-48855C(5) NOT 3	Warhead Body Assembly for Warhead Section, GM, HE, M258 [CUST: AR]	A	1336		AR	22-MAY-2014
M	MIL-F-48863C(3) NOT 3	Fuze, Guided Missile, M934E6 Parts Assembly, Loading and Packing for [CUST: AR]	A	1336		AR	19-MAY-2014
M	MIL-W-48272(10) NOT 3	Warhead Section, GM, HE: M251, M251A1 and M251 (MOD) with Live FLSC and Inert Bombs, Dummy Loading, Assembling & Packing [CUST: AR]	A	1340		AR	22-MAY-2014
M	MIL-W-48369(5) NOT 3	Warhead Section, GM, Practice, Lightweight, M252 Parts and Assembling [CUST: AR]	A	1340		AR	22-MAY-2014
M	MIL-W-48381(3) NOT 3	Warhead Section, GM, Practice, Lightweight, M252E1 Parts And Assembling [CUST: AR]	A	1340		AR	22-MAY-2014
M	MIL-W-48757(5) NOT 3	Warhead Section, GM, HE: M251 and M251A1 Spare Parts for [CUST: AR]	A	1340		AR	22-MAY-2014
M	MIL-C-10244G(1) NOT 2	Cryptographic Equipment Destroyer, Incendiary, TH4, M2A1 [CUST: AR OS 99] [REVIEW: 11 AS AV MC]	A	1375		AR	15-MAY-2014
M	MIL-C-45469E(1) NOT 3	Cap, Blasting, Non-Electric: M7 Loading, Assembling and Packing [CUST: AR]	A	1375		AR	03-JUN-2014
M	MIL-F-50495A NOT 2	Firing Device, Pressure Release Type, M5 and M5 Inert Assembly Parts for and Loading, Assembling and Packing [CUST: AR]	A	1375		AR	15-MAY-2014
M	MIL-G-155A(2) NOT 3	Graphite, Dry (For Use in Ammunition) [CUST: AR] [REVIEW: CR4 EA]	A	1376		AR	15-MAY-2014
M	MIL-A-166C NOT 3	Ammonium Picrate (Explosive D) [CUST: AR OS 99]	A	1376		AR	15-MAY-2014
M	MIL-T-46938C(1) NOT 1	Tetracene [CUST: AR]	A	1376		AR	03-JUN-2014
M	MIL-P-60463B NOT 4	Propellant Powder (for Use in Base Grain OGK) [CUST: AR]	A	1376		AR	12-MAY-2014
M	MIL-STD-650(6) NOT 7	Explosive Sampling, Inspection and Testing [CUST: AR OS] [REVIEW: EA YD]	A	1376		AR	06-MAY-2014
M	MIL-P-46518D NOT 3	Primer, Electric, M73, Parts for [CUST: AR]	A	1390		AR	08-MAY-2014
M	MIL-F-48625A(2) NOT 3	Fuze, 25MM, Point Detonating, Self Destruct M758 [CUST: AR]	A	1390		AR	06-MAY-2014
M	MIL-P-60454(1) NOT 4	Primer, Percussion, Mark 2A4 Metal Parts for [CUST: AR]	A	1390		AR	12-MAY-2014
M	MIL-DTL-22263C NOT 1	Coupling Fuel Line, Flexible, 125 PSI General Specification for [CUST: AV AS 11] [REVIEW: 71 99 AT CC MI SA SH]	A	4730		AS	18-JUN-2014
M	MIL-PRF-39035/1E(1)	Resistors, Variable, Nonwirewound (Adjustment Type, Lead-Screw Actuated), Nonestablished Reliability, and Established Reliability Style RJR12 [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS AT AV CR4 MC MI OS]	A	5905		CC	24-APR-2014
M	MIL-M-38510/60B NOT 2	Microcircuits, Digital, ECL, Multiple NOR Gates, Monolithic Silicon [CUST: CR EC 85 CC] [REVIEW: 03 19 99 AS CG MC MI SH SM]	A	5962		CC	25-JUN-2014
M	MIL-M-38510/133B NOT 2	Microcircuits, Linear, 10-BIT Digital-To-Analog Converter, Monolithic Silicon [CUST: CR EC 85 CC NA] [REVIEW: 03 19 99 AS CG MC MI SH SM]	A	5962		CC	25-JUN-2014
M	MIL-M-38510/204F NOT 1	Microcircuit, Digital, 2048-Bit, Schottky, Bipolar, Programmable Read-Only Memory (PROM), Monolithic Silicon [CUST: CR EC 85 CC] [REVIEW: 03 19 99 AS CG MC MI SH SM]	A	5962		CC	25-JUN-2014
M	MIL-K-8144B NOT 3	Keyer, Overheat Warning Light, Type MA&1 [CUST: 71] [REVIEW: 99 GS]	A	6340		71	25-JUN-2014
M	MIL-DTL-17896E(1) NOT 1	Barometer, Aneroid [CUST: SH GS1]	A	6685		GS1	27-JUN-2014
M	MIL-L-65A NOT 2	Lead Thiocyanate (Sulphocyanate) [CUST: AR] [REVIEW: EA GS MD MI]	A	6810		AR	15-MAY-2014
M	MIL-A-159D NOT 2	Antimony Sulfide (for use in Ammunition) [CUST: AR] [REVIEW: EA GS MD]	A	6810		AR	15-MAY-2014
M	MIL-A-192B NOT 3	Ammonium Perchlorate [CUST: AR OS 19] [REVIEW: 68 AS EA GS]	A	6810		AR	16-MAY-2014
M	MIL-C-216B NOT 2	Cellulose, Woodpulp (Sulfite) [CUST: AR OS 99] [REVIEW: 11 28 AS EA GS MD MI OS SH]	A	6810		AR	19-MAY-2014
M	JAN-H-257 NOT 2	Hexachlorbenzene [CUST: AR OS 99] [REVIEW: 02 11 28 AS EA GS MD MI SH]	A	6810		AR	19-MAY-2014
M	MIL-T-301A(2) NOT 4	Triacetin (Glyceryl Triacetate) [CUST: AR OS]	A	6810		AR	30-MAY-2014
M	MIL-S-322C(1) NOT 2	Sodium Nitrate [CUST: AR OS 68] [REVIEW: 11 AS EA GS MI]	A	6810		AR	16-MAY-2014
M	MIL-C-324C NOT 4	Calcium Silicide, Technical [CUST: AR] [REVIEW: GS]	A	6810		AR	03-JUN-2014
M	MIL-Z-399D(1) NOT 4	Zirconium (Granular and Powdered) [CUST: AR OS 68] [REVIEW: AS EA GS MD MI]	A	6810		AR	22-MAY-2014
M	MIL-S-12210A NOT 4	Strontium Oxalate [CUST: AR OS]	A	6810		AR	30-MAY-2014
M	MIL-T-70681(1) NOT 3	Triphenyl Bismuth [CUST: AR] [REVIEW: GS]	A	6810		AR	22-MAY-2014
M	MIL-L-46075A NOT 2	Lacquer, Red (for Ammunition Primers) [CUST: AR]	A	8010		AR	15-MAY-2014
M	MIL-A-16288/6 NOT 5	Adapter, Compressed Gas Cylinder Valve Connections: U S Regulator to British Acetylene Valve [CUST: AT YD 68 GS7] [REVIEW: AS AV MD MS SH]	A	8120		GS7	18-JUN-2014
M	MIL-A-16288/16 NOT 5	Adapter, Compressed Gas Cylinder Valve Connections: Class 300-510, Acetylene [CUST: AT YD 68 GS7]	A	8120		GS7	25-JUN-2014
M	MIL-C-71165(1) NOT 1	Container, Ammunition, Lightweight Metal for Tow 2A Guided Missile, Surface Attach: BGM - 71E - 5B Weapon System [CUST: AR]	A	8140		AR	06-MAY-2014
M	MIL-W-13945D NOT 3	Wax, Hydrocarbon (For Ordnance Use) [CUST: AR]	A	9160		AR	22-MAY-2014
M	MIL-STD-139A NOT 2	Radiographic Inspection, Soundness Requirements for Aluminum and Magnesium Castings (for Small Arms Parts) [CUST: AR] [REVIEW: AT MI]	A	NDTI		AR	15-MAY-2014

CANCELED SECTION

ASSIST UPDATE

LAST ACTION			DISTRIBUTION	FSC/AREA	MCA	PREP ACTY	DATE
	DOCUMENT NUMBER	DOCUMENT TITLE					
M	MIL-L-15581K NOT 2	Life Preservers, CO2 Inflatable, Pouch Type (S/S by A-A-59772) [CUST: SH]	A	4220	SH		03-JUN-2014
M	MIL-L-16383H NOT 1	Life Preserver, CO2 Inflatable, Underwater Demolition Team (No S/S Document) [CUST: SH]	A	4220	SH		05-JUN-2014
M	QPL-15581-34 NOT 2	Life Preservers, CO2 Inflatable, Pouch Type (No S/S Document)	A	4220	SH		03-JUN-2014
M	QPL-16383-27 NOT 2	Life Preserver, CO2 Inflatable, Underwater Demolition Team	A	4220	SH		05-JUN-2014
M	MIL-B-85667A(2) SUP 1 NOT 1	Bolt, Sleeve, Straight Shank, Protruding and Flush Head, General Specification for (No S/S Document) [CUST: AV AS 99 IS]	A	5306	IS		11-JUN-2014
M	MIL-B-85667/1A NOT 3	Bolt, Sleeve, Straight Shank, Protruding and Flush Head, Reliability and Maintainability Requirements for (No S/S Document) [CUST: AV AS 99] [REVIEW: 71]	A	5306	IS		11-JUN-2014
M	MIL-B-85667/2A NOT 2	Bolt, Sleeve, 100 Degree Reduced Flush Head, Straight Shank, CRES 304 Sleeve, CRES PH 13-8MO Pin, 125 KSI FSU (No S/S Document) [CUST: AV AS 99 IS] [REVIEW: 71]	A	5306	IS		11-JUN-2014
M	MIL-DTL-85667/3B NOT 1	Bolt, Sleeve, Protruding Head, Straight Shank, CRES 304 Sleeve, CRES PH 13-8MO Pin, 220 KSI FSU (No S/S Document) [CUST: AV AS 99 IS]	A	5306	IS		11-JUN-2014
M	MIL-B-85667/4A NOT 2	Bolt, Sleeve, 100 Degrees Reduced Flushed Head, Straight Shank, Titanium Alloy Pin, 95 KSI FSU (No S/S Document) [CUST: AV AS 99 IS] [REVIEW: 71]	A	5306	IS		11-JUN-2014
M	MIL-DTL-85667/5B(1) NOT 2	Bolt, Sleeve, Protruding Head, Straight Shank, Titanium Alloy Pin, 160 KSI FTU (No S/S Document) [CUST: AS 99 IS]	A	5306	IS		11-JUN-2014
M	MIL-B-85667/6A NOT 2	Bolt, Sleeve, 100 Degrees Reduced Flushed Head, Straight Shank, CRES 304 Sleeve, Nickel Alloy 718 Pin, 125 KSI FSU, 450 Degrees F (No S/S Document) [CUST: AV AS 99 IS] [REVIEW: 71]	A	5306	IS		11-JUN-2014
M	MIL-DTL-85667/7B NOT 2	Bolt, Sleeve, Protruding Head, Straight Shank, CRES 304 Sleeve, Nickel Alloy 718 Pin, 125 KSI FSU, 220 KSI FTU, 450 Degrees F (No S/S Document) [CUST: AV AS 99 IS]	A	5306	IS		11-JUN-2014
M	MIL-B-85667/8 NOT 2	Bolt, Sleeve, 100 Degrees Reduced Flush Head, Straight Shank, CRES 304 Sleeve, CRES A-286 Pin, 95 KSI FSU, 450 Degrees F (No S/S Document) [CUST: AV AS 99 IS] [REVIEW: 71]	A	5306	IS		11-JUN-2014
M	MIL-B-85667/9 NOT 2	Bolt, Sleeve, Protruding Head, Straight Shank, CRES 304 Sleeve, CRES A-286 Pin, 95 KSI FSU, 160 KSI FTU, 450 Degrees F (No S/S Document) [CUST: AV AS 99 IS] [REVIEW: 71]	A	5306	IS		11-JUN-2014
M	MIL-B-85667/10 NOT 2	Bolt, Sleeve, 100 Degrees Tension Flush Head, Straight Shank, CRES 304 Sleeve, CRES A-286 Pin, 160 KSI FTU, 450 Degrees F (No S/S Document) [CUST: AV AS 99 IS] [REVIEW: 71]	A	5306	IS		11-JUN-2014
M	MIL-N-85729 NOT 2	Nut, Self-Locking, A-286, 160 KSI FTU, 450 Degrees F, General Specification for (No S/S Document) [CUST: AV AS 99 IS] [REVIEW: 71]	A	5310	IS		10-JUN-2014
M	MIL-N-85729/1 NOT 2	Nut, Self-Locking, Assembled Washer, A-286, 160 KSI FTU, 450 Degrees F, Spline Wrenching Element (No S/S Document) [CUST: AV AS 99 IS] [REVIEW: 71]	A	5310	IS		10-JUN-2014
M	MIL-PRF-27/18E NOT 1	Transformer, Power 5 76 VA, 60 HZ (No S/S Document) [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS CR4 MC OS SH]	A	5950	CC		13-JUN-2014
M	MIL-T-27/3B NOT 1	Transformer, Audio Frequency (No S/S Document) [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS CR4 MC]	A	5950	CC		13-JUN-2014
M	MIL-T-27/4 NOT 6	Transformer, Audio Frequency, TF4R21AJ002 (No S/S Document) [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS CR4 MC]	A	5950	CC		13-JUN-2014
M	MIL-T-27/5A NOT 5	Transformer, Audio Frequency, TF4R21AJ (No S/S Document) [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS CR4 MC]	A	5950	CC		13-JUN-2014
M	MIL-T-27/8A NOT 6	Transformer, Audio Frequency, TF4R21AJ (No S/S Document) [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS CR4 MC]	A	5950	CC		13-JUN-2014
M	MIL-T-27/9B NOT 1	Transformer, Audio Frequency (No S/S Document) [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS CR4 MC]	A	5950	CC		13-JUN-2014
M	MIL-T-27/11B NOT 1	Transformer, Audio Frequency (No S/S Document) [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS CR4 MC]	A	5950	CC		13-JUN-2014
M	MIL-T-27/36C NOT 1	Transformer, Power, Step Down and Step Up (No S/S Document) [CUST: CR EC 85 CC] [REVIEW: 19 99 AR CR4 MI OS SH]	A	5950	CC		13-JUN-2014
M	MIL-T-27/74B NOT 1	Transformer, Audio Frequency (No S/S Document) [CUST: CR EC 85 CC] [REVIEW: 19 AR AS CR4 MC MI OS SH]	A	5950	CC		13-JUN-2014
M	MIL-T-27/85B NOT 1	Transformers and Inductors (Audio, Power, and High-Power Pulse), Inductor, Power (No S/S Document) [CUST: CR EC 85 CC] [REVIEW: 19 AR AS CR4 MC MI OS SH]	A	5950	CC		13-JUN-2014