

Department of Defense Standardization Program



ASSIST UPDATE

(A bi-monthly summary of changes to the ASSIST document database)

1 April 2011

(For the Period 15 March 2011 to 31 March 2011)

ASSIST UPDATE

Documents listed in the ASSIST UPDATE have an indicator of “N” or “M” to describe the last action taken on a listed document.

“N” indicates that a “new” document has been entered into the ASSIST database.

“M” indicates that a document already in ASSIST has been “modified” in some way.

The ASSIST UPDATE is published twice a month and provides a summary of changes to Department of Defense standardization documents for the period indicated. Since changes are processed to the ASSIST database on a daily basis, users should consult the ASSIST web site at <https://assist.daps.dla.mil> for the most current information.

If you need to track changes more frequently, or if you have an interest in specific Federal Supply Classes or individual specifications, standards, or other standardization documents, you may wish to take advantage of the ASSIST Alert Service. This feature lets you establish a list of documents of interest to you, and then the ASSIST will alert you with an E-mail message each day there is a change to one or more documents of interest to you. There is no charge for this service; however, you must have an ASSIST user account. To obtain one, complete the ASSIST online registration form at <https://assist.daps.dla.mil/online/registration/registration.cfm>.

Once you have your account, you can establish your Alert Portal profile. For more information on the ASSIST Alert Service, go to: <https://assist.daps.dla.mil/online/news/AlertService.htm>.

ACTIVE SECTION

ASSIST UPDATE

LAST ACTION	DOCUMENT NUMBER	DOCUMENT TITLE	DISTRIBUTION	FSC/AREA	MCA	PREP ACTY	DATE
M	MIL-W-13855D(5) NOT 3	Weapons: Small Arms and Aircraft Armament Subsystems, General Specification for [CUST: AR OS 99] [REVIEW: 84 AS MC]	A	1005		AR	15-MAR-2011
N	MIL-PRF-32343	Cartridge, Caliber 40MM; Non-Lethal Warning Munition - Mk297/Mk298/Mk299 [CUST: AR OS]	D	1310		OS	21-MAR-2011
N	MIL-PRF-32342	Cartridge, 12-Gauge; Non-Lethal Warning Munition - Mk290/Mk291 [CUST: AR OS]	D	1370		OS	21-MAR-2011
M	MIL-DTL-32087C	Inflation Device, Automatic, FLU-8B/P and FLU-9B/P [CUST: OS]	A	1377		OS	04-MAR-2011
M	MIL-DTL-46618C	Cartridge, Impulse, M73 Assembly [CUST: OS]	A	1377		OS	01-MAR-2011
M	MIL-DTL-53077A	Mounting Kit: M1, Roller, Mine Clearing Track-Width, Tank Mounted [CUST: AT]	A	2590		AT	11-MAR-2011
M	MIL-DTL-53078A	Mounting Kit: M1 Tank, Cleared Lane Marking System (Clams) [CUST: AT]	A	2590		AT	11-MAR-2011
M	A-A-59581C NOT 1	Bearing, Ball, Annular, Single Row, Radial, Non-Filling Slot, Bore Diameters Under 10 MM [CUST: AT OS 99 GS] [REVIEW: 11 84 MI SH]	A	3110	/	GS4	24-MAR-2011
M	A-A-59582C NOT 1	Bearing, Ball, Annular, Single Row, Radial, Non-Filling Slot, Dimension Series 19 [CUST: AT OS 99 GS] [REVIEW: 11 84 MI SH]	A	3110	/	GS4	24-MAR-2011
M	A-A-59583C NOT 1	Bearing, Ball, Annular, Single Row, Radial, Non-Filling Slot, Dimension Series 10 [CUST: AT OS 99 GS] [REVIEW: 11 84 GL MI SH]	A	3110	/	GS4	24-MAR-2011
M	A-A-59584C NOT 1	Bearing, Ball, Single Row, Radial, Non-Filling Slot, Dimension Series 02 [CUST: AT OS 99 GS] [REVIEW: 11 84 GL MI SH]	A	3110	/	GS4	24-MAR-2011
M	A-A-59585C NOT 1	Bearing, Ball, Annular, Single Row, Radial, Non-Filling Slot, Dimension Series 03 [CUST: AT OS 99 GS] [REVIEW: 11 84 EA GL MI SH]	A	3110	/	GS4	24-MAR-2011
M	A-A-59586C NOT 1	Bearing, Ball, Annular, Single Row, Radial, Non-Filling Slot, Dimension Series 04 [CUST: AT OS 99 GS] [REVIEW: 11 84 GL MI SH]	A	3110	/	GS4	24-MAR-2011
M	A-A-59587C NOT 1	Bearing, Ball, Annular, Single Row, Radial, Filling Slot, Dimension Series 02 [CUST: AT OS 99 GS] [REVIEW: 11 84 GL MI]	A	3110	/	GS4	24-MAR-2011
M	A-A-59589C NOT 1	Bearing, Ball, Annular, Single Row, Radial, Filling Slot, Dimension Series 03 [CUST: AT OS 99 GS] [REVIEW: 11 84 GL MI]	A	3110	/	GS4	24-MAR-2011
M	A-A-59595C NOT 1	Bearing, Ball, Annular, Single Row, Radial, Non-Filling Slot, Cartridge Type Without Grease Plug, Dimension Series 32 [CUST: AT OS 99 GS] [REVIEW: 11 84 GL MI]	A	3110	/	GS4	24-MAR-2011
M	A-A-59596C NOT 1	Bearing, Ball, Annular, Single Row, Radial, Non-Filling Slot, Cartridge Type Without Grease Plug, Dimension Series 33 [CUST: AT OS 99 GS] [REVIEW: 11 84 GL MI]	A	3110	/	GS4	24-MAR-2011
M	A-A-59597C NOT 1	Bearing, Ball, Annular, Double Row, Radial, Internal Self-Aligning, Dimension Series 02 [CUST: AT OS 99 GS] [REVIEW: 11 84 GL MI]	A	3110	/	GS4	24-MAR-2011
M	A-A-59598C NOT 1	Bearing, Ball, Annular, Double Row, Radial, Internal Self-Aligning, Dimension Series 03 [CUST: AT OS 99 GS] [REVIEW: 11 84 GL MI]	A	3110	/	GS4	24-MAR-2011
M	A-A-59599C NOT 1	Bearing, Ball, Annular, Double Row, Radial, Internal Self-Aligning, Dimension Series 22 [CUST: AT OS 99 GS] [REVIEW: 11 84 GL MI]	A	3110	/	GS4	24-MAR-2011
M	A-A-59600C NOT 1	Bearing, Ball, Annular, Double Row, Radial, Internal Self-Aligning, Dimension Series 23 [CUST: AT OS 99 GS] [REVIEW: 11 84 GL MI]	A	3110	/	GS4	24-MAR-2011
M	A-A-59650A NOT 1	Bearings, Roller, Tapered, Single Row, Normal Angle, Flanged Cup (Type TSF) [CUST: AR MC 99] [REVIEW: 84 OS]	A	3110	/	GS4	30-MAR-2011
M	A-A-59651A NOT 1	Bearings, Roller, Tapered, Single Row, Steep Angle (Type TSS) [CUST: AR MC 99] [REVIEW: 84 OS]	A	3110	/	GS4	30-MAR-2011
M	A-A-59652A NOT 1	Bearings, Roller, Tapered, Single Row, Steep Angle, Flanged Cup (Type TSSF) [CUST: AR MC 99] [REVIEW: 84 OS]	A	3110	/	GS4	30-MAR-2011
M	A-A-59653A NOT 1	Bearings, Roller, Tapered, Double Row, One Double Cone, Two Single Cups (Types TDI and TDIS) [CUST: AR MC 99] [REVIEW: 84 OS]	A	3110	/	GS4	30-MAR-2011
M	A-A-59654A NOT 1	Bearings, Roller, Tapered, Double Row, Normal Angle, Two Single Cones, One Double Cup (Type TDO) [CUST: AR MC 99] [REVIEW: 84 OS]	A	3110	/	GS4	30-MAR-2011
M	A-A-59655A NOT 1	Bearings, Roller, Tapered, Double Row, Steep Angle, Two Single Cones, One Double Cup (Type TDOS) [CUST: AR MC 99] [REVIEW: 84 OS]	A	3110	/	GS4	30-MAR-2011
M	A-A-59656A NOT 1	Bearings, Roller, Tapered, Double Row, Normal Angle, Two Single Cones, One Double Cup, Nonadjustable (Type TNA) [CUST: AR MC 99] [REVIEW: 84 OS]	A	3110	/	GS4	30-MAR-2011
M	A-A-59657A NOT 1	Bearings, Roller, Tapered, Double Row, Steep Angle, Two Single Cones, One Double Cup, Nonadjustable (Type TNAS) [CUST: AR MC 99] [REVIEW: 84 OS]	A	3110	/	GS4	30-MAR-2011
M	A-A-59658A NOT 1	Bearings, Roller, Tapered, Double Row, Straight Bore, Two Single Cones With Contacting Front Faces Slotted and Chamfered for Lubrication, One Double Cup With Lubrication Holes and Groove (Type TNASW) [CUST: AR MC 99] [REVIEW: 84 OS]	A	3110	/	GS4	30-MAR-2011
M	A-A-59659A NOT 1	Bearings, Roller, Tapered, Double Row, Straight Bore, Two Single Cones, Cone Back Face Rib Ground on the Outer Diameter for Sealing Purposes, One Double Cup with Lubrication Holes and Groove (Type TNASWE) [CUST: AR MC 99] [REVIEW: 84 OS]	A	3110	/	GS4	30-MAR-2011
M	MIL-PRF-51525C	Filter, Gas, 200 CFM [CUST: EA SH 99] [REVIEW: IS MR]	X	4240		EA	18-MAR-2011
M	MIL-PRF-51526C	Filter, Particulate, 200 CFM [CUST: EA SH 99] [REVIEW: IS MR]	X	4240		EA	18-MAR-2011
M	MIL-PRF-51527C(1)	Filter Set, Gas-Particulate, 200 CFM, M98 [CUST: EA SH 99] [REVIEW: IS MR]	X	4240		EA	18-MAR-2011
M	MIL-DTL-25677E(1)	Adapter, Cap, and Nozzle, Pressure Lubricating Oil Servicing, Aircraft, General Specification for [CUST: AS 99 CC] [REVIEW: 06 70 71 CG MC SA]	A	4730		CC	15-MAR-2011
M	A-A-59326/1B	Coupling Half, Male by Internal Pipe Thread, Type I [CUST: AT YD 99] [REVIEW: 71 AV CC GL MC SH]	A	4730	/	AT	23-MAR-2011
N	NASM35203	Screw, Machine - Flat Countersunk Head, 82 Degrees, Crossrecessed, Aluminum Alloy, Anodic Coated, UNF-2A [CUST: AR SH 99 IS] [REVIEW: AT AV CR4 EA MC MI]	A	5305		IS	29-MAR-2011
N	SAE-AS5752	Aerospace - Visual Inspection Standard for Elastomeric Sealing Elements Other than O-Rings [CUST: MI SH 11 IS] [REVIEW: 71 99 AS AT CG EC MC MR NP OS]	A	5330		11	17-MAR-2011
N	ISO3601-3	Fluid Power Systems — O-Rings — Part 3: Quality Acceptance Criteria [CUST: MI SH 11 IS] [REVIEW: 71 99 AS AT CG EC MC MR NP OS]	A	5331		11	17-MAR-2011
M	MIL-PRF-49462C(1)	Resistors, Fixed, Film, High Voltage General Specification for [CUST: CR EC 85 CC] [REVIEW: 19 AS AT AV CG CR4 MC MI OS]	A	5905		CC	23-MAR-2011
M	MIL-PRF-49462/3C(1)	Resistors, Fixed, Film, High Voltage Styles RHV30, RHV31, RHV32, RHV33, RHV34, RHV35 [CUST: CR EC 85 CC] [REVIEW: 19 AS AT AV CG CR4 MC MI OS]	A	5905		CC	23-MAR-2011
M	QPL-49464-5 NOT 3	Capacitors, Chip, Single Layer, Fixed, Parallel Plate, Ceramic Dielectric, Established Reliability, General Specification for (Replaced by the Qualified Products Database (QPD) See Notice 3 for Additional Information)	A	5910		CC	16-MAR-2011
M	A-A-55518C	Fuseholder, Block, General Requirements for [CUST: EC CC]	A	5920	/	CC	17-MAR-2011
M	A-A-55518/3C	Fuseholder, Block, 30 Amperes (A), 250 Volts (V), AC, 1 through 12 Pole, Accommodates 4AG or 4AB Type Fuse Cartridges [CUST: EC CC]	A	5920	/	CC	17-MAR-2011

2

ACTIVE SECTION

ASSIST UPDATE

LAST ACTION			DISTRIBUTION	FSC/AREA	MCA	PREP ACTY	DATE
	DOCUMENT NUMBER	DOCUMENT TITLE					
M	TOP-3-2-045	Small Arms - Hand and Shoulder Weapons and Machineguns [CUST: TE]	A	ISDA	TE		17-SEP-2007
M	DI-MGMT-81826A	Aircraft/System Program Protection Implementation Plan, F/A-18 - EA-18 [AMSC: N9187]	A	MGMT	AS		22-MAR-2011
M	DI-PACK-81059A	Performance Oriented Packaging Test Report [AMSC: A9188]	A	PACK	AR		25-MAR-2011
M	DI-SESS-81823A	Reliability-Centered Maintenance (RCM) Class Maintenance Plan (CMP) [AMSC: N9160]	A	SESS	SH		13-AUG-2010
M	MIL-STD-3031A	Army Business Rules for S1000D: International Specification for Technical Publications Utilizing a Common Source Data Base [CUST: TM MC] [REVIEW: AC AR AT AV CR EA MI PT] [AMSC: A9186]	A	TMSS	TM		25-MAR-2011
N	MIL-HDBK-523	Guide to the General Style and Format of S1000D Technical Manual Data Modules [CUST: TM] [REVIEW: AC AR AT AV CR EA MI PT]	A	TMSS	TM		31-MAR-2011

INACTIVE SECTION

ASSIST UPDATE

LAST ACTION			DISTRIBUTION	FSC/AREA	MCA PREP ACTY	DATE
	DOCUMENT NUMBER	DOCUMENT TITLE				
M	MIL-DTL-32309(1)	Rifle, 5.56 Millimeter - M16A4 [CUST: AR OS 99] [REVIEW: 84 AS CC CG MC NP]	A	1005	AR	25-MAR-2011
M	MIL-DTL-63997C(1)	Rifle, 5.56 Millimeter - M16A2 [CUST: AR OS 99] [REVIEW: 84 AS CC CG MC NP]	A	1005	AR	24-MAR-2011
M	MIL-DTL-70599B(1)	Carbine, 5.56 Millimeter - M4 [CUST: AR OS 99] [REVIEW: 84 AS CC MC]	A	1005	AR	24-MAR-2011
M	MIL-DTL-71186A(1)	Carbine, 5.56 Millimeter - M4A1 [CUST: AR OS 99] [REVIEW: 84 AS CC CG MC MR NP]	A	1005	AR	24-MAR-2011
M	MIL-DTL-55302/82C(1)	Connectors, Printed Circuit Subassembly and Accessories: Receptacle, Socket Contacts, 41, 66, 114 Contact Positions: for Printed Wiring Boards (.100 X .050 Offset Grid) [CUST: 85 CC] [REVIEW: 19 99]	A	5935	CC	14-MAR-2011
M	MIL-DTL-55302/83C(1)	Connectors, Printed Circuit Subassembly and Accessories: Plug, Pin Contacts, 41, 66, 114 Contact Positions: for Printed Wiring Boards (.100 X .050 Offset Grid) [CUST: 85 CC] [REVIEW: 19 99]	A	5935	CC	14-MAR-2011
M	MIL-DTL-55302/84C(1)	Connectors, Printed Circuit Subassembly and Accessories: Contacts - Crimp, Dip Solder Tail, Solder Turret, and Wirewrap [CUST: 85 CC] [REVIEW: 19 99]	A	5935	CC	14-MAR-2011
M	MIL-R-5757/23L	Relays, Electrical, Hermetically Sealed, DPDT, 10 Amperes [CUST: CR EC 85 CC] [REVIEW: 99 AR AS AT AV CR4 MC MI OS SH]	A	5945	CC	24-MAR-2011
M	MS25917H	Relays, Electromagnetic, 3 Amperes, 4 PDT, Type I [CUST: AS 85 CC]	A	5945	CC	16-MAR-2011
M	MIL-B-49030/2A	Battery, Dry, BA-3036/U [CUST: CR CC]	A	6135	CC	21-MAR-2011
M	MIL-B-49030/5A	Battery, Dry, BA-3051/U [CUST: CR CC]	A	6135	CC	21-MAR-2011
M	MS27403 NOT 4	Indicator, Position, Landing Gear, 28 Volt DC [CUST: AS 99]	A	6610	GS1	31-MAR-2011
M	MIL-DTL-5099C	Indicator, Cabin Air Pressure, 1-7/8 Inch Dial, Type MA-1 [CUST: 99 GS] [REVIEW: 71]	A	6685	GS1	30-MAR-2011
M	MIL-DTL-6856D NOT 1	Indicator, Pressure, Synchro, 1-1/2 Inch [CUST: MI 99] [REVIEW: 71]	A	6685	GS1	16-MAR-2011
M	MS28009B NOT 4	Indicator - Temperature, Electrical Resistance Multi-Function, -70 to +150 C, 2-Inch Size [CUST: AV AS 99] [REVIEW: 71 GL MI]	A	6685	GS1	31-MAR-2011
M	MS33533 NOT 5	Tolerances - Seamless Corrosion-Resistant Steel Tubing Round [CUST: MI AS 11 GS4]	A	MISC	GS4	31-MAR-2011

CANCELED SECTION

ASSIST UPDATE

LAST ACTION			DISTRIBUTION	FSC/AREA	MCA	PREP ACTY	DATE
	DOCUMENT NUMBER	DOCUMENT TITLE					
M	AN919 REV 9 NOT 3	Reducer - External Thread Flared Tube (See Notice 3 for Replacement Information) [CUST: AV AS 99 CC] [REVIEW: 71 AR CG CR4 MC SA SH]	A	4730		CC	23-MAR-2011
M	MIL-STD-413C NOT 2	Visual Inspection Guide for Elastomeric O-Rings (See Notice 2 for Replacement Information) [CUST: MI SH 11] [REVIEW: 71 99 AS AT CG EC MC MR NP OS]	A	5330		11	17-MAR-2011
M	MS3509F NOT 1	Receptacle, Electric, Aircraft Storage Battery (S/S by MIL-PRF-18148/3) [CUST: AV AS 99 CC]	A	5935		AS	28-MAR-2011