

# Department of Defense Standardization Program



## ASSIST UPDATE

(A bi-monthly summary of changes to the ASSIST document database)

**1 April 2012**

(For the Period 15 March 2012 to 31 March 2012)

## ASSIST UPDATE

Documents listed in the ASSIST UPDATE have an indicator of “N” or “M” to describe the last action taken on a listed document.

“N” indicates that a “new” document has been entered into the ASSIST database.

“M” indicates that a document already in ASSIST has been “modified” in some way.

The ASSIST UPDATE is published twice a month and provides a summary of changes to Department of Defense standardization documents for the period indicated. Since changes are processed to the ASSIST database on a daily basis, users should consult the ASSIST web site at <https://assist.daps.dla.mil> for the most current information.

If you need to track changes more frequently, or if you have an interest in specific Federal Supply Classes or individual specifications, standards, or other standardization documents, you may wish to take advantage of the ASSIST Alert Service. This feature lets you establish a list of documents of interest to you, and then the ASSIST will alert you with an E-mail message each day there is a change to one or more documents of interest to you. There is no charge for this service; however, you must have an ASSIST user account. To obtain one, complete the ASSIST online registration form at <https://assist.daps.dla.mil/online/registration/registration.cfm>.

Once you have your account, you can establish your Alert Portal profile. For more information on the ASSIST Alert Service, go to: <https://assist.daps.dla.mil/online/news/AlertService.htm>.

ACTIVE SECTION

ASSIST UPDATE

LAST ACTION	DOCUMENT NUMBER	DOCUMENT TITLE	DISTRIBUTION	FSC/AREA		MCA	PREP ACTY	DATE
M	A-A-59156B	Dispenser and Riot Control Agent, Manually Carried [CUST: EA MC]	A	1040	/	EA		05-JAN-2012
M	MIL-DTL-27443F NOT 1	Pallets, Cargo, Aircraft, Type HCU-6/E, HCU-12/E [CUST: 84] [REVIEW: 99]	A	1670		84		29-MAR-2012
M	A-A-59576 NOT 1	Tow Bar, for Aircraft Towing (KC-10 Aircraft) [CUST: 99]	A	1730	/	84		29-MAR-2012
M	A-A-59716 NOT 1	Staircase, Aircraft Boarding Chassis Mounted, Motorized (MSTA) [CUST: AV 99] [REVIEW: GS]	A	1730	/	84		27-MAR-2012
M	MIL-DTL-82068D	Sprayers, Pesticide; Trailer-Mounted, Gasoline-Engine-Driven [CUST: 99 GS] [REVIEW: 84]	A	3740		GS3		20-MAR-2012
M	A-A-59727 NOT 1	Truck, Lift, Fork, Diesel-Engine-Driven, Pneumatic-Tired, 20,000 Pound Capacity at 24 Inch Load Center [CUST: 99] [REVIEW: IS]	A	3930	/	84		29-MAR-2012
M	A-A-58009B NOT 1	Truck, Fire Fighting, (Rescue) (Heavy Rescue Truck) [CUST: 84] [REVIEW: 99 IS]	A	4210	/	84		29-MAR-2012
M	A-A-59153 NOT 1	Truck, Fire Fighting, (Rescue) (Light Rescue Truck) [CUST: 84] [REVIEW: 99 IS]	A	4210	/	84		29-MAR-2012
M	A-A-58065B NOT 1	Mounter-Demounter, Pneumatic Tire, Stationary [CUST: AR YD 84 CC]	A	4910	/	84		29-MAR-2012
M	A-A-59620 NOT 1	Test Stand, Aircraft Generator Constant Speed Drive (CSD) Units [CUST: 99]	A	4920	/	84		29-MAR-2012
M	MIL-PRF-32032A NOT 1	Cleaner, Steam, Pressure Jet, Diesel Powered, Trailer-Mounted [CUST: AR YD 84] [REVIEW: 99 CC]	A	4940		84		29-MAR-2012
M	A-A-59723 NOT 1	Degreaser [CUST: 99]	A	4940	/	84		29-MAR-2012
M	A-A-59642 NOT 1	Drill, Pneumatic, Portable [CUST: 99]	A	5130	/	84		29-MAR-2012
M	MS16624D(1)	Ring, Retaining, External, Basic (Tapered Section Type) [CUST: AR OS 99 IS] [REVIEW: 11 AS AT AV CR GL MC MI]	A	5325		IS		14-MAR-2012
M	MS16626C	Ring, Retaining, External, Inverted (Tapered Section Type) [CUST: AR OS 99 IS] [REVIEW: AT AV CR4 GL MC MI]	A	5325		IS		14-MAR-2012
M	MS16627C	Ring, Retaining, Internal, Inverted (Tapered Section Type) [CUST: AR OS 99 IS] [REVIEW: AT AV CR4 MI]	A	5325		IS		14-MAR-2012
M	MS16628C	Ring, Retaining, External, Bowed (Tapered Section Type) [CUST: AR OS 99 IS] [REVIEW: AV MI]	A	5325		IS		14-MAR-2012
M	MS16629E	Ring, Retaining, Internal, Bowed (Tapered Section Type) [CUST: AR OS 99 IS] [REVIEW: AV MI]	A	5325		IS		14-MAR-2012
M	MS16630C	Ring, Retaining, External, Beveled (Tapered Section Type) [CUST: AR OS 99 IS] [REVIEW: AT AV CR4 GL MC MI]	A	5325		IS		14-MAR-2012
M	MS16631E	Ring, Retaining, Internal, Beveled (Tapered Section Type) [CUST: AR OS 99 IS] [REVIEW: AV]	A	5325		IS		14-MAR-2012
N	EIA-364-54	Electrical Connectors, Contacts, and Sockets, Magnetic Permeability Test Procedure for [CUST: CR AS 85 CC]	A	5935		CC		21-MAR-2012
N	EIA-364-06	Contact Resistance Test Procedure for Electrical Connectors [CUST: CR AS 85 CC] [REVIEW: AV MI]	A	5935		CC		29-MAR-2012
N	EIA-364-56	Resistance to Soldering Heat Test Procedure for Electrical Connectors and Sockets [CUST: CR EC 85 CC]	A	5935		CC		21-MAR-2012
N	EIA-364-35	Insert Retention Test Procedure for Electrical Connectors [CUST: CR AS 85 CC]	A	5935		CC		29-MAR-2012
N	EIA-364-99	Gage Location and Retention Test Procedure for Electrical Connectors [CUST: CR AS 85 CC]	A	5935		CC		21-MAR-2012
N	EIA-364-41	Cable Flexing Test Procedure for Electrical Connectors [CUST: CR AS 85 CC]	A	5935		CC		29-MAR-2012
N	EIA-364-53	Nitric Acid Vapor Test, Gold Finish Test Procedure for Electrical Connectors and Sockets [CUST: CR AS 85 CC] [REVIEW: AV MI]	A	5935		CC		21-MAR-2012
N	EIA-364-104	Electrical Connectors, Flammability Test Procedure for [CUST: CR AS 85 CC]	A	5935		CC		21-MAR-2012
N	EIA-364-42	Electrical Connectors, Impact Test Procedure for [CUST: CR AS 85 CC] [REVIEW: AV MI]	A	5935		CC		21-MAR-2012
N	EIA-364-11	Resistance to Solvents Test Procedure for Electrical Connectors and Sockets [CUST: CR EC 85 CC]	A	5935		CC		29-MAR-2012
N	EIA-364-38	Cable Pull-Out Test Procedure for Electrical Connectors [CUST: CR AS 85 CC]	A	5935		CC		29-MAR-2012
N	EIA-364-01	Electrical Connectors, Acceleration Test Procedure for [CUST: CR AS 85 CC] [REVIEW: AV MI]	A	5935		CC		29-MAR-2012
N	EIA-364-45	Electrical Connectors, Firewall Flame Test Procedure for [CUST: CR AS 85 CC] [REVIEW: AV MI]	A	5935		CC		21-MAR-2012
N	EIA-364-71	Solder Wicking (Wave Solder Technique) Test Procedure for Electrical Connectors and Sockets [CUST: CR AS 85 CC]	A	5935		CC		21-MAR-2012
N	EIA-364-83	Shell-to-Shell and Shell-to-Bulkhead Resistance Test Procedure for Electrical Connectors [CUST: CR AS 85 CC] [REVIEW: AV MI]	A	5935		CC		21-MAR-2012
N	EIA-364-22	Electrical Connectors, Simulated Life Test Procedure for [CUST: CR AS 85 CC] [REVIEW: AV MI]	A	5935		CC		29-MAR-2012
N	EIA-364-23	Low Level Contact Resistance Test Procedure for Electrical Connectors and Sockets [CUST: CR AS 85 CC] [REVIEW: AV MI]	A	5935		CC		29-MAR-2012
N	EIA-364-10	Fluid Immersion Test Procedure for Electrical Connectors [CUST: CR AS 85 CC] [REVIEW: AV MI]	A	5935		CC		29-MAR-2012
M	A-A-59126B	Terminals, Feedthru (Insulated) and Terminals, Stud (Insulated and Noninsulated) [CUST: CR EC 85] [REVIEW: GS]	A	5940	/	CR		28-MAR-2012
M	MIL-PRF-83536C SUP 1	Relays, Electromagnetic, Established Reliability, 25 Amperes and Below, General Specification for [CUST: CR EC 85 CC] [REVIEW: 99 AS NA]	A	5945		CC		15-MAR-2012
M	MIL-PRF-1/812E	Electron Tube, Power Type 5D22 [CUST: CR EC 85 CC] [REVIEW: 99 AS CG MC OS SH]	A	5960		CC		27-MAR-2012
M	MIL-PRF-1/877E	Electron Tube, Power Type 100TH [CUST: CR EC 85 CC] [REVIEW: 99 AR AS CG MC OS SH]	A	5960		CC		27-MAR-2012
M	MIL-PRF-1/878G	Electron Tube, Power Type 250TH [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS CG MC OS SH]	A	5960		CC		27-MAR-2012
M	MIL-PRF-1/887E	Electron Tube, Power Type 8438 [CUST: CR EC 99 CC] [REVIEW: 19 AR AS AV CG MC OS SH]	A	5960		CC		27-MAR-2012
M	MIL-PRF-19500/407E NOT 1	Semiconductor Device, Transistor, NPN, Silicon, Power, Type 2N3055, JAN, JANTX, and JANTXV [CUST: CR EC 85 CC NA] [REVIEW: 19 99 AR AS AV MC MI SM]	A	5961		CC		27-MAR-2012
M	MIL-PRF-19500/434E(1)	Semiconductor Device, Diode, Silicon, Transient Voltage Suppressor, Types 1N5610 through 1N5613, JAN, JANTX, JANTXV, and JANS [CUST: CR EC 85 CC NA] [REVIEW: 19 99 AR AS MC MI SM]	A	5961		CC		24-MAR-2012
M	MIL-PRF-19500/614G	Semiconductor Device, Field Effect Radiation Hardened (Total Dose and Single Event Effects) Transistors, N-Channel, Silicon, Types 2N7380 and 2N7381, JANTXV M, D, R, F, G, and H, JANS M, D, R, F, G, and H [CUST: CR EC 85 CC NA] [REVIEW: 19 AS MC OS SM]	A	5961		CC		19-MAR-2012
M	MIL-PRF-19500/615E	Semiconductor Device, Field Effect Radiation Hardened (Total Dose and Single Event Effects) Transistors, P-Channel, Silicon, Types 2N7382 and 2N7383, JANTXV M, D, R, and F and JANS M, D, R, and F [CUST: CR EC 85 CC NA] [REVIEW: 19 71 99 AS MC SM]	A	5961		CC		28-MAR-2012
N	MIL-PRF-19500/765	Semiconductor Device, Diode, Silicon, Dual Schottky, Common Cathode, Type 1N7072CCT3, and 1N7078U3 JAN, JANTX, JANTXV, and JANS [CUST: CR EC 85 CC NA]	A	5961		CC		23-MAR-2012
M	MIL-HDBK-103AK	List of Standard Microcircuit Drawings [CUST: CC]	A	5962		CC		19-MAR-2012

ACTIVE SECTION

ASSIST UPDATE

LAST ACTION	DOCUMENT NUMBER	DOCUMENT TITLE	DISTRIBUTION	FSC/AREA	MCA	PREP ACTY	DATE
M	A-A-55563/11C	Holder, Electrical Card, Metal Card Guide, Low Profile, Open Ended, with Flared Entry, with 3 Offset (Side) Mounting Holes [CUST: CR EC 85 CC] [REVIEW: 99]	A	5998	/	CC	21-MAR-2012
M	A-A-55563/12C	Holder, Electrical Card, Metal Card Guide, Low Profile, Open Ended, without Flared Entry, with 3 Offset (Side) Mounting Holes [CUST: CR EC 85 CC] [REVIEW: 99]	A	5998	/	CC	22-MAR-2012
N	A-A-59789/25	Holder, Electrical Card, Wedge Retainers, 5 Piece, for Cold Plate Applications, .225 X .225 Inch Body Size, Screw Actuated, with Captive Screw [CUST: CR EC 85 CC] [REVIEW: 99]	A	5998	/	CC	25-MAR-2012
N	A-A-59789/26	Holder, Electrical Card, Wedge Retainers, 5 Piece, for Cold Plate Applications, .225 X .225 Inch Body Size, Screw Actuated, with Captive Screw and Visual Lock Indication [CUST: CR EC 85 CC] [REVIEW: 99]	A	5998	/	CC	26-MAR-2012
N	IPC-TM650.2.3.25.1	Ionic Cleanliness Testing of Bare PWBs [CUST: CR EC 85 CC]	A	5998		CC	19-MAR-2012
M	MIL-PRF-29504/18(1)	Termini, Fiber Optic, Non-Keyed, Connector, Removable, Environment Resisting, Genderless Rear Insert/Rear Release, 1.25 MM Ceramic Ferrule, (for MIL-PRF-64266 Connectors) [CUST: CR SH 85 CC] [REVIEW: 13 19 93 99 AS NA]	A	6060		CC	21-MAR-2012
M	MIL-PRF-29504/20(1)	Termini, Fiber Optic, Keyed, Connector, Removable, Environment Resisting, Genderless Terminus, Rear Insert/Rear Release, 1.25 MM Ceramic Ferrule, (for MIL-PRF-64266 Connectors) [CUST: CR SH 85 CC] [REVIEW: 13 19 93 99 AS NA]	A	6060		CC	21-MAR-2012
M	MIL-DTL-27072/9D	Cable, Special Purpose, Electrical, Multiconductor (4 Conductors) and Single Shielded, M27072/9HBKB* [CUST: CR SH 85 CC]	A	6145		CC	12-MAR-2012
M	MIL-DTL-27072/16D	Cable, Special Purpose, Electrical, Multiconductor (3 Conductors), M27072/16DBAA* [CUST: CR SH 85 CC]	A	6145		CC	12-MAR-2012
M	MIL-DTL-27072/24C	Cable, Special Purpose, Electrical, Multiconductor (3 Conductors) and Single Shielded, M27072/24FBCA* [CUST: CR SH 85 CC]	A	6145		CC	12-MAR-2012
M	MIL-DTL-27072/28D	Cable, Special Purpose, Electrical, Multiconductor (2 Conductors) and Single Shielded, M27072/28KACA* [CUST: CR SH 85 CC]	A	6145		CC	12-MAR-2012
M	MIL-DTL-27072/29C	Cable, Special Purpose, Electrical, Multiconductor, (12 Conductors) and Single Shielded, M27072/29MACA* [CUST: CR SH 85 CC]	A	6145		CC	12-MAR-2012
M	MIL-DTL-27072/33C	Cable, Special Purpose, Electrical, Multiconductor (2 Conductors) and Single Shielded, M27072/33KBCA* [CUST: CR SH 85 CC]	A	6145		CC	12-MAR-2012
M	MIL-DTL-27072/42C	Cable, Special Purpose, Electrical, Multiconductor (4 Conductors) and Single Shielded, M27072/42JBCA* [CUST: CR SH 85 CC]	A	6145		CC	12-MAR-2012
M	MIL-DTL-27072/44C	Cable, Special Purpose, Electrical, Multiconductor (2 Conductors) and Single Shielded, M27072/44MAAA* [CUST: CR SH 85 CC]	A	6145		CC	12-MAR-2012
M	MIL-DTL-27072/65C	Cable, Special Purpose, Electrical, Multiconductor (10 Conductors) and Single Shielded, M27072/65MACA* [CUST: CR SH 85 CC]	A	6145		CC	12-MAR-2012
M	MIL-DTL-27072/68C	Cable, Special Purpose, Electrical, Multiconductor (21 Conductors) and Single Shielded, M27072/68KACA* [CUST: CR SH 85 CC]	A	6145		CC	12-MAR-2012
M	MIL-DTL-27072/70B	Cable, Special Purpose, Electrical, Shielded; Type I, Style 1, 4 Conductors, M27072/70MACA* [CUST: CR SH 85 CC]	A	6145		CC	12-MAR-2012
M	MIL-DTL-27072/76C	Cable, Special Purpose, Electrical, Multiconductor (1 Shielded Pair and 8 Wires Under a Double Shield), M27072/76SACA* [CUST: CR SH 85 CC]	A	6145		CC	12-MAR-2012
M	MIL-DTL-27072/79C	Cable, Special Purpose, Electrical, Multiconductor (7 Conductors), M27072/79KAAA* [CUST: CR SH 85 CC]	A	6145		CC	12-MAR-2012
M	MIL-DTL-27072/83C	Cable, Special Purpose, Electrical, Multiconductor (7 Conductors) and Single Shielded, M27072/83MACA [CUST: CR SH 85 CC]	A	6145		CC	12-MAR-2012
N	NEMA-HP6	Electrical and Electronic Silicone and Silicone-Braided Insulated Hook-Up Wire Type S (600 V), ZHS (600 V), SS (1000 V), ZHSS (1000 V) and SSB Braided (1000 V) [CUST: CC]	A	6145		CC	19-JAN-2012
N	NEMA-HP7	Electrical and Electronic PVC, PVC/Nylon, and PE/Nylon 105 Degrees C Hook-Up Wire, Types B, C, D, BN, CN, and DN (600, 1000, and 3000V) and Types J and JN 75 Degrees C (600V) [CUST: CC]	A	6145		CC	19-JAN-2012
M	A-A-50727A NOT 1	Generator, Signal (2 GHZ to 26 GHZ) [CUST: CR EC 84 CC] [REVIEW: 99]	A	6625	/	84	29-MAR-2012
M	A-A-50730A NOT 1	Generator, Signal 10 KHZ to 1 GHZ [CUST: EC 84 CC] [REVIEW: 99 CR]	A	6625	/	84	27-MAR-2012
M	A-A-58002A NOT 1	Generator, Function-Pulse, Electronic Test [CUST: CR EC 84] [REVIEW: 99 CC]	A	6625	/	84	02-APR-2012
M	A-A-58047C NOT 1	Signal Generator 10 MHZ to 26.5 GHZ [CUST: 84] [REVIEW: 99]	A	6625	/	84	27-MAR-2012
M	A-A-59101B NOT 1	Wattmeter Meter, Audio Power 20 HZ to 20 KHZ [CUST: 84] [REVIEW: 99]	A	6625	/	84	29-MAR-2012
M	A-A-59112A NOT 1	Spectrum Analyzer 100 HZ to 1.8 GHZ [CUST: 84] [REVIEW: 99]	A	6625	/	84	27-MAR-2012
M	A-A-59257A NOT 1	Oscilloscope (Digital Storage, 500 MHZ) [CUST: 84] [REVIEW: 99]	A	6625	/	84	29-MAR-2012
M	A-A-59273B NOT 1	Generator, Signal 300 KHZ to 2 GHZ [CUST: 84] [REVIEW: 99]	A	6625	/	84	27-MAR-2012
M	A-A-59274B NOT 1	Generator, Signal 9 KHZ to 3.2 GHZ [CUST: 84] [REVIEW: 99]	A	6625	/	84	27-MAR-2012
M	A-A-59283A NOT 1	Test Set, Transmission Line [CUST: 84] [REVIEW: 99]	A	6625	/	84	29-MAR-2012
M	A-A-59320 NOT 1	Ohmmeter [CUST: 84] [REVIEW: 99]	A	6625	/	84	29-MAR-2012
M	A-A-59321A NOT 1	Test Set, Transponder Set [CUST: 84] [REVIEW: 99]	A	6625	/	84	29-MAR-2012
M	A-A-59371 NOT 1	Voltmeter [CUST: 84] [REVIEW: 99]	A	6625	/	84	29-MAR-2012
M	A-A-59381 NOT 1	Ohmmeter [CUST: 84] [REVIEW: 99]	A	6625	/	84	02-APR-2012
M	A-A-59604 NOT 1	Test Set, Radio Frequency Power (50 MHZ to 40 GHZ) [CUST: MI SH 99] [REVIEW: CC]	A	6625	/	84	29-MAR-2012
M	A-A-59751A NOT 1	Analyzer, Spectrum, 2.9 GHZ RF with Internal Tracking Generator [CUST: 84] [REVIEW: 99]	A	6625	/	84	29-MAR-2012
M	A-A-59753 NOT 1	Generator, Function (0.1 HZ to 4 MHZ) [CUST: 99]	A	6625	/	84	29-MAR-2012
M	A-A-59754 NOT 1	Generator, Signal (10 MHZ to 20 GHZ) [CUST: 99]	A	6625	/	84	02-APR-2012
M	A-A-59165 NOT 1	Detector, Leak, Helium Mass Spectrometer [CUST: 84] [REVIEW: 99]	A	6635	/	84	29-MAR-2012
M	A-A-59380A NOT 1	Tensiometer, Wire Rope [CUST: GL AS 84] [REVIEW: 99 GS]	A	6635	/	84	27-MAR-2012
M	A-A-59419A NOT 1	Calibrator, Thermometer [CUST: 99]	A	6685	/	84	29-MAR-2012
M	A-A-59480 NOT 1	Tester, Pressure Gage, Hydraulic, Portable (Digital or Deadweight) [CUST: CR AS 99] [REVIEW: 71]	A	6685	/	84	29-MAR-2012
M	A-A-52092A NOT 2	Ammonium Chloride, Technical [CUST: GL 68 GS] [REVIEW: AR MD1 SM]	A	6810	/	GS3	27-MAR-2012
M	MIL-PRF-85570E	Cleaning Compounds, Aircraft, Exterior [CUST: MR AS 68]	A	6850		AS	27-MAR-2012
M	A-A-55063A	Apron, Utility, Impermeable, Rubber Coated Fabric (General Purpose) [CUST: GL NU 99 CT] [REVIEW: 11 CG1 MC MD]	A	8415	/	CT	13-MAR-2012
M	MIL-DTL-11589/141F	Ribbon, Superior Cadet Award, ROTC (Senior Division) [CUST: IH] [REVIEW: CT]	A	8455		IH	15-MAR-2012
M	MIL-DTL-11589/296D	Ribbon, Meritorious Service Medal, U.S. Public Health Service [CUST: IH] [REVIEW: CT]	A	8455		IH	15-MAR-2012
M	MIL-DTL-11589/297D	Ribbon, Commendation Medal, U.S. Public Health Service [CUST: IH] [REVIEW: CT]	A	8455		IH	15-MAR-2012

## ACTIVE SECTION

## ASSIST UPDATE

LAST ACTION	DOCUMENT NUMBER	DOCUMENT TITLE	DISTRIBUTION			DATE
			FSC/AREA	MCA	PREP ACTY	
M	MIL-DTL-11589/316D	Ribbon, Regular Corps, U.S. Public Health Service [CUST: IH] [REVIEW: CT]	A	8455	IH	15-MAR-2012
M	MIL-DTL-11589/505A	Ribbon, Rifle, NOAA Corps [CUST: IH] [REVIEW: CT]	A	8455	IH	15-MAR-2012
M	DI-HFAC-81742A	Human Engineering Program Plan [AMSC: N9245]	A	HFAC	AS	13-MAR-2012
M	AAMA605.2	Aluminum Extrusions and Panels, Architectural, High Performance Organic Coatings on (See Notice of Withdrawal for Replacement Information) [CUST: CR4 YD 99]	A	MFFP	YD	28-MAR-2012
M	DI-MGMT-81644B	DOD Architecture Framework Documentation [AMSC: G9246]	A	MGMT	NS	16-MAR-2012
M	DI-TMSS-81641 NOT 1	Allowance Standard Code (ASC) Update Package [AMSC: F7513]	A	TMSS	84	29-MAR-2012

## INACTIVE SECTION

## ASSIST UPDATE

LAST ACTION	DOCUMENT NUMBER	DOCUMENT TITLE	DISTRIBUTION	MCA		DATE
				FSC/AREA	PREP ACTY	
M	MIL-PRF-6106/40D	Relay, Electromagnetic, Type I, Magnetic Latch, Permanent Magnet Drive, Low Level to Amperes, 3 PDT, Hermetically Sealed [CUST: 85 CC] [REVIEW: 99]	A	5945	CC	22-MAR-2012
M	MIL-PRF-6106/41C	Relay, Electromagnetic, 25 Amperes, 3PNO, with 2 Ampere, 1PDT Auxiliary Contacts, Hermetically Sealed, Type I [CUST: 85 CC] [REVIEW: 99]	A	5945	CC	22-MAR-2012
M	MIL-PRF-1/275E NOT 1	Electron Tube, Cathode Ray Types 5LP1A, 5LP5A, 5LP7A, and 5LP11A [CUST: CR EC 85 CC]	A	5960	CC	15-MAR-2012
M	MIL-PRF-1/422J NOT 1	Electron Tube, Cathode Ray Types 7YP1, 7YP2, and 7YP7 [CUST: CR EC 85 CC] [REVIEW: 99 AS AV CG CR4 MC OS]	A	5960	CC	15-MAR-2012
M	MIL-PRF-1/810E NOT 2	Electron Tube, Cathode Ray Type 5AWP2 [CUST: CR EC 85 CC] [REVIEW: 19 99 AS CG CR4 MC OS]	A	5960	CC	15-MAR-2012
M	MIL-PRF-1/1204H NOT 1	Electron Tube, Cathode Ray Type 1DP1 [CUST: CR EC 85 CC] [REVIEW: 99 AS CG MC MI OS SH]	A	5960	CC	15-MAR-2012
M	MIL-DTL-23971/3A NOT 2	Power Divider, 4 Port Quadrature, Plug-in Terminals [CUST: CR EC 85 CC] [REVIEW: AS MC OS]	A	5985	CC	21-MAR-2012
M	MIL-DTL-23971/4A NOT 2	Power Divider, 3 Port Quadrature, Solder Terminals [CUST: CR EC 85 CC] [REVIEW: AS MC OS]	A	5985	CC	21-MAR-2012
M	MIL-DTL-23971/7A NOT 2	Power Divider, 4 Port Quadratures, N Connectors [CUST: CR EC 85 CC] [REVIEW: AS MC OS]	A	5985	CC	21-MAR-2012
M	MIL-DTL-23971/10A NOT 2	Power Divider/Combiners, Quadrature Rectangular, PC Pins [CUST: CR EC 85 CC] [REVIEW: AS MC OS]	A	5985	CC	21-MAR-2012
M	MIL-DTL-23971/11A NOT 2	Power Divider/Combiners, Quadrature, TO-5 [CUST: CR EC 85 CC] [REVIEW: AS MC OS]	A	5985	CC	21-MAR-2012
M	MIL-DTL-23971/12A NOT 2	Power Divider/Combiners, Quadrature, Stripline [CUST: CR EC 85 CC] [REVIEW: AS MC OS]	A	5985	CC	21-MAR-2012

## CANCELED SECTION

## ASSIST UPDATE

LAST ACTION	DOCUMENT NUMBER	DOCUMENT TITLE	DISTRIBUTION	MCA		DATE
				FSC/AREA	PREP ACTY	
M	ASTM-STP509	Engine, Single Cylinder, Test for Evaluating the Performance of Crankcase Lubricants (No S/S Document) [CUST: CR4 AS 99]	A	28GP	CR4	22-MAR-2012
M	AWS-A5.12	Tungsten and Tungsten-Alloy Electrodes for Arc Welding and Cutting (No S/S Document) [CUST: MR 11 GS6] [REVIEW: YD]	A	3439	GS6	26-MAR-2012
M	SAE-AMS5027	Steel, Welding Wire 1.05Cr - 0.55Ni - 1.0Mo - 0.08V (0.26 - 0.32C) Vacuum Melted, Environment-Controlled Packaging (No S/S Document) [CUST: MR AS 11 GS]	A	3439	GS6	26-MAR-2012
M	SAE-AMS5825	Steel, Corrosion Resistant, Welding Wire 16.4CR - 4.8NI - 0.22CB - 3.6CU (No S/S Document) [CUST: MR AS 11 GS]	A	3439	GS6	26-MAR-2012
M	UL664	Standard for Safety Commercial Dry Cleaning Machines (Class IV) (No S/S Document) [CUST: GL 99] [REVIEW: MD SH YD]	A	3510	GL	22-MAR-2012
M	UL1093	Fire, Extinguishers, Halogenated Agent [CUST: CR4 YD 99] [REVIEW: 84 CC]	A	4210	IS	22-MAR-2012
M	ASTM-F476	Security of Swinging Door Assemblies (No S/S Document) [CUST: CR4 YD IS] [REVIEW: CE]	A	5340	IS	22-MAR-2012
M	UL997	Roof Covering Materials, Wind Resistance of Prepared, Standard for (No S/S Document) [CUST: CR4 YD] [REVIEW: CE MC]	A	5650	IS	22-MAR-2012
M	AAMA1002.9	Aluminum Combination Storm Windows for External Application, Voluntary Specification for (No S/S Document) [CUST: AV YD 99] [REVIEW: CE IS]	A	5670	YD	22-MAR-2012
M	AAMA1102.7	Aluminum Storm Doors for Voluntary Specifications (No S/S Document) [CUST: CR4 YD 99]	A	5670	IS	22-MAR-2012
M	MIL-PRF-19/1B NOT 3	Resistors, Variable, Wire-Wound (Low Operating Temperature), Style RA10 (See Notice 3 for Replacement Information) [CUST: CR EC 85 CC] [REVIEW: 11 19 99 AR AT CR4 MC MI OS]	A	5905	CC	08-MAR-2012
M	UL894	Switches for Use in Hazardous Locations, Class I, Groups A B C and D and Class II, Groups E F and G (See Notice of Withdrawal for Replacement Information) [CUST: CR4 YD 85] [REVIEW: AT SH]	A	5930	CC	28-MAR-2012
M	UL1010	Receptacle-Plug Combinations for use in Hazardous (Classified) Locations (See Notice of Withdrawal for Replacement Information) [CUST: CR YD 85 CC]	A	5935	CC	28-MAR-2012
M	UL886	Outlet Boxes and Fittings for use in Hazardous (Classified) Location (See Notice of Withdrawal for Replacement Information) [CUST: YD] [REVIEW: GS]	A	5975	YD	28-MAR-2012
M	UL1004	Electric Motors (See Notice of Withdrawal for Replacement Information) [CUST: GL SH 99] [REVIEW: GS]	A	6105	GL	28-MAR-2012
M	A-A-59264A NOT 1	Battery, Dry, +1.5 VDC (No S/S Document) [CUST: SH CC] [REVIEW: MC]	A	6135	/ CC	22-MAR-2012
M	UL781	Electric Lighting Units Portable for use in Hazardous (Classified) Locations (No S/S Document) [CUST: CR4 SH 99] [REVIEW: GS IS]	A	6230	SH	22-MAR-2012
M	ASTM-F2411	Design and Performance of an Airborne Sense-and-Avoid System (No S/S Document) [CUST: AV AS 11] [REVIEW: 71 99 CG GS GS2]	A	6340	11	27-MAR-2012
M	ASTM-F882	Instruments, Cryosurgical Medical (No S/S Document) [CUST: MD MS 03]	A	6515	MB	22-MAR-2012
M	UL786	Key-Locked Safes (Class KL), Safety for (No S/S Document) [CUST: YD 99]	A	7110	IS	22-MAR-2012
M	ASTM-D3662M	Tapes, Pressure-Sensitive, Bursting Strength of, (Metric) (No S/S Document) [CUST: SM AS 11] [REVIEW: 99 AR CR4 GL IS MI MR OS SA SH]	A	7510	AS	22-MAR-2012
M	ASTM-STP315	Multicylinder Test Sequences for Evaluating Automotive Engine Oils (No S/S Document) [CUST: CR4 AS 68] [REVIEW: GS]	A	9150	CR4	22-MAR-2012
M	ASTM-D2176	Paper by the M.I.T. Tester, Folding Endurance of (No S/S Document) [CUST: GL YD 99 CT] [REVIEW: GS]	A	9310	CT	22-MAR-2012
M	ASTM-D4617	Phenolic Compounds, (PF) (No S/S Document) [CUST: MR SH 11 GS] [REVIEW: AR AS CR4 GL MI]	A	9330	IS	22-MAR-2012
M	ASTM-B430	Metal Powders and Related Compounds by Turbidimetry, Particle Size Distribution of Refractory (No S/S Document) [CUST: AR SH 99] [REVIEW: IS]	A	9350	AR	22-MAR-2012
M	ASTM-E103	Materials, Metallic, Rapid Indentation Hardness Testing of (No S/S Document) [CUST: AR AS 99] [REVIEW: IS]	A	95GP	AR	22-MAR-2012
M	AASHTO-M20	Penetration-Graded Asphalt Cement (No S/S Document) [CUST: YD]	A	FACR	YD	22-MAR-2012
M	AASHTO-T87	Dry Preparation of Disturbed Soil and Soil Aggregate Samples for Test (See Notice of Withdrawal for Replacement Information) [CUST: YD]	A	FACR	YD	22-MAR-2012
M	AASHTO-M118	Bitumen, Coal-Tar, used in Roofing, Damp-Proofing, and Waterproofing (No S/S Document) [CUST: YD]	A	FACR	YD	22-MAR-2012
M	AASHTO-M198	Joints for Concrete Pipe, Manholes and Precast Box Sections using Preformed Flexible Joint Sealants (See Notice of Withdrawal for Replacement Information) [CUST: YD]	A	FACR	YD	22-MAR-2012
M	AASHTO-T230	Pavement Compaction of Bituminous Aggregate Mixtures, Determining Degree of (No S/S Document) [CUST: YD]	A	FACR	YD	22-MAR-2012
M	AGMA2009.01	Bevel Gear Classification, Tolerances and Measuring Methods (No S/S Document) [CUST: YD]	A	FACR	YD	22-MAR-2012
M	ASTM-G15	Corrosion and Corrosion Testing, Standard Terminology Relating to (See Notice of Withdrawal for Replacement Information) [CUST: MR SH] [REVIEW: AR AT CR4 EA IS MI]	A	MFFP	MR	28-MAR-2012
M	ASTM-E607	Test Method for Atomic Emission Spectrometric Analysis Aluminum Alloys by the Point to Plane Technique Nitrogen Atmosphere (No S/S Document) [CUST: MR AS 11]	A	NDTI	AS	22-MAR-2012