

Department of Defense Standardization Program



ASSIST UPDATE

(A bi-monthly summary of changes to the ASSIST document database)

1 April 2014

(For the Period 15 March 2014 to 31 March 2014)

ASSIST UPDATE

Documents listed in the ASSIST UPDATE have an indicator of “N” or “M” to describe the last action taken on a listed document.

“N” indicates that a “new” document has been entered into the ASSIST database.

“M” indicates that a document already in ASSIST has been “modified” in some way.

The ASSIST UPDATE is published twice a month and provides a summary of changes to Department of Defense standardization documents for the period indicated. Since changes are processed to the ASSIST database on a daily basis, users should consult the ASSIST web site at <https://assist.dla.mil/> for the most current information.

If you need to track changes more frequently, or if you have an interest in specific Federal Supply Classes or individual specifications, standards, or other standardization documents, you may wish to take advantage of the ASSIST Alert Service. This feature lets you establish a list of documents of interest to you, and then the ASSIST will alert you with an E-mail message each day there is a change to one or more documents of interest to you. There is no charge for this service; however, you must have an ASSIST user account. To obtain one, complete the ASSIST online registration form at <https://assist.dla.mil/online/registration/registration.cfm>.

Once you have your account, you can establish your Alert Portal profile. For more information on the ASSIST Alert Service, go to: <https://assist.dla.mil/online/news/AlertService.htm>.

ACTIVE SECTION

ASSIST UPDATE

LAST ACTION	DOCUMENT NUMBER	DOCUMENT TITLE	DISTRIBUTION	FSC/AREA		MCA	PREP ACTY	DATE
N	MIL-DTL-63314/1	Machine Gun, 7.62Millimeter - M240 Series [CUST: AR AS 99] [REVIEW: MC]	D	1005		AR		19-MAR-2014
N	MIL-DTL-63314/2	Machine Gun, 7.62 Millimeter : M240B [CUST: AR AS 99] [REVIEW: MC]	D	1005		AR		19-MAR-2014
N	MIL-DTL-63314/3	Machine Gun, 7.62Millimeter: M240C [CUST: AR AS 99] [REVIEW: MC]	D	1005		AR		19-MAR-2014
N	MIL-DTL-63314/4	Machine Gun, 7.62Millimeter: M240D [CUST: AR AS 99] [REVIEW: MC]	D	1005		AR		19-MAR-2014
N	MIL-DTL-63314/5	Machine Gun, 7.62Millimeter: M240E1 [CUST: AR AS 99] [REVIEW: MC]	D	1005		AR		19-MAR-2014
N	MIL-DTL-63314/6	Machine Gun, 7.62Millimeter: M240H [CUST: AR AS 99] [REVIEW: MC]	D	1005		AR		19-MAR-2014
N	MIL-DTL-63314/7	Machine Gun, 7.62Millimeter: M240L [CUST: AR AS 99] [REVIEW: MC]	D	1005		AR		19-MAR-2014
N	MIL-DTL-63314/8	Machine Gun, 7.62Millimeter: M240N [CUST: AR AS 99] [REVIEW: MC]	D	1005		AR		19-MAR-2014
M	MIL-STD-1168C	Ammunition Lot Numbering and Ammunition Data Card [CUST: AR OS 99] [REVIEW: 70 MC MI] [AMSC: A7313]	A	1395		AR		11-MAR-2014
M	A-A-58067B	Truck, Lift, Fork, Diesel-Engine-Driven, Pneumatic-Tired, 15,000 Pounds Capacity at 24 Inch Load Center [CUST: AT SA 84] [REVIEW: 99]	A	3930	/	84		11-MAR-2014
M	A-A-58086B	Truck, Lift, Fork, Electric, Sit-Down, Solid Tires 3,000 Pound Capacity at 24 Inch Load Center, 185 Inch Minimum Lift [CUST: AT SA 84] [REVIEW: 99]	A	3930	/	84		10-MAR-2014
N	QPL-83140 NOT 2	Wire Rope: Stainless Steel, Preformed, Rotation Resistant, for Aircraft Rescue Hoist, Utility Hoist and Winching	A	4010		GS5		20-MAR-2014
M	MIL-DTL-13531J(2)	Hose and Hose Assembly, Rubber (Hydraulic, Pneumatic, Flexible) [CUST: AT SH 99 CC] [REVIEW: 71 AR AS AV MC MI SA]	A	4720		CC		11-FEB-2014
M	MS16051G	Coupling, Ground Cooling, Combat Type Aircraft [CUST: AV AS 99] [REVIEW: 71 CC MI SA]	A	4730		AS		12-MAR-2014
M	MS20762B(1)	Elbow, Flared Tube, Flanged, Swivel, 90 Degrees [CUST: AV AS 99 CC] [REVIEW: 71 AR MC SA]	A	4730		CC		08-JAN-2014
N	A-A-59949	Plugs, Plastic (Heat-Exchanger Tube) [CUST: CR4 SH 99] [REVIEW: AR CC MC]	A	4730	/	SH		25-FEB-2014
M	A-A-59881A	Tester, Exhaust Gas Temperature Circuit [CUST: 84] [REVIEW: 99]	A	4920	/	84		13-MAR-2014
M	A-A-59607 NOT 2	Grout Material, Rapid Setting [CUST: AS] [REVIEW: IS]	A	5610	/	AS		27-MAR-2014
M	MIL-PRF-8805/3L NOT 1	Switches, Push, 10 Amperes or Low Level, Dusttight [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS AV MC MI OS SH]	A	5930		CC		27-MAR-2014
M	MIL-PRF-8805/20N NOT 1	Switches, Push, Momentary, 2 Circuit, Unsealed and Sealed [CUST: CR EC 85 CC]	A	5930		CC		27-MAR-2014
M	MIL-PRF-8805/31G NOT 2	Switch, Sensitive, DPDT, Plunger, 10 Amperes, Unsealed [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS AV MC MI OS]	A	5930		CC		28-MAR-2014
M	MIL-PRF-8805/68L NOT 1	Switches, Sensitive, SPDT, 4 Amperes, Hermetic Seal [CUST: CR EC 85 CC NA] [REVIEW: 19 99 AR AS AV MC OS SH]	A	5930		CC		25-MAR-2014
M	MIL-PRF-8805/72L NOT 1	Switches, Sensitive, SPDT, Plunger, 4 Amperes, Hermetically Sealed Contacts, Unsealed Plunger [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS AV MC MI OS SH]	A	5930		CC		25-MAR-2014
M	MIL-PRF-8805/77H(1) NOT 2	Switches, Sensitive, Momentary, 4 Circuit or DPDT (10 Amperes), Unsealed [CUST: CR AS 85 CC] [REVIEW: 99 AT AV CR4]	A	5930		CC		27-MAR-2014
M	MIL-PRF-8805/80G NOT 1	Switch, Sensitive, Limit, Hermetic Seal [CUST: EC 85 CC]	A	5930		CC		27-MAR-2014
M	MIL-PRF-8805/99H(2) NOT 1	Switches, Push, 2 Circuit and DPDT, Alternate and Momentary Action, 2 Amperes, Splashproof [CUST: 85 CC] [REVIEW: 99]	A	5930		CC		27-MAR-2014
M	MIL-PRF-22710/30A(1) NOT 2	Switches, Rotary (Printed Circuit), Pushbutton Bidirectional, Sealed, High Shock, RFI Shielded, Illuminated or Nonilluminated, Low Level, Style SRPC30 [CUST: CR EC 85 CC] [REVIEW: 99 AR AS CR4 MC SM]	A	5930		CC		27-MAR-2014
M	MIL-PRF-22885/10J NOT 2	Switch, Push Button, Illuminated, Indicator Light for, Modular, 4-Lamp [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS AT AV CR4 MC MI SH]	A	5930		CC		28-MAR-2014
M	MIL-PRF-22885/13K NOT 2	Switch, Subassembly, Boot, Dripproof Panel Seal (for Illuminated Push Button Switch) [CUST: CR EC 85 CC] [REVIEW: 99 AR AS AT AV CR4 MC MI OS SH]	A	5930		CC		27-MAR-2014
M	MIL-PRF-22885/54E NOT 2	Switch, Pushbutton, Illuminated, Color Filter for, Planar Design [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS CR4 MC MI OS SH]	A	5930		CC		27-MAR-2014
M	MIL-PRF-22885/55G NOT 2	Switch, Pushbutton, Illuminated, Color Filter for, Lamp-Cap Design [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS CR4 MC MI OS SH]	A	5930		CC		28-MAR-2014
M	MIL-PRF-22885/58H NOT 2	Switch, Push Button, Illuminated, 2-Lamp, Solid Mount, 3-Amperes, Unsealed [CUST: CR EC 85 CC] [REVIEW: 19 99 AS AV MC MI OS]	A	5930		CC		28-MAR-2014
M	MIL-PRF-22885/59E NOT 2	Switch, Push Button, Illuminated, 2-Lamp, Lens Arrangements for [CUST: CR EC 85 CC] [REVIEW: 19 99 AS AV MC MI OS SH]	A	5930		CC		27-MAR-2014
M	MIL-PRF-22885/103B NOT 2	Switches, Pushbutton, Illuminated, 2 Amperes, 2PDT, 4PDT and Indicator, 4 Lamp, Sunlight Readable (EMI/RFI Shielding, Modular Construction) [CUST: EC CC]	A	5930		CC		27-MAR-2014
M	MIL-PRF-22885/104C NOT 1	Pushbutton, Illuminated, 4 Lamp, Sunlight Readable (for Illuminated Pushbutton Switch) [CUST: EC CC]	A	5930		CC		25-MAR-2014
M	MIL-PRF-22885/114 NOT 1	Switches, Pushbutton, White Light Emitting Diode (LED) or 4 Lamp Replaceable Incandescent Illuminated, Standard, Night Vision Imaging System (NVIS) and Sunlight Readable Displays, Dimmable, SPDT, DPDT and 4PDT, Low Level to 7 Amperes, Sealed and Unsealed, Solder and Common Termination System (CTS) Terminations [CUST: EC CC]	A	5930		CC		27-MAR-2014
M	MIL-DTL-3786/35F NOT 2	Switch, Rotary, Closed Construction, Explosion Proof, Flux Seal and Non-Flux Seal, .200 Ampere, Style SR35 [CUST: CR EC 85 CC] [REVIEW: 19 AR AS AT AV CG CR4 MC MI OS SM]	A	5930		CC		28-MAR-2014
M	MIL-DTL-3786/36B NOT 1	Switch, Rotary, Closed Construction, 1/4 Amperes, Style SR36 [CUST: CR EC 85 CC]	A	5930		CC		25-MAR-2014
M	MIL-DTL-3950J(1)	Switches, Toggle, Environmentally Sealed General Specification for [CUST: CR AS 85 CC] [REVIEW: 99 AR AT AV MC MI]	A	5930		CC		12-MAR-2014
M	MIL-DTL-3950/14A NOT 2	Switches, Toggle, Rocker Actuated, One Pole, Two Pole, Four Pole, Environmentally Sealed, Flush and Subpanel Mounting [CUST: CR AS 85 CC] [REVIEW: 99 AR AV EC MC MI]	A	5930		CC		28-MAR-2014
M	MIL-DTL-3950/15A NOT 1	Switches, Toggle, Double Pole, 4 Amperes, Low Level, Environmentally Sealed [CUST: EC CC]	A	5930		CC		27-MAR-2014
M	MIL-DTL-3950/16A NOT 1	Switches, Toggle, Three Pole, 4 Amperes, Low Level, Environmentally Sealed [CUST: EC CC]	A	5930		CC		27-MAR-2014
M	MIL-DTL-3950/17A NOT 1	Switches, Toggle, Four Pole, 4 Amperes, Low Level, Environmentally Sealed [CUST: EC CC]	A	5930		CC		27-MAR-2014
M	MIL-DTL-5423/1F NOT 1	Boots, Dust and Water Seal, Type A (for Toggle Switches), Style 1 (One-Hole Mounting, Enclosed) Style 1S (RFI-Shielded, One-Hole Mounting, Enclosed) [CUST: CR AS 85 CC] [REVIEW: 99 AT AV CG CR4 EC MC MI OS]	A	5930		CC		27-MAR-2014
M	MIL-DTL-5423/2F NOT 1	Boot, Dust and Water Seal, Type A (for Toggle Switches), Style 3 (One-Hole Mounting, Through) [CUST: CR AS 85 CC] [REVIEW: 99 AT AV CG CR4 EC MC MI OS]	A	5930		CC		27-MAR-2014
M	MIL-DTL-5423/3D NOT 1	Boot, Dust and Water Seal, Type A (for Toggle Switches), Style 4 (Three-Hole Mounting, Through) [CUST: CR AS 85 CC]	A	5930		CC		27-MAR-2014
M	MIL-DTL-5423/4E NOT 1	Boot, Dust and Water Seal, Type A (For Toggle Switches), Style 6 (One - Hole Mounting, Miniature, Enclosed) [CUST: CR AS 85 CC] [REVIEW: 99 AT AV CG CR4 EC MC MI OS]	A	5930		CC		27-MAR-2014

ACTIVE SECTION

ASSIST UPDATE

LAST ACTION	DOCUMENT NUMBER	DOCUMENT TITLE	DISTRIBUTION	FSC/AREA		MCA		DATE
							PREP ACTY	
M	MIL-DTL-5423/5F NOT 1	Boot, Dust and Water Seal, Type A (for Toggle Switches), Style 7 (One - Hole Mounting, Subminiature, Enclosed) [CUST: CR AS 85 CC] [REVIEW: 99 AR AT AV CG CR4 EC MC MI OS]	A	5930			CC	27-MAR-2014
M	MIL-DTL-5423/6D NOT 1	Boot, Dust and Water Seal, Type B (for Push-Button Switches), Style 1 (One - Hole Mounting, Adapter Type) [CUST: CR AS 85 CC] [REVIEW: 99 AT CG CR4 EC MC MI OS]	A	5930			CC	27-MAR-2014
M	MIL-DTL-5423/7G NOT 1	Boot, Dust and Water Seal, Type B (for Pushbutton Switches), Style 2 (One - Hole Mounting, Drilled Panel), Style 2S (RFI-Shielded, One - Hole Mounting, Drilled Panel) [CUST: CR AS 85 CC] [REVIEW: 99 AR AT AV CG CR4 EC MC MI OS]	A	5930			CC	27-MAR-2014
M	MIL-DTL-5423/9F NOT 1	Boots, Dust and Water Seal, Type C (for Use as Rotary-Shaft Seals), Type CS (for Use as RFI-Shielded, Rotary-Shaft Seals) [CUST: CR AS 85 CC] [REVIEW: 99 AR AT AV CG CR4 EA EC MC MI OS]	A	5930			CC	27-MAR-2014
M	MIL-DTL-5423/10E NOT 1	Boots, Dust and Water Seal, Type B (for Push-Button Switches), Style 4 (One-Hole Mounting, Miniature, Drilled Panel) [CUST: CR AS 85 CC] [REVIEW: 99 AR AT AV CG CR4 EC MC MI OS]	A	5930			CC	27-MAR-2014
M	MIL-DTL-5423/11F NOT 1	Boot, Dust and Water Seal, Type A (for Toggle Switches), Style 8 (One-Hole Mounting, Subminiature, Through) [CUST: CR AS 85 CC] [REVIEW: 99 AR AT AV CG CR4 EC MC MI OS]	A	5930			CC	27-MAR-2014
M	MIL-DTL-5423/12D NOT 1	Boot, Dust and Water Seal, Type A (for Toggle Switches), Style 9 (Five-Hole Mounting, Through) [CUST: CR AS 85 CC] [REVIEW: 99 AR MC SH]	A	5930			CC	27-MAR-2014
M	MIL-DTL-5423/13D NOT 1	Boot, Dust and Water Seal, Type D (for Lever Operated Circuit Breakers), Style 1 (Panel Mounted without Mounting Frame) [CUST: CR AS 85 CC] [REVIEW: 99 AT AV CG CR4 EC MC MI]	A	5930			CC	27-MAR-2014
M	MIL-DTL-5423/14G NOT 1	Boot, Dust and Water Seal, Type D (for Lever Operated Circuit Breakers), Style 2 (Panel Mounted Complete with Mounting Frame) [CUST: CR AS 85 CC] [REVIEW: 99 AT AV CG CR4 MC SH]	A	5930			CC	27-MAR-2014
M	MIL-DTL-5423/15H NOT 1	Boot, Dust and Water Seal, Type B (for Toggle and Pushbutton Switches, Circuit Breakers, and Rotary-Actuated Parts) (for Handset Switches), Style 5 [CUST: CR AS 85 CC]	A	5930			CC	27-MAR-2014
M	MIL-DTL-5423/16E NOT 1	Boot, Dust and Water Seal, Bushing Seal, Type A (for Toggle Switch 0.469 Diameter) Style 10 (Panel Bushing Seal Only) [CUST: CR AS 85 CC] [REVIEW: 99 AT AV CG CR4 EC MC MI OS]	A	5930			CC	27-MAR-2014
M	MIL-DTL-9419/2E NOT 2	Switches, Toggle, Four Position on, Momentary, Center off (.600 DIA) [CUST: EC 85 CC] [REVIEW: 99]	A	5930			CC	28-MAR-2014
M	MIL-DTL-13625/1B NOT 1	Switches, Pull; Switches, Push; Beam Selecting, Headlight: Electrical (28 Volts DC Maximum, for Military Vehicles) [CUST: AT CC]	A	5930			CC	27-MAR-2014
M	MIL-DTL-13625/2B NOT 1	Switches, Pull; Switches, Push; Switches, Beam Selecting, Headlight: Electrical (28 Volts DC Maximum, for Military Vehicles) [CUST: AT CC]	A	5930			CC	27-MAR-2014
M	MIL-DTL-15743/21A NOT 2	Switches, Rotary, Enclosed, Watertight, Multipole, Eight Position, 125 Volts Alternating Current, 5 Ampere, Symbols 867.1 through 872.1 [CUST: SH CC]	A	5930			CC	28-MAR-2014
M	MIL-DTL-21604/1C NOT 1	Switch, Rotary, Multipole and Selector, 1 Ampere, Styles JF and JFM [CUST: SH CC]	A	5930			CC	27-MAR-2014
M	MIL-DTL-21604/2C NOT 1	Switch, Rotary, Multipole and Selector, 5 Ampere, Style JK [CUST: SH CC]	A	5930			CC	27-MAR-2014
M	MIL-DTL-21604/3D NOT 1	Switch, Rotary, Multipole and Selector, 5 Ampere, Style JL [CUST: SH CC]	A	5930			CC	27-MAR-2014
M	MIL-DTL-21604/4C NOT 1	Switch, Rotary, Multipole and Selector, 7.5 Ampere, Style JM [CUST: SH CC]	A	5930			CC	27-MAR-2014
M	MIL-DTL-21604/7C NOT 1	Switch, Rotary, Multipole and Selector, 10 Ampere, Styles JR 304 and JRM 300 [CUST: SH CC]	A	5930			CC	27-MAR-2014
M	MIL-DTL-83731/9D NOT 2	Switches, Toggle, Miniature, Lever Seal, Panel Seal, Single Pole [CUST: CR 85 CC] [REVIEW: 99 AR]	A	5930			CC	28-MAR-2014
M	MIL-DTL-83731/10D NOT 2	Switches, Toggle, Miniature, Lever Seal, Panel Seal, Double Pole [CUST: CR 85 CC] [REVIEW: 99 AR]	A	5930			CC	28-MAR-2014
M	MIL-DTL-83731/11D NOT 2	Switches, Toggle, Miniature, Lever-Lock, Single Pole, Unsealed [CUST: CR 85 CC] [REVIEW: 99 AR]	A	5930			CC	28-MAR-2014
M	MIL-DTL-83731/12D NOT 2	Switches, Toggle, Miniature, Lever-Lock, Double Pole, Unsealed [CUST: CR 85 CC] [REVIEW: 99 AR]	A	5930			CC	28-MAR-2014
M	MIL-DTL-83731/23A NOT 1	Switches, Toggle, Double Pole, 4 Amperes, Low Level, Environmentally Sealed [CUST: CR EC 85 CC] [REVIEW: 99]	A	5930			CC	27-MAR-2014
M	MIL-DTL-83731/24A NOT 1	Switches, Toggle, Three Pole, 4 Amperes, Low Level, Environmentally Sealed [CUST: CR EC 85 CC] [REVIEW: 99]	A	5930			CC	27-MAR-2014
M	MIL-DTL-83731/25A NOT 1	Switches, Toggle, Four Pole, 4 Amperes, Low Level, Environmentally Sealed [CUST: CR EC 85 CC] [REVIEW: 99]	A	5930			CC	27-MAR-2014
M	MS25098K NOT 2	Switch, Toggle, One Pole Sealed Toggle [CUST: CR AS 85 CC] [REVIEW: 99 AV EC]	A	5930			CC	27-MAR-2014
M	MS25100K NOT 2	Switch, Toggle, Two Pole, Sealed Toggle [CUST: CR AS 85 CC] [REVIEW: 99 AV EC]	A	5930			CC	27-MAR-2014
M	MS27722D NOT 2	Switch, Toggle, One Pole, Environmentally Sealed, Integrated Wire Terminals [CUST: CR AS 85 CC] [REVIEW: 99 AR AV EA MC MI]	A	5930			CC	27-MAR-2014
M	MS53000C NOT 2	Switch, Beam Selecting, Headlight, Single Pole Double Throw, No Off, 28 Volt DC [CUST: AT CC] [REVIEW: CR4 MC]	A	5930			CC	27-MAR-2014
M	MIL-HDBK-1132 NOT 1	Switches, Selection and Use of [CUST: CR EC 85 CC] [REVIEW: 99 CG]	A	5930			CC	27-MAR-2014
M	MIL-PRF-39012/31D	Connectors, Coaxial, Radio Frequency (Series TNC (Uncabled - Receptacles, Socket, Jam Nut Mounted, Class 2) [CUST: CR EC 85 CC] [REVIEW: 19 99 AM AS AT CR4 MC MI NA OS SH]	A	5935			CC	24-JAN-2014
M	MIL-PRF-39012/93C	Connectors, Receptacles, Electrical, Coaxial, Radio Frequency, (Series SMA (Uncabled), Female, Printed Circuit, Class 2) [CUST: CR EC 85 CC] [REVIEW: 19 99 AM AS AT CR4 MC MI OS SH]	A	5935			CC	12-JAN-2014
M	MIL-DTL-9177C	Connector, Audio, Airborne, General Specification for [CUST: 85 CC] [REVIEW: 19 99]	A	5935			CC	24-FEB-2014
M	MIL-DTL-38999/29C	Connectors, Electrical, Circular, Threaded, Plug, Lanyard Release, Fail-Safe, Removable Crimp Contacts, Pins, Series III, Metric [CUST: CR AS 85 CC] [REVIEW: 19 99 AR EC IS MC MI OS]	A	5935			CC	12-MAR-2014
M	MIL-DTL-38999/30C	Connectors, Electrical, Circular, Threaded, Plug, Lanyard Release, Fail-Safe, Removable Crimp Contacts, Sockets, Series III, Metric [CUST: CR AS 85 CC] [REVIEW: 19 99 AR EC MC MI OS]	A	5935			CC	12-MAR-2014
M	MIL-DTL-38999/31E	Connectors, Electrical, Circular, Threaded, Plug, Lanyard Release, Fail-Safe, Removable Crimp Contacts, Pins, Shell Size 25, Series III, Metric [CUST: CR AS 85 CC] [REVIEW: 19 99 AR EC MC MI OS]	A	5935			CC	12-MAR-2014
M	MIL-PRF-19500/557L	Semiconductor Device, Field Effect Transistor, N-Channel, Silicon Types 2N6796, 2N6796U, 2N6798, 2N6798U, 2N6800, 2N6800U, 2N6802, and 2N6802U JAN, JANTX, JANTXV, JANS, JANHC, and JANKC [CUST: CR EC 85 CC] [REVIEW: 19 70 AR AS MC MI SM]	A	5961			CC	21-MAR-2014
M	MIL-STD-1580B(3)	Destructive Physical Analysis for Electronic, Electromagnetic, and Electromechanical Parts [CUST: 19 CC NA] [REVIEW: 84 85]	A	59GP			CC	04-MAR-2014
M	MIL-DTL-17J	Cables, Radio Frequency, Flexible and Semirigid, General Specification for [CUST: CR EC 85 CC NA] [REVIEW: 19 99 AR AS AT CR4 MC MI OS SH]	A	6145			CC	10-FEB-2014
M	MIL-DTL-83413/8D	Connectors and Assemblies, Electrical, Aircraft Grounding: Type IV Jumper Cable Assembly, Lead, Electrical [CUST: AV AS 85 CC] [REVIEW: 71 99 AR CR CR4 GS MC MI]	A	6150			CC	17-MAR-2014

ACTIVE SECTION

ASSIST UPDATE

LAST ACTION	DOCUMENT NUMBER	DOCUMENT TITLE	DISTRIBUTION	MCA		DATE
				FSC/AREA	PREP ACTY	
M	MIL-L-3661/60C(2) NOT 2	Lampholder, Transformer, Light, Indicator, Style LH93 [CUST: SH GS2] [REVIEW: IS]	A	6210	GS2	28-MAR-2014
M	MIL-PRF-32212A NOT 1	Light Emitting Diode (LED) Composite Stop, Rear Turn Signal and Tail Lamps with Infra-Red Secure Blackout Tail and Blackout Stop Lamps [CUST: AT MC 99] [REVIEW: AS AV CG CR GS2 YD]	A	6220	AT	28-MAR-2014
M	MIL-PRF-32213 NOT 1	Light Emitting Diode (LED) Clearance/Sidemarkers and Identification Lamps [CUST: AT MC 99] [REVIEW: 03 11 71 AS AV CG CR GS2 YD]	A	6220	AT	28-MAR-2014
M	MIL-PRF-32214 NOT 1	Light Emitting Diode (LED) Composite Front Park and Turn Signal Lamp, with Infra-Red Secure Front Blackout Marker Lamp [CUST: AT MC 99] [REVIEW: 03 11 71 AS AV CG CR GS2 YD]	A	6220	AT	28-MAR-2014
M	MIL-PRF-32215A NOT 1	Light Emitting Diode (LED) Infra-Red Secure Blackout Front Driving Lamp [CUST: AT MC 99] [REVIEW: 03 11 71 AS AV CG CR GS2 YD]	A	6220	AT	28-MAR-2014
M	MIL-PRF-32243 NOT 1	Light Emitting Diode (LED) Military Driving Headlamp [CUST: AT MC 99] [REVIEW: 03 11 71 AS AV CG CR GS2 YD]	A	6220	AT	28-MAR-2014
M	A-A-1812B NOT 3	Insecticide, Naphthalene [CUST: EA SH 68 GS3] [REVIEW: CR4 MC MD1 OS OSS PM]	A	6810	/ GS3	28-MAR-2014
M	A-A-50800A NOT 3	Cadmium Oxide [CUST: AS 68 GS3]	A	6810	/ GS3	28-MAR-2014
M	A-A-59105B NOT 2	Nitric Acid, Technical [CUST: MD1 SH 68 GS3] [REVIEW: AR MI OS]	A	6810	/ GS3	28-MAR-2014
M	MIL-DTL-6060E NOT 2	Bags, Watervaporproof, Heat-Sealable, Complex [CUST: SM AS 11 DH] [REVIEW: AT AV EA GL MC MI OS SA SH]	A	8105	AS	28-MAR-2014
N	MIL-DTL-11589/651	Ribbon, Presidential Award for Extraordinary Effort to Combat Trafficking in Person, U.S. Department of State [CUST: IH] [REVIEW: CT]	A	8455	IH	21-MAR-2014
M	MIL-PRF-27402D	Propellant, Hydrazine - uns-Dimethylhydrazine (50 Percent N2H4 - 50 Percent UDMH) [CUST: AS 68 PS]	A	9135	68	12-MAR-2014
M	MIL-PRF-23699G	Lubricating Oil, Aircraft Turbine Engine, Synthetic Base, NATO Code Numbers: O-152, O-154, O-156, and O-167 [CUST: AT AS 11 GS] [REVIEW: 68 AR AV SH]	A	9150	AS	13-MAR-2014
N	ASME-Y14.3	Orthographic and Pictorial Views [CUST: AR SA 16 DH] [REVIEW: 04 13 99 AS AV CG CH CM CR DC2 IS MC MI MP NP NS PT SE TE TM]	A	DRPR	AR	28-JAN-2013
N	DSP-CS-18	Obsolescence Management for Virginia-Class Submarines		STDZ	SO	N/A
N	DSP-CS-19	Alternative Sustainable Plating for Electrical Connectors	A	STDZ	SO	N/A
N	DSP-CS-20	Common Parts Catalog for Industry Shipyards		STDZ	SO	N/A

INACTIVE SECTION

ASSIST UPDATE

LAST ACTION	DOCUMENT NUMBER	DOCUMENT TITLE	DISTRIBUTION	MCA		DATE
				FSC/AREA	PREP ACTY	
M	MIL-M-48640(1) NOT 1	Muzzle Boresight Device 9364909 (M27 for 120MM Gun Tube) [CUST: AR]	A	1240	AR	20-MAR-2014
M	MIL-M-70542 NOT 1	Muzzle Boresight Device 11785384 (M26 for M105MM Gun Tube) [CUST: AR]	A	1240	AR	20-MAR-2014
M	MIL-B-48600A(3) NOT 1	Base Plug Assembly [CUST: AR]	A	1315	AR	20-MAR-2014
M	MIL-P-70452C NOT 1	Primer, Electric, M125 Metal Parts for [CUST: AR]	A	1315	AR	20-MAR-2014
M	MIL-W-50848D NOT 2	Warhead, Guided Missile, HE, M250 Loading, Assembly and Packing [CUST: AR]	A	1336	AR	18-MAR-2014
M	MIL-F-63434A(3) NOT 2	Fuze Probe Assembly, Spring, Assembling and Packing (TOW) [CUST: AR]	A	1336	AR	18-MAR-2014
M	MIL-P-70475 NOT 2	Paper, Nitrocellulose Base [CUST: AR]	A	1375	AR	18-MAR-2014
M	MIL-P-70475 NOT 1	Paper, Nitrocellulose Base for Artillery Propelling Charges [CUST: AR]	A	1375	AR	20-MAR-2014
M	MIL-C-46652(2) NOT 2	Composition B4 [CUST: AR] [REVIEW: EA]	A	1376	AR	20-MAR-2014
M	MIL-C-48061 NOT 2	Cellulose Nitrate, Plastic Sheets [CUST: AR]	A	1376	AR	20-MAR-2014
M	MIL-P-63073A(3) NOT 2	Primer, Electric, M120 Parts for [CUST: AR]	A	1390	AR	20-MAR-2014
M	MIL-T-83229B NOT 2	Trailer, Aircraft Engine ETU-91/E [CUST: 84] [REVIEW: 99]	A	1740	84	25-MAR-2014
M	MIL-H-3117C(1) NOT 2	Heater, Convection, Steam and Hot Water [CUST: SH] [REVIEW: CC CR4 IS YD]	A	4520	SH	18-MAR-2014
M	MIL-U-17293D NOT 3	Unit Heater, Air-Circulating, Steam (Shipboard Use) [CUST: SH] [REVIEW: CC IS]	A	4520	SH	18-MAR-2014
M	MIL-H-18158E NOT 2	Hose Ducting, Low Pressure, Naval Shipboard Portable, Ventilating Set Use [CUST: SH] [REVIEW: AR YD]	A	4720	SH	18-MAR-2014
M	DOD-V-24675 NOT 2	Valves, Boiler Blow Service, Monel, Shipboard Use [CUST: SH]	A	4820	SH	18-MAR-2014
M	MIL-W-13871B(2) NOT 1	Wood Blanks for Small Arms [CUST: AR OS 99] [REVIEW: 11 84 AS AV CC IS MI SH]	A	5510	AR	20-MAR-2014
M	MIL-PRF-22885/15E NOT 3	Switch, Push Button, Illuminated, 4-Lamp, Clip Mounted (Modular Constructed) [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS AT AV MC MI OS SH]	A	5930	CC	28-MAR-2014
M	MIL-DTL-21604/6C NOT 1	Switch, Assemblies for Remote Operated Switches, 10 Ampere, Styles RJR and RJRA [CUST: SH CC]	A	5930	CC	27-MAR-2014
M	MIL-S-22885/100A NOT 2	Switch, Push Button, Illuminated, 4-Lamp, SPDT and DPDT, 7.5 Amperes, Silver Contacts, 1 Ampere, Gold Contacts (Dripproof, Sunlight Readable, RFI Shielded) [CUST: 85 CC]	A	5930	CC	28-MAR-2014
M	MIL-PRF-50884F	Printed Wiring Board, Flexible or Rigid-Flex, General Specification for [CUST: CR EC 85 CC] [REVIEW: 16 99 AR AS MC MI OS SH]	A	5998	CC	15-MAR-2014
M	MIL-B-71003 NOT 1	Battery Eliminator Assy: 12934455 [CUST: AR]	A	6130	AR	19-MAR-2014
M	MIL-PRF-32109 NOT 1	Floodlight Set, Electric, Portable [CUST: CR] [REVIEW: GS IS]	A	6230	CR	22-MAR-2014
M	MIL-C-20470A(1) NOT 2	Calcium Resinate [CUST: AR AS 99] [REVIEW: 03 11 68 EA MR SH TE]	A	6810	AR	18-MAR-2014
M	PPP-T-680E NOT 1	Tape, Pressure-Sensitive Adhesive: Packaging and Packing of [CUST: GL AS 69] [REVIEW: 99 GS MC MI MR SA SH SM YD]	A	7510	/ GL	20-MAR-2014
M	TT-P-595A NOT 1	Preservative Coating, Canvas [CUST: GL SA 99] [REVIEW: CR4 MC OS]	A	8030	/ GL	20-MAR-2014
M	MIL-A-16288/7 NOT 5	Adapter, Compressed Gas Cylinder Valve Connections: U.S. Regulator to Dutch Acetylene Valve [CUST: AT YD 68 GS7] [REVIEW: AS AV MC MD MS SH]	A	8120	GS7	27-MAR-2014
M	MIL-A-16288/8 NOT 5	Adapter, Compressed Gas Cylinder Valve Connections: U.S. Regulator to German Acetylene Valve [CUST: AT YD 68 GS7] [REVIEW: AS AV MC MD MS SH]	A	8120	GS7	27-MAR-2014
M	MIL-C-70740 NOT 1	Container, Ammunition, Lightweight Metal for 155MM Propelling Charge [CUST: AR]	A	8140	AR	20-MAR-2014
M	MIL-L-46150(1) NOT 1	Lubricant, Weapons, Semi-Fluids (High Load-Carrying Capacity) [CUST: AR YD 68] [REVIEW: 03 11 AS AT AV SA TE]	A	9150	AR	18-MAR-2014
M	A-A-2527A NOT 1	Wax, Carnaura [CUST: AR] [REVIEW: IS]	A	9160	/ AR	18-MAR-2014
M	MIL-B-70838(1) NOT 1	Billet, Depleted Uranium [CUST: AR]	A	9650	AR	20-MAR-2014

CANCELED SECTION

ASSIST UPDATE

LAST ACTION	DOCUMENT NUMBER	DOCUMENT TITLE	DISTRIBUTION	MCA		DATE
				FSC/AREA	PREP ACTY	
M	MIL-C-45009A(1) NOT 1	Circle, Aiming, M2, Packaging of (See Notice 1 for Replacement Information) [CUST: AR] [REVIEW: CS]	A	1290	AR	08-JUN-1962
M	MIL-P-15742C NOT 1	Plug, Plastic (Heat-Exchanger Tube) (S/S by A-A-59949) [CUST: CR4 SH 99] [REVIEW: AR CC MC]	A	4730	SH	25-FEB-2014
M	MIL-W-23351/4C NOT 1	Waveguides, Double Ridge (Bandwidth Ratio 2.4:1) (No S/S Document) [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS MC OS SH]	A	5985	CC	20-MAR-2014
M	MIL-B-55252B NOT 3	Batteries, Non-Rechargeable, Magnesium (No S/S Document) [CUST: CR] [REVIEW: GS]	A	6135	CR	17-MAR-2014
M	MIL-B-55252/1 NOT 2	Battery Magnesium, Dry BA-4386/PRC-25 (No S/S Document) [CUST: CR] [REVIEW: GS]	A	6135	CR	17-MAR-2014
M	MIL-DTL-17/84B(2) NOT 3	Cables, Radio Frequency, Flexible, Coaxial, 50 OHMS, M17/84-RG223 (No S/S Document) [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS AT CR4 IS MC MI OS SH]	A	6145	CC	28-NOV-2013
M	MIL-R-55615B NOT 2	Radiacmeter IM-174()/PD (No S/S Document) [CUST: CR] [REVIEW: GS]	A	6665	CR	21-MAR-2014
M	MIL-HDBK-337 NOT 1	Adhesive Bonded Aerospace Structure Repair (No S/S Document) [CUST: AR AS 11]	A	8040	11	24-MAR-2014
M	MIL-S-645C NOT 1	Strip Metal, Carbon Steel, Cold Rolled, Drawing Quality, Special Killed (for Ammunition Components) (No S/S Document) [CUST: AR]	A	9515	AR	18-MAR-2014
M	MIL-S-3039C NOT 1	Steel, Strap, High Carbon, Spheroidized Annealed (for Ammunition Cartridge Clips) (No S/S Document) [CUST: AR]	A	9515	AR	18-MAR-2014
M	MIL-STD-1257A NOT 1	Radiographic and Visual Soundness Requirements for Cobalt-Chromium Alloy Liners (for Small Arms Barrels) (No S/S Document) [CUST: AR OS 99] [REVIEW: 10 11 AV CR MA MI MR SH]	A	NDTI	AR	18-MAR-2014