Department of Defense Standardization Program



ASSIST UPDATE

(A bi-monthly summary of changes to the ASSIST document database)

1 April 2016

(For the Period 15 March 2016 to 31 March 2016)

ASSIST UPDATE

Documents listed in the ASSIST UPDATE have an indicator of "N" or "M" to describe the last action taken on a listed document.

"N" indicates that a "new" document has been entered into the ASSIST database.

"M" indicates that a document already in ASSIST has been "modified" in some way.

The ASSIST UPDATE is published twice a month and provides a summary of changes to Department of Defense standardization documents for the period indicated. Since changes are processed to the ASSIST database on a daily basis, users should consult the ASSIST web site at https://assist.dla.mil/ for the most current information.

If you need to track changes more frequently, or if you have an interest in specific Federal Supply Classes or individual specifications, standards, or other standardization documents, you may wish to take advantage of the ASSIST Alert Service. This feature lets you establish a list of documents of interest to you, and then the ASSIST will alert you with an E-mail message each day there is a change to one or more documents of interest to you. There is no charge for this service; however, you must have an ASSIST user account. To obtain one, complete the ASSIST online registration form at https://assist.dla.mil/online/registration/registration.cfm.

Once you have your account, you can establish your Alert Portal profile. For more information on the ASSIST Alert Service, go to: https://assist.dla.mil/online/news/AlertService.htm .

ASSIST UPDATE

			DISTRIBUTION	FSC/AREA	MCA	PREP ACTY	
	DOCUMENT NUMBER	DOCUMENT TITLE			Σ		DATE
	MIL-DTL-2980F NOT 1 MIL-DTL-32468A	Firing Attachments, Blank Ammunition [CUST: AR OS 99] [REVIEW: 40 70 AS MC MR] Mortar, 60 Millimeter - M224A1 (without M67 Sight Unit) [CUST: AR]	D D	1005 1010		AR AR	30-MAR-20 11-MAR-20
	MIL-PRF-32545	Advanced Degaussing System [CUST: AV SH 84] [REVIEW: 99 AS CC FAS MI]	D	1075		SH	12-FEB-20
	MIL-DTL-32396(4)	Cartridge, 7 62 Millimeter, Blank: Bottlenose - M82A1 [CUST: AR OS 170] [REVIEW: 40 99 AS		1305		AR	13-MAR-20
	MIL-DTL-46477C(2)	MC MŘ SH] Cartridge, 7 62 Millimeter, Test, High Pressure, M60 [CUST: AR OS 99] [REVIEW: 40 70 AS MC	D	1305		AR	23-MAR-20
1	MIL-DTL-46610F(3)	MR SH] Primers, Percussion, Styphnate and Chlorate Types, for Small Arms Ammunition [CUST: AR OS 99] [REVIEW: 70 AS AV MC MR SH]	D	1305		AR	27-JAN-20
1	MIL-DTL-14943E(2)	Fuze, Grenade, Hand, Practice: M228 Parts for, Loading, Assembling and Packing (LAP) [CUST: AR MC 70] [REVIEW: 99 SH]	D	1330		AR	05-FEB-20
	MIL-STD-709D(1) NOT 1 MIL-DTL-5688E(2) NOT 2	Ammunition Color Coding [CUST: AR OS 02] [REVIEW: 70 99 AS EA MC MI MR] Wire Rope Assemblies; Aircraft, Proof Testing and Prestretching of [CUST: AV AS 99 GS] [REVIEW: 71 MI]		1395 1640		AR GS5	30-MAR-20 31-MAR-20
Л	QPL-32482 NOT 3	Watertight Door, Quick-Acting, Interior	A	2040		SH	11-JAN-20
	MIL-DTL-45360J	Carriers, Personnel, Full-Tracked, Armored: M113A2, and M113A3; Mortars, Self-Propelled: M106A2 (107MM), M125A2 (81MM) and M1064, M1064A3 (120MM); Smoke Generators: M1059, M1059A3 and M58; Processing for Storage and Shipment of [CUST: AT]		2350		AT	15-MAR-20
1	A-A-52509 NOT 2	Hook, Towing: Light (for Vehicles 7 26 to 13 62 Metric Tonnes) (Metric) [CUST: AT]	Α	2540	/	AT	31-MAR-20
	A-A-58081B NOT 1	Truck, Lift, Fork, Electric, Front/Side Loading, Sit-Down Operator, 4,000 Pound Capacity, EE Rated [CUST: AT SA 184] [REVIEW: 99 IS]		3930	/	184	18-MAR-20
	MIL-DTL-3962F SUP 1	Anchors, Ground, Arrowhead with Driving Equipment [CUST: GL YD 99 CC] [REVIEW: EA IS MD SA]		4030		CC	10-MAR-20
	ASTM-F2520	Reach-in Refrigerators, Freezers, Combination Refrigerator/Freezers, and Thaw Cabinets [CUST: GL SH 03 IS] [REVIEW: 35 CR4 FAS MI QM1 SS YD]		4110		SH	24-FEB-20
	QPL-2939-26 NOT 2	Cooling Coils, Air, Duct Type and Gravity Type, Naval Shipboard Environmental Control Systems		4130		SH	06-OCT-20
	MIL-DTL-81581B SUP 1 NOT 2 MIL-DTL-81581/1B NOT 2	Hose Assemblies, Breathing Oxygen and Air, General Specification for [CUST: AV AS 11] Hose Assemblies, Air, Low Pressure, Highly Flexible [CUST: AV AS 11]	A	4720 4720		AS	31-MAR-2 31-MAR-2
	MIL-DTL-81581/1B NOT 2 MIL-DTL-81581/2B NOT 2	Hose Assemblies, Air, Low Pressure, Fignity Flexible [CUST: AV AS 11] Hose Assemblies, Breathing Oxygen, High Pressure with Connections for an Integrated Communication System [CUST: AS]		4720		AS AS	31-MAR-2
[MIL-DTL-81581/3B NOT 2	Hose Assemblies, Breathing Oxygen, High Pressure, without Connections for Communication Systems [CUST: AV AS 11]	A	4720		AS	31-MAR-2
	MIL-DTL-81581/4B NOT 2	Hose Assemblies, Breathing Oxygen, Low Pressure, with/without Connections for an Integrated Communication System [CUST: AS 11]	A	4720		AS	31-MAR-2
	MIL-DTL-81581/6B NOT 2	Hose Assemblies, Breathing Oxygen and Air, Hose Kits and Mated Assemblies [CUST: AS 11]		4720		AS	31-MAR-2
ĺ	QPL-25579-64	Hose Assembly, Polytetrafluorethylene, High Temperature, Medium Pressure, General Specification for	A	4720		CC	11-MAR-2
[MS9095B NOT 1	Nipple, Tube - Aluminum, Boss [CUST: AV AS 99 CC] [REVIEW: 71 MC]	A	4730		CC	25-MAR-2
	MS9193A NOT 1	Nipple, Tube - SAE-AMS5639, Boss [CUST: MI AS CC] [REVIEW: SA]	Α	4730		CC	25-MAR-2
	MS9313B NOT 1	Cap, Tube - SAE-AMS5646 [CUST: AS 99 CC] [REVIEW: 71]	Α	4730		CC	25-MAR-2
	MS9314C NOT 1	Cap Assembly, Tube - SAE-AMS5646 [CUST: AS 99 CC] [REVIEW: 71]	Α	4730		CC	25-MAR-2
	MS9315C NOT 1	Cap Assembly, Tube - SAE-AMS5646, Silver Plated Nut [CUST: AS 20 CC] [REVIEW: 71]		4730		CC	25-MAR-2
	MIL-PRF-12126F NOT 2	Valves, Gate: Bronze, Lever Operated, Quick Opening, 125 PSI and 150 PSI [CUST: AT SH] [REVIEW: CC CE YD]		4820		AT	18-MAR-2
	NASM63540-6 OPL-12934-58	Stud, Self-Locking, Non-Flush, Ribbed Clinch Type [CUST: AR 99 IS] [REVIEW: 71 AT MI NS]		5307 5905		IS CC	30-MAR-
	MIL-PRF-123/10D NOT 2	Resistor, Variable, Wire Wound, Precision, General Specification for Capacitors, Fixed, Ceramic Dielectric, (Temperature Stable and General Purpose), High Reliability, Nonleaded, Style CKS51 [CUST: EC 19 CC NA]		5910		CC	11-MAR-2 25-MAR-2
	MIL-PRF-123/11E NOT 2	Capacitors, Fixed, Ceramic Dielectric, (Temperature Stable and General Purpose), High Reliability, Nonleaded, Style CKS52 [CUST: EC 19 CC NA]	A	5910		CC	25-MAR-2
	MIL-PRF-123/12D NOT 2	Capacitors, Fixed, Ceramic Dielectric, (Temperature Stable and General Purpose), High Reliability, Nonleaded, Style CKS53 [CUST: EC 19 CC NA]	A	5910		CC	25-MAR-2
	MIL-PRF-123/21C NOT 2	Capacitors, Fixed, Ceramic Dielectric, (Temperature Stable and General Purpose), High Reliability, Nonleaded, Style CKS55 [CUST: EC 19 CC NA]	A	5910		CC	25-MAR-2
	MIL-PRF-123/22C NOT 2	Capacitors, Fixed, Ceramic Dielectric, (Temperature Stable and General Purpose), High Reliability, Nonleaded, Style CKS56 [CUST: EC 19 CC NA]	A	5910		CC	30-MAR-2
	MIL-PRF-123/23B NOT 2	Capacitors, Fixed, Ceramic Dielectric, (Temperature Stable and General Purpose), High Reliability, Nonleaded, Style CKS57 [CUST: EC 19 CC NA]		5910		CC	30-MAR-2
	MIL-PRF-23269/1H NOT 1	Capacitors, Fixed, Glass Dielectric, (Axial Wire-Lead Terminals), Established Reliability, Style CYR10 [CUST: CR EC 85 CC] [REVIEW: 19 99 AS MC OS SH]		5910		CC	25-MAR-2
	MIL-PRF-23269/2H NOT 1	Capacitors, Fixed, Glass Dielectric, (Axial Wire-Lead Terminals), Established Reliability, Style CYR15 [CUST: CR EC 85 CC] [REVIEW: 19 99 AS MC OS SH]		5910		CC	25-MAR-2
	MIL-PRF-23269/10D NOT 1	Capacitors, Fixed, Glass Dielectric, (Radial or Axial Wire-Lead Terminals), Established Reliability, Styles CYR51, CYR52, and CYR53 [CUST: CR EC 85 CC] [REVIEW: 19 99 AS MC OS SH]		5910		CC	25-MAR-2
	MIL-PRF-39003/1K(1) NOT 1	Capacitor, Fixed, Electrolytic (Solid Electrolyte), Tantalum, (Polarized, Sintered Slug), Established Reliability, Style CSR13 [CUST: CR EC 85 CC] [REVIEW: 19 99 AS MC OS SH]		5910		CC	22-MAR-2
í	MIL-PRF-39003/10D(1) NOT 1	Capacitors, Fixed, Electrolytic (Solid Electrolyte), Tantalum, (Polarized, Sintered Slug), Established Reliability, Styles CSS13 and CSS33 (High Reliability Applications) [CUST: CR EC 19 CC NA] [REVIEW: 99 AS MC OS SH]	A	5910		CC	25-MAR-2
[MIL-PRF-39014/20E NOT 2	Capacitors, Fixed, Ceramic Dielectric (General Purpose), Established Reliability, Style CKR08 [CUST: CR EC 85 CC] [REVIEW: AS MC OS SH]	A	5910		CC	25-MAR-2
[MIL-PRF-39018/1H NOT 1	Capacitors, Fixed, Electrolytic (Aluminum Oxide) (Polarized), Non-Established Reliability and Established Reliability Styles CU12 (Uninsulated), CU13 (Insulated), and CUR13 (Insulated) [CUST: CR EC 85 CC] [REVIEW: 19 AS MC OS SH]	A	5910		CC	30-MAR-2
1	MIL-PRF-39018/2F NOT 1	Capacitors, Fixed, Electrolytic (Aluminum Oxide) (Nonpolarized), Styles CU14 (Uninsulated) and CU15 (Insulated) [CUST: CR EC 85 CC] [REVIEW: 19 AS MC MI OS SH]	A	5910		CC	30-MAR-2
1	MIL-PRF-39018/3G NOT 1	Capacitors, Fixed, Electrolytic (Aluminum Oxide) (Polarized), Non-Established Reliability and Established Reliability Styles CU16 (Uninsulated), CU17 (Insulated), and CUR17 (Insulated) [CUST: CR EC 85 CC] [REVIEW: 19 AS MC MI OS SH]	A	5910		CC	30-MAR-2

ASSIST UPDATE

		DISTRIBUTION	FSC/AREA	MCA	PREP ACTY	
DOCUMENT NUMBER	DOCUMENT TITLE	, , ,	五 5910	Σ		DATE
M MIL-PRF-39018/4E NOT 1	Capacitors, Fixed, Electrolytic (Aluminum Oxide) (Polarized), Non-Established Reliability and Established Reliability Styles CU71 (Insulated) and CUR71 (Insulated) [CUST: CR EC 85 CC] [REVIEW: 19 AS MC MI OS SH]	A	5910		CC	30-MAR-201
M MIL-PRF-39018/6D NOT 1	Capacitors, Fixed, Electrolytic (Aluminum Oxide) (Polarized), Established Reliability Style CUR91 (Insulated) [CUST: CR EC 85 CC] [REVIEW: 19 AS MC OS SH]	A	5910		CC	30-MAR-201
M MIL-PRF-39018/7C NOT 1	Capacitors, Fixed, Electrolytic (Aluminum Oxide) (Polarized), (Four-Terminal), Established Reliability Style CUR19 (Insulated) [CUST: CR EC 85 CC] [REVIEW: 19 AS MC OS SH]	A	5910		CC	30-MAR-201
M MIL-PRF-49464/1C NOT 1	Capacitors, Chip, Single Layer, Fixed Unencapsulated, Ceramic Dielectric, Established Reliability, Style CPCR01 (High Frequency) [CUST: CR EC 85 CC NA] [REVIEW: 19 99 AS AT AV MC MI]	A	5910		CC	22-MAR-201
M MIL-PRF-83421/6D NOT 1	Capacitors, Fixed, Metallized Plastic Film Dielectric, DC and AC, Hermetically Sealed in Metal Cases, Established Reliability Styles CRH31, CRH32, CRH33, CRH34, and CRH35 [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS MC OS SH]	A	5910		CC	25-MAR-201
M MIL-PRF-55629E NOT 1	Circuit Breakers, Magnetic, Unsealed or Panel Seal, Trip-Free, General Specification for [CUST: CR EC 85 CC] [REVIEW: EA]	A	5925		CR	31-MAR-201
M QPL-22885-103	Switches, Push Button, Illuminated, General Specification for	A	5930		CC	22-MAR-201
M MIL-PRF-49142/4H(1) NOT 1	Connectors, Receptacle, Electrical, Triaxial, Radio Frequency, Uncabled, (Series TRB, Socket Contact, Jamnut Mounted, Class 2) Hermetic and Nonhermetic [CUST: CR EC 85 CC NA] [REVIEW: 19 99 AR AS AT MC MI OS SH]	A	5935		CC	22-MAR-201
M MIL-PRF-49142/5F(1) NOT 1	Connector, Receptacle, Electrical, Triaxial, Radio Frequency (Series TRB (Cabled), Socket Contact, Jam Nut Mounted, Class 2) [CUST: CR EC 85 CC NA] [REVIEW: 19 99 AR AS AT MC MI OS SH]	A	5935		CC	22-MAR-201
M MIL-PRF-49142/9D(1) NOT 1	Connector, Triaxial, Radio Frequency, (Series TRT (Cabled) Receptacle, Socket Contact, Jamnut Mounted, Class 2) [CUST: CR EC 85 CC NA] [REVIEW: 19 99 AR AS AT MC MI OS SH]	A	5935		CC	22-MAR-201
M MIL-PRF-49142/10E(1) NOT 1	Connectors, Receptacle, Electrical, Triaxial, Radio Frequency, Uncabled (Series TRT, Socket Contact, Jammut Mounted, Class 2) Hermetic and Nonhermetic [CUST: CR EC 85 CC NA] [REVIEW: 19 99 AR AS AT MC MI OS SH]	A	5935		CC	22-MAR-2010
M MIL-DTL-12883/40F(2)	Sockets, Plug-in Electronic Components, for Relays, 4-Pole, 10 Amperes (MIL-PRF-6106, MIL-PRF-83536, MIL-PRF-83726, and MS27709) [CUST: CR EC 85 CC] [REVIEW: 99 AR AS AT MC OS SH]	A	5935		CC	11-MAR-201
M MIL-DTL-21097/16F(1) NOT 2	Connectors, Electrical, Printed Wiring Board Contact, Crimp, Removable, Type CR [CUST: CR EC 85 CC] [REVIEW: 99 AR AS AT CR4 MC MI OS]	A	5935		CC	04-MAR-201
M MIL-DTL-21097/17E(1) NOT 2	Connectors, Electrical, Printed Wiring Board Contact, Solder, Removable, Type CR [CUST: CR EC 85 CC] [REVIEW: 99 AR AS AT CR4 MC MI OS]	A	5935		CC	04-MAR-201
N MIL-DTL-32546	Connectors, Electrical, Circular, for High-Speed Data Bus Transmission, Copper Conductor, General Specification for [CUST: CR AS 85 CC] [REVIEW: 19 99 AR EC IS MC MDA MI OS]		5935		AS	14-MAR-201
N MIL-DTL-32546/1	Connectors, Electrical, Circular, Receptacle, High-speed Data, Threaded, Square Flange [CUST: AS]	A	5935		AS	14-MAR-201
N MIL-DTL-32546/2	Connectors, Electrical, Circular, Plug, High-Speed Data [CUST: AS]	Α	5935		AS	14-MAR-201
N MIL-DTL-32546/3	Connectors, Electrical, Circular, Receptacle, Threaded, Jam Nut Mounting, High-Speed Data [CUST: AS]	A	5935		AS	14-MAR-201
N QPL-32546 NOT 1	Connectors, Electrical, Circular, for High-Speed Data Bus Transmission, Copper Conductor, General Specification for	A	5935		AS	20-MAR-201
M A-A-59126/3A NOT 1	Terminals, Feedthru (Insulated) Style FT03 [CUST: CR EC 85] [REVIEW: GS]	Α	5940	/	CR	31-MAR-201
M A-A-59126/4A NOT 1	Terminals, Feedthru (Insulated) Style FT04 [CUST: CR EC 85] [REVIEW: GS]	Α	5940	/	CR	31-MAR-201
M A-A-59126/5A NOT 1	Terminals, Feedthru (Insulated) Style FT05 [CUST: CR EC 85] [REVIEW: GS]	A	5940	/	CR	31-MAR-201
M A-A-59126/6A NOT 1	Terminals, Feedthru (Insulated) Style FT06 [CUST: CR EC 85] [REVIEW: GS]	A	5940	/	CR	31-MAR-201
M A-A-59126/7A NOT 1	Terminals, Stud (Insulated) Style SE07 [CUST: CR EC 85] [REVIEW: GS]	A		/	CR	31-MAR-201
M A-A-59126/8A NOT 1	Terminals, Stud (Insulated) Style SE08 [CUST: CR EC 85] [REVIEW: GS]	A	5940	/	CR	31-MAR-201
M A-A-59126/9A NOT 1	Terminals, Stud (Insulated) Style SE09 [CUST: CR EC 85] [REVIEW: GS]		5940	/	CR	31-MAR-201
M A-A-59126/18A NOT 1	Terminals, Stud (Insulated) Style SE18 [CUST: CR EC 85] [REVIEW: GS]	A	5940	/	CR	31-MAR-201
M A-A-59126/20A NOT 1	Terminals, Stud (Insulated) Style SE20 [CUST: CR AS 85] [REVIEW: GS]		5940	/	CR	31-MAR-201
M MIL-PRF-6106/15E NOT 1 M MIL-PRF-6106/33E NOT 1	Relay, Electromagnetic, 50 Amperes, DC, SPDT, Hermetically Sealed [CUST: AS 85 CC] [REVIEW: 99] Relay, Electromagnetic, Type I, 400 Amperes, with 5 Ampere Auxiliary Contacts, Permanent		5945 5945		CC	25-MAR-201 31-MAR-201
M MIL-PRF-28750/8C NOT 3	Magnet Drive, Hermetically Sealed [CUST: 85 CC] [REVIEW: 99] Relay, Solid State, Hermetically Sealed, Class II, Optically Isolated, 600 MA, 50 V DC, Signal	A	5945		CC	22-MAR-201
	Switching, SPST (N O) [CUST: EC 85] [REVIEW: 19 OS]					
M MIL-PRF-28776/6E(1) NOT 2	Relays, Hybrid, Established Reliability, DPDT, Low Level to 1 0 Ampere Internal Mosfet drive with Zener Diode Gate Protection (Electromechanical Output) Diode Coil Suppression and Terminals with 0 100 Grid Lead Spacing [CUST: EC 85 CC]	A	5945		CC	25-MAR-201
M MIL-PRF-28776/7F(1) NOT 2	Relays, Hybrid, Established Reliability, DPDT, Low Level to 1 0 Ampere (Sensitive Coil Operate Power at 25 Deg C), Terminal Mosfet Driver with Zener Diode Gate Protection (Electromechanical Output) Diode Coil Suppression and Terminals with 0 100 Grid Lead Spacing [CUST: EC 85 CC]	A	5945		CC	25-MAR-201
M MIL-PRF-39016/6L(1) NOT 2	Relays, Electromagnetic, Established Reliability, DPDT, Low Level to 2 Amperes (0 200-Inch Terminal Spacing) [CUST: CR EC 85 CC] [REVIEW: 19 AR AS MC OS SH]	A	5945		CC	31-MAR-201
M MIL-PRF-39016/7G NOT 2	Relays, Electromagnetic, Established Reliability, SPDT, Low Level to 1 0 Ampere [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS MC OS SH]	A	5945		CC	31-MAR-201
M MIL-PRF-39016/8H NOT 1	Relays, Electromagnetic, Established Reliability, SPDT, Low Level to 0 5 Ampere (Latching) [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS MC NS OS SH]	A	5945		CC	30-MAR-201
M MIL-PRF-39016/9J NOT 2	Relays, Electromagnetic, Established Reliability, DPDT, Low Level to 1 0 Ampere [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS MC NS OS SH]	A	5945		CC	30-MAR-201
M MIL-PRF-39016/10G NOT 2	Relays, Electromagnetic, Established Reliability, SPDT, Low Level to 1 0 Ampere (Sensitive, 40 Milliwatts, Coil Operate Power at 25 Degrees C) [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS NS OS SH]	A	5945		CC	30-MAR-201
M MIL-PRF-39016/11G NOT 2	Relays, Electromagnetic, Established Reliability, DPDT, Low Level to 1 0 Ampere (Sensitive, 60 Milliwatts, Coil Operate Power at 25 Degrees C) [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS MC NS OS SH]	A	5945		CC	30-MAR-201
M MIL-PRF-39016/16G NOT 2	Relays, Electromagnetic, Established Reliability, DPDT, Low Level to 1 0 Ampere (Sensitive, 60 Milliwatts) with Internal Diode for Coil Transient Suppression [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS MC OS SH]	A	5945		CC	31-MAR-201
M MIL-PRF-39016/18H NOT 2	Relays, Electromagnetic, Established Reliability, DPDT, Low Level to 1 0 Ampere with Internal Diode for Coil Transient Suppression, Terminals 0 100-Inch Grid Pattern [CUST: CR EC 85 CC] [REVIEW: 99 AR AS MC OS SH]	A	5945		CC	31-MAR-201

ASSIST UPDATE

DOCUMENT NUMBER		DISTRIBUTION	FSC/AREA	MCA PREP ACTY	DATE
M MIL-PRF-39016/19H(1) NOT 2	DOCUMENT TITLE Relays, Electromagnetic, Established Reliability, DPDT, Low Level to 1 Ampere with Internal	-	5945	CC	DATE 22-MAR-2016
	Diode for Coil Transient Suppression and Polarity Reversal Protection, Terminals 0 100-Inch Grid Pattern [CUST: CR EC 85 CC] [REVIEW: 99 AR AS MC OS SH]				
M MIL-PRF-39016/20J NOT 2	Relays, Electromagnetic, Established Reliability, DPDT, Low Level to 1 0 Ampere with Internal Diodes for Coil Transient Suppression and Polarity Reversal Protection [CUST: CR EC 85 CC] [REVIEW: 99 AR AS MC OS SH]	A	5945	CC	30-MAR-2016
M MIL-PRF-39016/23F NOT 2	Relays, Electromagnetic, Established Reliability, SPDT, Low Level to 1 0 Ampere with Internal Diode for Coil Transient Suppression [CUST: CR EC 85 CC] [REVIEW: 99 AR AS MC OS SH]	A	5945	CC	30-MAR-2016
M MIL-PRF-39016/24F NOT 2	Relays, Electromagnetic, Established Reliability, SPDT, Low Level to 1 0 Ampere with Internal Diodes for Coil Transient Suppression and Polarity Reversal Protection [CUST: CR EC 85 CC] [REVIEW: 99 AR AS MC OS]	A	5945	CC	30-MAR-2016
M MIL-PRF-39016/25F NOT 2	Relays, Electromagnetic, Established Reliability, SPDT, Low Level to 1 0 Ampere (Sensitive, 40 Milliwatts) with an Internal Diode for Coil Transient Suppression [CUST: CR EC 85 CC] [REVIEW: 99 AR AS MC OS SH]	A	5945	CC	30-MAR-2016
M MIL-PRF-39016/26F NOT 2	Relays, Electromagnetic, Established Reliability SPDT, Low Level to 1 0 Ampere (Sensitive, 40 Milliwatts) with Internal Diodes for Coil Transient Suppression and Polarity Reversal Protection [CUST: CR EC 85 CC] [REVIEW: 99 AR AS MC OS]	A	5945	CC	31-MAR-2016
M MIL-PRF-39016/27F NOT 2	Relays, Electromagnetic, Established Reliability, SPDT, Low Level to 0 5 Ampere (Latching) with Internal Diodes for Coil Transient Suppression [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS MC OS SH]	A	5945	CC	31-MAR-2016
M MIL-PRF-39016/28F NOT 2	Relays, Electromagnetic, Established Reliability, SPDT, Low Level to 0.5 Ampere (Latching) with Internal Diodes for Coil Transient Suppression and Polarity Reversal Protection [CUST: CR EC 85 CC] [REVIEW: 19.99 AR AS MC OS SH]	A	5945	CC	31-MAR-2016
M MIL-PRF-39016/30F NOT 2	Relays, Electromagnetic, Established Reliability, DPDT, Low Level to 1 0 Ampere (Latching) with Internal Diodes for Coil Transient Suppression and Polarity Reversal Protection [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS AT AV CR4 MC MI OS SH]	A	5945	CC	31-MAR-2016
M MIL-PRF-39016/31B(4) NOT 2	Relays, Electromagnetic, Established Reliability, Hermetically Sealed, 4 PDT, Low Level to 2 Amperes (0 150-Inch Terminal Spacing), Latching [CUST: CR EC 85 CC] [REVIEW: 19 AR AS MC OS SH]	A	5945	CC	25-MAR-2016
M MIL-PRF-39016/38C NOT 2	Relays, Electromagnetic, Established Reliability, DPDT, Low Level to 2 Amperes (0 150-Inch Terminal Spacing), with Internal Diodes for Coil Transient Suppression and Reverse Polarity Protection [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS MC OS SH]	A	5945	CC	25-MAR-2016
M MIL-PRF-39016/41E NOT 2	Relays, Electromagnetic, Established Reliability, DPDT, Low Level to 1 Ampere, Terminals 0 100-lnch Grid Pattern Sensitive, 60 Milliwatts, Coil Operate Power at 25 Degrees C [CUST: CR EC 85 CC] [REVIEW: 99 AS]	A	5945	CC	31-MAR-2016
M MIL-PRF-39016/43E NOT 2	Relays, Electromagnetic, Established Reliability, DPDT, Low Level to 1 0 Ampere, with Internal Diodes for Coil Transient Suppression, and Polarity Reversal Protection Terminals 0 100-Inch Grid Pattern (Sensitive, 60 Milliwatts, Coil Operate Power at 25 Degrees C) [CUST: CR EC 85 CC] [REVIEW: 99 AR MC OS SH]	A	5945	CC	31-MAR-2016
M MIL-PRF-83536/2B(1) NOT 2	Relays, Electromagnetic, Established Reliability, DPDT, Low Level to 5 Amperes, Permanent Magnet Drive, Hermetically Sealed, All Welded, Transient Suppressed DC Coils [CUST: CR EC 85 CC] [REVIEW: 99]	A	5945	CC	31-MAR-2016
M MIL-PRF-83536/14A NOT 2		A	5945	CC	31-MAR-2016
M MIL-PRF-83536/15A NOT 2	Relays, Electromagnetic, Established Reliability, 4PDT, Low Level to 10 Amperes, Permanent Magnet Drive, Hermetically Sealed All Welded, DC Coil [CUST: CR EC 85 CC] [REVIEW: 99]	A	5945	CC	31-MAR-2016
M MIL-PRF-83536/17A(2) NOT 2	Relays, Electromagnetic, Established Reliability, 4PDT, Low Level to 10 Amperes, Permanent	A	5945	CC	25-MAR-2016
M MIL-PRF-83536/20A NOT 2	Magnet Drive, Hermetically Sealed, All Welded, AC Coils [CUST: CR EC 85 CC] Relays, Electromagnetic, Established Reliability, 4PDT, Low Level to 10 Amperes, Magnetic Latch,	A	5945	CC	31-MAR-2016
M MIL-PRF-83536/21C	Hermetically Sealed, All Welded, AC Coils [CUST: CR EC 85 CC] [REVIEW: 99] Relays, Electromagnetic, Established Reliability, 3PDT, Low Level to 10 Amperes, Permanent	A	5945	CC	08-MAR-2016
M MIL-PRF-83536/22D	Magnetic Drive, Hermetically Sealed, All Welded, DC Coil [CUST: CR EC 85 CC] [REVIEW: 99] Relays, Electromagnetic, Established Reliability, 3PDT, Low Level to 10 Amperes, Permanent Magnet Drive, Hermetically Sealed, All Welded, Transient Suppressed DC Coils [CUST: CR EC 85	A	5945	CC	10-MAR-2016
M MIL-PRF-83536/26A NOT 2	CC] [REVIEW: 99] Relays, Electromagnetic, Established Reliability, 6PDT, Low Level to 10 Amperes, Permanent Magnet Drive, Hermetically Sealed, All Welded, Transient Suppressed DC Coil [CUST: CR EC 85	A	5945	CC	31-MAR-2016
M MIL-PRF-83536/34A NOT 3	CC] [REVIEW: 99] Relays, Electromagnetic, Established Reliability, 1PDT, Low Level to 10 Amperes, Permanent	A	5945	CC	31-MAR-2016
M MIL-PRF-83536/36 NOT 2	Magnet Drive, Hermetically Sealed All Welded, DC Coil [CUST: CR EC 85 CC] [REVIEW: MI] Relay, Electromagnetic, Established Reliability, 1PDT, 25 Amperes, Permanent Magnet Drive,	A	5945	CC	25-MAR-2016
M MIL-PRF-83536/37(1) NOT 2	Hermetically Sealed, All Welded, DC Coil [CUST: 85 CC] [REVIEW: 99] Relay, Electromagnetic, Established Reliability, 1PDT, 25 Amperes, Permanent Magnet Drive,	A	5945	CC	31-MAR-2016
M MIL-R-83725/1E NOT 3	Hermetically Sealed, All Welded, Transient Suppressed DC Coils [CUST: 85 CC] [REVIEW: 99] Relays, Vacuum, SPDT, 15 Amperes RMS, 12 Kilovolts (Peak) [CUST: CR EC 85] [REVIEW: 99		5945	CC	25-MAR-2016
M MIL-R-83725/2D(1) NOT 3	AT AV CR4 MC SH] Relays, Vacuum, SPDT, 25 Amperes RMS, 25 Kilovolts (Peak) [CUST: CR EC 85 CC] [REVIEW:		5945	CC	25-MAR-2016
	99 AT AV CR4 SH]				
M MIL-R-83725/4F NOT 3	Relays, Vacuum, SPDT, 0 25 Amperes, DC Load Switching 2 5 Kilovolts DC [CUST: 85] [REVIEW: 99]		5945	CC	25-MAR-2016
M MIL-R-83725/5D NOT 3	Relays, Vacuum, SPDT, 18 Amperes RMS, 3 5 Kilovolts (Peak) (Carry Only) [CUST: 85] [REVIEW: 99]	A	5945	CC	25-MAR-2016
M MIL-R-83725/6D NOT 4	Relay, Vacuum, SPST, Latching, 12 Amperes DC or 60 Hz RMS, 3 6 Kilovolts DC or 60 Hz Peak [CUST: CR AS 85] [REVIEW: 99 OS]	A	5945	CC	25-MAR-2016
M MIL-R-83725/7B NOT 4	Relay, Vacuum, SPST, N/C, 12 Amperes DC or 60 Hz RMS, 3 6 Kilovolts Peak [CUST: CR AS 85] [REVIEW: 99 OS]	A	5945	CC	25-MAR-2016
M MIL-R-83725/8B NOT 4		A	5945	CC	25-MAR-2016
M MIL-R-83725/9B NOT 4	Relay, Vacuum, SPST, Latching, 12 Amperes DC or 60 Hz RMS, 7 Kilovolts Peak [CUST: CR AS 85] [REVIEW: 99 OS]	A	5945	CC	25-MAR-2016
M MIL-R-83725/10A NOT 4	Relay, Vacuum, SPST, N/C, 12 Amperes DC or 60 Hz RMS, 10 Kilovolts DC or 60 Hz Peak [CUST: CR AS 85] [REVIEW: 99 OS]	A	5945	CC	25-MAR-2016
M MIL-R-83725/11C NOT 4	Relay, Vacuum, SPDT, Latching, 12 Amperes DC or 60 Hz RMS, 3 6 Kilovolts DC or 60 Hz Peak [CUST: CR AS 85] [REVIEW: 99 OS]	A	5945	CC	25-MAR-2016

ASSIST UPDATE

			DISTRIBUTION	FSC/AREA		P ACTY	
	DOCUMENT NUMBER	DOCUMENT TITLE	DIST	FSC/	MCA	PREP	DATE
M	MIL-R-83725/12A NOT 4	Relay, Vacuum, SPDT, 12 Amperes DC or 60 Hz RMS, 3 6 Kilovolts Peak [CUST: CR AS 85]	A			CC	25-MAR-2016
M	MIL-R-83725/13B NOT 4	[REVIEW: 99 OS] Relay, Vacuum, SPDT, Latching, 12 Amperes DC or 60 Hz RMS, 9 Kilovolts DC or 60 Hz Peak [CUST: CR AS 85] [REVIEW: 99 OS]	A	5945		CC	25-MAR-2016
M	MIL-R-83725/15B NOT 4	Relays, Vacuum, SPDT, 75 Amperes RMS, 15 Kilovolts (Peak) or DC [CUST: 85 CC] [REVIEW:	Α	5945		CC	25-MAR-2016
M	MIL-R-83725/16B NOT 4	99] Relays, Vacuum, SPDT, 12 Amperes DC or 60 Hz RMS, 9 Kilovolts DC or 60 Hz Peak [CUST: CR AS 85] [REVIEW: 99 OS]	A	5945		CC	25-MAR-2016
M	MIL-R-83725/17B NOT 5	Relay, Vacuum, SPST, NO, 12 Amperes DC, or 60 Hz RMS, 10 Kilovolts Peak DC [CUST: CR AS 85] [REVIEW: 99 OS]	A	5945		CC	30-MAR-2016
	MIL-R-83725/21 NOT 3 MIL-R-83725/22 NOT 3	Relays, Vacuum, SPST (No, 15 Amperes DC or 60 Hz RMS, 5 Kilovolts Peak [CUST: 85 CC] Relays, Vacuum, SPST (NC), 15 Amperes DC or 60 Hz RMS, 5 Kilovolts Peak [CUST: 85]		5945 5945		CC CC	25-MAR-2016 25-MAR-2016
	MIL-R-83725/22 NOT 3	Relays, Vacuum, SPDT, 15 Amperes DC or 60 HZ RMS, 5 Kilovolts Peak [CUST: 85]	A			CC	25-MAR-2016 25-MAR-2016
	MIL-R-83725/24 NOT 3	Relays, Vacuum, SPST, Latching, 15 Amperes DG or 60 HZ RMS, 5 Kilovolts Peak [CUST: 85]		5945		CC	25-MAR-2016
	MS17981D(1) NOT 2	Solenoid, Electrical, Horn, 24 Volt DC [CUST: AT CC]	A	5945		CC	22-MAR-2016
	MS24140M(1) NOT 2	Relays, Electromagnetic, 50 Amperes, 1 PST (N O), Type I, Hermetically Sealed [CUST: AS 85 CC] [REVIEW: EC]		5945		CC	31-MAR-2016
M	MS24141K NOT 2	Relays, Electromagnetic, 100 Amperes, 1 PST (N O), Type I, Hermetically Sealed [CUST: AS 85 CC] [REVIEW: 99 EC]	A	5945		CC	25-MAR-2016
	MS24142N NOT 2	Relays, Electromagnetic, 200 Amperes, 1 PST (N O), Type I, Hermetically Sealed [CUST: AS 85 CC] [REVIEW: 99 EC]		5945		CC	25-MAR-2016
M	MS24143X(1) NOT 2	Relays, Electromagnetic, 3 PST (N O), 25 Amperes, Type I, Hermetically Sealed [CUST: AS 85 CC]	A	5945		CC	23-MAR-2016
M	MS24172J(1) NOT 2	Relays, Electromagnetic, 200 Amperes, 1 PST (N O) Type III, Non-Hermetically Sealed [CUST: AS 85 CC] [REVIEW: EC]	A	5945		CC	31-MAR-2016
M	MS24178H(2) NOT 2	Relays, Electromagnetic, 55 Amperes, 2PST, (N O) Type II, Nonhermetiaclly Sealed [CUST: AS 85 CC] [REVIEW: EC]	A	5945		CC	30-MAR-2016
M	MS24179N NOT 2	Relays, Electromagnetic, 400 Amperes, I PST (N O), Type III, Non-Hermetically Sealed [CUST: AS 85 CC] [REVIEW: 99 EC]	A	5945		CC	22-MAR-2016
M	MS24182L NOT 2	Relays, Electromagnetic, 100 Amperes, 1 PST (N O), Type I, Hermetically Sealed [CUST: AS 85 CC] [REVIEW: EC]	A	5945		CC	22-MAR-2016
M	MS24183L NOT 2	Relay, Electromagnetic, 200 Amperes, 1PST (N O), Type I, Hermetically Sealed [CUST: AS 85 CC] [REVIEW: EC]	A	5945		CC	22-MAR-2016
M	MS24184M(1) NOT 2	Relays, Electromagnetic, 300 Amperes, 1 PST (N O), Type I, with Auxiliary Contacts, Hermetically Sealed [CUST: CR AS 85 CC] [REVIEW: EC]	A	5945		CC	31-MAR-2016
M	MS24185M NOT 2	Relays, Electromagnetic, 400 Amperes, 1 PST (N O), Type II, Nonhermetically Sealed [CUST: AS 85 CC] [REVIEW: EC]	A	5945		CC	22-MAR-2016
	A-A-59546A NOT 2	Relays, Electromagnetic, Relay Module Extraction Tool [CUST: 85 CC] [REVIEW: 99]	A		/	CC	22-MAR-2016
	A-A-59547A NOT 2 MIL-PRF-27/30C NOT 1	Relays, Electromagnetic, Socket Module Extraction Tool [CUST: 85 CC] [REVIEW: 99] Transformer, Audio Frequency [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS CR4 MC MI OS SH]	A A		/	CC CC	22-MAR-2016 22-MAR-2016
M	MIL-PRF-27/51D(1) NOT 1	Transformers, Power, 3 Volt Amperes, 400 HZ, Electrostatic Shielded [CUST: CR EC 85 CC] [REVIEW: 19 99 AS CR4 MC MI OS]	A	5950		CC	25-MAR-2016
M	MIL-PRF-27/53D(1) NOT 1	Transformers, Power, 6 Volt Amperes, 400 HZ, Electrostatic Shielded [CUST: CR EC 85 CC] [REVIEW: 19 99 AS CR4 MC MI OS]	A	5950		CC	25-MAR-2016
M	MIL-PRF-27/54E(1)	Transformers, Power, 9 0 Volt Amperes, 400 HZ [CUST: CR EC 85 CC] [REVIEW: 19 99 AS CR4 MC MI OS]	A	5950		CC	25-MAR-2016
M	MIL-PRF-27/55D(1) NOT 1	Transformers, Power, 16 Volt Amperes, 400 HZ [CUST: CR EC 85 CC] [REVIEW: 19 99 AS CR4 MC MI OS]	A	5950		CC	25-MAR-2016
M	MIL-PRF-27/56G(1)	Transformers, Power, 25 Volt Amperes, 400 HZ [CUST: CR EC 85 CC] [REVIEW: 19 99 AS CR4 MC MI OS]	A	5950		CC	25-MAR-2016
M	MIL-PRF-27/57D(1) NOT 1	Transformers, Power, 50 Volt Amperes, 400 HZ [CUST: CR EC 85 CC] [REVIEW: 19 99 AS CR4 MC MI OS]	A	5950		CC	25-MAR-2016
M	MIL-PRF-27/58D(1) NOT 1	Transformers, Power, 75 Volt Amperes, 400 HZ [CUST: CR EC 85 CC] [REVIEW: 19 99 AS CR4 MC MI OS]	A	5950		CC	25-MAR-2016
M	MIL-PRF-27/67C NOT 1	Transformers, Audio Frequency [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS CR4 MC MI OS SH]	A	5950		CC	23-MAR-2016
	MIL-PRF-27/68C NOT 1	Transformers, Audio Frequency [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS CR4 MC MI OS SH]	A	5950		CC	23-MAR-2016
	MIL-PRF-27/69C NOT 1	Transformers, Audio Frequency [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS CR4 MC MI OS SH]		5950		CC	23-MAR-2016
	MIL-PRF-27/70D NOT 1	Transformers, Audio Frequency [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS CR4 MC MI OS SH]		5950		CC	23-MAR-2016
	MIL-PRF-27/71E NOT 1	Transformers, Audio Frequency [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS CR4 MC MI OS SH]		5950		CC	25-MAR-2016
	MIL-PRF-27/97D NOT 1	Transformers, Audio Frequency, Sub-Miniature [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS CR4 MC OS SH]		5950		CC	25-MAR-2016
	MIL-PRF-27/166B NOT 1 MIL-PRF-27/167E NOT 1	Transformers, Audio Frequency [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS CR4 MC OS SH] Transformers, Audio Frequency [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS MC MD MI OS CHI	A A			CC CC	22-MAR-2016 22-MAR-2016
M	MIL-PRF-27/277B NOT 1	SH] Transformer, Audio Frequency, Sub-Miniature [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS CR4 MC OS SH]	A	5950		CC	23-MAR-2016
M	MIL-PRF-27/287B NOT 1	CR4 MC OS SH] Transformers and Inductors (Audio, Power and High-Power Pulse) Inductors, Power [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS MC MI OS SH]	A	5950		CC	23-MAR-2016
M	MIL-PRF-27/290C NOT 1	85 CC] [REVIEW: 19 99 AR AS MC MI OS SH] Transformer, Audio Frequency [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS CR4 MC MI OS SH]	A	5950		CC	23-MAR-2016
M	MIL-PRF-27/312C NOT 1	Transformers, Power, 5 Volt-Amperes, 60 Hertz [CUST: CR EC 85 CC] [REVIEW: 19 99 AS CR4 MC MI OS]	A	5950		CC	23-MAR-2016
M	MIL-PRF-27/313C NOT 1	Transformers, Power, 10 Volt-Amperes, 60 Hertz [CUST: CR EC 85 CC] [REVIEW: 19 99 AS CR4 MC MI OS]	A	5950		CC	23-MAR-2016
	ADD 2016	<u>, </u>					

ASSIST UPDATE

		DISTRIBUTION	FSC/AREA	MCA	PREP ACTY	
M MIL-PRF-27/314C NOT 1	DOCUMENT TITLE Transformers, Power, 15 Volt-Amperes, 60 Hertz [CUST: CR EC 85 CC] [REVIEW: 19 99 AS CR4			Σ	CC	DATE 23-MAR-2010
	MC MI OS]					
M MIL-PRF-27/315C NOT 1	Transformers, Power, 20 Volt-Amperes, 60 Hertz [CUST: CR EC 85 CC] [REVIEW: 19 99 AS CR4 MC MI OS]	A	5950		CC	23-MAR-201
M MIL-PRF-27/316C NOT 1	Transformers, Power, 30 Volt-Amperes, 60 Hertz [CUST: CR EC 85 CC] [REVIEW: 19 99 AS CR4 MC MI OS]	A	5950		CC	23-MAR-201
M MIL-PRF-27/320C NOT 1	Transformers, Power, 160 Volt-Amperes, 60 Hz [CUST: CR EC 85 CC] [REVIEW: 19 99 AS CR4 MC MI OS]	A	5950		CC	23-MAR-201
M MIL-PRF-27/322E NOT 1	Transformers, Power, 300 Volt-Amperes, 60 Hertz [CUST: CR EC 85 CC] [REVIEW: 19 99 AS CR4 MC MI OS SH]	A	5950		CC	23-MAR-201
M MIL-PRF-27/323C NOT 1	Transformer, Audio Frequency, Telephone Interconnect [CUST: CR EC 85 CC] [REVIEW: 19 99	A	5950		CC	23-MAR-201
M MIL-PRF-27/332D NOT 1	AR AS CR4 MC MI OS SH] Transformers, Power, 7 Volt-Amperes, 400 Hertz [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS	A	5950		CC	23-MAR-201
M MIL-PRF-27/333D NOT 1	CR4 MC OS] Transformers, Power, 10 Volt-Amperes, 400 Hertz [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS	A	5950		CC	23-MAR-201
M MIL-PRF-27/334D NOT 1	CR4 MC OS] Transformers, Power, 25 Volt-Amperes, 400 Hertz [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS	A	5950		CC	23-MAR-201
M MIL-PRF-27/335D NOT 1	CR4 MC OS] Transformers, Power, 50 Volt-Amperes, 400 Hertz [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS				CC	23-MAR-201
	CR4 MC OS]		5950		CC	
M MIL-PRF-27/336D NOT 1	Transformers, Power, 120 Volt-Amperes, 400 Hertz [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS CR4 MC OS]					23-MAR-201
M MIL-PRF-27/337E NOT 1	Transformers, Power, 150 and 200 Voltamperes, 400 Hertz [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS CR4 MC OS]		5950		CC	22-MAR-201
M MIL-PRF-27/350E NOT 1	Transformers, Power, 15 Voltamperes, 400 HZ [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS CR4 MC OS]	A	5950		CC	22-MAR-201
M MIL-PRF-27/351E NOT 1	Transformers, Power, 25 Voltamperes, 400 HZ [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS CR4 MC OS]	A	5950		CC	23-MAR-201
M MIL-PRF-27/352E NOT 1	Transformers, Power, 50 Voltamperes, 400 HZ [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS CR4 MC OS]	A	5950		CC	23-MAR-201
M MIL-PRF-27/353E NOT 1	Transformers, Power, 75 Voltamperes, 400 HZ [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS	A	5950		CC	23-MAR-201
M MIL-PRF-27/354E NOT 1	CR4 MC OS] Transformers, Power, 100 Voltamperes, 400 HZ [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS	A	5950		CC	23-MAR-201
M MIL-PRF-19500/349J NOT 1	CR4 MC OS] Semiconductor Device, Transistor, NPN, Silicon, Switching, Types 2N3506, 2N3506A, 2N3506L, 2N3506AL, 2N3506AL, 2N3506AL, 2N3506AL, 2N3506AU4, 2N3507, 2N3507L, 2N3507A, 2N3507AL, 2N3507U4, AND 2N3507AU4, IAN, JANTX, JANTXV, JANS, JANSM, JANSD, JANSP, JANSL, JANSR, JANSF, JANSG, JANSH, JANHCA, JANKCA, JANKCAM, JANKCAP, JANKCAL, JANKCAR, JANKCAF, JANKCAL, JANKCAF, JANKCAF, JANKCAF, JANKCAF, JANKCAH, JANKCAP, JANKCAH, JANKCAP, JANKCAF, JANKC	A	5961		CC	18-MAR-201
M MIL-PRF-19500/502H	Transistor, Darlington, NPN, Silicon, Power, Encapsulated (Through-Hole Mount Package) Types 2N6058 and 2N6059, Quality Levels JAN, JANTX, and JANTXV [CUST: CR EC 85 CC NA] [REVIEW: 19 99]	A	5961		CC	22-MAR-201
M MIL-PRF-19500/516G	Semiconductor Device, Diode Silicon, Bipolar Transient Voltage Suppressor, Encapsulated (Axial Lead Through-Hole and Surface Mount Packages) and Un-Encapsulated (Die), Types 1N6102 Through 1N6173, JAN, JANTX, JANTXV, JANS, JANHC, and JANKC [CUST: CR EC 85 CC NA]	A	5961		CC	22-MAR-201
M MIL-PRF-19500/533N	Diode, Silicon, Voltage Regulator, Types 1N6309 through 1N6355; Plus C and D Tolerance Suffix, JAN, JANTX, JANTXV, JANS, JANHC, and JANKC [CUST: CR EC 85 CC NA] [REVIEW: 19 99 AS]		5961		CC	25-MAR-201
M MIL-PRF-19500/765B	Semiconductor Device, Diode, Silicon, Dual Schottky, Common Cathode, Encapsulated (Through-Hole and Surface Mount), Type 1N7072, and 1N7078 JAN, JANTX, JANTXV, and JANS [CUST: CR EC 85 CC NA] [REVIEW: MI]	A	5961		CC	14-MAR-201
M MIL-PRF-19500/766B	Transistor, PNP, Silicon, Low-Power, Type 2N5401, JANS, JANSR, JAN, JANTX, and JANTXV [CUST: CR EC 85 CC NA] [REVIEW: 19 99 AR AS MC MI SM]	A	5961		CC	25-MAR-201
M MIL-HDBK-103AV	List of Standard Microcircuit Drawings [CUST: CC]		5962		CC	02-MAR-20
M MIL-DTL-3928/19F	Switches, Radio-Frequency Transmission Line (Coaxial) (Electrically Operated) Class 5, TR [CUST: CR EC 85 CC] [REVIEW: 19 99 AS MC MI OS SH]	A	5985		CC	14-MAR-201
M A-A-59832/3B	Extractor, Electrical Card, Metal, Locking, Single Action, for "U" Channel Actuating Surfaces, for 063, 094, and 125 Inch Thick Circuit Card Assemblies [CUST: CR EC 85 CC] [REVIEW: 99]	A	5998	/	CC	03-MAR-201
M A-A-59832/4A	Extractor, Electrical Card, Metal, Non-Locking, Single Action, for 063, 094, and 125 Inch Thick Circuit Card Assemblies [CUST: CR EC 85 CC] [REVIEW: 99]	A	5998	/	CC	04-MAR-20
M A-A-55485/1A NOT 2 M A-A-55485/3C NOT 2	Mounting Pads, Electrical-Electronic Component, 100 Diameter Pin Center [CUST: CR EC 85 CC] Mounting Pads, Electrical-Electronic Component, Lead Conversion, 100 Diameter Pin Center to a Larger Diameter [CUST: CR EC 85 CC]		5999 5999	/	CC CC	25-MAR-20 25-MAR-20
M A-A-55485/4A NOT 2	Mounting Pads, Electrical-Electronic Component, Lead Conversion, 200 or 230 Diameter Pin Center to a Larger Diameter [CUST: CR EC 85 CC]	A	5999	/	CC	22-MAR-20
M A-A-55485/6B NOT 2	Mounting Pads, Electrical-Electronic Component, for Relays and Discrete Components [CUST: CR EC 85 CC]		5999	/	CC	22-MAR-20
M A-A-55485/7A NOT 2 M A-A-55485/10B NOT 2	Mounting Pads, Electrical-Electronic Component, Multiple Applications [CUST: CR EC 85 CC] Mounting Pads, Electrical-Electronic Component, Lead Conversion, 200 Diameter Pin Center [CUST: CR EC 85 CC]	A	5999 5999	/	CC	22-MAR-20 22-MAR-20
M A-A-55485/11A NOT 2 M A-A-55507/3 NOT 2	Mounting Pads, Electrical-Electronic Component, Vertical Type [CUST: CR EC 85 CC] Clip, Electrical, Fuse, P C Board, Up to 15 Ampere, for Fuse Diameter 5 MM [CUST: CR SH 85		5999 5999	/	CC CC	22-MAR-20 22-MAR-20
M A-A-55541/1B NOT 2	CC] Passive Delay Line, 10 Tap, 10 to 200 Nanoseconds [CUST: CR EC 85 CC]	A		,	CC	30-MAR-20
M A-A-59465A NOT 2	Delay Lines, Active, General Requirements for [CUST: CR EC 85 CC]	A		/	CC	31-MAR-201
M MIL-STD-1678-5B M MIL-DTL-17/211A NOT 1	Fiber Optic Cabling Systems Requirements and Measurements (Part 5: Design Phase, Supplemental and Legacy Measurements) (Part 5 of 6 Parts) [CUST: CR AS 85 CC] [REVIEW: 11 20] Cables, Radio Frequency, Flexible, Coaxial, 72 OHMS, Low Noise, Low Smoke, M17/211-00001 (Unarmored), M17/211-00002 (Armored), M17/211-00003 (Specified Insulation Resistance,	A A	60GP 6145		CC CC	12-FEB-2010 25-MAR-201
01-APR-2016	Unarmored), and M17/211-00004 (Specified Insulation Resistance, Armored) [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS AT CR4 MC MI OS SH]					

ASSIST UPDATE

		DISTRIBUTION	FSC/AREA	MCA	PREP ACTY	
DOCUMENT NUMBER	DOCUMENT TITLE	-		ž		DATE
MIL-DTL-13486/2D NOT 1	Cable, Special Purpose, Electrical: Low-Tension, Heavy-Duty, Single Conductor, Shielded [CUST: SH 85 CC] [REVIEW: 71 84 99]	A	6145		CC	22-MAR-2
MIL-DTL-13486/15C NOT 1	Cable, Special Purpose, Electrical: Low-Tension, Heavy-Duty, Single Conductor, Unshielded [CUST: SH 85 CC] [REVIEW: 71 84 99 AR CR MC OS]	A	6145		CC	22-MAR-2
MIL-DTL-28830F	Cable, Radio Frequency, Coaxial, Semirigid, Corrugated Outer Conductor, General Specification for [CUST: CR EC 85 CC] [REVIEW: 19 99 AS MC SH]	A	6145		CC	15-MAR-2
MIL-DTL-28830/5E NOT 1	Cables, Radio Frequency, Coaxial, Semirigid, Corrugated Outer Conductor, Low Loss Foam Dielectric, 1 625 Inch Nominal, 50 OHMS [CUST: CR EC 85 CC] [REVIEW: 19 99 AS MC SH]	A	6145		CC	25-MAR-2
A-A-59551A NOT 1	Wire, Electrical, Copper (Uninsulated) [CUST: CR AS 85 CC] [REVIEW: 06 99 AR CG MC MI SH]	A	6145	/	CC	31-MAR-2
A-A-60006B	Light, Extension, Electrical [CUST: MI YD GS] [REVIEW: GL IS MC]	A		/	GS2	03-MAR-2
A-A-52409B	Lamps, Incandescent, Sealed Beam [CUST: AT YD 99 GS] [REVIEW: 11 71 SH]	A	6240	/	GS2	03-MAR-2
MIL-PRF-51028C(2) NOT 1	Sampling and Gaging Kit [CUST: AT MS] [REVIEW: DM EA MB MC]	A	6630	,	AT	07-MAR-2
A-A-59928B A-A-55829B	Meter, Fuel Flow, Portable [CUST: 184] [REVIEW: 99] Acetic Acid, Glacial, Technical [CUST: CR AS 68 GS] [REVIEW: MD1 MI OS]	A	6680 6810	/	184 GS3	18-MAR-2 28-FEB-20
A-A-97 NOT 5	Deodorant, General Purpose (Concentrated, Wick Bottle) [CUST: GS]	A	6840	/	GS3	18-MAR-2
A-A-98 NOT 5	Deodorant, General Purpose (Concentrated) [CUST: GS]	A	6840	/	GS3	18-MAR-2
A-A-59267 NOT 3	Phosphate Coating Compounds, Manganese or Zinc Base (for Ferrous Metals) [CUST: MR SH 20	l	6850	/	GS3	18-MAR-2
MIL-STD-1904B	GS] [REVIEW: 68 AR AS EA] Design and Test Requirements for Level A Ammunition Packaging [CUST: AR]	A	8140		AR	09-MAR-2
MIL-DTL-32525	Magazine, Portable (ShipBoard) [CUST: AV SH 03 IS] [REVIEW: 11 69 CG DH GL MI MP OS]		8145		SH	19-JAN-20
MIL-DTL-14650/5F	Streamers, Unit Awards [CUST: IH NU 11] [REVIEW: 99 CT MC]		8345		IH	23-MAR-2
MIL-DTL-11484/336A	Lapel Button, Meritorious Unit Citation, Office of the Director of National Intelligence [CUST: IH] [REVIEW: CT]	A	8455		IH	09-MAR-2
MIL-DTL-11589/666	Ribbon, Commendable Service, American Battle Monument Commission [CUST: IH] [REVIEW:	A	8455		IH	09-MAR-2
MIL-DTL-11589/667	[CT] Ribbon, Meritorious Service, American Battle Monument Commission [CUST: IH] [REVIEW: CT]	A	8455		IH	09-MAR-2
MIL-DTL-11589/668	Ribbon, Superior Service, American Battle Monument Commission [CUST: IH] [REVIEW: CT]	A	8455		IH	09-MAR-2
MIL-DTL-11589/669	Ribbon, Distinguished Service, American Battle Monument Commission [CUST: IH] [REVIEW: CT]	A	8455		IH	09-MAR-2
MIL-DTL-11589/670	Ribbon, Meritorious Public Service, American Battle Monument Commission [CUST: IH] [REVIEW: CT]	A	8455		IH	09-MAR-2
MIL-DTL-11589/671	Ribbon, Superior Public Service, American Battle Monument Commission [CUST: IH] [REVIEW:	A	8455		IH	09-MAR-2
MIL-DTL-11589/672	CT] Ribbon, Distinguished Public Service, American Battle Monument Commission [CUST: IH]	A	8455		IH	09-MAR-2
MIL-DTL-15665/21L	[REVIEW: CT] Insignia, Service Cap, Enlisted, U.S. Air Force [CUST: IH] [REVIEW: CT]	A	8455		IH	14-MAR-2
MIL-DTL-15665/27G	Insignia, Service Cap, Enlisted, the Sergeant Major of the U S Army and the Chief Master Sergeant of the U S Air Force [CUST: IH] [REVIEW: CT]	A	8455		IH	14-MAR-2
MIL-DTL-15665/28H	Insignia, Collar, Enlisted, the Chief Master Sergeant of the U S Air Force [CUST: IH 11] [REVIEW: CT]	A	8455		IH	14-MAR-2
MIL-DTL-15665/29H	Insignia, Hat, Enlisted, Command Bands, U.S. Air Force [CUST: IH 11]	A	8455		IH	14-MAR-2
MIL-DTL-15665/40A	Insignia, Aide, President of the United State, U.S. Army [CUST: IH] [REVIEW: CT]	A	8455		IH	14-MAR-2
MIL-DTL-15665/42A	Insignia, Aide, Vice President of the United States, U.S. Army [CUST: IH] [REVIEW: CT]	A	8455		IH	14-MAR-2
MIL-DTL-15665/44A	Insignia, Aide, Secretary of Defense, U S Army [CUST: IH] [REVIEW: CT]	A	8455		IH	14-MAR-2
MIL-DTL-15665/46A	Insignia, Aide, Secretary and Under Secretary of the Army, U S Army [CUST: IH] [REVIEW: CT]		8455		IH	14-MAR-2
MIL-DTL-15665/48A	Insignia, Aide Chairman and Vice Chairman, Joint Chiefs of Staff, U.S. Army [CUST: IH] [REVIEW: CT]	A	8455		IH	14-MAR-2
MIL-DTL-15665/51A	Insignia, Aide, Chief of Staff and Vice Chief of Staff, U S Army [CUST: IH] [REVIEW: CT]	A	8455		IH	14-MAR-2
MIL-DTL-15665/53A	Insignia, Aide, General of the Army [CUST: IH] [REVIEW: CT]	A	8455		IH	14-MAR-2
MIL-DTL-15665/54A	Insignia, Aide, General Officers, U S Army [CUST: IH] [REVIEW: CT]	A	8455		IH	14-MAR-2
MIL-DTL-15665/56A	Insignia, Warrant Officer, U.S. Army [CUST: IH] [REVIEW: CT]		8455		IH	14-MAR-2
MIL-DTL-15665/57A	Insignia, Officer Candidate School, U.S. Army [CUST: IH] [REVIEW: CT]		8455		IH	14-MAR-2
MIL-DTL-15665/59A	Insignia, Branch of Service, Officers, Chaplain, Christian Faith, U S Army [CUST: IH] [REVIEW: CT]		8455		IH	14-MAR-2
MIL-DTL-15665/61A	Insignia, Branch of Service, Officers, Chaplain, Jewish Faith, U S Army [CUST: IH] [REVIEW: CT]	A	8455		IH	14-MAR-2
MIL-DTL-15665/62B	Insignia, Branch of Service, Officers, Chaplain, Muslim Faith, U.S. Army and U.S. Navy [CUST: IH NU] [REVIEW: CT]	A	8455		IH	14-MAR-2
MIL-DTL-15665/67A	Insignia, Service Hat, Officers, Female, U S Army [CUST: IH] [REVIEW: CT]	A	8455		IH	15-MAR-2
MIL-DTL-15665/69B	Insignia, Service Cap, Officers, National Oceanic and Atmospheric Administration [CUST: IH] [REVIEW: CT]	A	8455		IH	15-MAR-2
MIL-DTL-15665/70A	Insignia, Branch of Service, Warrant Officers, U S Army [CUST: IH] [REVIEW: CT]	A	8455		IH	15-MAR-2
MIL-DTL-15665/71A	Insignia, Branch of Service, Officers, Adjutant General's U S Army [CUST: IH] [REVIEW: CT]	A			IH	15-MAR-2
MIL-DTL-15665/72A	Insignia, Branch of Service, Officers, Air Artillery, U S Army [CUST: IH] [REVIEW: CT]		8455		IH	15-MAR-2
MIL-DTL-15665/73A	Insignia, Branch of Service, Officers, Armor, U.S. ARMY [CUST: IH] [REVIEW: CT]	A	8455		IH	15-MAR-2
MIL-DTL-15665/74A	Insignia, Branch of Service, Officers, Aviation, U.S. Army [CUST: IH] [REVIEW: CT]		8455		IH	15-MAR-2
MIL-DTL-15665/75A	Insignia, Branch of Service, Officers, Cavalry, U.S. Army [CUST: IH] [REVIEW: CT] Insignia, Branch of Service, Officers, Chemical Corps, U.S. Army [CUST: IH] [REVIEW: CT]	A	8455 8455		IH	15-MAR-2 15-MAR-2
MIL-DTL-15665/76A MIL-DTL-15665/77C	Insignia, Branch of Service, Officers, Chemical Corps, U.S. Army [CUST: IH] [REVIEW: CT] Insignia, Branch of Service, Officers, Civil Affairs, U.S. Army [CUST: IH] [REVIEW: CT]		8455 8455		IH IH	15-MAR-2
MIL-DTL-15665/79A	Insignia, Branch of Service, Officers, Field Artillery, U.S. Army [CUST: IH] [REVIEW: CT]		8455		IH	15-MAR-
MIL-DTL-15665/80A	Insignia, Branch of Service, Officers, Fred Arthrey, U.S. ARMY [CUST: III] [REVIEW: CT]		8455		IH	15-MAR-2
MIL-DTL-15665/82B	Insignia, Branch of Service, Officers, Inspector General, U.S. ARMY [CUST: IH] [REVIEW: CT]		8455		IH	15-MAR-2
MIL-DTL-15665/84A	Insignia, Branch of Service Officers, Judge Advocate General's Corps, U S Army [CUST: IH] [REVIEW: CT]		8455		IH	15-MAR-
MIL-DTL-15665/85A	Insignia, Branch of Service, Officers, Medical Service, U S Army [CUST: IH] [REVIEW: CT]	A	8455		IH	15-MAR-2
	Insignia, Branch of Service, Officers, Military Intelligence, U.S. Army [CUST: IH] [REVIEW: CT]		8455		IH	15-MAR-

ASSIST UPDATE

			DISTRIBUTION	FSC/AREA	MCA PREP ACTY	
	DOCUMENT NUMBER MIL-DTL-15665/87A	DOCUMENT TITLE Insignia, Branch of Service, Officers, Military Police Corps, U.S. Army [CUST: IH] [REVIEW: CT]	A	五 8455	_ ≥ ⊑ IH	DATE 15-MAR-2016
	MIL-DTL-15665/88A	Insignia, Branch of Service, Officers, Ordnance Corps, U.S. Army [CUST: III] [REVIEW: CT]		8455	IH	15-MAR-2016
1	MIL-DTL-15665/89A	Insignia, Branch of Service, Officers, Quartermaster Corps, U S Army [CUST: IH] [REVIEW: CT]		8455	IH	15-MAR-2016
M	MIL-DTL-15665/90A	Insignia, Branch of Service, Officers, Special Forces, U S Army [CUST: IH] [REVIEW: CT]	A	8455	IH	15-MAR-2016
	MIL-DTL-15665/91A	Insignia, Branch of Service, Officers, Staff Specialist, U S Army [CUST: IH] [REVIEW: CT]		8455	IH	15-MAR-2016
	MIL-DTL-41819/1E MIL-DTL-41819/2E	Ribbon Attachment, Legion of Merit, Chief Commander and Commander [CUST: IH MC 11] [REVIEW: CG1 CT] Ribbon Attachment, Legion of Merit, Officer [CUST: IH MC 11] [REVIEW: CG1 CT]	A A	8455 8455	IH	23-MAR-2016 23-MAR-2016
1	MIL-DTL-41819/2E MIL-DTL-41819/3H	Ribbon Attachment, Letter "V" [CUST: IH MC 11] [REVIEW: CG1 CT]	A	8455	IH IH	23-MAR-2016 23-MAR-2016
1	MIL-DTL-41819/5E	Ribbon Attachment, Superior Cadet Award, Army ROTC [CUST: IH] [REVIEW: CT]		8455	IH	09-MAR-2016
1	MIL-DTL-41819/29D	Ribbon Attachment, AFROTC Drill Team and Color Guard Bars [CUST: IH 11] [REVIEW: CT]	A	8455	IH	23-MAR-2016
M	MIL-DTL-41819/30D	Ribbon Attachment, AFROTC Bronze Cross [CUST: IH 11] [REVIEW: CT]	A	8455	IH	23-MAR-2016
1	MIL-DTL-41819/31D	Ribbon Attachment, Navy "E" [CUST: IH NU] [REVIEW: CT MC]	A	8455	IH	23-MAR-2016
1	MIL-DTL-41819/32E	Ribbon Attachment, Letter "S" [CUST: IH NU] [REVIEW: CG1 CT MC]	A	8455	IH	23-MAR-2016
1	MIL-DTL-41819/33D	Ribbon Attachment, Letter "E" [CUST: IH MC] [REVIEW: CG1 CT]	A	8455	IH	23-MAR-2016
M	MIL-DTL-41819/34D	Ribbon Attachment, Triangle, National Oceanic and Administration Association [CUST: IH] [REVIEW: CT]	A	8455	IH	14-MAR-2016
M	MIL-DTL-43098/1D	Medallion, Walter Reed Army Institute of Nursing Award [CUST: IH] [REVIEW: CT]	Α	8455	IH	09-MAR-2016
	MIL-DTL-43098/2D	Medallion, The General George C Marshall Award [CUST: IH] [REVIEW: CT]	A	8455	IH	23-MAR-2016
	MIL-DTL-43098/3D	Medallion, The General John J Pershing Award [CUST: IH] [REVIEW: CT]		8455	IH	09-MAR-2016
M	MIL-DTL-43098/4D	Medallion, Paul A Siple Award [CUST: IH] [REVIEW: CT]	A	8455	IH	09-MAR-2016
M	MIL-DTL-43098/5D	Medallion, Scientific Achievement Award, U S Army [CUST: IH] [REVIEW: CT]		8455	IH	09-MAR-2016
M	MIL-DTL-43098/6D	Medallion, Quartermaster Corps, U S Army [CUST: IH] [REVIEW: CT]	A	8455	IH	09-MAR-2016
M	MIL-DTL-43098/7C	Medallion, Secretary of the Army's Award for Outstanding Achievement in Materiel Acquisition [CUST: IH] [REVIEW: CT]	A	8455	IH	09-MAR-2016
	MIL-DTL-43098/8C MIL-DTL-43098/9C	Medallion, National War College, Department of Defense [CUST: IH] [REVIEW: CT] Medallion, Surgeon General's Exemplary Service, U S Public Health Service [CUST: IH]	A A		IH IH	09-MAR-2016 09-MAR-2016
		[REVIEW: CT]				
	MIL-DTL-43098/10C	Medallion, Honorable Service, CIA [CUST: IH] [REVIEW: CT]	A		IH	09-MAR-2016
	MIL-DTL-43098/11A	Medallion, Superior Service, National Reconnaissance Office [CUST: IH] [REVIEW: CT]	A	8455	IH	14-MAR-2016
1	MIL-DTL-43098/12A	Medallion, Meritorious Service, National Reconnaissance Office [CUST: IH] [REVIEW: CT]		8455	IH	14-MAR-2016
1	MIL-DTL-43098/13A MIL-DTL-5624W	Medallion, Distinguished Service, National Reconnaissance Office [CUST: IH] [REVIEW: CT] Turbine Fuel, Aviation, Grades JP-4 and JP-5 [CUST: AT AS 68 PS] [REVIEW: 11 84 99 AR AV		8455 9130	IH AS	14-MAR-2016 28-MAR-2016
M	MIL-DTL-14636/28B	SH] Plaque, Branch of Service, Medical Service Corps, U S Army [CUST: IH] [REVIEW: CT]	Α	9905	IH	09-MAR-2016
M	MIL-DTL-14636/29B	Plaque, Branch of Service, Military Intelligence, U S Army [CUST: IH] [REVIEW: CT GL]	A	9905	IH	09-MAR-2016
M	MIL-DTL-14636/30B	Plaque, Branch of Service, Military Police Corps, U S Army [CUST: IH] [REVIEW: CT GL]	A	9905	IH	09-MAR-2016
M	MIL-DTL-14636/31B	Plaque, Branch of Service, Ordnance Corps, U S Army [CUST: IH] [REVIEW: CT GL]		9905	IH	09-MAR-2016
1	MIL-DTL-14636/32B	Plaque, Branch of Service, Public Affairs, U S Army [CUST: IH] [REVIEW: CT GL]		9905	IH	09-MAR-2016
1	MIL-DTL-14636/33B	Plaque, Branch of Service, Psychological Operations, U S Army [CUST: IH] [REVIEW: CT GL]		9905	IH	09-MAR-2016
1	MIL-DTL-14636/34B	Plaque, Branch of Service, Quartermaster Corps, U S Army [CUST: IH] [REVIEW: CT GL]		9905	IH	09-MAR-2016
	MIL-DTL-14636/35B	Plaque, Branch of Service, Signal Corps, U.S. Army [CUST: IH] [REVIEW: CT GL]		9905	IH	09-MAR-2016
1	MIL-DTL-14636/36B	Plaque, Branch of Service, Special Forces, U.S. Army [CUST: IH] [REVIEW: CT.GL]	A	9905 9905	IH	09-MAR-2016
1	MIL-DTL-14636/37B MIL-DTL-14636/38B	Plaque, Branch of Service, Transportation Corps, U.S. Army [CUST: IH] [REVIEW: CT GL]		9905	IH IH	09-MAR-2016 09-MAR-2016
l .	MIL-D1L-14630/38B SAE-AMS2454	Plaque, Branch of Service, Veterinary Corps, U.S. Army [CUST: IH] [REVIEW: CT GL] Plating, Electroless Nickel, Codeposited with Polytetrafluoroethylene (PTFE) [CUST: CR AS 85 CC] [REVIEW: 19 99 AR EC MC MI OS]		MFFP	CC	23-MAR-2016
N	SAE-AMS-C-26074	Electroless Nickel Coatings [CUST: CR AS 85 CC] [REVIEW: 19 99 AR EC MC MI OS]	A	MFFP	CC	23-MAR-2016
	DI-MGMT-81749B	Distribution of Department of Defense (DoD) Depot Maintenance Workload (50/50) Report [AMSC: F9645]		MGMT	11	22-MAR-2016
M	DI-MGMT-81947A	Government Furnished Property Inventory and Forecasting Report [AMSC: N9640]	A	MGMT	AS	26-FEB-2016
M	MIL-HDBK-115C	US Army Reverse Engineering Handbook (Guidelines and Procedures) [CUST: AV] [REVIEW: AM AR AT CR MI]	A	MISC	AV	21-MAR-2016
M	MIL-PRF-29612B NOT 3	Training Data Products [CUST: AV AS 94 DH] [REVIEW: 11 CC DP EC GS IS MC NS SH TM]	A	PSSS	AS	31-MAR-2016
M	DI-SESS-81520B NOT 3	Instructional Media Design Package [AMSC: N7466]	A	PSSS	AS	31-MAR-2016
M	DI-SESS-81521B NOT 3	Training Program Structure Document [AMSC: N7467]	A	PSSS	AS	31-MAR-2016
	MIL-HDBK-29612/1A NOT 3	Guidance for Acquisition of Training Data Products and Services (Part 1 of 5 Parts) [CUST: AV AS 94 DH] [REVIEW: 11 CC DP EC GS IS MC NS SH TM]		PSSS	AS	31-MAR-2016
M	MIL-HDBK-29612/2A NOT 3	Instructional Systems Development/Systems Approach to Training and Education (Part 2 of 5 Parts) [CUST: AV AS 94 DH] [REVIEW: 11 CC DP EC GS IS MC NS SH TM]		PSSS	AS	31-MAR-2016
	MIL-HDBK-29612/3A NOT 3	Development of Interactive Multimedia Instruction (IMI) Part 3 of 5 Parts) [CUST: AV AS 94 DH] [REVIEW: 11 CC DP EC GS IS MC NS SH TM]	A	PSSS	AS	31-MAR-2016
M	MIL-HDBK-29612/4A NOT 3	Glossary for Training (Part 4 of 5 Parts) [CUST: AV AS 94 DH] [REVIEW: 11 CC DP EC GS IS MC NS SH TM]	A	PSSS	AS	31-MAR-2016

ASSIST UPDATE

INTETIVE BECTION	ADDIDI CI DATE					
		DISTRIBUTION	FSC/AREA		ACTY	
		ET	7)2g	MCA	PREP	
DOCUMENT NUMBER	DOCUMENT TITLE	, ,				DATE
M KKK-L-370D NOT 4	Lining, Friction, (Clutch and Brake, Metallic, Metal-Ceramic and Semi-Metallic) [CUST: AT AS CC] [REVIEW: MC]	A	2520	/	CC	16-MAR-2016
M MIL-T-46786B NOT 2	Tanks, Fuel, Engine: General Requirements for [CUST: AT YD CC] [REVIEW: MC]	A	2910		CC	16-MAR-2016
M MS39254D NOT 2	Cylinder, Engine Starting (Engine Cold-Starting Aid [CUST: AT MC CC]	A			CC	16-MAR-2016
M MIL-T-23326A NOT 2 M MS87006 NOT 2	Thimble, Synthetic Rope [CUST: SH CC]	A	4030 4030		CC CC	16-MAR-2016
M MIL-F-38009F(1) NOT 2	Hook, Chain and S [CUST: AR CC] [REVIEW: CR4 GL MC MI] Filter/Separator Element Kit, Liquid Fuel FFU-11/E [CUST: CR4 99] [REVIEW: 84]	A			CC	16-MAR-2016 16-MAR-2016
M MS51515B	Tee, Tube, Bulkhead on Branch, 37 Degrees Flared [CUST: AR OS 99 CC] [REVIEW: 71 AT CG MC MI SA SH]		4730		CC	17-MAR-2016
M MS51516B	Tee, Bulkhead on Run 37 Degree Flared [CUST: AR OS 99 CC] [REVIEW: 71 AT CG MC MI SA SH]	A	4730		CC	17-MAR-2016
M MS51517B M MS51518B	Cross, Tube, 37 Degree Flared [CUST: AR SH 99 CC] [REVIEW: 71 AT CG MC MI SA SH] Plug, Machine Thread 37 Degree Flared [CUST: AR OS 99 CC] [REVIEW: 71 AT CG MC MI SA SH]		4730 4730		CC CC	17-MAR-2016 17-MAR-2016
M MS51519B	Nipple, Tube, Large Hex for Use with O-Ring, 37 Degree Flared [CUST: AR OS 99 CC] [REVIEW: 71 AT CG MC MI SA SH]	A	4730		CC	17-MAR-2016
M MS51520B	Nipple, Tube, Bulkhead, 37 Degrees Flared [CUST: AR OS 99 CC] [REVIEW: 71 AT CG MC MI SA SH]	A	4730		CC	17-MAR-2016
M MS51521B	Elbow, Tube, 90 Degrees, Swivel, 37 Degrees, Flared [CUST: AR OS 99 CC] [REVIEW: 71 AT CG MC MI SA SH]	A	4730		CC	17-MAR-2016
M MS51522B	Elbow, Tube, 45 Degree Swivel, 37 Degree Flared [CUST: AR OS 99 CC] [REVIEW: 71 AT CG MC MI SA SH]	A	4730		CC	17-MAR-2016
M MS51523B	Tee, Tube to Swivel, Swivel on Run, 37 Degrees Flared [CUST: AR OS 99 CC] [REVIEW: 71 AT CG MC MI SA SH]	A	4730		CC	17-MAR-2016
M MS51524B	Tee, Tube to Swivel, Swivel on Branch, 37 Degree Flared [CUST: AR OS 99 CC] [REVIEW: 71 AT CG MC MI SA SH]	A	4730		CC	17-MAR-2016
M WW-S-2739 NOT 2	Strainers, Sediment: Pipeline, Water, Air, Gas, Oil or Steam [CUST: AT SH 99 CC] [REVIEW: 71 CE CG MC SA]	A	4730	/	CC	16-MAR-2016
M MS3461A NOT 2	Test Gage, MIL-C-0026482 Series 2 or MIL-C-81703 Series 3 Contact Retention Feature [CUST: CR AS 11 CC] [REVIEW: AR AV EC MI SH]	A	5220		CC	16-MAR-2016
M MIL-PRF-22885/83E(1) NOT 2 M MS27399A NOT 1	Switch, Push Button, Illuminated, (2 330 Long X 750 Square) [CUST: 85 CC] Connector, Electrical, Style S, Rack and Panel, Miniature, Closed Entry [CUST: 85 CC] [REVIEW: IS]		5930 5935		CC	14-MAR-2016 16-MAR-2016
M MIL-DTL-5757L SUP 1	Relays, Electromagnetic, General Specification for [CUST: CR EC 85 CC] [REVIEW: 99 AS AT AV CR4 MC MI OS]	A	5945		CC	16-MAR-2016
M MIL-T-27535A(2) SUP 1A NOT 4	Transformer, Power, Isolation: Series Circuit, Airport Lighting, General Specification for [CUST: AS 85 CC] [REVIEW: MI YD]	A	5950		CC	16-MAR-2016
M MIL-PRF-3098/8G NOT 2	Crystal Unit, Quartz, CR26/U [CUST: CR EC 99 CC] [REVIEW: 184 19 AR AS MC MI SH]		5955		CR	14-MAR-2016
M MIL-PRF-3098/21H NOT 2	Crystal Unit, Quartz, CR42/U [CUST: CR EC 99 CC] [REVIEW: 19 AR AS MC MI SH]		5955		CR	14-MAR-2016
M MIL-PRF-3098/24F NOT 2 M MIL-PRF-3098/26H NOT 2	Crystal Unit, Quartz, CR45/U [CUST: CR EC 99 CC] [REVIEW: 19 AR AS MC MI SH] Crystal Unit, Quartz, CR47/U [CUST: CR EC 99 CC] [REVIEW: 19 AR AS MC MI SH]		5955 5955		CR CR	14-MAR-2016 14-MAR-2016
M MIL-PRF-3098/41J NOT 2	Crystal Unit, Quartz, CR63/U [CUST: CR EC 99 CC] [REVIEW: 19 AR AS MC MI SH]		5955		CR	14-MAR-2016
M MIL-PRF-3098/51J NOT 2	Crystal Unit, Quartz, CR74/U [CUST: CR EC 99 CC] [REVIEW: 19 AR AS CG MC MI OS SH SM]		5955		CR	14-MAR-2016
M MIL-PRF-3098/52H NOT 2	Crystal Unit, Quartz, CR75/U [CUST: CR EC 99 CC] [REVIEW: 19 AR AS MC MI SH SM]		5955		CR	14-MAR-2016
M MIL-PRF-3098/54G NOT 2 M MIL-PRF-3098/80G NOT 1	Crystal Unit, Quartz, CR73/U [CUST: CR EC 99 CC] [REVIEW: 19 AR AS MC MI SH] Crystal Unit, Quartz, CR105/U [CUST: CR EC 99 CC]		5955 5955		CR CR	14-MAR-2016 14-MAR-2016
M MIL-PRF-3098/86F NOT 1	Crystal Unit, Quartz, CR110/U [CUST: CR EC 85 CC]		5955		CR	14-MAR-2016
M MIL-PRF-3098/89E NOT 1	Crystal Unit, Quartz, CR113/U [CUST: CR EC 85 CC]		5955		CR	14-MAR-2016
M MIL-M-38510/605B(1) NOT 3	Microcircuits, Digital, CMOS Semicustom (Gate Array) Devices, Monolithic Silicon [CUST: CR EC 85 CC NA] [REVIEW: 03 19 99 AS CG MC MI SH SM]				CC	16-MAR-2016
M MIL-M-38510/606B(1) NOT 3	Microcircuits, Digital, CMOS Semicustom (Gate Array) Devices, Monolithic Silicon [CUST: CR EC 85 CC NA] [REVIEW: 03 19 99 AS CG MC MI SH SM]				CC	16-MAR-2016
M MIL-M-38510/607A(1) NOT 3	Microcircuits, Digital CMOS Semicustom (Gate Array) Devices, Monolithic Silicon [CUST: CR EC 85 CC NA] [REVIEW: 03 19 99 AS CG MC MI SH SM]				CC	16-MAR-2016
M MIL-M-38510/608A(1) NOT 3 M MIL-C-17/47C(1) NOT 3	Microcircuits, Digital, CMOC Semicustom (Gate Array) Devices, Monolithic Silicon [CUST: CR EC 85 CC NA] [REVIEW: 03 19 99 AS CG MC MI SH SM] Cable, Radio Frequency, Flexible, Coaxial, 185 OHMS, M17/47-RG114 (For New Design Use MIL-		5962 6145		CC	16-MAR-2016 16-MAR-2016
	C-17/208) [CUST: CR EC 85] [REVIEW: 19 99 AR AS AT CR4 IS MC MI OS SH]					

CANCELED SECTION

ASSIST UPDATE

Document) [CUST: SH]	CANCELED SECTION	ASSIST UPDATE					
M MIL-S-63540/6 NOT 2 Stud, Self-Locking, Non-Flush, Ribbed Clinch Type (S/S by NASM63540/6) [CUST: AR 99 IS] REVIEW: 71 AT MI NS] Amplifiers, Audio Frequency; Booster Amplifier - Audio - 20 Watt Shipboard Announcing (No S/S Document) [CUST: SH] A 5307 IS 30-MAR-201 Amplifiers, Audio Frequency; Booster Amplifier - Audio - 20 Watt Shipboard Announcing (No S/S Document) [CUST: SH]			TRIBUTION	C/AREA	Ą.	EP ACTY	
M A-A-59003/11 NOT 1 Amplifiers, Audio Frequency; Booster Amplifier - Audio - 20 Watt Shipboard Announcing (No S/S Document) [CUST: SH]	DOCUMENT NUMBER	DOCUMENT TITLE	<u>DIS</u>	FS(M	PR	DATE
M A-A-59003/11 NOT 1 Amplifiers, Audio Frequency; Booster Amplifier - Audio - 20 Watt Shipboard Announcing (No S/S Document) [CUST: SH]		Stud, Self-Locking, Non-Flush, Ribbed Clinch Type (S/S by NASM63540/6) [CUST: AR 99 IS] [REVIEW: 71 AT MI NS]				IS	
M DI SESS-42018 NOT 1 Failure Modes, Effects, and Criticality Analysis Region (No S/S Document) A SESS AS 22-MAR-201	M A-A-59003/11 NOT 1	Amplifiers, Audio Frequency; Booster Amplifier - Audio - 20 Watt Shipboard Announcing (No S/S Document) [CUST: SH]	A	6320	/	SH	23-FEB-2016
	M DI-SESS-82018 NOT 1	Failure Modes, Effects, and Criticality Analysis Report (No S/S Document)	A	SESS		AS	22-MAR-2016
	01-APR-2016	9					