# Department of Defense Standardization Program



## **ASSIST UPDATE**

(A bi-monthly summary of changes to the ASSIST document database)

1 April 2016

(For the Period 15 March 2016 to 31 March 2016)

#### **ASSIST UPDATE**

Documents listed in the ASSIST UPDATE have an indicator of "N" or "M" to describe the last action taken on a listed document.

"N" indicates that a "new" document has been entered into the ASSIST database.

"M" indicates that a document already in ASSIST has been "modified" in some way.

The ASSIST UPDATE is published twice a month and provides a summary of changes to Department of Defense standardization documents for the period indicated. Since changes are processed to the ASSIST database on a daily basis, users should consult the ASSIST web site at <a href="https://assist.dla.mil/">https://assist.dla.mil/</a> for the most current information.

If you need to track changes more frequently, or if you have an interest in specific Federal Supply Classes or individual specifications, standards, or other standardization documents, you may wish to take advantage of the ASSIST Alert Service. This feature lets you establish a list of documents of interest to you, and then the ASSIST will alert you with an E-mail message each day there is a change to one or more documents of interest to you. There is no charge for this service; however, you must have an ASSIST user account. To obtain one, complete the ASSIST online registration form at <a href="https://assist.dla.mil/online/registration/registration.cfm">https://assist.dla.mil/online/registration/registration.cfm</a>.

Once you have your account, you can establish your Alert Portal profile. For more information on the ASSIST Alert Service, go to: <a href="https://assist.dla.mil/online/news/AlertService.htm">https://assist.dla.mil/online/news/AlertService.htm</a> .

#### **ASSIST UPDATE**

			DISTRIBUTION	FSC/AREA	Ą,	EP ACTY	
	DOCUMENT NUMBER	DOCUMENT TITLE	-		MCA	PREP	DATE
M N	MIL-DTL-2980F NOT 1 MIL-DTL-32468A MIL-PRF-32545	Firing Attachments, Blank Ammunition [CUST: AR OS 99] [REVIEW: 40 70 AS MC MR] Mortar, 60 Millimeter - M224A1 (without M67 Sight Unit) [CUST: AR] Advanced Degaussing System [CUST: AV SH 84] [REVIEW: 99 AS CC FAS MI]	D D D	1005 1010 1075		AR AR SH	30-MAR-2016 11-MAR-2016 12-FEB-2016
	MIL-DTL-32396(4)	Cartridge, 7 62 Millimeter, Blank: Bottlenose - M82A1 [CUST: AR OS 170] [REVIEW: 40 99 AS MC MR SH]		1305		AR	13-MAR-2016
М	MIL-DTL-46477C(2)	Cartridge, 7 62 Millimeter, Test, High Pressure, M60 [CUST: AR OS 99] [REVIEW: 40 70 AS MC MR SH]		1305		AR	23-MAR-2016
M	MIL-DTL-46610F(3)	Primers, Percussion, Styphnate and Chlorate Types, for Small Arms Ammunition [CUST: AR OS 99] [REVIEW: 70 AS AV MC MR SH]	D	1305		AR	27-JAN-2016
M	MIL-DTL-14943E(2)	Fuze, Grenade, Hand, Practice: M228 Parts for, Loading, Assembling and Packing (LAP) [CUST: AR MC 70] [REVIEW: 99 SH]	D	1330		AR	05-FEB-2016
	MIL-STD-709D(1) NOT 1 MIL-DTL-5688E(2) NOT 2	Ammunition Color Coding [CUST: AR OS 02] [REVIEW: 70 99 AS EA MC MI MR] Wire Rope Assemblies; Aircraft, Proof Testing and Prestretching of [CUST: AV AS 99 GS] [REVIEW: 71 MI]		1395 1640		AR GS5	30-MAR-2016 31-MAR-2016
	QPL-32482 NOT 3 MIL-DTL-45360J	Watertight Door, Quick-Acting, Interior Carriers, Personnel, Full-Tracked, Armored: M113A2, and M113A3; Mortars, Self-Propelled: M106A2 (107MM), M125A2 (81MM) and M1064, M1064A3 (120MM); Smoke Generators: M1059, M1059A3 and M58; Processing for Storage and Shipment of [CUST: AT]		2040 2350		SH AT	11-JAN-2016 15-MAR-2016
	A-A-52509 NOT 2 A-A-58081B NOT 1	Hook, Towing: Light (for Vehicles 7 26 to 13 62 Metric Tonnes) (Metric) [CUST: AT] Truck, Lift, Fork, Electric, Front/Side Loading, Sit-Down Operator, 4,000 Pound Capacity, EE Rated [CUST: AT SA 184] [REVIEW: 99 IS]	A A	2540 3930	/	AT 184	31-MAR-2016 18-MAR-2016
M	MIL-DTL-3962F SUP 1	Anchors, Ground, Arrowhead with Driving Equipment [CUST: GL YD 99 CC] [REVIEW: EA IS MD SA]	A	4030		CC	10-MAR-2016
N	ASTM-F2520	Reach-in Refrigerators, Freezers, Combination Refrigerator/Freezers, and Thaw Cabinets [CUST: GL SH 03 IS] [REVIEW: 35 CR4 FAS MI QMI SS YD]	A	4110		SH	24-FEB-2016
	QPL-2939-26 NOT 2	Cooling Coils, Air, Duct Type and Gravity Type, Naval Shipboard Environmental Control Systems		4130		SH	06-OCT-2015
	MIL-DTL-81581B SUP 1 NOT 2 MIL-DTL-81581/1B NOT 2	Hose Assemblies, Breathing Oxygen and Air, General Specification for [CUST: AV AS 11] Hose Assemblies, Air, Low Pressure, Highly Flexible [CUST: AV AS 11]	A A	4720 4720		AS AS	31-MAR-2016 31-MAR-2016
	MIL-DTL-81581/2B NOT 2	Hose Assemblies, Breathing Oxygen, High Pressure with Connections for an Integrated Communication System [CUST: AS]		4720		AS	31-MAR-2016
M	MIL-DTL-81581/3B NOT 2	Hose Assemblies, Breathing Oxygen, High Pressure, without Connections for Communication Systems (CUST: AV AS 11)	A	4720		AS	31-MAR-2016
M	MIL-DTL-81581/4B NOT 2	Hose Assemblies, Breathing Oxygen, Low Pressure, with/without Connections for an Integrated Communication System [CUST: AS 11]	A	4720		AS	31-MAR-2016
	MIL-DTL-81581/6B NOT 2	Hose Assemblies, Breathing Oxygen and Air, Hose Kits and Mated Assemblies [CUST: AS 11]		4720		AS	31-MAR-2016
M	QPL-25579-64	Hose Assembly, Polytetrafluorethylene, High Temperature, Medium Pressure, General Specification for	A	4720		CC	11-MAR-2016
	MS9095B NOT 1	Nipple, Tube - Aluminum, Boss [CUST: AV AS 99 CC] [REVIEW: 71 MC]	l	4730 4730		CC CC	25-MAR-2016 25-MAR-2016
	MS9193A NOT 1 MS9313B NOT 1	Nipple, Tube - SAE-AMS5639, Boss [CUST: MI AS CC] [REVIEW: SA] Cap, Tube - SAE-AMS5646 [CUST: AS 99 CC] [REVIEW: 71]	A A	4730		CC	25-MAR-2016 25-MAR-2016
	MS9314C NOT 1	Cap Assembly, Tube - SAE-AMS5646 [CUST: AS 99 CC] [REVIEW: 71]	A	4730		CC	25-MAR-2016
	MS9315C NOT 1 MIL-PRF-12126F NOT 2	Cap Assembly, Tube - SAE-AMS5646, Silver Plated Nut [CUST: AS 20 CC] [REVIEW: 71] Valves, Gate: Bronze, Lever Operated, Quick Opening, 125 PSI and 150 PSI [CUST: AT SH] [REVIEW: CC CE YD]		4730 4820		CC AT	25-MAR-2016 18-MAR-2016
	NASM63540-6	Stud, Self-Locking, Non-Flush, Ribbed Clinch Type [CUST: AR 99 IS] [REVIEW: 71 AT MI NS]		5307		IS	30-MAR-2016
	QPL-12934-58 MIL-PRF-123/10D NOT 2	Resistor, Variable, Wire Wound, Precision, General Specification for Capacitors, Fixed, Ceramic Dielectric, (Temperature Stable and General Purpose), High Reliability,		5905 5910		CC CC	11-MAR-2016 25-MAR-2016
M	MIL-PRF-123/11E NOT 2	Nonleaded, Style CKS51 [CUST: EC 19 CC NA] Capacitors, Fixed, Ceramic Dielectric, (Temperature Stable and General Purpose), High Reliability,	A	5910		CC	25-MAR-2016
M	MIL-PRF-123/12D NOT 2	Nonleaded, Style CKS52 [CUST: EC 19 CC NA] Capacitors, Fixed, Ceramic Dielectric, (Temperature Stable and General Purpose), High Reliability,	A	5910		CC	25-MAR-2016
	MIL-PRF-123/21C NOT 2	Nonleaded, Style CKS53 [CUST: EC 19 CC NA] Capacitors, Fixed, Ceramic Dielectric, (Temperature Stable and General Purpose), High Reliability,		5910		CC	25-MAR-2016
	MIL-PRF-123/22C NOT 2	Nonleaded, Style CKS55 [CUST: EC 19 CC NA] Capacitors, Fixed, Ceramic Dielectric, (Temperature Stable and General Purpose), High Reliability,		5910		CC	30-MAR-2016
		Nonleaded, Style CKS56 [CUST: EC 19 CC NA]					
	MIL-PRF-123/23B NOT 2	Capacitors, Fixed, Ceramic Dielectric, (Temperature Stable and General Purpose), High Reliability, Nonleaded, Style CKS57 [CUST: EC 19 CC NA]		5910		CC	30-MAR-2016
	MIL-PRF-23269/1H NOT 1	Capacitors, Fixed, Glass Dielectric, (Axial Wire-Lead Terminals), Established Reliability, Style CYR10 [CUST: CR EC 85 CC] [REVIEW: 19 99 AS MC OS SH]		5910		CC	25-MAR-2016
M	MIL-PRF-23269/2H NOT 1	Capacitors, Fixed, Glass Dielectric, (Axial Wire-Lead Terminals), Established Reliability, Style CYR15 [CUST: CR EC 85 CC] [REVIEW: 19 99 AS MC OS SH]	A	5910		CC	25-MAR-2016
M	MIL-PRF-23269/10D NOT 1	Capacitors, Fixed, Glass Dielectric, (Radial or Axial Wire-Lead Terminals), Established Reliability, Styles CYR51, CYR52, and CYR53 [CUST: CR EC 85 CC] [REVIEW: 19 99 AS MC OS SH]	A	5910		CC	25-MAR-2016
M	MIL-PRF-39003/1K(1) NOT 1	Capacitor, Fixed, Electrolytic (Solid Electrolyte), Tantalum, (Polarized, Sintered Slug), Established Reliability, Style CSR13 [CUST: CR EC 85 CC] [REVIEW: 19 99 AS MC OS SH]	A	5910		CC	22-MAR-2016
М	MIL-PRF-39003/10D(1) NOT 1	Capacitors, Fixed, Electrolytic (Solid Electrolyte), Tantalum, (Polarized, Sintered Slug), Established Reliability, Styles CSS13 and CSS33 (High Reliability Applications) [CUST: CR EC 19 CC NA] [REVIEW: 99 AS MC OS SH]	A	5910		CC	25-MAR-2016
M	MIL-PRF-39014/20E NOT 2	Capacitors, Fixed, Ceramic Dielectric (General Purpose), Established Reliability, Style CKR08 [CUST: CR EC 85 CC] [REVIEW: AS MC OS SH]	A	5910		CC	25-MAR-2016
M	MIL-PRF-39018/1H NOT 1	Capacitors, Fixed, Electrolytic (Aluminum Oxide) (Polarized), Non-Established Reliability and Established Reliability Styles CU12 (Uninsulated), CU13 (Insulated), and CUR13 (Insulated) [CUST: CR EC 85 CC] [REVIEW: 19 AS MC OS SH]	A	5910		CC	30-MAR-2016
M	MIL-PRF-39018/2F NOT 1	Capacitors, Fixed, Electrolytic (Aluminum Oxide) (Nonpolarized), Styles CU14 (Uninsulated) and CU15 (Insulated) [CUST: CR EC 85 CC] [REVIEW: 19 AS MC MI OS SH]	A	5910		CC	30-MAR-2016
М	MIL-PRF-39018/3G NOT 1	Capacitors, Fixed, Electrolytic (Aluminum Oxide) (Polarized), Non-Established Reliability and Established Reliability Styles CU16 (Uninsulated), CU17 (Insulated), and CUR17 (Insulated) [CUST: CR EC 85 CC] [REVIEW: 19 AS MC MI OS SH]	A	5910		CC	30-MAR-2016
L	A DD 2016						

#### **ASSIST UPDATE**

			ON				
			DISTRIBUTION	¥.		ACTY	
			RIB	4RE		AC	
			IST	FSC/AREA	MCA	PREP	
14	DOCUMENT NUMBER MIL-PRF-39018/4E NOT 1	DOCUMENT TITLE  Considers Final Floresheir (Alexandre Orida) (Palaries I) New Established Palishility and		五 5910	2		DATE
M	MIL-PRF-39018/4E NOT 1	Capacitors, Fixed, Electrolytic (Aluminum Oxide) (Polarized), Non-Established Reliability and Established Reliability Styles CU71 (Insulated) and CUR71 (Insulated) [CUST: CR EC 85 CC] [REVIEW: 19 AS MC MI OS SH]	A	5910		CC	30-MAR-2016
M	MIL-PRF-39018/6D NOT 1	Capacitors, Fixed, Electrolytic (Aluminum Oxide) (Polarized), Established Reliability Style CUR91 (Insulated) [CUST: CR EC 85 CC] [REVIEW: 19 AS MC OS SH]	A	5910		CC	30-MAR-2016
M	MIL-PRF-39018/7C NOT 1	Capacitors, Fixed, Electrolytic (Aluminum Oxide) (Polarized), (Four-Terminal), Established Reliability Style CUR19 (Insulated) [CUST: CR EC 85 CC] [REVIEW: 19 AS MC OS SH]	A	5910		CC	30-MAR-2016
M	MIL-PRF-49464/1C NOT 1	Capacitors, Chip, Single Layer, Fixed Unencapsulated, Ceramic Dielectric, Established Reliability, Style CPCR01 (High Frequency) [CUST: CR EC 85 CC NA] [REVIEW: 19 99 AS AT AV MC MI]	A	5910		CC	22-MAR-2016
M	MIL-PRF-83421/6D NOT 1	Capacitors, Fixed, Metallized Plastic Film Dielectric, DC and AC, Hermetically Sealed in Metal Cases, Established Reliability Styles CRH31, CRH32, CRH33, CRH34, and CRH35 [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS MC OS SH]	A	5910		CC	25-MAR-2016
M	MIL-PRF-55629E NOT 1	Circuit Breakers, Magnetic, Unsealed or Panel Seal, Trip-Free, General Specification for [CUST: CR EC 85 CC] [REVIEW: EA]	A	5925		CR	31-MAR-2016
M	QPL-22885-103	Switches, Push Button, Illuminated, General Specification for	A	5930		CC	22-MAR-2016
M	MIL-PRF-49142/4H(1) NOT 1	Connectors, Receptacle, Electrical, Triaxial, Radio Frequency, Uncabled, (Series TRB, Socket Contact, Jammut Mounted, Class 2) Hermetic and Nonhermetic [CUST: CR EC 85 CC NA] [REVIEW: 19 99 AR AS AT MC MI OS SH]	A	5935		CC	22-MAR-2016
M	MIL-PRF-49142/5F(1) NOT 1	Connector, Receptacle, Electrical, Triaxial, Radio Frequency (Series TRB (Cabled), Socket Contact, Jam Nut Mounted, Class 2) [CUST: CR EC 85 CC NA] [REVIEW: 19 99 AR AS AT MC MI OS SH]	A	5935		CC	22-MAR-2016
M	MIL-PRF-49142/9D(1) NOT 1	Connector, Triaxial, Radio Frequency, (Series TRT (Cabled) Receptacle, Socket Contact, Jamnut Mounted, Class 2) [CUST: CR EC 85 CC NA] [REVIEW: 19 99 AR AS AT MC MI OS SH]	A	5935		CC	22-MAR-2016
M	MIL-PRF-49142/10E(1) NOT 1	Connectors, Receptacle, Electrical, Triaxial, Radio Frequency, Uncabled (Series TRT, Socket Contact, Jammut Mounted, Class 2) Hermetic and Nonhermetic [CUST: CR EC 85 CC NA] [REVIEW: 19 99 AR AS AT MC MI OS SH]	A	5935		CC	22-MAR-2016
M	MIL-DTL-12883/40F(2)	Sockets, Plug-in Electronic Components, for Relays, 4-Pole, 10 Amperes (MIL-PRF-6106, MIL-PRF-83536, MIL-PRF-83726, and MS27709) [CUST: CR EC 85 CC] [REVIEW: 99 AR AS AT MC OS SH]	A	5935		CC	11-MAR-2016
M	MIL-DTL-21097/16F(1) NOT 2	Connectors, Electrical, Printed Wiring Board Contact, Crimp, Removable, Type CR [CUST: CR EC 85 CC] [REVIEW: 99 AR AS AT CR4 MC MI OS]	A	5935		CC	04-MAR-2016
M	MIL-DTL-21097/17E(1) NOT 2	Connectors, Electrical, Printed Wiring Board Contact, Solder, Removable, Type CR [CUST: CR EC 85 CC] [REVIEW: 99 AR AS AT CR4 MC MI OS]	A	5935		CC	04-MAR-2016
N	MIL-DTL-32546	Connectors, Electrical, Circular, for High-Speed Data Bus Transmission, Copper Conductor, General Specification for [CUST: CR AS 85 CC] [REVIEW: 19 99 AR EC IS MC MDA MI OS]		5935		AS	14-MAR-2016
1	MIL-DTL-32546/1	Connectors, Electrical, Circular, Receptacle, High-speed Data, Threaded, Square Flange [CUST: AS]				AS	14-MAR-2016
N		Connectors, Electrical, Circular, Plug, High-Speed Data [CUST: AS]	A			AS	14-MAR-2016
N	MIL-DTL-32546/3	Connectors, Electrical, Circular, Receptacle, Threaded, Jam Nut Mounting, High-Speed Data [CUST: AS]	A	5935		AS	14-MAR-2016
	QPL-32546 NOT 1	Connectors, Electrical, Circular, for High-Speed Data Bus Transmission, Copper Conductor, General Specification for				AS	20-MAR-2016
	A-A-59126/3A NOT 1	Terminals, Feedthru (Insulated) Style FT03 [CUST: CR EC 85] [REVIEW: GS]	A		/		31-MAR-2016
1	A-A-59126/4A NOT 1 A-A-59126/5A NOT 1	Terminals, Feedthru (Insulated) Style FT04 [CUST: CR EC 85] [REVIEW: GS] Terminals, Feedthru (Insulated) Style FT05 [CUST: CR EC 85] [REVIEW: GS]	A A		/		31-MAR-2016 31-MAR-2016
1	A-A-59126/6A NOT 1	Terminals, Feeddird (Insulated) Style F105 [CUST: CR EC 85] [REVIEW: GS]	A		/		31-MAR-2016
1	A-A-59126/7A NOT 1	Terminals, Stud (Insulated) Style SE07 [CUST: CR EC 85] [REVIEW: GS]	A		/	CR	31-MAR-2016
1	A-A-59126/8A NOT 1	Terminals, Stud (Insulated) Style SE08 [CUST: CR EC 85] [REVIEW: GS]	A		/	CR	31-MAR-2016
1	A-A-59126/9A NOT 1	Terminals, Stud (Insulated) Style SE09 [CUST: CR EC 85] [REVIEW: GS]	Α	5940	/	CR	31-MAR-2016
M	A-A-59126/18A NOT 1	Terminals, Stud (Insulated) Style SE18 [CUST: CR EC 85] [REVIEW: GS]	A	5940	/	CR	31-MAR-2016
M	A-A-59126/20A NOT 1	Terminals, Stud (Insulated) Style SE20 [CUST: CR AS 85] [REVIEW: GS]	A	5940	/	CR	31-MAR-2016
	MIL-PRF-6106/15E NOT 1 MIL-PRF-6106/33E NOT 1	Relay, Electromagnetic, 50 Amperes, DC, SPDT, Hermetically Sealed [CUST: AS 85 CC] [REVIEW: 99] Relay, Electromagnetic, Type I, 400 Amperes, with 5 Ampere Auxiliary Contacts, Permanent	A	5945 5945		CC	25-MAR-2016 31-MAR-2016
	MIL-PRF-28750/8C NOT 3	Magnet Drive, Hermetically Sealed [CUST: 85 CC] [REVIEW: 99] Relay, Solid State, Hermetically Sealed, Class II, Optically Isolated, 600 MA, 50 V DC, Signal		5945		CC	22-MAR-2016
	MIL-PRF-28776/6E(1) NOT 2	Switching, SPST (NO) [CUST: EC 85] [REVIEW: 19 OS] Relays, Hybrid, Established Reliability, DPDT, Low Level to 1 0 Ampere Internal Mosfet drive with		5945		CC	25-MAR-2016
	,	Zener Diode Gate Protection (Electromechanical Output) Diode Coil Suppression and Terminals with 0 100 Grid Lead Spacing [CUST: EC 85 CC]					
M	MIL-PRF-28776/7F(1) NOT 2	Relays, Hybrid, Established Reliability, DPDT, Low Level to 1 0 Ampere (Sensitive Coil Operate Power at 25 Deg C), Terminal Mosfet Driver with Zener Diode Gate Protection (Electromechanical Output) Diode Coil Suppression and Terminals with 0 100 Grid Lead Spacing [CUST: EC 85 CC]	A	5945		CC	25-MAR-2016
	MIL-PRF-39016/6L(1) NOT 2	Relays, Electromagnetic, Established Reliability, DPDT, Low Level to 2 Amperes (0 200-Inch Terminal Spacing) [CUST: CR EC 85 CC] [REVIEW: 19 AR AS MC OS SH]		5945		CC	31-MAR-2016
	MIL-PRF-39016/7G NOT 2	Relays, Electromagnetic, Established Reliability, SPDT, Low Level to 1 0 Ampere [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS MC OS SH]		5945		CC	31-MAR-2016
M	MIL-PRF-39016/8H NOT 1	Relays, Electromagnetic, Established Reliability, SPDT, Low Level to 0 5 Ampere (Latching) [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS MC NS OS SH]	A	5945		CC	30-MAR-2016
M	MIL-PRF-39016/9J NOT 2	Relays, Electromagnetic, Established Reliability, DPDT, Low Level to 1 0 Ampere [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS MC NS OS SH]	A	5945		CC	30-MAR-2016
M	MIL-PRF-39016/10G NOT 2	Relays, Electromagnetic, Established Reliability, SPDT, Low Level to 1 0 Ampere (Sensitive, 40 Milliwatts, Coil Operate Power at 25 Degrees C) [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS NS OS SH]	A	5945		CC	30-MAR-2016
M	MIL-PRF-39016/11G NOT 2	Relays, Electromagnetic, Established Reliability, DPDT, Low Level to 1 0 Ampere (Sensitive, 60 Milliwatts, Coil Operate Power at 25 Degrees C) [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS MC NS OS SH]	A	5945		CC	30-MAR-2016
M	MIL-PRF-39016/16G NOT 2	Relays, Electromagnetic, Established Reliability, DPDT, Low Level to 1 0 Ampere (Sensitive, 60 Milliwatts) with Internal Diode for Coil Transient Suppression [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS MC OS SH]	A	5945		CC	31-MAR-2016
M	MIL-PRF-39016/18H NOT 2	Relays, Electromagnetic, Established Reliability, DPDT, Low Level to 1 0 Ampere with Internal Diode for Coil Transient Suppression, Terminals 0 100-Inch Grid Pattern [CUST: CR EC 85 CC] [REVIEW: 99 AR AS MC OS SH]	A	5945		CC	31-MAR-2016
	A DD 2016						

#### **ASSIST UPDATE**

		DISTRIBUTION	FSC/AREA	MCA PREP ACTY	
DOCUMENT NUMBER	DOCUMENT TITLE	-			DATE
M MIL-PRF-39016/19H(1) NOT 2	Relays, Electromagnetic, Established Reliability, DPDT, Low Level to 1 Ampere with Internal Diode for Coil Transient Suppression and Polarity Reversal Protection, Terminals 0 100-Inch Grid Pattern [CUST: CR EC 85 CC] [REVIEW: 99 AR AS MC OS SH]	A		CC	22-MAR-2016
M MIL-PRF-39016/20J NOT 2	Relays, Electromagnetic, Established Reliability, DPDT, Low Level to 1 0 Ampere with Internal Diodes for Coil Transient Suppression and Polarity Reversal Protection [CUST: CR EC 85 CC] [REVIEW: 99 AR AS MC OS SH]	A	5945	CC	30-MAR-2016
M MIL-PRF-39016/23F NOT 2	Relays, Electromagnetic, Established Reliability, SPDT, Low Level to 1 0 Ampere with Internal Diode for Coil Transient Suppression [CUST: CR EC 85 CC] [REVIEW: 99 AR AS MC OS SH]	A	5945	CC	30-MAR-2016
M MIL-PRF-39016/24F NOT 2	Relays, Electromagnetic, Established Reliability, SPDT, Low Level to 1 0 Ampere with Internal Diodes for Coil Transient Suppression and Polarity Reversal Protection [CUST: CR EC 85 CC] [REVIEW: 99 AR AS MC OS]	A	5945	CC	30-MAR-2016
M MIL-PRF-39016/25F NOT 2	Relays, Electromagnetic, Established Reliability, SPDT, Low Level to 1 0 Ampere (Sensitive, 40 Milliwatts) with an Internal Diode for Coil Transient Suppression [CUST: CR EC 85 CC] [REVIEW: 99 AR AS MC OS SH]	A	5945	CC	30-MAR-2016
M MIL-PRF-39016/26F NOT 2	Relays, Electromagnetic, Established Reliability SPDT, Low Level to 1 0 Ampere (Sensitive, 40 Milliwatts) with Internal Diodes for Coil Transient Suppression and Polarity Reversal Protection [CUST: CR EC 85 CC] [REVIEW: 99 AR AS MC OS]	A	5945	CC	31-MAR-2016
M MIL-PRF-39016/27F NOT 2	Relays, Electromagnetic, Established Reliability, SPDT, Low Level to 0.5 Ampere (Latching) with Internal Diodes for Coil Transient Suppression [CUST: CR EC 85 CC] [REVIEW: 19.99 AR AS MC OS SH]	A	5945	CC	31-MAR-2016
M MIL-PRF-39016/28F NOT 2	Relays, Electromagnetic, Established Reliability, SPDT, Low Level to 0.5 Ampere (Latching) with Internal Diodes for Coil Transient Suppression and Polarity Reversal Protection [CUST: CR EC 85 CC] [REVIEW: 19.99 AR AS MC OS SH]	A	5945	CC	31-MAR-2016
M MIL-PRF-39016/30F NOT 2	Relays, Electromagnetic, Established Reliability, DPDT, Low Level to 1 0 Ampere (Latching) with Internal Diodes for Coil Transient Suppression and Polarity Reversal Protection [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS AT AV CR4 MC MI OS SH]	A	5945	CC	31-MAR-2016
M MIL-PRF-39016/31B(4) NOT 2	Relays, Electromagnetic, Established Reliability, Hermetically Sealed, 4 PDT, Low Level to 2 Amperes (0 150-Inch Terminal Spacing), Latching [CUST: CR EC 85 CC] [REVIEW: 19 AR AS MC OS SH]	A	5945	CC	25-MAR-2016
M MIL-PRF-39016/38C NOT 2	Relays, Electromagnetic, Established Reliability, DPDT, Low Level to 2 Amperes (0 150-Inch Terminal Spacing), with Internal Diodes for Coil Transient Suppression and Reverse Polarity Protection [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS MC OS SH]	A	5945	CC	25-MAR-2016
M MIL-PRF-39016/41E NOT 2	Relays, Electromagnetic, Established Reliability, DPDT, Low Level to 1 Ampere, Terminals 0 100-Inch Grid Pattern Sensitive, 60 Milliwatts, Coil Operate Power at 25 Degrees C [CUST: CR EC 85 CC] [REVIEW: 99 AS]	A	5945	CC	31-MAR-2016
M MIL-PRF-39016/43E NOT 2	Relays, Electromagnetic, Established Reliability, DPDT, Low Level to 1 0 Ampere, with Internal Diodes for Coil Transient Suppression, and Polarity Reversal Protection Terminals 0 100-Inch Grid Pattern (Sensitive, 60 Milliwatts, Coil Operate Power at 25 Degrees C) [CUST: CR EC 85 CC] [REVIEW: 99 AR MC OS SH]	A	5945	CC	31-MAR-2016
M MIL-PRF-83536/2B(1) NOT 2	Relays, Electromagnetic, Established Reliability, DPDT, Low Level to 5 Amperes, Permanent Magnet Drive, Hermetically Sealed, All Welded, Transient Suppressed DC Coils [CUST: CR EC 85 CC] [REVIEW: 99]	A	5945	CC	31-MAR-2016
M MIL-PRF-83536/14A NOT 2	Relays, Electromagnetic, Established Reliability, DPDT, Low Level to 10 Amperes, Magnetic Latch, Hermetically Sealed, All Welded, AC Coil [CUST: CR EC 85 CC] [REVIEW: 99]	A	5945	CC	31-MAR-2016
M MIL-PRF-83536/15A NOT 2	Relays, Electromagnetic, Established Reliability, 4PDT, Low Level to 10 Amperes, Permanent Magnet Drive, Hermetically Sealed All Welded, DC Coil [CUST: CR EC 85 CC] [REVIEW: 99]	A	5945	CC	31-MAR-2016
M MIL-PRF-83536/17A(2) NOT 2	Relays, Electromagnetic, Established Reliability, 4PDT, Low Level to 10 Amperes, Permanent Magnet Drive, Hermetically Sealed, All Welded, AC Coils [CUST: CR EC 85 CC]	A	5945	CC	25-MAR-2016
M MIL-PRF-83536/20A NOT 2	Relays, Electromagnetic, Established Reliability, 4PDT, Low Level to 10 Amperes, Magnetic Latch, Hermetically Sealed, All Welded, AC Coils [CUST: CR EC 85 CC] [REVIEW: 99]	A	5945	CC	31-MAR-2016
M MIL-PRF-83536/21C	Relays, Electromagnetic, Established Reliability, 3PDT, Low Level to 10 Amperes, Permanent Magnetic Drive, Hermetically Sealed, All Welded, DC Coil [CUST: CR EC 85 CC] [REVIEW: 99]	A	5945	CC	08-MAR-2016
M MIL-PRF-83536/22D	Relays, Electromagnetic, Established Reliability, 3PDT, Low Level to 10 Amperes, Permanent Magnet Drive, Hermetically Sealed, All Welded, Transient Suppressed DC Coils [CUST: CR EC 85 CC] [REVIEW: 99]	A	5945	CC	10-MAR-2016
M MIL-PRF-83536/26A NOT 2	Relays, Electromagnetic, Established Reliability, 6PDT, Low Level to 10 Amperes, Permanent Magnet Drive, Hermetically Sealed, All Welded, Transient Suppressed DC Coil [CUST: CR EC 85 CC] [REVIEW: 99]	A	5945	CC	31-MAR-2016
M MIL-PRF-83536/34A NOT 3	Relays, Electromagnetic, Established Reliability, 1PDT, Low Level to 10 Amperes, Permanent Magnet Drive, Hermetically Sealed All Welded, DC Coil [CUST: CR EC 85 CC1 [REVIEW: MI]	A	5945	CC	31-MAR-2016
M MIL-PRF-83536/36 NOT 2	Relay, Electromagnetic, Established Reliability, 1PDT, 25 Amperes, Permanent Magnet Drive, Hermetically Sealed, All Welded, DC Coil [CUST: 85 CC] [REVIEW: 99]	A	5945	CC	25-MAR-2016
M MIL-PRF-83536/37(1) NOT 2	Relay, Electromagnetic, Established Reliability, 1PDT, 25 Amperes, Permanent Magnet Drive, Hermetically Sealed, All Welded, Transient Suppressed DC Coils [CUST: 85 CC] [REVIEW: 99]	A	5945	CC	31-MAR-2016
M MIL-R-83725/1E NOT 3	Relays, Vacuum, SPDT, 15 Amperes RMS, 12 Kilovolts (Peak) [CUST: CR EC 85] [REVIEW: 99 AT AV CR4 MC SH]	A	5945	CC	25-MAR-2016
M MIL-R-83725/2D(1) NOT 3	Relays, Vacuum, SPDT, 25 Amperes RMS, 25 Kilovolts (Peak) [CUST: CR EC 85 CC] [REVIEW: 99 AT AV CR4 SH]	A	5945	CC	25-MAR-2016
M MIL-R-83725/4F NOT 3	Relays, Vacuum, SPDT, 0 25 Amperes, DC Load Switching 2 5 Kilovolts DC [CUST: 85] [REVIEW: 99]	A	5945	CC	25-MAR-2016
M MIL-R-83725/5D NOT 3	Relays, Vacuum, SPDT, 18 Amperes RMS, 3 5 Kilovolts (Peak) (Carry Only) [CUST: 85] [REVIEW: 99]	A	5945	CC	25-MAR-2016
M MIL-R-83725/6D NOT 4	Relay, Vacuum, SPST, Latching, 12 Amperes DC or 60 Hz RMS, 3 6 Kilovolts DC or 60 Hz Peak [CUST: CR AS 85] [REVIEW: 99 OS]	A	5945	CC	25-MAR-2016
M MIL-R-83725/7B NOT 4	Relay, Vacuum, SPST, N/C, 12 Amperes DC or 60 Hz RMS, 3 6 Kilovolts Peak [CUST: CR AS 85] [REVIEW: 99 OS]	A	5945	CC	25-MAR-2016
M MIL-R-83725/8B NOT 4	Relay, Vacuum, SPST, N/O, 12 Amperes DC or 60 Hz RMS, 3 6 Kilovolts Peak [CUST: CR AS 85] [REVIEW: 99 OS]	A	5945	CC	25-MAR-2016
M MIL-R-83725/9B NOT 4	Relay, Vacuum, SPST, Latching, 12 Amperes DC or 60 Hz RMS, 7 Kilovolts Peak [CUST: CR AS 85] [REVIEW: 99 OS]	A	5945	CC	25-MAR-2016
M MIL-R-83725/10A NOT 4	Relay, Vacuum, SPST, N/C, 12 Amperes DC or 60 Hz RMS, 10 Kilovolts DC or 60 Hz Peak [CUST: CR AS 85] [REVIEW: 99 OS]	A	5945	CC	25-MAR-2016
M MIL-R-83725/11C NOT 4	Relay, Vacuum, SPDT, Latching, 12 Amperes DC or 60 Hz RMS, 3 6 Kilovolts DC or 60 Hz Peak [CUST: CR AS 85] [REVIEW: 99 OS]	A	5945	CC	25-MAR-2016
01 ADD 2016		_			

#### **ASSIST UPDATE**

			DISTRIBUTION	FSC/AREA	_	P ACTY	
	DOCUMENT NUMBER	DOCUMENT TITLE	DIST	FSC/	MCA	PREP	DATE
M	MIL-R-83725/12A NOT 4	Relay, Vacuum, SPDT, 12 Amperes DC or 60 Hz RMS, 3 6 Kilovolts Peak [CUST: CR AS 85]	A			CC	25-MAR-2016
M	MIL-R-83725/13B NOT 4	[REVIEW: 99 OS] Relay, Vacuum, SPDT, Latching, 12 Amperes DC or 60 Hz RMS, 9 Kilovolts DC or 60 Hz Peak [CUST: CR AS 85] [REVIEW: 99 OS]	A	5945		CC	25-MAR-2016
M	MIL-R-83725/15B NOT 4	Relays, Vacuum, SPDT, 75 Amperes RMS, 15 Kilovolts (Peak) or DC [CUST: 85 CC] [REVIEW:	A	5945		CC	25-MAR-2016
M	MIL-R-83725/16B NOT 4	99] Relays, Vacuum, SPDT, 12 Amperes DC or 60 Hz RMS, 9 Kilovolts DC or 60 Hz Peak [CUST: CR AS 85] [REVIEW: 99 OS]	A	5945		CC	25-MAR-2016
M	MIL-R-83725/17B NOT 5	Relay, Vacuum, SPST, NO, 12 Amperes DC, or 60 Hz RMS, 10 Kilovolts Peak DC [CUST: CR AS 85] [REVIEW: 99 OS]	A	5945		CC	30-MAR-2016
	MIL-R-83725/21 NOT 3	Relays, Vacuum, SPST (No, 15 Amperes DC or 60 Hz RMS, 5 Kilovolts Peak [CUST: 85 CC]		5945		CC	25-MAR-2016
	MIL-R-83725/22 NOT 3 MIL-R-83725/23 NOT 3	Relays, Vacuum, SPST (NC), 15 Amperes DC or 60 Hz RMS, 5 Kilovolts Peak [CUST: 85] Relays, Vacuum, SPDT, 15 Amperes DC or 60 HZ RMS, 5 Kilovolts Peak [CUST: 85 CC]	A	5945 5945		CC CC	25-MAR-2016 25-MAR-2016
	MIL-R-83725/24 NOT 3	Relays, Vacuum, SPST, Latching, 15 Amperes DG or 60 HZ RMS, 5 Kilovolts Peak [CUST: 85]		5945		CC	25-MAR-2016
- 1	MS17981D(1) NOT 2	Solenoid, Electrical, Horn, 24 Volt DC [CUST: AT CC]		5945		CC	22-MAR-2016
M	MS24140M(1) NOT 2	Relays, Electromagnetic, 50 Amperes, 1 PST (N O ), Type I, Hermetically Sealed [CUST: AS 85 CC] [REVIEW: EC]		5945		CC	31-MAR-2016
M	MS24141K NOT 2	Relays, Electromagnetic, 100 Amperes, 1 PST (N O ), Type I, Hermetically Sealed [CUST: AS 85 CC] [REVIEW: 99 EC]	A	5945		CC	25-MAR-2016
	MS24142N NOT 2	Relays, Electromagnetic, 200 Amperes, 1 PST (N O ), Type I, Hermetically Sealed [CUST: AS 85 CC] [REVIEW: 99 EC]		5945		CC	25-MAR-2016
M	MS24143X(1) NOT 2	Relays, Electromagnetic, 3 PST (N O ), 25 Amperes, Type I, Hermetically Sealed [CUST: AS 85 CC]	A	5945		CC	23-MAR-2016
M	MS24172J(1) NOT 2	Relays, Electromagnetic, 200 Amperes, 1 PST (N O ) Type III, Non-Hermetically Sealed [CUST: AS 85 CC] [REVIEW: EC]		5945		CC	31-MAR-2016
M	MS24178H(2) NOT 2	Relays, Electromagnetic, 55 Amperes, 2PST, (N O ) Type II, Nonhermetiaclly Sealed [CUST: AS 85 CC] [REVIEW: EC]	A	5945		CC	30-MAR-2016
M	MS24179N NOT 2	Relays, Electromagnetic, 400 Amperes, I PST (N O ), Type III, Non-Hermetically Sealed [CUST: AS 85 CC] [REVIEW: 99 EC]	A	5945		CC	22-MAR-2016
M	MS24182L NOT 2	Relays, Electromagnetic, 100 Amperes, 1 PST (N O ), Type I, Hermetically Sealed [CUST: AS 85 CC] [REVIEW: EC]	A	5945		CC	22-MAR-2016
M	MS24183L NOT 2	Relay, Electromagnetic, 200 Amperes, 1PST (N O ), Type I, Hermetically Sealed [CUST: AS 85 CC] [REVIEW: EC]	A	5945		CC	22-MAR-2016
M	MS24184M(1) NOT 2	Relays, Electromagnetic, 300 Amperes, 1 PST (N O ), Type I, with Auxiliary Contacts, Hermetically Sealed [CUST: CR AS 85 CC] [REVIEW: EC]	A	5945		CC	31-MAR-2016
M	MS24185M NOT 2	Relays, Electromagnetic, 400 Amperes, 1 PST (N O ), Type II, Nonhermetically Sealed [CUST: AS 85 CC] [REVIEW: EC]	A	5945		CC	22-MAR-2016
	A-A-59546A NOT 2	Relays, Electromagnetic, Relay Module Extraction Tool [CUST: 85 CC] [REVIEW: 99]	A		/	CC	22-MAR-2016
1	A-A-59547A NOT 2 MIL-PRF-27/30C NOT 1	Relays, Electromagnetic, Socket Module Extraction Tool [CUST: 85 CC] [REVIEW: 99] Transformer, Audio Frequency [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS CR4 MC MI OS SH]	A A		/	CC CC	22-MAR-2016 22-MAR-2016
M	MIL-PRF-27/51D(1) NOT 1	Transformers, Power, 3 Volt Amperes, 400 HZ, Electrostatic Shielded [CUST: CR EC 85 CC] [REVIEW: 19 99 AS CR4 MC MI OS]	A	5950		CC	25-MAR-2016
M	MIL-PRF-27/53D(1) NOT 1	Transformers, Power, 6 Volt Amperes, 400 HZ, Electrostatic Shielded [CUST: CR EC 85 CC] [REVIEW: 19 99 AS CR4 MC MI OS]	A	5950		CC	25-MAR-2016
M	MIL-PRF-27/54E(1)	Transformers, Power, 9 0 Volt Amperes, 400 HZ [CUST: CR EC 85 CC] [REVIEW: 19 99 AS CR4 MC MI OS]	A	5950		CC	25-MAR-2016
	MIL-PRF-27/55D(1) NOT 1	Transformers, Power, 16 Volt Amperes, 400 HZ [CUST: CR EC 85 CC] [REVIEW: 19 99 AS CR4 MC MI OS]	A	5950		CC	25-MAR-2016
	MIL-PRF-27/56G(1)	Transformers, Power, 25 Volt Amperes, 400 HZ [CUST: CR EC 85 CC] [REVIEW: 19 99 AS CR4 MC MI OS]		5950		CC	25-MAR-2016
M	MIL-PRF-27/57D(1) NOT 1	Transformers, Power, 50 Volt Amperes, 400 HZ [CUST: CR EC 85 CC] [REVIEW: 19 99 AS CR4 MC MI OS]	A	5950		CC	25-MAR-2016
M	MIL-PRF-27/58D(1) NOT 1	Transformers, Power, 75 Volt Amperes, 400 HZ [CUST: CR EC 85 CC] [REVIEW: 19 99 AS CR4 MC MI OS]	A	5950		CC	25-MAR-2016
	MIL-PRF-27/67C NOT 1	Transformers, Audio Frequency [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS CR4 MC MI OS SH]		5950		CC	23-MAR-2016
	MIL-PRF-27/68C NOT 1	Transformers, Audio Frequency [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS CR4 MC MI OS SH]		5950		CC	23-MAR-2016
	MIL-PRF-27/69C NOT 1	Transformers, Audio Frequency [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS CR4 MC MI OS SH]		5950		CC	23-MAR-2016
	MIL-PRF-27/70D NOT 1	Transformers, Audio Frequency [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS CR4 MC MI OS SH]		5950		CC	23-MAR-2016
	MIL-PRF-27/71E NOT 1	Transformers, Audio Frequency [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS CR4 MC MI OS SH]		5950		CC	25-MAR-2016
	MIL-PRF-27/97D NOT 1	Transformers, Audio Frequency, Sub-Miniature [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS CR4 MC OS SH]		5950		CC	25-MAR-2016
	MIL-PRF-27/166B NOT 1 MIL-PRF-27/167E NOT 1	Transformers, Audio Frequency [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS CR4 MC OS SH] Transformers, Audio Frequency [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS MC MD MI OS SH]	A A			CC CC	22-MAR-2016 22-MAR-2016
M	MIL-PRF-27/277B NOT 1	Transformer, Audio Frequency, Sub-Miniature [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS CR4 MC OS SH]	A	5950		CC	23-MAR-2016
M	MIL-PRF-27/287B NOT 1	Transformers and Inductors (Audio, Power and High-Power Pulse) Inductors, Power [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS MC MI OS SH]	A	5950		CC	23-MAR-2016
M	MIL-PRF-27/290C NOT 1	53 CC] [REVIEW: 19 99 AR AS MC MI OS SH]  Transformer, Audio Frequency [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS CR4 MC MI OS SH]	A	5950		CC	23-MAR-2016
M	MIL-PRF-27/312C NOT 1	Transformers, Power, 5 Volt-Amperes, 60 Hertz [CUST: CR EC 85 CC] [REVIEW: 19 99 AS CR4 MC MI OS]	A	5950		CC	23-MAR-2016
M	MIL-PRF-27/313C NOT 1	Transformers, Power, 10 Volt-Amperes, 60 Hertz [CUST: CR EC 85 CC] [REVIEW: 19 99 AS CR4 MC MI OS]	A	5950		CC	23-MAR-2016
	ADD 2016						

#### **ASSIST UPDATE**

	DOCUMENT NUMBER	DOCUMENT TITLE	DISTRIBUTION	FSC/AREA	MCA	PREP ACTY	DATE
M	MIL-PRF-27/314C NOT 1	Transformers, Power, 15 Volt-Amperes, 60 Hertz [CUST: CR EC 85 CC] [REVIEW: 19 99 AS CR4				CC	23-MAR-201
М	MIL-PRF-27/315C NOT 1	MC MI OS] Transformers, Power, 20 Volt-Amperes, 60 Hertz [CUST: CR EC 85 CC] [REVIEW: 19 99 AS CR4	A	5950		CC	23-MAR-201
	MIL-PRF-27/316C NOT 1	MC MI OS] Transformers, Power, 30 Volt-Amperes, 60 Hertz [CUST: CR EC 85 CC] [REVIEW: 19 99 AS CR4				CC	23-MAR-201
		MC MI OS]					
	MIL-PRF-27/320C NOT 1	Transformers, Power, 160 Volt-Amperes, 60 Hz [CUST: CR EC 85 CC] [REVIEW: 19 99 AS CR4 MC MI OS]		5950		CC	23-MAR-201
M	MIL-PRF-27/322E NOT 1	Transformers, Power, 300 Volt-Amperes, 60 Hertz [CUST: CR EC 85 CC] [REVIEW: 19 99 AS CR4 MC MI OS SH]	A	5950		CC	23-MAR-201
M	MIL-PRF-27/323C NOT 1	Transformer, Audio Frequency, Telephone Interconnect [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS CR4 MC MI OS SH]	A	5950		CC	23-MAR-201
M	MIL-PRF-27/332D NOT 1	Transformers, Power, 7 Volt-Amperes, 400 Hertz [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS CR4 MC OS]	A	5950		CC	23-MAR-201
M	MIL-PRF-27/333D NOT 1	Transformers, Power, 10 Volt-Amperes, 400 Hertz [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS CR4 MC OS]	A	5950		CC	23-MAR-201
M	MIL-PRF-27/334D NOT 1	Transformers, Power, 25 Volt-Amperes, 400 Hertz [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS	A	5950		CC	23-MAR-201
M	MIL-PRF-27/335D NOT 1	CR4 MC OS] Transformers, Power, 50 Volt-Amperes, 400 Hertz [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS	A	5950		CC	23-MAR-201
M	MIL-PRF-27/336D NOT 1	CR4 MC OS] Transformers, Power, 120 Volt-Amperes, 400 Hertz [CUST: CR EC 85 CC] [REVIEW: 19 99 AR	A	5950		CC	23-MAR-201
м	MIL-PRF-27/337E NOT 1	AS CR4 MC OS] Transformers, Power, 150 and 200 Voltamperes, 400 Hertz [CUST: CR EC 85 CC] [REVIEW: 19	A	5950		CC	22-MAR-201
	MIL-PRF-27/350E NOT 1	99 AR AS CR4 MC OS] Transformers, Power, 15 Voltamperes, 400 HZ [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS		5950		CC	22-MAR-201
		CR4 MC OS]					
M	MIL-PRF-27/351E NOT 1	Transformers, Power, 25 Voltamperes, 400 HZ [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS CR4 MC OS]	A	5950		CC	23-MAR-201
M	MIL-PRF-27/352E NOT 1	Transformers, Power, 50 Voltamperes, 400 HZ [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS CR4 MC OS]	A	5950		CC	23-MAR-201
M	MIL-PRF-27/353E NOT 1	Transformers, Power, 75 Voltamperes, 400 HZ [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS CR4 MC OS]	A	5950		CC	23-MAR-201
M	MIL-PRF-27/354E NOT 1	Transformers, Power, 100 Voltamperes, 400 HZ [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS CR4 MC OS]	A	5950		CC	23-MAR-20
M	MIL-PRF-19500/349J NOT 1	Semiconductor Device, Transistor, NPN, Silicon, Switching, Types 2N3506, 2N3506A, 2N3506L, 2N3506AL, 2N3506U4, 2N3506AU4, 2N3507, 2N3507L, 2N3507A, 2N3507AL, 2N3507U4, AND 2N3507AU4, JAN, JANTX, JANTXV, JANS, JANSM, JANSD, JANSP, JANSL, JANSR, JANSF, JANSG, JANSH, JANHCA, JANKCA, JANKCAM, JANKCAD, JANKCAP, JANKCAL, JANKCAR, JANKCAF, JANKCAG, and JANKCAH [CUST: CR EC 85 CC NA] [REVIEW: 19 AR AS AV MC MI]	A	5961		CC	18-MAR-20
M	MIL-PRF-19500/502H	Transistor, Darlington, NPN, Silicon, Power, Encapsulated (Through-Hole Mount Package) Types 2N6058 and 2N6059, Quality Levels JAN, JANTX, and JANTXV [CUST: CR EC 85 CC NA] [REVIEW: 19 99]	A	5961		CC	22-MAR-20
M	MIL-PRF-19500/516G	Semiconductor Device, Diode Silicon, Bipolar Transient Voltage Suppressor, Encapsulated (Axial Lead Through-Hole and Surface Mount Packages) and Un-Encapsulated (Die), Types 1N6102 Through 1N6173, JAN, JANTX, JANTXV, JANS, JANHC, and JANKC [CUST: CR EC 85 CC NA]	A	5961		CC	22-MAR-20
M	MIL-PRF-19500/533N	Diode, Silicon, Voltage Regulator, Types 1N6309 through 1N6355; Plus C and D Tolerance Suffix, JAN, JANTX, JANTXV, JANS, JANHC, and JANKC [CUST: CR EC 85 CC NA] [REVIEW: 19 99 AS]	A	5961		CC	25-MAR-20
Л	MIL-PRF-19500/765B	Semiconductor Device, Diode, Silicon, Dual Schottky, Common Cathode, Encapsulated (Through- Hole and Surface Mount), Type 1N7072, and 1N7078 JAN, JANTX, JANTXV, and JANS [CUST: CR EC 85 CC NA] [REVIEW: MI]	A	5961		CC	14-MAR-20
M	MIL-PRF-19500/766B	Transistor, PNP, Silicon, Low-Power, Type 2N5401, JANS, JANSR, JAN, JANTX, and JANTXV [CUST: CR EC 85 CC NA] [REVIEW: 19 99 AR AS MC MI SM]	A	5961		CC	25-MAR-20
	MIL-HDBK-103AV	List of Standard Microcircuit Drawings [CUST: CC]		5962		CC	02-MAR-20
	MIL-DTL-3928/19F	Switches, Radio-Frequency Transmission Line (Coaxial) (Electrically Operated) Class 5, TR [CUST: CR EC 85 CC] [REVIEW: 19 99 AS MC MI OS SH]				CC	14-MAR-20
M	A-A-59832/3B	Extractor, Electrical Card, Metal, Locking, Single Action, for "U" Channel Actuating Surfaces, for 063, 094, and 125 Inch Thick Circuit Card Assemblies [CUST: CR EC 85 CC] [REVIEW: 99]	A	5998	/	CC	03-MAR-20
M	A-A-59832/4A	Extractor, Electrical Card, Metal, Non-Locking, Single Action, for 063, 094, and 125 Inch Thick Circuit Card Assemblies [CUST: CR EC 85 CC] [REVIEW: 99]	A	5998	/	CC	04-MAR-20
	A-A-55485/1A NOT 2 A-A-55485/3C NOT 2	Mounting Pads, Electrical-Electronic Component, 100 Diameter Pin Center [CUST: CR EC 85 CC] Mounting Pads, Electrical-Electronic Component, Lead Conversion, 100 Diameter Pin Center to a Larger Diameter [CUST: CR EC 85 CC]		5999 5999	/	CC CC	25-MAR-20 25-MAR-20
Л	A-A-55485/4A NOT 2	Mounting Pads, Electrical-Electronic Component, Lead Conversion, 200 or 230 Diameter Pin Center to a Larger Diameter [CUST: CR EC 85 CC]	A	5999	/	CC	22-MAR-20
M	A-A-55485/6B NOT 2	Mounting Pads, Electrical-Electronic Component, for Relays and Discrete Components [CUST: CR	A	5999	/	CC	22-MAR-20
M	A-A-55485/7A NOT 2	EC 85 CC]  Mounting Pads, Electrical-Electronic Component, Multiple Applications [CUST: CR EC 85 CC]	A	5999	/	CC	22-MAR-20
Л	A-A-55485/10B NOT 2	Mounting Pads, Electrical-Electronic Component, Lead Conversion, 200 Diameter Pin Center [CUST: CR EC 85 CC]	A	5999	/	CC	22-MAR-20
	A-A-55485/11A NOT 2 A-A-55507/3 NOT 2	Mounting Pads, Electrical-Electronic Component, Vertical Type [CUST: CR EC 85 CC] Clip, Electrical, Fuse, P C Board, Up to 15 Ampere, for Fuse Diameter 5 MM [CUST: CR SH 85 CC]	A A	5999 5999	/	CC CC	22-MAR-20 22-MAR-20
	A-A-55541/1B NOT 2	Passive Delay Line, 10 Tap, 10 to 200 Nanoseconds [CUST: CR EC 85 CC]	A		/	CC	30-MAR-20
	A-A-59465A NOT 2 MIL-STD-1678-5B	Delay Lines, Active, General Requirements for [CUST: CR EC 85 CC] Fiber Optic Cabling Systems Requirements and Measurements (Part 5: Design Phase, Supplemental	A A	5999 60GP	/	CC CC	31-MAR-20 12-FEB-201
	MIL-DTL-17/211A NOT 1	and Legacy Measurements) (Part 5 of 6 Parts) [CUST: CR AS 85 CC] [REVIEW: 11 20] Cables, Radio Frequency, Flexible, Coaxial, 72 OHMS, Low Noise, Low Smoke, M17/211-00001 (Unarmored), M17/211-00002 (Armored), M17/211-00003 (Specified Insulation Resistance, Unarmored), and M17/211-00004 (Specified Insulation Resistance, Armored) [CUST: CR EC 85		6145		CC	25-MAR-20

#### **ASSIST UPDATE**

		DISTRIBUTION			Κ.	
		BUT	EA		ACTY	
		STRI	FSC/AREA	Ą	EP A	
DOCUMENT NUMBER	DOCUMENT TITLE	-		MCA		DATE
M MIL-DTL-13486/2D NOT 1	Cable, Special Purpose, Electrical: Low-Tension, Heavy-Duty, Single Conductor, Shielded [CUST: SH 85 CC] [REVIEW: 71 84 99]	A	6145		CC	22-MAR-201
M MIL-DTL-13486/15C NOT 1	Cable, Special Purpose, Electrical: Low-Tension, Heavy-Duty, Single Conductor, Unshielded [CUST: SH 85 CC] [REVIEW: 71 84 99 AR CR MC OS]	A	6145		CC	22-MAR-201
M MIL-DTL-28830F	Cable, Radio Frequency, Coaxial, Semirigid, Corrugated Outer Conductor, General Specification for [CUST: CR EC 85 CC] [REVIEW: 19 99 AS MC SH]	A	6145		CC	15-MAR-201
M MIL-DTL-28830/5E NOT 1	Cables, Radio Frequency, Coaxial, Semirigid, Corrugated Outer Conductor, Low Loss Foam Dielectric, 1 625 Inch Nominal, 50 OHMS [CUST: CR EC 85 CC] [REVIEW: 19 99 AS MC SH]	A	6145		CC	25-MAR-201
M A-A-59551A NOT 1	Wire, Electrical, Copper (Uninsulated) [CUST: CR AS 85 CC] [REVIEW: 06 99 AR CG MC MI SH]	A	6145	/	CC	31-MAR-201
M A-A-60006B	Light, Extension, Electrical [CUST: MI YD GS] [REVIEW: GL IS MC]	A A	6230 6240	/	GS2	03-MAR-201
M A-A-52409B M MIL-PRF-51028C(2) NOT 1	Lamps, Incandescent, Sealed Beam [CUST: AT YD 99 GS] [REVIEW: 11 71 SH] Sampling and Gaging Kit [CUST: AT MS] [REVIEW: DM EA MB MC]	A	6630	/	GS2 AT	03-MAR-201 07-MAR-201
M A-A-59928B	Meter, Fuel Flow, Portable [CUST: 184] [REVIEW: 99]	A		/	184	18-MAR-201
M A-A-55829B	Acetic Acid, Glacial, Technical [CUST: CR AS 68 GS] [REVIEW: MD1 MI OS]	A	6810	/	GS3	28-FEB-2016
M A-A-97 NOT 5	Deodorant, General Purpose (Concentrated, Wick Bottle) [CUST: GS]	A		/	GS3	18-MAR-201
M A-A-98 NOT 5	Deodorant, General Purpose (Concentrated) [CUST: GS]	A		/	GS3	18-MAR-201
M A-A-59267 NOT 3	Phosphate Coating Compounds, Manganese or Zinc Base (for Ferrous Metals) [CUST: MR SH 20 GS] [REVIEW: 68 AR AS EA]		6850	/	GS3	18-MAR-201
M MIL-STD-1904B N MIL-DTL-32525	Design and Test Requirements for Level A Ammunition Packaging [CUST: AR]  Magazine, Portable (ShipBoard) [CUST: AV SH 03 IS] [REVIEW: 11 69 CG DH GL MI MP OS]	A	8140 8145		AR SH	09-MAR-201 19-JAN-2016
M MIL-DTL-14650/5F	Streamers, Unit Awards [CUST: IH NU 11] [REVIEW: 99 CT MC]	A			IH	23-MAR-201
M MIL-DTL-11484/336A	Lapel Button, Meritorious Unit Citation, Office of the Director of National Intelligence [CUST: IH] [REVIEW: CT]		8455		IH	09-MAR-201
N MIL-DTL-11589/666	Ribbon, Commendable Service, American Battle Monument Commission [CUST: IH] [REVIEW: CT]	A	8455		IH	09-MAR-201
N MIL-DTL-11589/667	Ribbon, Meritorious Service, American Battle Monument Commission [CUST: IH] [REVIEW: CT]	A	8455		IH	09-MAR-201
N MIL-DTL-11589/668	Ribbon, Superior Service, American Battle Monument Commission [CUST: IH] [REVIEW: CT]		8455		IH	09-MAR-201
N MIL-DTL-11589/669	Ribbon, Distinguished Service, American Battle Monument Commission [CUST: IH] [REVIEW: CT]	A	8455		IH	09-MAR-201
N MIL-DTL-11589/670	Ribbon, Meritorious Public Service, American Battle Monument Commission [CUST: IH] [REVIEW: CT]		8455		IH	09-MAR-201
MIL-DTL-11589/671	Ribbon, Superior Public Service, American Battle Monument Commission [CUST: IH] [REVIEW: CT]	A	8455		IH	09-MAR-20
MIL-DTL-11589/672	Ribbon, Distinguished Public Service, American Battle Monument Commission [CUST: IH] [REVIEW: CT]		8455		IH	09-MAR-201
M MIL-DTL-15665/21L M MIL-DTL-15665/27G	Insignia, Service Cap, Enlisted, U S Air Force [CUST: IH] [REVIEW: CT] Insignia, Service Cap, Enlisted, the Sergeant Major of the U S Army and the Chief Master Sergeant		8455 8455		IH IH	14-MAR-201 14-MAR-201
M MIL-DTL-15665/28H	of the U S Air Force [CUST: IH] [REVIEW: CT] Insignia, Collar, Enlisted, the Chief Master Sergeant of the U S Air Force [CUST: IH 11]		8455		IH	14-MAR-201
M MIL-DTL-15665/29H	[REVIEW: CT] Insignia, Hat, Enlisted, Command Bands, U.S. Air Force [CUST: IH 11]	,	8455		IH	14-MAR-201
MIL-DTL-15665/40A	Insignia, Aide, President of the United State, U.S. Army [CUST: IH] [REVIEW: CT]	A			IH	14-MAR-20
M MIL-DTL-15665/42A	Insignia, Aide, Vice President of the United States, U.S. Army [CUST: IH] [REVIEW: CT]		8455		IH	14-MAR-20
M MIL-DTL-15665/44A	Insignia, Aide, Secretary of Defense, U S Army [CUST: IH] [REVIEW: CT]		8455		IH	14-MAR-20
MIL-DTL-15665/46A	Insignia, Aide, Secretary and Under Secretary of the Army, U S Army [CUST: IH] [REVIEW: CT]	A	8455		IH	14-MAR-20
MIL-DTL-15665/48A	Insignia, Aide Chairman and Vice Chairman, Joint Chiefs of Staff, U S Army [CUST: IH] [REVIEW: CT]	A	8455		IH	14-MAR-20
M MIL-DTL-15665/51A	Insignia, Aide, Chief of Staff and Vice Chief of Staff, U.S. Army [CUST: IH] [REVIEW: CT]		8455		IH	14-MAR-20
MIL-DTL-15665/53A	Insignia, Aide, General of the Army [CUST: IH] [REVIEW: CT]	A	8455		IH	14-MAR-20
MIL-DTL-15665/54A MIL-DTL-15665/56A	Insignia, Aide, General Officers, U S Army [CUST: IH] [REVIEW: CT] Insignia, Warrant Officer, U S Army [CUST: IH] [REVIEW: CT]	A	8455 8455		IH IH	14-MAR-20 14-MAR-20
MIL-DTL-15665/57A	Insignia, Officer Candidate School, U.S. Army [CUST: IH] [REVIEW: CT]		8455		IH	14-MAR-20
MIL-DTL-15665/59A	Insignia, Branch of Service, Officers, Chaplain, Christian Faith, U.S. Army [CUST: IH] [REVIEW:		8455		IH	14-MAR-20
1 MIL-DTL-15665/61A	CT] Insignia, Branch of Service, Officers, Chaplain, Jewish Faith, U S Army [CUST: IH] [REVIEW:	A	8455		IH	14-MAR-20
MIL-DTL-15665/62B	[CT] Insignia, Branch of Service, Officers, Chaplain, Muslim Faith, U.S. Army and U.S. Navy [CUST: IH]	A	8455		IH	14-MAR-20
MIL-DTL-15665/67A	NU] [REVIEW: CT] Insignia, Service Hat, Officers, Female, U S Army [CUST: IH] [REVIEW: CT]	Δ	8455		IH	15-MAR-20
MIL-DTL-15665/69B	Insignia, Service Cap, Officers, National Oceanic and Atmospheric Administration [CUST: IH] [REVIEW: CT]		8455		IH	15-MAR-20
MIL-DTL-15665/70A	Insignia, Branch of Service, Warrant Officers, U S Army [CUST: IH] [REVIEW: CT]	A	8455		IH	15-MAR-20
MIL-DTL-15665/71A	Insignia, Branch of Service, Officers, Adjutant General's U S Army [CUST: IH] [REVIEW: CT]	A	8455		IH	15-MAR-20
MIL-DTL-15665/72A	Insignia, Branch of Service, Officers, Air Artillery, U.S. Army [CUST: IH] [REVIEW: CT]	A			IH	15-MAR-20
MIL-DTL-15665/73A	Insignia, Branch of Service, Officers, Armor, U.S. ARMY [CUST: IH] [REVIEW: CT]	A	8455		IH	15-MAR-20
MIL-DTL-15665/74A	Insignia, Branch of Service, Officers, Aviation, U.S. Army [CUST: IH] [REVIEW: CT]	A	8455 8455		IH	15-MAR-20
I MIL-DTL-15665/75A I MIL-DTL-15665/76A	Insignia, Branch of Service, Officers, Cavalry, U.S. Army [CUST: IH] [REVIEW: CT] Insignia, Branch of Service, Officers, Chemical Corps, U.S. Army [CUST: IH] [REVIEW: CT]	A			IH IH	15-MAR-20 15-MAR-20
MIL-DTL-15665/77C	Insignia, Branch of Service, Officers, Chemical Colps, U.S. Army [CUST: IH] [REVIEW: CT]	A			IH	15-MAR-20
MIL-DTL-15665/79A	Insignia, Branch of Service, Officers, Field Artillery, U.S. Army [CUST: IH] [REVIEW: CT]		8455		IH	15-MAR-20
MIL-DTL-15665/80A	Insignia, Branch of Service, Officers, Finance Corps, U S ARMY [CUST: IH] [REVIEW: CT]	A			IH	15-MAR-20
MIL-DTL-15665/82B	Insignia, Branch of Service, Officers, Inspector General, U.S. ARMY [CUST: IH] [REVIEW: CT]		8455		IH	15-MAR-20
M MIL-DTL-15665/84A	Insignia, Branch of Service Officers, Judge Advocate General's Corps, US Army [CUST: IH] [REVIEW: CT]		8455		IH	15-MAR-20
MIL-DTL-15665/85A	Insignia, Branch of Service, Officers, Medical Service, U.S. Army [CUST: IH] [REVIEW: CT]		8455		IH	15-MAR-20
M MIL-DTL-15665/86A	Insignia, Branch of Service, Officers, Military Intelligence, U S Army [CUST: IH] [REVIEW: CT]	A	8455		IH	15-MAR-20

#### **ASSIST UPDATE**

		DISTRIBUTION	FSC/AREA	MCA PREP ACTY	
OOCUMENT NUMBER MIL-DTL-15665/87A	DOCUMENT TITLE  Insignia, Branch of Service, Officers, Military Police Corps, U.S. Army [CUST: IH] [REVIEW: CT]	<u>А</u>	五 8455	IH	DATE 15-MAR-2016
MIL-DTL-15665/88A	Insignia, Branch of Service, Officers, Ordnance Corps, U.S. Army [CUST: IH] [REVIEW: CT]			IH	15-MAR-2016
MIL-DTL-15665/89A	Insignia, Branch of Service, Officers, Quartermaster Corps, U S Army [CUST: IH] [REVIEW: CT]	A	8455	IH	15-MAR-2016
MIL-DTL-15665/90A	Insignia, Branch of Service, Officers, Special Forces, U S Army [CUST: IH] [REVIEW: CT]			IH	15-MAR-2016
MIL-DTL-15665/91A	Insignia, Branch of Service, Officers, Staff Specialist, U.S. Army [CUST: IH] [REVIEW: CT]			IH	15-MAR-2016
	[REVIEW: CG1 CT]				23-MAR-2016 23-MAR-2016
					23-MAR-2016 23-MAR-2016
				IH	09-MAR-2016
MIL-DTL-41819/29D	Ribbon Attachment, AFROTC Drill Team and Color Guard Bars [CUST: IH 11] [REVIEW: CT]			IH	23-MAR-2016
MIL-DTL-41819/30D	Ribbon Attachment, AFROTC Bronze Cross [CUST: IH 11] [REVIEW: CT]	A	8455	IH	23-MAR-2016
MIL-DTL-41819/31D	Ribbon Attachment, Navy "E" [CUST: IH NU] [REVIEW: CT MC]	A	8455	IH	23-MAR-2016
MIL-DTL-41819/32E	Ribbon Attachment, Letter "S" [CUST: IH NU] [REVIEW: CG1 CT MC]	A		IH	23-MAR-2016
					23-MAR-2016
MIL-DTL-41819/34D		A	8455	IH	14-MAR-2016
MIL-DTL-43098/1D		A	8455	IH	09-MAR-2016
MIL-DTL-43098/2D	Medallion, The General George C Marshall Award [CUST: IH] [REVIEW: CT]	A	8455	IH	23-MAR-2016
MIL-DTL-43098/3D	Medallion, The General John J Pershing Award [CUST: IH] [REVIEW: CT]	A	8455	IH	09-MAR-2016
MIL-DTL-43098/4D	Medallion, Paul A Siple Award [CUST: IH] [REVIEW: CT]	A	8455	IH	09-MAR-2016
MIL-DTL-43098/5D	Medallion, Scientific Achievement Award, U S Army [CUST: IH] [REVIEW: CT]	A	8455	IH	09-MAR-2016
MIL-DTL-43098/6D	Medallion, Quartermaster Corps, U S Army [CUST: IH] [REVIEW: CT]			IH	09-MAR-2016
MIL-DTL-43098/7C		A	8455	IH	09-MAR-2016
MIL-DTL-43098/8C	Medallion, National War College, Department of Defense [CUST: IH] [REVIEW: CT]			IH	09-MAR-2016
MIL-D1L-43098/9C		А	8433	IH	09-MAR-2016
MIL-DTL-43098/10C	Medallion, Honorable Service, CIA [CUST: IH] [REVIEW: CT]	A	8455	IH	09-MAR-2016
MIL-DTL-43098/11A	Medallion, Superior Service, National Reconnaissance Office [CUST: IH] [REVIEW: CT]	A	8455	IH	14-MAR-2016
MIL-DTL-43098/12A	Medallion, Meritorious Service, National Reconnaissance Office [CUST: IH] [REVIEW: CT]	A	8455	IH	14-MAR-2016
MIL-DTL-43098/13A	Medallion, Distinguished Service, National Reconnaissance Office [CUST: IH] [REVIEW: CT]			IH	14-MAR-2016
	[SH]				28-MAR-2016
MIL-DTL-14636/28B	Plaque, Branch of Service, Medical Service Corps, U S Army [CUST: IH] [REVIEW: CT]			IH	09-MAR-2016
					09-MAR-2016
					09-MAR-2016
					09-MAR-2016 09-MAR-2016
					09-MAR-2016
					09-MAR-2016
MIL-DTL-14636/35B				IH	09-MAR-2016
MIL-DTL-14636/36B	Plaque, Branch of Service, Special Forces, U S Army [CUST: IH] [REVIEW: CT GL]	A	9905	IH	09-MAR-2016
MIL-DTL-14636/37B	Plaque, Branch of Service, Transportation Corps, U S Army [CUST: IH] [REVIEW: CT GL]	A	9905	IH	09-MAR-2016
MIL-DTL-14636/38B	Plaque, Branch of Service, Veterinary Corps, US Army [CUST: IH] [REVIEW: CT GL]	A	9905	IH	09-MAR-2016
SAE-AMS2454	CC] [REVIEW: 19 99 AR EC MC MI OS]				23-MAR-2016
SAE-AMS-C-26074	9				23-MAR-2016
DI-MGMT-81749B		A	MGMT	11	22-MAR-2016
DI-MGMT-81947A		Α	MGMT	AS	26-FEB-2016
MIL-HDBK-115C	US Army Reverse Engineering Handbook (Guidelines and Procedures) [CUST: AV] [REVIEW: AM			AV	21-MAR-2016
MIL-PRF-29612B NOT 3	Training Data Products [CUST: AV AS 94 DH] [REVIEW: 11 CC DP EC GS IS MC NS SH TM]	A	PSSS	AS	31-MAR-2016
DI-SESS-81520B NOT 3	Instructional Media Design Package [AMSC: N7466]	A	PSSS	AS	31-MAR-2016
DI-SESS-81521B NOT 3	Training Program Structure Document [AMSC: N7467]	A	PSSS	AS	31-MAR-2016
MIL-HDBK-29612/1A NOT 3	94 DH] [REVIEŴ: 11 CC DP EC GS IS MC NS SH TM]			AS	31-MAR-2016
	[CUST: AV AS 94 DH] [REVIEW: 11 CC DP EC GS IS MC NS SH TM]			AS	31-MAR-2016
MIL-HDBK-29612/3A NOT 3	Development of Interactive Multimedia Instruction (IMI) Part 3 of 5 Parts) [CUST: AV AS 94 DH] [REVIEW: 11 CC DP EC GS IS MC NS SH TM]		PSSS	AS	31-MAR-2016
MIL-HDBK-29612/4A NOT 3	Glossary for Training (Part 4 of 5 Parts) [CUST: AV AS 94 DH] [REVIEW: 11 CC DP EC GS IS MC NS SH TM]		PSSS	AS	31-MAR-2016
DI-SESS-81253C	Configuration Status Accounting (CSA) Information [AMSC: N9642]	Α	SESS	NM	10-MAR-2016 18-MAR-2016
	MIL-DTL-15665/89A MIL-DTL-15665/90A MIL-DTL-15665/90A MIL-DTL-15665/91A MIL-DTL-41819/1E MIL-DTL-41819/2E MIL-DTL-41819/3H MIL-DTL-41819/5E MIL-DTL-41819/5E MIL-DTL-41819/3D MIL-DTL-41819/3D MIL-DTL-41819/3D MIL-DTL-41819/3D MIL-DTL-41819/3D MIL-DTL-41819/3D MIL-DTL-43098/1D MIL-DTL-43098/1D MIL-DTL-43098/5D MIL-DTL-43098/5D MIL-DTL-43098/6D MIL-DTL-43098/6D MIL-DTL-43098/7C MIL-DTL-43098/1A MIL-DTL-43098/1A MIL-DTL-43098/1A MIL-DTL-43098/1A MIL-DTL-43098/1A MIL-DTL-43098/1A MIL-DTL-43098/1A MIL-DTL-14636/3B MI	III.DTIL-1566590A   Insignia, Branch of Service, Officers, Quartermaster Corps, U.S. Army [CUST: HI] [REVIEW: CT]   Insignia, Branch of Service, Officers, Spacial Forces, U.S. Army [CUST: HI] [REVIEW: CT]   Insignia, Branch of Service, Officers, Spacial Space, U.S. Army [CUST: HI] REVIEW: CT]   Insignia, Branch of Service, Officers, Spacial Space, U.S. Army [CUST: HI] REVIEW: CT]   Insignia, Branch of Service, Officers, Space Space, U.S. Army [CUST: HI] REVIEW: CT]   Ribbon Attachment, Legion of Merit, Chief Commander and Commander (CUST: HI MC 11] [REVIEW: CGI CT]   Ribbon Attachment, Legion of Merit, Chief Commander and Commander (CUST: HI MC 11] [REVIEW: CGI CT]   Ribbon Attachment, Legion of Merit, Chief Commander and Commander (CUST: HI MC 11] [REVIEW: CGI CT]   Ribbon Attachment, Legion of Merit, Chief Commander and Color Guard Bars [CUST: HI HI] [REVIEW: CT]   Ribbon Attachment, Superior Code Award, Army ROTE [CUST: HI]   REVIEW: CT]   Ribbon Attachment, AFROTC Bronze Cross [CUST: HI HI] [REVIEW: CT]   Ribbon Attachment, AFROTC Bronze Cross [CUST: HI HI] [REVIEW: CT]   Ribbon Attachment, Legion (CUST: HI HI] [REVIEW: CT]   Ribbon Attachment, AFROTC Bronze Cross [CUST: HI] [REVIEW: CT]   Ribbon Attachment, AFROTC Bronze Cross [CUST: HI] [REVIEW: CT]   Ribbon Attachment, AFROTC Bronze Cross [CUST: HI] [REVIEW: CT]   Ribbon Attachment, AFROTC Bronze Cross [CUST: HI] [REVIEW: CT]   Ribbon Attachment, AFROTC Bronze Cross [CUST: HI] [REVIEW: CT]   Ribbon Attachment, AFROTC Bronze Cross [CUST: HI] [REVIEW: CT]   Ribbon Attachment, AFROTC Bronze Cross [CUST: HI] [REVIEW: CT]   Ribbon Attachment, AFROTC Bronze Cross [CUST: HI] [REVIEW: CT]   Ribbon Attachment, AFROTC Bronze Cross [CUST: HI] [REVIEW: CT]   Ribbon Attachment, AFROTC Bronze Arm	III.DTL 1566589A	III.5DTL-15665890	IIIDTI1566590A

#### ASSIST UPDATE

			Z				
			DISTRIBUTION			<b>&gt;</b>	
			BU	EA		ACTY	
			ľRI	¥Κ	4		
	DOCUMENT NUMBER	DOCUMENT TITLE	SIC	FSC/AREA	MCA	PREP	DATE
M	KKK-L-370D NOT 4	Lining, Friction, (Clutch and Brake, Metallic, Metal-Ceramic and Semi-Metallic) [CUST: AT AS	A	2520	/	CC	16-MAR-2016
м	MIL-T-46786B NOT 2	CC] [REVIEW: MC] Tanks, Fuel, Engine: General Requirements for [CUST: AT YD CC] [REVIEW: MC]	A	2910		CC	16-MAR-2016
l	MS39254D NOT 2	Cylinder, Engine Starting (Engine Cold-Starting Aid [CUST: AT MC CC]	A	2910		CC	16-MAR-2016
	MIL-T-23326A NOT 2	Thimble, Synthetic Rope [CUST: SH CC]	A	4030		CC	16-MAR-2016
M	MS87006 NOT 2	Hook, Chain and S [CUST: AR CC] [REVIEW: CR4 GL MC MI]	A	4030		CC	16-MAR-2016
M	MIL-F-38009F(1) NOT 2	Filter/Separator Element Kit, Liquid Fuel FFU-11/E [CUST: CR4 99] [REVIEW: 84]	A	4330		CC	16-MAR-2016
M	MS51515B	Tee, Tube, Bulkhead on Branch, 37 Degrees Flared [CUST: AR OS 99 CC] [REVIEW: 71 AT CG MC MI SA SH]	A	4730		CC	17-MAR-2016
M	MS51516B	Tee, Bulkhead on Run 37 Degree Flared [CUST: AR OS 99 CC] [REVIEW: 71 AT CG MC MI SA SH]	A	4730		CC	17-MAR-2016
l	MS51517B MS51518B	Cross, Tube, 37 Degree Flared [CUST: AR SH 99 CC] [REVIEW: 71 AT CG MC MI SA SH] Plug, Machine Thread 37 Degree Flared [CUST: AR OS 99 CC] [REVIEW: 71 AT CG MC MI SA SH]		4730 4730		CC CC	17-MAR-2016 17-MAR-2016
M	MS51519B	Nipple, Tube, Large Hex for Use with O-Ring, 37 Degree Flared [CUST: AR OS 99 CC] [REVIEW: 71 AT CG MC MI SA SH]	A	4730		CC	17-MAR-2016
M	MS51520B	Nipple, Tube, Bulkhead, 37 Degrees Flared [CUST: AR OS 99 CC] [REVIEW: 71 AT CG MC MI SA SH]	A	4730		CC	17-MAR-2016
M	MS51521B	Elbow, Tube, 90 Degrees, Swivel, 37 Degrees, Flared [CUST: AR OS 99 CC] [REVIEW: 71 AT CG MC MI SA SH]	A	4730		CC	17-MAR-2016
M	MS51522B	Elbow, Tube, 45 Degree Swivel, 37 Degree Flared [CUST: AR OS 99 CC] [REVIEW: 71 AT CG MC MI SA SH]	A	4730		CC	17-MAR-2016
M	MS51523B	Tee, Tube to Swivel, Swivel on Run, 37 Degrees Flared [CUST: AR OS 99 CC] [REVIEW: 71 AT CG MC MI SA SH]	A	4730		CC	17-MAR-2016
М	MS51524B	Tee, Tube to Swivel, Swivel on Branch, 37 Degree Flared [CUST: AR OS 99 CC] [REVIEW: 71 AT	A	4730		CC	17-MAR-2016
M	WW-S-2739 NOT 2	CG MC MI SA SH] Strainers, Sediment: Pipeline, Water, Air, Gas, Oil or Steam [CUST: AT SH 99 CC] [REVIEW: 71	A	4730	/	CC	16-MAR-2016
M	MS3461A NOT 2	CE CG MC SA] Test Gage, MIL-C-0026482 Series 2 or MIL-C-81703 Series 3 Contact Retention Feature [CUST:	A	5220		CC	16-MAR-2016
1	MIL-PRF-22885/83E(1) NOT 2	CR AS 11 CC] [REVIEW: AR AV EC MI SH] Switch, Push Button, Illuminated, (2 330 Long X 750 Square) [CUST: 85 CC]		5930		CC	14-MAR-2016
	MS27399A NOT 1	Connector, Electrical, Style S, Rack and Panel, Miniature, Closed Entry [CUST: 85 CC] [REVIEW: IS]		5935		CC	16-MAR-2016
	MIL-DTL-5757L SUP 1	Relays, Electromagnetic, General Specification for [CUST: CR EC 85 CC] [REVIEW: 99 AS AT AV CR4 MC MI OS]		5945		CC	16-MAR-2016
	MIL-T-27535A(2) SUP 1A NOT 4	Transformer, Power, Isolation: Series Circuit, Airport Lighting, General Specification for [CUST: AS 85 CC] [REVIEW: MI YD]		5950		CC	16-MAR-2016
	MIL-PRF-3098/8G NOT 2	Crystal Unit, Quartz, CR26/U [CUST: CR EC 99 CC] [REVIEW: 184 19 AR AS MC MI SH]		5955		CR	14-MAR-2016
l	MIL-PRF-3098/21H NOT 2	Crystal Unit, Quartz, CR42/U [CUST: CR EC 99 CC] [REVIEW: 19 AR AS MC MI SH]	A			CR	14-MAR-2016
	MIL-PRF-3098/24F NOT 2 MIL-PRF-3098/26H NOT 2	Crystal Unit, Quartz, CR45/U [CUST: CR EC 99 CC] [REVIEW: 19 AR AS MC MI SH] Crystal Unit, Quartz, CR47/U [CUST: CR EC 99 CC] [REVIEW: 19 AR AS MC MI SH]	A	5955 5955		CR CR	14-MAR-2016 14-MAR-2016
	MIL-PRF-3098/2011 NOT 2	Crystal Unit, Quartz, CR63/U [CUST: CR EC 99 CC] [REVIEW: 19 AR AS MC MI SH]		5955		CR	14-MAR-2016
	MIL-PRF-3098/51J NOT 2	Crystal Unit, Quartz, CR74/U [CUST: CR EC 99 CC] [REVIEW: 19 AR AS CG MC MI OS SH SM]		5955		CR	14-MAR-2016
M	MIL-PRF-3098/52H NOT 2	Crystal Unit, Quartz, CR75/U [CUST: CR EC 99 CC] [REVIEW: 19 AR AS MC MI SH SM]	A	5955		CR	14-MAR-2016
M	MIL-PRF-3098/54G NOT 2	Crystal Unit, Quartz, CR73/U [CUST: CR EC 99 CC] [REVIEW: 19 AR AS MC MI SH]	A	5955		CR	14-MAR-2016
M	MIL-PRF-3098/80G NOT 1	Crystal Unit, Quartz, CR105/U [CUST: CR EC 99 CC]	A	5955		CR	14-MAR-2016
M	MIL-PRF-3098/86F NOT 1	Crystal Unit, Quartz, CR110/U [CUST: CR EC 85 CC]	A	5955		CR	14-MAR-2016
M	MIL-PRF-3098/89E NOT 1	Crystal Unit, Quartz, CR113/U [CUST: CR EC 85 CC]	A	5955		CR	14-MAR-2016
M	MIL-M-38510/605B(1) NOT 3	Microcircuits, Digital, CMOS Semicustom (Gate Array) Devices, Monolithic Silicon [CUST: CR EC 85 CC NA] [REVIEW: 03 19 99 AS CG MC MI SH SM]				CC	16-MAR-2016
	MIL-M-38510/606B(1) NOT 3	Microcircuits, Digital, CMOS Semicustom (Gate Array) Devices, Monolithic Silicon [CUST: CR EC 85 CC NA] [REVIEW: 03 19 99 AS CG MC MI SH SM]				CC	16-MAR-2016
	MIL-M-38510/607A(1) NOT 3	Microcircuits, Digital CMOS Semicustom (Gate Array) Devices, Monolithic Silicon [CUST: CR EC 85 CC NA] [REVIEW: 03 19 99 AS CG MC MI SH SM]				CC	16-MAR-2016
	MIL-M-38510/608A(1) NOT 3	Microcircuits, Digital, CMOC Semicustom (Gate Array) Devices, Monolithic Silicon [CUST: CR EC 85 CC NA] [REVIEW: 03 19 99 AS CG MC MI SH SM]		5962		CC	16-MAR-2016
М	MIL-C-17/47C(1) NOT 3	Cable, Radio Frequency, Flexible, Coaxial, 185 OHMS, M17/47-RG114 (For New Design Use MIL-C-17/208) [CUST: CR EC 85] [REVIEW: 19 99 AR AS AT CR4 IS MC MI OS SH]	A	6145		CC	16-MAR-2016
l							

#### **CANCELED SECTION**

### ASSIST UPDATE

DOCTMENT NUMBER	M MIL-S-63540/6 NOT 2 Stud, Self-Locking, Non-Flush, Ribbed Clinch Type (S/S by NASM63540/6) [CUST: AR 99 IS] A 5307 IS 30-MAR-20 [REVIEW: 71 AT MI NS] Amplifiers, Audio Frequency; Booster Amplifier - Audio - 20 Watt Shipboard Announcing (No S/S Document) [CUST: SH]  A 6320  SH 23-FEB-20	CANCELED SECTION	ASSIST UPDATE					
M MIL-S-63540/6 NOT 2 Stud, Self-Locking, Non-Flush, Ribbed Clinch Type (S/S by NASM63540/6) [CUST: AR 99 IS] [REVIEW: 71 AT MI NS]  M A-A-59003/11 NOT 1 Amplifiers, Audio Frequency; Booster Amplifier - Audio - 20 Watt Shipboard Announcing (No S/S Document) [CUST: SH]  A 5307 IS 30-MAR-2016	M. MLS-455006 NOT. 2  Statel. Self-declaring. Non-Phone, Ribbox. Clinical Type; CS-81by ASAMOS(3006) (CUST: R8 9705). A 5377 IS 39-MAR-2 IS A 55000 (T NOT. 1)			TRIBUTION	C/AREA	Ą.	EP ACTY	
M A-A-59003/11 NOT 1 Amplifiers, Audio Frequency; Booster Amplifier - Audio - 20 Watt Shipboard Announcing (No S/S A 6320 / SH 23-FEB-2016 Document) [CUST: SH]	M. A. 5900071 NOT 1  Apapilities, Audio Treguency; Bosotier Ampilities Audio 20 Wat Shipbarari Amooncing (No S.S. A. 6320 / 511 23-TEB 20 18 NOT 1  Palare Metris, Effects, and Critically Analysis Report (No S.S. Document)  A. SESS AZ 22 MAR-2	DOCUMENT NUMBER	DOCUMENT TITLE	<u>DIS</u>	FS(	M	PR	DATE
M A-A-59003/11 NOT 1 Amplifiers, Audio Frequency; Booster Amplifier - Audio - 20 Watt Shipboard Announcing (No S/S A 6320 / SH 23-FEB-2016 Document) [CUST: SH]	M. A. 5900071 NOT 1  Apapilities, Audio Treguency; Bosotier Ampilities Audio 20 Wat Shipbarari Amooncing (No S.S. A. 6320 / 511 23-TEB 20 18 NOT 1  Palare Metris, Effects, and Critically Analysis Report (No S.S. Document)  A. SESS AZ 22 MAR-2		Stud, Self-Locking, Non-Flush, Ribbed Clinch Type (S/S by NASM63540/6) [CUST: AR 99 IS] [REVIEW: 71 AT MI NS]				IS	
M DI-SFSS 8201B NOT 1  Failure Modes, Effects, and Criticality Analysis Regort (No. SS Decument)  A. SESS AS 22-MAR-2011  A. SESS AS 22-MAR-2011	M. DI. SESS 82018 NOT 1  Failure Modes, Discot, and Criticality Analysis Report (No. 5.8 Document)  A. SESS. AS 22 MAN-2.2  MAN-2	M A-A-59003/11 NOT 1	Amplifiers, Audio Frequency; Booster Amplifier - Audio - 20 Watt Shipboard Announcing (No S/S Document) [CUST: SH]	A	6320	/	SH	23-FEB-2016
		M DI-SESS-82018 NOT 1	Failure Modes, Effects, and Criticality Analysis Report (No S/S Document)	A	SESS		AS	22-MAR-2016