

# Department of Defense Standardization Program



## ASSIST UPDATE

**(A bi-monthly summary of changes to the ASSIST document database)**

**1 December 2012**

**(For the Period 15 November 2012 to 30 November 2012)**

## ASSIST UPDATE

Documents listed in the ASSIST UPDATE have an indicator of “N” or “M” to describe the last action taken on a listed document.

“N” indicates that a “new” document has been entered into the ASSIST database.

“M” indicates that a document already in ASSIST has been “modified” in some way.

The ASSIST UPDATE is published twice a month and provides a summary of changes to Department of Defense standardization documents for the period indicated. Since changes are processed to the ASSIST database on a daily basis, users should consult the ASSIST web site at <https://assist.dla.mil/> for the most current information.

If you need to track changes more frequently, or if you have an interest in specific Federal Supply Classes or individual specifications, standards, or other standardization documents, you may wish to take advantage of the ASSIST Alert Service. This feature lets you establish a list of documents of interest to you, and then the ASSIST will alert you with an E-mail message each day there is a change to one or more documents of interest to you. There is no charge for this service; however, you must have an ASSIST user account. To obtain one, complete the ASSIST online registration form at <https://assist.dla.mil/online/registration/registration.cfm>.

Once you have your account, you can establish your Alert Portal profile. For more information on the ASSIST Alert Service, go to: <https://assist.dla.mil/online/news/AlertService.htm>.

## ACTIVE SECTION

## ASSIST UPDATE

LAST ACTION	DOCUMENT NUMBER	DOCUMENT TITLE	DISTRIBUTION	FSC/AREA	MCA	PREP ACTY	DATE
M	MIL-PRF-70600B	Cartridge, Rimfire, .22 Caliber [CUST: AR]	A	1305		AR	26-NOV-2012
M	MIL-STD-8591(1) NOT 1	Airborne Stores, Suspension Equipment and Aircraft-Store Interface (Carriage Phase) [CUST: AV AS 11] [REVIEW: 19 22 99]	A	15GP		AS	16-NOV-2012
M	MIL-DTL-25959H	Tie Down, Tensioners, Cargo, Aircraft [CUST: AS 84 GS2] [REVIEW: 11 99]	A	1670		84	13-NOV-2012
M	A-A-59001A	Batterboard, Synthetic [CUST: SH]	A	2040	/	SH	20-NOV-2012
M	MIL-DTL-26521K(3) NOT 1	Hose Assembly, Nonmetallic, Fuel, Collapsible, Low Temperature with Non-Reusable Couplings. [CUST: AR SH 99 CC] [REVIEW: 71 AV]	A	4720		CC	27-NOV-2012
M	MIL-DTL-25579/1 NOT 1	Hose Assembly Length Measurement for NAS 1760 and MS8000 Series Seal, (Globe Seal, or Radius Seal) to Flareless Fitting End Design [CUST: AV AS 99 CC] [REVIEW: 71 AR AT EA MC MI SA SH]	A	4730		CC	27-NOV-2012
M	MS27053D NOT 1	Adapter Assembly, Flared, Straight, Tube to Hose - with Swivel Nut [CUST: AV AS 99 CC] [REVIEW: 71 AT MC MI SA SH]	A	4730		CC	27-NOV-2012
M	MS27054D NOT 1	Adapter Assembly, Straight, Swivel Flange to Hose [CUST: AV AS 99 CC] [REVIEW: 71 AR AT MC MI SA SH]	A	4730		CC	27-NOV-2012
M	MS27055D NOT 1	Adapter Assembly, Flared, 45 Degrees Elbow, Tube to Hose - with Swivel Nut [CUST: AV AS 99 CC] [REVIEW: 71 AR AT MC MI SA SH]	A	4730		CC	27-NOV-2012
M	MS27056D NOT 1	Adapter Assembly, 45 Degrees Elbow, Swivel Flange to Hose [CUST: AV AS 99 CC] [REVIEW: 71 AR AT MC MI SA SH]	A	4730		CC	27-NOV-2012
M	MS27071C NOT 1	Union, Nipple [CUST: AV AS 99 CC] [REVIEW: 71 AR AT MC MI SA SH]	A	4730		CC	27-NOV-2012
M	MS27075C NOT 1	Nipple, Flared, Tube to Hose- Swivel Nut [CUST: AV AS 99 CC] [REVIEW: 71 AR AT MC MI SA SH]	A	4730		CC	27-NOV-2012
M	MS27077C NOT 1	Flange, Swivel, Retaining [CUST: AV AS 99 CC] [REVIEW: 71 AR AT MC MI SA SH]	A	4730		CC	27-NOV-2012
M	MS27082D NOT 1	Elbow, Nipple End, Swivel Flange to Hose-90 Degrees [CUST: AV AS 99 CC] [REVIEW: 71 AR AT MC MI SA SH]	A	4730		CC	27-NOV-2012
M	MS27084C NOT 1	Elbow, Nipple End, Swivel Flange to Hose - 45 Degrees [CUST: AV AS 99 CC] [REVIEW: 71 AR AT MC MI SA SH]	A	4730		CC	27-NOV-2012
M	MS27086C NOT 1	Elbow, Nipple End, Flared, Tube to Hose-90 Degrees Swivel Nut [CUST: AV AS 99 CC] [REVIEW: 71 AR AT MC MI SA SH]	A	4730		CC	27-NOV-2012
M	MS27087C NOT 1	Elbow, Nipple End, Flared, Tube to Hose - 45 Degrees Swivel Nut [CUST: AV AS 99 CC] [REVIEW: 71 AR AT MC MI SA SH]	A	4730		CC	27-NOV-2012
M	MS27381B NOT 1	Adapter, Assembly, Flareless, Straight, Tube to Hose - with Swivel Nut [CUST: AV AS 99 CC] [REVIEW: 71 AR AT MC MI SA SH]	A	4730		CC	27-NOV-2012
M	MS27382B NOT 1	Adapter Assembly, Flareless, 45 Degree Elbow, Tube to Hose-with Swivel Nut [CUST: AV AS 99 CC] [REVIEW: 71 AR AT MC MI SA SH]	A	4730		CC	27-NOV-2012
M	MS27383B NOT 1	Adapter Assembly, Flareless, 90 Degrees Elbow, Tube to Hose - with Swivel Nut [CUST: AV AS 99 CC] [REVIEW: 71 AR AT MC MI SA SH]	A	4730		CC	27-NOV-2012
M	MS33561B NOT 2	Connection, Aircraft Ground Air Conditioning, 5 Inch [CUST: AS 99] [REVIEW: 71 MC]	A	4730		CC	20-NOV-2012
M	MS33562D NOT 2	Connection, Aircraft Ground Air Conditioning, 8 Inch [CUST: AS 99 CC] [REVIEW: 71 MC]	A	4730		CC	20-NOV-2012
M	A-A-2622A NOT 2	Adapters, Pipe to Hose, Straight or Reducing [CUST: YD 99] [REVIEW: 84]	A	4730	/	CC	27-NOV-2012
M	A-A-55535 NOT 2	Rings, Expansion, Hose, Brass [CUST: AT 99] [REVIEW: 71]	A	4730	/	CC	27-NOV-2012
M	A-A-59437 NOT 2	Filler-Bleeder, Hydraulic Brake System, Automotive [CUST: AR 99 CC] [REVIEW: 84 AV CR4 MC]	A	4910	/	CC	20-NOV-2012
M	A-A-59435 NOT 2	Heaters, Gun Type, Electric [CUST: 99 CC] [REVIEW: 84]	A	4940	/	CC	20-NOV-2012
M	MIL-DTL-22520/43 NOT 1	Crimping Tools, Terminal, Hand, Wire Termination; In-Service Inspection Gage [CUST: CR AS 11] [REVIEW: CC EC MC OS SH]	A	5220		AS	20-AUG-2012
M	MS51831G(1)	Insert, Screw-Thread, Locked in, Key Locked, Heavy Duty [CUST: AR AS 99 IS] [REVIEW: 71 AT AV GL MC SH]	A	5325		IS	20-NOV-2012
M	MS51832D(1)	Insert, Screw-Thread, Locked In, Key-Locked, Extra Heavy Duty [CUST: AR AS 99 IS] [REVIEW: 71 AT AV CR EC MC MI SH]	A	5325		IS	20-NOV-2012
M	MS51836B	Insert, Screw Thread - Thread Forming [CUST: AR AS 99 IS] [REVIEW: AT AV CR MC MI]	A	5325		IS	14-NOV-2012
M	MS51991D	Insert, Screw Thread-Locked in, Ring Locked, Serrated [CUST: AR AS 99 IS] [REVIEW: 71 AT AV MI OS]	A	5325		IS	14-NOV-2012
M	A-A-55509D	Fuse, Indicator Alarm [CUST: EC CC]	A	5920	/	CC	29-NOV-2012
M	A-A-55518/2D	Fuseholder, Block, 20 or 30 Amperes (A), 250 Volts (V) AC, 1 Through 12 Pole, Accommodates 3AG or 3AB Type Fuse Cartridges [CUST: EC CC]	A	5920	/	CC	29-NOV-2012
M	MIL-PRF-8805/106B NOT 1	Switches, Sensitive, SPDT, Low Level to 2 Amperes, 400 Degrees F, Unsealed [CUST: EC 85 CC]	A	5930		CC	20-NOV-2012
M	MIL-PRF-8805/109C NOT 1	Switch, Sensitive, SPDT, Unsealed, 7 Amperes, 0.156 Width Base [CUST: EC CC]	A	5930		CC	20-NOV-2012
M	MIL-PRF-22710/20D NOT 2	Switches, Code Indicating Wheel (Printed Circuit), (Thumbwheel Switch Assembly, Sealed Modules, Dual- Illuminated) (RFI Shielded) (Top and Bottom Relampable), Style SRPC20 [CUST: CR EC 85 CC] [REVIEW: AS CR4 MC MI SM]	A	5930		CC	20-NOV-2012
M	MIL-PRF-22710/23D NOT 2	Switches, Code Indicating Wheel (Printed Circuit), (Pushbutton, Unidirectional, Sealed or Unsealed, Illuminated) (Side Relampable) or Non Illuminated, Style SRPC23 [CUST: CR EC 85 CC] [REVIEW: 99 AR AS CR4 MC SM]	A	5930		CC	20-NOV-2012
M	MIL-PRF-22885H	Switches, Push Button, Illuminated, General Specification for [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS AV MC MI OS SH]	A	5930		CC	21-NOV-2012
M	MIL-PRF-22885/11J NOT 2	Switch, Push Button, Illuminated, Modular Switch Assemblies for [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS AT AV CR4 MC MI SH]	A	5930		CC	20-NOV-2012
M	MIL-PRF-22885/52D NOT 1	Switch, Push Button, Illuminated, Pushbutton for (with Planar Color Filters) [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS CR4 MC MI OS SH]	A	5930		CC	20-NOV-2012
M	MIL-PRF-22885/109B NOT 2	Switches, Push Button, Illuminated, 4-Lamp, .75 Square, 4PDT and DPDT, 7 Amperes, Sunlight Readable Display Option, NVIS Compatible Option, Momentary and Alternate Holddown, Low Touch Temperature, Connector Module Termination Option [CUST: 85 CC]	A	5930		CC	20-NOV-2012
M	MIL-PRF-24236/1P	Switches, Thermostatic, (Bimetallic), Subminiature, Type I, Hermetically Sealed, Single Pole, Single Throw (SPST), 5 Amperes, and Low Level [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS AT AV MC MI OS]	A	5930		CC	19-NOV-2012
M	MIL-PRF-24236/30B	Switches, Thermostatic, (Bimetallic), Type I, Environmentally Sealed, Single Pole Double Throw (SPDT), 5 Amperes, and Low Level [CUST: CR EC 85 CC]	A	5930		CC	19-NOV-2012
M	MIL-DTL-9395/6C NOT 1	Switches, Pressure (Absolute), Type I, SPDT, 3 Amperes [CUST: CR EC 85 CC] [REVIEW: 99 MC SH]	A	5930		CC	20-NOV-2012
M	MIL-DTL-9395/8E NOT 1	Switches, Pressure, (Gage), Type II, SPDT, 10 Amperes [CUST: CR EC 85 CC] [REVIEW: 99 AV MC SH]	A	5930		CC	20-NOV-2012

## ACTIVE SECTION

## ASSIST UPDATE

LAST ACTION	DOCUMENT NUMBER	DOCUMENT TITLE	DISTRIBUTION	FSC/AREA	MCA	PREP ACTY	DATE
M	MIL-DTL-9395/26D NOT 1	Switches, Pressure, Absolute (Type I), 3 Amperes [CUST: CR EC 85 CC] [REVIEW: 99 AS AV MC SH]	A	5930		CC	20-NOV-2012
M	MIL-DTL-9395/38C NOT 1	Switches, Pressure, (Gage) Type II, Low Level to 5 Amperes [CUST: CR EC 85] [REVIEW: 99 AV MC SH]	A	5930		CC	20-NOV-2012
M	MIL-PRF-31031/1B NOT 1	Connector, Receptacle, Electrical, Radio Frequency, Series BMA, Flange Mount, for Flexible Cable, Socket Contact, High Reliability [CUST: CR EC 85 CC] [REVIEW: 19 99 AS AT AV EA MC MI OS SH]	A	5935		CC	28-NOV-2012
M	MIL-PRF-31031/2A NOT 1	Connector, Receptacle, Electrical, Radio Frequency, Series BMA, Jamnut Mount, for Flexible Cable, Pin Contact, High Reliability [CUST: CR EC 85 CC] [REVIEW: 19 99 AS AT AV EA MC MI OS SH]	A	5935		CC	28-NOV-2012
M	MIL-PRF-31031/11B NOT 1	Connector, Receptacle, Electrical, Radio Frequency, Series BMA, Flange Mount, for Semirigid Cable, Socket Contact, High Reliability [CUST: CR EC 85 CC] [REVIEW: 19 99 AS AT AV EA MC MI OS SH]	A	5935		CC	28-NOV-2012
M	MIL-PRF-39012/4E NOT 1	Connectors, Coaxial, Radio Frequency (Series N (Uncabled) - Receptacles - Jam Nut and Flange Mounted, Socket Contact, Class 2) [CUST: CR EC 85 CC NA] [REVIEW: 19 99 AR AS AT EA MC MI OS SH]	A	5935		CC	20-NOV-2012
M	MIL-PRF-39012/33A(2) NOT 4	Connectors, Coaxial, Radio Frequency, Series TNC (Uncabled-Receptacle, Socket, Right Angle, Class 2) [CUST: CR EC 85] [REVIEW: 19 99 AS AT AV EA MC MI NA OS SH]	A	5935		CC	16-NOV-2012
M	MIL-PRF-39012/34A(3) NOT 4	Connectors, Coaxial, Radio Frequency Series INC (Uncabled - Receptacle, Socket, Hermetic Sealed, Jam Nut Mounted, Class 2) [CUST: CR EC 85 CC] [REVIEW: 19 99 AS AT AV EA MC MI NA OS SH]	A	5935		CC	16-NOV-2012
M	MIL-PRF-49142/3F NOT 1	Connector, Plug, Electrical, Triaxial, Radio Frequency (Series TRB, Pin Contact, Class 2) [CUST: CR EC 85 CC NA] [REVIEW: 19 99 AR AS AT MC MI OS SH]	A	5935		CC	20-NOV-2012
M	MIL-PRF-49142/4H NOT 1	Connectors, Receptacle, Electrical, Triaxial, Radio Frequency, Uncabled, (Series TRB, Socket Contact, Jamnut Mounted, Class 2) Hermetic and Nonhermetic [CUST: CR EC 85 CC NA] [REVIEW: 19 99 AR AS AT MC MI OS SH]	A	5935		CC	16-NOV-2012
M	MIL-PRF-49142/5F NOT 1	Connector, Receptacle, Electrical, Triaxial, Radio Frequency (Series TRB (Cabled), Socket Contact, Jam Nut Mounted, Class 2) [CUST: CR EC 85 CC NA] [REVIEW: 19 99 AR AS AT MC MI OS SH]	A	5935		CC	20-NOV-2012
M	MIL-PRF-49142/6E NOT 1	Connector, Plug, Electrical, Triaxial, Radio Frequency (Series TRB (Cabled), Socket Contact, Class 2) [CUST: CR EC 85 CC NA] [REVIEW: 19 99 AR AS AT MC MI OS SH]	A	5935		CC	20-NOV-2012
M	MIL-PRF-49142/7D NOT 1	Connector, Plug, Electrical, Triaxial, Radio Frequency (Series TRB (Cabled), Pin Contact, Right Angle, Class 2) [CUST: CR EC 85 CC NA] [REVIEW: 19 99 AR AS AT MC MI OS SH]	A	5935		CC	16-NOV-2012
M	MIL-PRF-49142/9D NOT 1	Connector, Triaxial, Radio Frequency, (Series TRT (Cabled) Receptacle, Socket Contact, Jamnut Mounted, Class 2) [CUST: CR EC 85 CC NA] [REVIEW: 19 99 AR AS AT MC MI OS SH]	A	5935		CC	20-NOV-2012
M	MIL-PRF-49142/10E NOT 1	Connectors, Receptacle, Electrical, Triaxial, Radio Frequency, Uncabled (Series TRT, Socket Contact, Jamnut Mounted, Class 2) Hermetic and Nonhermetic [CUST: CR EC 85 CC NA] [REVIEW: 19 99 AR AS AT MC MI OS SH]	A	5935		CC	20-NOV-2012
M	MIL-PRF-49142/11D NOT 1	Connectors, Triaxial, Radio Frequency, (Series TRT (Cabled) Receptacle, Socket Contact, Class 2) [CUST: CR EC 85 CC NA] [REVIEW: 19 99 AR AS AT MC MI OS SH]	A	5935		CC	20-NOV-2012
M	MIL-PRF-55339/1B NOT 1	Adapter, Connector, Coaxial, Radio Frequency, In-Line, (Between Series BNC Jack to Series N Jack), Class 2 [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS AT EA MC MI OS SH]	A	5935		CC	15-NOV-2012
M	MIL-PRF-55339/3A NOT 1	Adapter, Connector, Coaxial, Radio Frequency, Right Angle, (Within Series N Plug to Series N Jack), Class 2 [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS AT EA MC MI OS SH]	A	5935		CC	15-NOV-2012
M	MIL-PRF-55339/4B NOT 1	Adapter, Connector, Coaxial, Radio Frequency, (Within Series N Jack to Series N Jack, (Hermetic and Non-Hermetic)), Class 2 [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS AT EA MC MI OS SH]	A	5935		CC	15-NOV-2012
M	MIL-PRF-55339/5A NOT 1	Adapter, Connector, Coaxial, Radio Frequency, In-Line, (Within Series N Plug), Class 2 [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS AT EA MC MI OS SH]	A	5935		CC	28-NOV-2012
M	MIL-PRF-55339/6B NOT 1	Adapter, Connector, Coaxial, Radio Frequency, (Within Series N), Class 2, T Plug [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS AT MC MI SH]	A	5935		CC	28-NOV-2012
M	MIL-PRF-55339/7A NOT 1	Adapter, Connector, Coaxial, Radio Frequency, (Within Series N), Class 2, Straight Plug [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS AT EA MC MI OS SH]	A	5935		CC	28-NOV-2012
M	MIL-PRF-55339/8A NOT 1	Adapter, Connector, Coaxial, Radio Frequency, In-Line, (Within Series C Jack to Series C Jack), Class 2 [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS AT EA MC MI OS SH]	A	5935		CC	28-NOV-2012
M	MIL-PRF-55339/9A NOT 1	Adapter, Connector, Coaxial, Radio Frequency, (Within Series C), Class 2, Straight Plug [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS AT EA MC MI OS SH]	A	5935		CC	28-NOV-2012
M	MIL-PRF-55339/10A NOT 1	Adapter, Connector, Coaxial, Radio Frequency, (Within Series C), Class 2, Right Angle Plug [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS AT EA MC MI OS SH]	A	5935		CC	16-NOV-2012
M	MIL-PRF-55339/11A NOT 1	Adapter, Connector, Coaxial, Radio Frequency, (Within Series C), Class 2, "T" Plug [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS AT EA MC MI OS SH]	A	5935		CC	15-NOV-2012
M	MIL-PRF-55339/12A NOT 1	Adapter, Connector, Coaxial, Radio Frequency, In-Line, Jamnut Mounted, (Within Series C Jack to Series C Jack (Hermetic)), Class 2 [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS AT EA MC MI OS SH]	A	5935		CC	16-NOV-2012
M	MIL-PRF-55339/13B NOT 1	Adapters, Connector, Coaxial, Radio Frequency, In-Line, Jamnut Mounted, (Within Series BNC Jack to Series BNC Jack, (Hermetic and Non-Hermetic)), Class 2 [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS AT EA MC MI OS SH]	A	5935		CC	16-NOV-2012
M	MIL-PRF-55339/15A NOT 1	Adapter, Connector, Coaxial, Radio Frequency (Within Series BNC), Class 2, Straight Plug [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS AT MC MI]	A	5935		CC	16-NOV-2012
M	MIL-PRF-55339/16A NOT 1	Adapter, Connector, Coaxial, Radio Frequency, In-Line, (Within Series BNC Jack to Series BNC Jack), Class 2 [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS AT EA MC MI OS SH]	A	5935		CC	16-NOV-2012
M	MIL-PRF-55339/18A NOT 1	Adapter, Connector, Coaxial, Radio Frequency, In-Line, (Between Series BNC Plug to Series N Plug), Class 2 [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS AT MC MI]	A	5935		CC	15-NOV-2012
M	MIL-PRF-55339/19A NOT 1	Adapter, Connector, Coaxial, Radio Frequency, In-Line, (Between Series N Jack to Series C Plug), Class 2 [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS AT EA MC MI OS SH]	A	5935		CC	15-NOV-2012
M	MIL-PRF-55339/20A NOT 1	Adapter, Connector, Coaxial, Radio Frequency, In-Line, (Between Series BNC Jack to Series N Plug), Class 2 [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS AT EA MC MI OS SH]	A	5935		CC	15-NOV-2012
M	MIL-PRF-55339/21A NOT 1	Adapter, Connector, Coaxial, Radio Frequency, In-Line, (Between Series C Jack to Series N Plug), Class 2 [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS AT EA MC MI OS SH]	A	5935		CC	15-NOV-2012
M	MIL-PRF-55339/22A NOT 1	Adapter, Connector, Coaxial, Radio Frequency, In-Line, (Between Series BNC Jack to Series C Plug), Class 2 [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS AT EA MC MI OS SH]	A	5935		CC	15-NOV-2012
M	MIL-PRF-55339/24B NOT 1	Adapter, Connector, Coaxial, Radio Frequency, Flange Mounted, (Within Series BNC Plug to Series N Jack, Class 2 [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS AT EA MC MI OS SH]	A	5935		CC	15-NOV-2012

## ACTIVE SECTION

## ASSIST UPDATE

LAST ACTION	DOCUMENT NUMBER	DOCUMENT TITLE	DISTRIBUTION	FSC/AREA	MCA	PREP ACTY	DATE
M	MIL-PRF-55339/25C NOT 1	Adapter, Connector, Coaxial, Radio Frequency, In-Line, Jamnut Mounted, (Between Series BNC Jack to Series N Jack), Class 2 [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS AT MC MI OS SH]	A	5935		CC	15-NOV-2012
M	MIL-PRF-55339/33A NOT 1	Adapter, Connector, Coaxial, Radio Frequency, (Within Series TNC) Class 2, Straight Plug [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS AT EA MC MI OS SH]	A	5935		CC	15-NOV-2012
M	MIL-PRF-55339/34A NOT 1	Adapter, Connector, Coaxial, Radio Frequency, (Within Series TNC, (Hermetic)), Class 2, Receptacle [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS AT EA MC MI OS SH]	A	5935		CC	16-NOV-2012
M	MIL-PRF-55339/35A NOT 1	Adapter, Connector, Coaxial, Radio Frequency, (Within Series TNC), Class 2, "T" Plug [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS AT EA MC MI OS SH]	A	5935		CC	16-NOV-2012
M	MIL-PRF-55339/36B NOT 1	Adapter, Connector, Coaxial, Radio Frequency, (Within Series TNC), Class 2, Straight Plug [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS AT EA MC MI OS SH]	A	5935		CC	16-NOV-2012
M	MIL-PRF-55339/37A NOT 1	Adapter, Connector, Coaxial, Radio Frequency (Between Series BNC to Series TNC), Class 2, Straight Plug [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS AT EA MC MI OS SH]	A	5935		CC	16-NOV-2012
M	MIL-PRF-55339/38A NOT 1	Adapter, Connector, Coaxial, Radio Frequency (Between Series BNC to Series TNC), Class 2, Straight Plug [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS AT EA MC MI OS SH]	A	5935		CC	20-NOV-2012
M	MIL-PRF-55339/39A NOT 1	Adapter, Connector, Coaxial, Radio Frequency (Between Series BNC to Series TNC), Class 2, Straight Plug [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS AT EA MC MI OS SH]	A	5935		CC	20-NOV-2012
M	MIL-PRF-55339/44B(1) NOT 2	Adapter, Connector, Coaxial, Radio Frequency, In-Line (Between Series SMA Jack to Series BNC), Class 2 [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS AT MC MI SH]	A	5935		CC	16-NOV-2012
M	MIL-PRF-55339/45A(2) NOT 3	Adapter, Connector, Coaxial, Radio Frequency, In-Line, (Between Series SMA Plug to Series BNC Plug), Class 2 [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS AT MC MI SH]	A	5935		CC	16-NOV-2012
M	MIL-PRF-55339/49A NOT 1	Adapter, Connector, Coaxial, Radio Frequency, (Between Series N Jack to Series BNC Plug) [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS AT EA MC MI OS SH]	A	5935		CC	16-NOV-2012
M	MIL-PRF-55339/50B NOT 1	Adapter, Connector, Coaxial, Radio Frequency (Within Series TNC Jack to Two Series TNC Jacks), Class 2, "T" Jamnut Mount [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS AT EA MC MI OS SH]	A	5935		CC	28-NOV-2012
M	MIL-PRF-55339/51A NOT 1	Adapter, Connector, Coaxial, Radio Frequency, (Between Series TNC to Series N), Class 2. Straight Plug [CUST: 85 CC] [REVIEW: 19 99]	A	5935		CC	20-NOV-2012
M	MIL-PRF-55339/53(1) NOT 2	Adapter, Connector, Electrical, Coaxial, Radio Frequency, Pin Contact (Within Series SMA), Right Angle [CUST: CR EC 85 NA] [REVIEW: 19 99 AR AS AT MC MI OS SH]	A	5935		CC	28-NOV-2012
M	MIL-PRF-55339/55 NOT 1	Adapter, Connectors, Electrical, Coaxial, Radio Frequency, Series SMA, Connector Saver [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS AT EA MC MI OS SH]	A	5935		CC	28-NOV-2012
M	MIL-J-641/1D NOT 4	Jacks, Telephone Types JJ-015 and JJ-019 [CUST: CR EC 85 CC] [REVIEW: 19 AR AS CR4 MC MI OS SH]	A	5935		CC	20-NOV-2012
M	MIL-J-641/2D NOT 4	Jacks, Telephone Types JJ-016, JJ-017, JJ-024, JJ-035, JJ-072, JJ-084, JJ-085, JJ-086, and JJ-087 [CUST: CR EC 85 CC] [REVIEW: 19 AS AT AV CR4 MC OS]	A	5935		CC	20-NOV-2012
M	MIL-J-641/9D NOT 4	Jacks, Telephone, Types JJ-079, JJ-081, JJ-082, and JJ-106 [CUST: CR EC 85 CC] [REVIEW: 19 AS CG MC SH]	A	5935		CC	20-NOV-2012
M	MIL-J-641/10C NOT 4	Jacks, Telephone Type JJ-083 [CUST: CR EC 85 CC] [REVIEW: 19 CR4 MC MI OS]	A	5935		CC	20-NOV-2012
M	MIL-J-641/11C NOT 4	Jacks, Telephone Type JJ-088 [CUST: CR EC 85 CC] [REVIEW: 19 AR CR4 MC MI OS]	A	5935		CC	20-NOV-2012
M	MIL-J-641/12C NOT 4	Jacks, Telephone Type JJ-089 [CUST: CR EC 85 CC] [REVIEW: 19 AR AS CG CR4 MC MI OS]	A	5935		CC	20-NOV-2012
M	MIL-P-642/1A NOT 4	Plug, Telephone and Accessory Screws Types PJ-047B and PJ-047R [CUST: CR EC 85 CC] [REVIEW: AR AS CR4 MC MI OS SH]	A	5935		CC	20-NOV-2012
M	MIL-P-642/2B NOT 3	Plug, Telephone (Types PJ-051B and PJ-051R) and Accessory Screws [CUST: CR EC 85 CC] [REVIEW: AR CG CR4 MC MI OS]	A	5935		CC	20-NOV-2012
M	MIL-P-642/3A NOT 4	Plug, Telephone (Types PJ-054B and PJ-054R) and Accessory Screws [CUST: CR EC 85 CC] [REVIEW: AR AS CR4 MC MI OS SH]	A	5935		CC	20-NOV-2012
M	MIL-P-642/4A(1) NOT 4	Plug, Telephone and Accessories Screws Types PJ-055B and PJ-055R and PJ-055M [CUST: CR EC 85 CC] [REVIEW: AR CG CR4 MC MI OS]	A	5935		CC	20-NOV-2012
M	MIL-P-642/6A NOT 3	Plug, Telephone (Type PJ-291) and Accessory Screws [CUST: CR EC 85 CC] [REVIEW: CG CR4 MC MI OS]	A	5935		CC	20-NOV-2012
M	MIL-P-642/7A NOT 3	Plug, Telephone (Type PJ-292) and Accessory Screws [CUST: CR EC 85 CC] [REVIEW: AS CR4 MC MI OS SH]	A	5935		CC	20-NOV-2012
M	MIL-P-642/8A NOT 3	Plug, Telephone (Type PJ-309) and Accessory Screws [CUST: CR EC 85 CC] [REVIEW: AR CG CR4 MC MI OS]	A	5935		CC	20-NOV-2012
M	MIL-P-642/9A NOT 3	Plug, Telephone (Type PJ-327) and Accessory Screws [CUST: CR EC 85 CC] [REVIEW: AR AS CR4 MC MI OS SH]	A	5935		CC	20-NOV-2012
M	MIL-P-642/10A NOT 4	Plugs, Telephone (Types PJ-540B & PJ-540R) and Accessory Screws [CUST: CR EC 85 CC] [REVIEW: CG CR4 MC MI OS]	A	5935		CC	16-NOV-2012
M	MIL-P-642/12B NOT 4	Plug, Telephone & Accessory Screws [CUST: CR EC 85 CC] [REVIEW: 99 AR CG CR4 MC MI OS SH]	A	5935		CC	16-NOV-2012
M	MIL-DTL-2726/5C NOT 1	Receptacle, Plug, Electrical, 3 Pin Grounded, 40-Ampere, 450-Volt, Alternating Current (Symbol No. 1140.1) [CUST: SH CC]	A	5935		CC	16-NOV-2012
M	MIL-DTL-2726/16B NOT 2	Receptacle, Electrical, Enclosed, 4 - Pin Grounded, 40 - Ampere, 450 - Volt, Alternating Current (Symbol Nos. 1147.1, 1147.2 and 1147.3) [CUST: SH CC]	A	5935		CC	16-NOV-2012
M	MIL-DTL-2726/30B NOT 1	Receptacle, Plug, Electrical, 10-Ampere, 125-Volt, Single Pole, Male (Symbol No. 727.1 - Red; Symbol No. 727.2 - Black) [CUST: SH CC]	A	5935		CC	16-NOV-2012
M	MIL-DTL-2726/32B NOT 1	Receptacle, Electrical, 10-Ampere, 125-Volt, Single Pole, Panel Mounted (Symbol No. 775.1 - Black; Symbol No. 775.2 - Red) [CUST: SH CC]	A	5935		CC	16-NOV-2012
M	MIL-DTL-2726/38D NOT 1	Receptacle, Plug, Electrical, 15 - Ampere, 125 - Volt, Bladed Type, Grounded (Symbol No. 1218.3) [CUST: SH CC]	A	5935		CC	16-NOV-2012
M	MIL-DTL-2726/43B NOT 1	Receptacle, Electrical, (Bladed) 15-Ampere with 3-Ampere Switch, Type DPST, 125-Volt, Grounded, Totally Enclosed (Symbol 918.1) [CUST: SH CC]	A	5935		CC	16-NOV-2012
M	MIL-DTL-2726/47B NOT 2	Receptacle, Electrical, Enclosed, 15-Ampere, 125-Volt 2-Pole, Grounded (Symbol No. 735.3) [CUST: SH CC]	A	5935		CC	15-NOV-2012
M	MIL-DTL-2726/48D NOT 1	Receptacle and Switch, Electrical, Enclosed, 15-Ampere, 125-Volt, Interlocking, Grounded (Symbol No. 900.1) [CUST: SH CC]	A	5935		CC	16-NOV-2012
M	MIL-DTL-2726/50D NOT 2	Receptacle, Plug, Electrical, 15-Ampere, 125/250-Volts, 2-Pole, Grounded (Symbol No. 720.3) [CUST: SH CC]	A	5935		CC	15-NOV-2012
M	MIL-DTL-3650B NOT 1	Connector, Coaxial, Radio Frequency, Series LC [CUST: CR EC 85 CC] [REVIEW: 99 AR AS MC MI]	A	5935		CC	15-NOV-2012
M	MIL-DTL-3655D SUP 1 NOT 1	Connector, Plug and Receptacle, Electrical (Coaxial, Series Twin), and Associated Fittings, General Specification for [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS AT MC MI OS SH]	A	5935		CC	16-NOV-2012



## ACTIVE SECTION

## ASSIST UPDATE

LAST ACTION	DOCUMENT NUMBER	DOCUMENT TITLE	DISTRIBUTION	FSC/AREA	MCA	PREP ACTY	DATE
M	MIL-DTL-12883/42F NOT 1	Sockets and Accessories for Plug-in Electronic Components (Power Transistor, 2 Contact, 10 Amperes, TO-3), Radial [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AT AV CG CR4 MC MI OS]	A	5935		CC	15-NOV-2012
M	MIL-DTL-12883/52B NOT 1	Sockets and Accessories for Plug-in Electronic Components Socket Assembly for Relays, 2,3, and 4-Pole, Track Mount (MIL-PRF-6106, MIL-PRF-83536, and MIL-PRF-83726) [CUST: CR EC 85 CC] [REVIEW: 99 MI]	A	5935		CC	16-NOV-2012
M	MIL-DTL-28804/1E NOT 1	Connectors, Receptacle, Electric, Rectangular, High Density, Polarized Center Jackscrew, Crimp Removable Socket Contacts, Class G [CUST: CR EC 85 CC] [REVIEW: 99 AM AR AS AT CR4 MC MI]	A	5935		CC	16-NOV-2012
M	MIL-DTL-28804/7E NOT 1	Connectors, Receptacle, Electric, Rectangular, High Density, Polarized Center Jackscrew, Solder Socket Contacts, Class S [CUST: CR EC 85 CC] [REVIEW: 99 AM AR AS AT CR4 MC MI]	A	5935		CC	16-NOV-2012
M	MIL-DTL-28804/9E NOT 1	Connectors, Pin Contact, Electric, Rectangular, High Density, Polarized Center Jackscrew, Size 22, Crimp Removable [CUST: CR EC 85 CC] [REVIEW: 99 AM AR AS AT CR4 MC MI]	A	5935		CC	16-NOV-2012
M	MIL-DTL-28804/10E NOT 1	Connectors, Sockets Contact, Electric, Rectangular, High Density, Polarized Center Jackscrew, Size 22, Crimp Removable [CUST: CR EC 85 CC] [REVIEW: 99 AS AT MC MI]	A	5935		CC	16-NOV-2012
M	MIL-DTL-28840/24C NOT 1	Connectors, Electrical, Circular, Threaded, High Shock, High Density, Shipboard, Screw Threads, Crimp Contacts, Gasket, Flange Mounting [CUST: EC CC] [REVIEW: NA SH]	A	5935		CC	15-NOV-2012
M	MIL-DTL-39024/1D NOT 1	Connectors, Electrical, Test Point Type, Panel Type; Single Test Point (Threaded), Low Voltage [CUST: CR EC 85 CC] [REVIEW: 19 AR AS CR4 MC MI OS]	A	5935		CC	16-NOV-2012
M	MIL-DTL-39024/2D NOT 1	Connectors, Electrical, Test Point Type, Panel Type; Single Test Point (Threaded), High Voltage [CUST: CR EC 85 CC] [REVIEW: 19 AR AS CG CR4 MC MI OS]	A	5935		CC	16-NOV-2012
M	MIL-C-39024/3B NOT 3	Connectors, Electrical, Test Point Type, Printed Wiring; Single Test Point (Right Angle, 2-Leg Mounting), Low Voltage [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS CG CR4 MC MI OS]	A	5935		CC	16-NOV-2012
M	MIL-DTL-39024/4D NOT 1	Connectors, Electrical, Test Point Type, Printed Wiring Type; Single Test Point (Right Angle, 3-Leg Mounting), Low Voltage [CUST: CR EC 85 CC] [REVIEW: 19 AR AS CG CR4 MC MI OS]	A	5935		CC	16-NOV-2012
M	MIL-C-39024/5C NOT 3	Connectors, Electrical, Test Point Type, Panel Type; Single Test Point (Hole Mounting, Push-Fit), Low Voltage [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS CG CR4 MC MI OS]	A	5935		CC	16-NOV-2012
M	MIL-DTL-39024/10E NOT 1	Jack, Tip (Test Point Type, Panel Type; Single Test Point (Threaded) Low Voltage, .080) [CUST: CR EC 85 CC] [REVIEW: 19 AR AS CG CR4 EA MC MI OS]	A	5935		CC	16-NOV-2012
M	MIL-DTL-39024/12E NOT 1	Connectors, Electrical, Test Point Type, Panel Type; Single Test Point (Hole Mounting, Push-Fit), Low Voltage [CUST: CR EC 85 CC] [REVIEW: 19 AR AS CG CR4 MC MI OS]	A	5935		CC	16-NOV-2012
M	MIL-DTL-55302/133C NOT 1	Connectors, Plug, Electrical, Printed Circuit Subassembly and Accessories: Right Angle, Pin Contacts, 32 or 64 Contact Position for Printed Wiring Boards (.100 Spacing) [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS AT AV CR4 MC MI OS SH]	A	5935		CC	20-NOV-2012
M	MIL-DTL-55302/171B NOT 1	Connectors, Printed Circuit Subassembly and Accessories: Low Mating Force, Contact Brush [CUST: 85 CC] [REVIEW: 19 99]	A	5935		CC	20-NOV-2012
M	MIL-DTL-55302/192A NOT 1	Connectors, Printed Circuit Subassembly and Accessories: Receptacle, Socket Contacts, 122 and 152 Positions, Printed Wiring Board (.075 Spacing) [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS AT AV CR4 MC MI OS SH]	A	5935		CC	20-NOV-2012
M	MIL-DTL-83503C NOT 1	Connectors, Electrical, Flat Cable, and/or Printed Wiring Board, Nonenvironmental, General Specification for [CUST: 85 CC] [REVIEW: 99]	A	5935		CC	20-NOV-2012
M	MIL-DTL-83505/6E NOT 2	Sockets, (Lead, Electric Components) Type VI, Solderless Spring Contact) [CUST: CR EC 85 CC] [REVIEW: 99]	A	5935		CC	20-NOV-2012
M	MIL-DTL-83734/17A NOT 2	Sockets, Plug-In Electronic Components (for 32 Pin, Dual-In-Line Packages) [CUST: CR EC 85 CC] [REVIEW: 19 99 AS MC OS SH]	A	5935		CC	20-NOV-2012
M	MIL-DTL-83734/23 NOT 2	Sockets, Plug-in Electronic Components, Low Profile, (for 20 Pin Dual-in-Line Packages) [CUST: CR EC 85 CC] [REVIEW: 19 99 AS MC OS SH]	A	5935		CC	20-NOV-2012
M	MIL-DTL-83734/24 NOT 2	Sockets, Plug-in Electronic Components, Low Profile, (for 22 Pin Dual-in-Line Packages) [CUST: CR EC 85 CC] [REVIEW: 19 99 AS MC OS SH]	A	5935		CC	20-NOV-2012
M	MS27472J(1)	Connectors, Receptacle, Electrical, Box Mounting Flange, Crimp Type, Bayonet Coupling, Series II [CUST: CR AS 85 CC] [REVIEW: 19 99 AR EC IS MC MI OS]	A	5935		CC	15-NOV-2012
M	MS27473N(1)	Connectors, Plug, Electrical, Straight, Crimp Type, Bayonet Coupling, Series II [CUST: CR AS 85 CC] [REVIEW: 19 99 AR EC IS MC MI OS]	A	5935		CC	15-NOV-2012
M	MS27474H(1)	Connectors, Receptacle, Electrical, Jam Nut Mounting, Crimp Type, Bayonet Coupling, Series II [CUST: CR AS 85 CC] [REVIEW: 19 99 AR EC IS MC MI OS]	A	5935		CC	15-NOV-2012
M	MS27484N(1)	Connectors, Plug, Electrical, Straight, Crimp Type, Bayonet Coupling, EMI, Series II [CUST: CR AS 85 CC] [REVIEW: 19 99 AR EC MI]	A	5935		CC	15-NOV-2012
M	MS27497P(1)	Connectors, Receptacle, Electrical, Back Panel, Wall Mounting Flange, Crimp Type, Bayonet Coupling, Series II [CUST: CR AS 85 CC] [REVIEW: 19 99 AR EC IS MC MI OS]	A	5935		CC	15-NOV-2012
M	MS27500H(1)	Connectors, Plug, Electrical, 90 Degrees Elbow, Crimp Type, Bayonet Coupling, Series II [CUST: CR AS 85 CC] [REVIEW: 19 99 AR EC IS MC MI OS]	A	5935		CC	15-NOV-2012
M	MS27513F(1)	Connectors, Receptacle, Electrical, Box Mounting Flange, Extended Grommet, Crimp Type, Bayonet Coupling, Series II [CUST: CR AS 85 CC] [REVIEW: 19 99 AR EC IS MC MI OS]	A	5935		CC	15-NOV-2012
M	MS90555G	Connector, Receptacle, Electrical, Wall Mounting, Class L (Power Source Receptacle) [CUST: CR EC 85 CC] [REVIEW: 19 99 AS CG MC MI OS]	A	5935		CC	21-NOV-2012
M	MS90556J	Connector, Plug, Electrical, Straight, Class L [CUST: CR EC 85 CC] [REVIEW: 13 19 99 AS AT AV CG CR4 MC MI OS SH]	A	5935		CC	21-NOV-2012
M	MS90557J	Connector, Receptacle, Electrical, Cable Connecting, (Without Coupling Ring), Class L [CUST: CR EC 85 CC] [REVIEW: 19 99 AS AV CG MC MI OS]	A	5935		CC	21-NOV-2012
M	MS90558G	Connector, Plug, Electrical, Wall Mounting, (With Coupling Ring) Class L, (Equipment) [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS AV CG MC MI OS]	A	5935		CC	21-NOV-2012
M	MS90563H	Cover, Electrical Connector, Receptacle, Class L [CUST: CR EC 85 CC] [REVIEW: 19 99 AS AT AV CG CR4 MC MI OS]	A	5935		CC	21-NOV-2012
M	MS90564H	Cover, Electrical, Connector, Plug, Class L [CUST: CR EC 85 CC] [REVIEW: 19 99 AS AT AV CG MC MI OS]	A	5935		CC	21-NOV-2012
M	MS91604B NOT 1	Connector, Plug, Electrical, Series LC, UG-154A/U [CUST: CR EC 85 CC]	A	5935		CC	15-NOV-2012
M	A-A-55469A NOT 1	Connectors, Electrical, Plugs, Tip (Test Point Plug, Banana Plug) General Requirements for [CUST: CC]	A	5935	/	CC	20-NOV-2012
M	A-A-55469/4A NOT 1	Connectors, Electrical, Plugs, Tip, Single Right Angle (Banana Plug) [CUST: CC]	A	5935	/	CC	20-NOV-2012
M	A-A-55469/6A NOT 1	Connectors, Electrical, Plugs, Tip, Single Right Angle, Test Point, .080 [CUST: CC]	A	5935	/	CC	20-NOV-2012
M	A-A-55469/7A NOT 1	Connectors, Electrical Plugs, Tip, Single Test Point Plug, .080 Solderless [CUST: CC]	A	5935	/	CC	20-NOV-2012

## ACTIVE SECTION

## ASSIST UPDATE

LAST ACTION			DISTRIBUTION	FSC/AREA	MCA	PREP ACTY	DATE
	DOCUMENT NUMBER	DOCUMENT TITLE					
M	W-C-596/12F NOT 2	Connector, Receptacle, Electrical, General Purpose, Duplex, General Grade and Hospital Grade, Grounding, 2 Pole, 3 Wire, 15 Amperes, 125 Volts, 50/60 Hertz [CUST: CR YD 85 CC] [REVIEW: 19 99 AR AS AV CR4 EC MC MI SH]	A	5935	/	CC	16-NOV-2012
M	W-C-596/16D NOT 2	Connector, Receptacle, Electrical, General Purpose, Duplex, General Grade, Grounding, 2 Pole, 3 Wire, 15 Amperes, 250 Volts, 50/60 Hertz [CUST: CR YD 85 CC] [REVIEW: 19 99 AR AS AV CR4 EC MC MI SH]	A	5935	/	CC	16-NOV-2012
M	W-C-596/65D NOT 2	Connector, Receptacle, Electrical, General Purpose, Duplex, General Grade, Grounding, 2 Pole, 3 Wire, 20 Amperes, 250 Volts, 50/60 Hertz [CUST: CR YD 85 CC] [REVIEW: 19 99 AR AS AV CR4 EC MC MI SH]	A	5935	/	CC	16-NOV-2012
M	W-C-596/67C NOT 2	Connector, Cable Outlet, Electrical, General Purpose, General Grade, Grounding 2 Pole, 3 Wire, 20 Amperes, 250 Volts, 50/60 Hertz [CUST: CR YD 85 CC]	A	5935	/	CC	16-NOV-2012
M	W-C-596/68C NOT 2	Connector, Receptacle, Electrical, General Purpose, Single, General Grade, Grounding, 2 Pole, 3 Wire, 30 Amperes, 125 Volts, 50/60 Hertz [CUST: CR YD 85 CC] [REVIEW: 99 AS AV CR4 EC MC MI SH]	A	5935	/	CC	16-NOV-2012
M	W-C-596/70C NOT 2	Connector, Cable Outlet, Electrical, General Purpose, General Grade, Grounding, 2 Pole, 3 Wire, 30 Amperes, 125 Volts, 50/60 Hertz [CUST: CR YD 85 CC] [REVIEW: 99 AR AS AV CR4 EC MC MI SH]	A	5935	/	CC	16-NOV-2012
M	W-C-596/74C NOT 2	Connector, Cable Outlet, Electrical, General Purpose, General Grade, Grounding, 2 Pole, 3 Wire, 15 Amperes, 277 Volts AC, 50/60 Hertz [CUST: CR YD 85 CC] [REVIEW: 19 99 AS AV CR4 EC MC MI SH]	A	5935	/	CC	16-NOV-2012
M	W-C-596/80B NOT 2	Connector, Receptacle, Electrical, Male Inlet, Special Purpose, Locking, Grounding, 2 Pole, 3 Wire, 30 Amperes, 250 Volts, 50/60 Hertz [CUST: CR YD 85 CC] [REVIEW: 19 99 AR AS AV CR4 EC MC MI SH]	A	5935	/	CC	16-NOV-2012
M	W-C-596/81B NOT 2	Connector, Receptacle, Electrical, General Purpose, Single, Grounding, 2 Pole, 3 Wire, 20 Amperes, 250 Volts, 50/60 Hertz [CUST: CR YD 85 CC] [REVIEW: 19 99 AR AS AV CR4 EC MC MI SH]	A	5935	/	CC	16-NOV-2012
M	W-C-596/83C NOT 2	Connector, Plug, Electrical, Special Purpose, Cable Outlet, Locking, Grounding, 2 Pole, 3 Wire, 20 Amperes, 250 Volts, 50/60 Hertz [CUST: CR YD 85 CC] [REVIEW: 19 99 AR AS AV CR4 EC MC MI SH]	A	5935	/	CC	16-NOV-2012
M	W-C-596/84B NOT 2	Connector, Receptacle, Electrical, Male Inlet, Special Purpose, Locking, Grounding, 2 Pole, 3 Wire, 20 Amperes, 250 Volts, 50/60 Hertz [CUST: CR YD 85 CC] [REVIEW: 19 99 AR AS AV CR4 EC MC MI SH]	A	5935	/	CC	16-NOV-2012
M	W-C-596/85B NOT 2	Connector, Receptacle, Electrical, Special Purpose, Single, Grounding, 2 Pole, 3 Wire, 15 Amperes, 250 Volts, 50/60 Hertz [CUST: CR YD 85 CC] [REVIEW: 19 99 AR AS AV CR4 EC MC MI SH]	A	5935	/	CC	16-NOV-2012
M	W-C-596/86B NOT 2	Connector, Receptacle, Electrical, Special Purpose, Duplex, Grounding, 2 Pole, 3 Wire, 15 Amperes, 250 Volts, 50/60 Hertz [CUST: CR YD 85 CC] [REVIEW: 19 99 AR AS AV CR4 EC MC MI SH]	A	5935	/	CC	16-NOV-2012
M	W-C-596/89C NOT 2	Connector, Receptacle, Electrical, Male Inlet, Special Purpose, Locking, Grounding, 2 Pole, 3 Wire, 15 Amperes, 250 Volts, 50/60 Hertz [CUST: CR YD 85 CC] [REVIEW: 19 99 AR AS AV CR4 EC MC MI SH]	A	5935	/	CC	16-NOV-2012
M	W-C-596/90A NOT 2	Connector, Receptacle, Electrical, Special Purpose, Single, Grounding, 2 Pole, 3 Wire, 30 Amperes, 125 Volts, 50/60 Hertz [CUST: CR YD 85 CC] [REVIEW: AS AV CR4 EC MC MI SH]	A	5935	/	CC	16-NOV-2012
M	W-C-596/91B NOT 2	Connector, Plug, Electrical, Special Purpose, Grounding, Locking, 2 Pole, 3 Wire, 30 Amperes, 125 Volts, 50/60 Hertz [CUST: CR YD 85 CC] [REVIEW: 99 AS AV CR4 EC MC MI SH]	A	5935	/	CC	16-NOV-2012
M	W-C-596/92B NOT 2	Connector, Plug, Electrical, Special Purpose, Cable Outlet, Locking, Grounding, 2 Pole, 3 Wire, 30 Amperes, 125 Volts, 50/60 Hertz [CUST: CR YD 85 CC] [REVIEW: 99 AS AV CR4 EC MC MI SH]	A	5935	/	CC	16-NOV-2012
M	W-C-596/93B NOT 2	Connector, Receptacle, Electrical, Male Inlet, Special Purpose, Locking, Grounding 2 Pole, 3 Wire, 30 Amperes, 125 Volts, 50/60 Hertz [CUST: CR YD 85 CC] [REVIEW: 19 99 AR AS AV CR4 EC MC MI SH]	A	5935	/	CC	16-NOV-2012
M	W-C-596/94B NOT 2	Connectors, Receptacle, Electrical, Special Purpose, Single, Grounding, 2 Pole, 3 Wire, 20 Amperes, 125 Volts, 50/60 Hertz [CUST: CR YD 85 CC] [REVIEW: 19 99 AR AS AV CR4 EC MC MI SH]	A	5935	/	CC	16-NOV-2012
M	W-C-596/95B NOT 2	Connector, Plug, Electrical, Special Purpose, Grounding, Locking, 2 Pole, 3 Wire, 20 Amperes, 125 Volts, 50/60 Hertz [CUST: CR YD 85 CC] [REVIEW: 99 AS AV CR4 EC MC MI SH]	A	5935	/	CC	16-NOV-2012
M	W-C-596/96B NOT 2	Connector, Plug, Electrical, Special Purpose, Cable Outlet, Locking, Grounding, 2 Pole, 3 Wire, 20 Amperes, 125 Volts, 50/60 Hertz [CUST: CR YD 85 CC] [REVIEW: 99 AS AV CR4 EC MC MI SH]	A	5935	/	CC	16-NOV-2012
M	W-C-596/97B NOT 2	Connector, Receptacle, Electrical, Male Inlet, Special Purpose, Locking, Grounding, 2 Pole, 3 Wire, 20 Amperes, 125 Volts, 50/60 Hertz [CUST: CR YD 85 CC] [REVIEW: 19 99 AS AV CR4 EC MC MI SH]	A	5935	/	CC	16-NOV-2012
M	W-C-596/98B NOT 2	Connector, Receptacle, Electrical, Special Purpose, Single, Grounding, 2 Pole, 3 Wire, 15 Amperes, 125 Volts, 50/60 Hertz [CUST: CR YD 85 CC] [REVIEW: 19 99 AR AS AV CR4 EC MC MI SH]	A	5935	/	CC	16-NOV-2012
M	W-C-596/99B NOT 2	Connector, Receptacle, Electrical, Special Purpose, Duplex, Grounding, 2 Pole, 3 Wire, 15 Amperes, 125 Volts, 50/60 Hertz [CUST: CR YD 85 CC] [REVIEW: 19 99 AR AS AV CR4 EC MC MI SH]	A	5935	/	CC	16-NOV-2012
N	SAE-AS21980	Ferrule, Outer, Uninsulated, Shield Terminating, Type I, Two Piece, Class I, for Shielded Cables [CUST: CR AS 99 GS]	A	5940		AS	16-NOV-2012
N	SAE-AS21981	Ferrule, Inner, Uninsulated, Shield Terminating, Type I, Two Piece, Class I, for Shielded Cables [CUST: AS 85 GS]	A	5940		AS	16-NOV-2012
M	MS27243L	Relay, 10 AMP, 4PDT, Sealed, Class O [CUST: AS 85 CC] [REVIEW: 99]	A	5945		CC	13-NOV-2012
N	MIL-PRF-19500/766	Semiconductor Device, Transistor, PNP, Silicon, Low-Power, Type 2N5401UB, JANS, JANSR, JAN, JANTX, and JANTXV [CUST: CR EC 85 CC NA] [REVIEW: 19 99 AR AS MC MI SM]	A	5961		CC	26-NOV-2012
M	MIL-STD-750-2(2)	Mechanical Test Methods for Semiconductor Devices Part 2: Test Methods 2001 through 2999 [CUST: CR EC 85 CC NA] [REVIEW: 19 99 AR AS CG MC MI NRO SH SM]	A	5961		CC	23-NOV-2012
M	A-A-59770A NOT 1	Insulation Tape, Electrical, Pressure Sensitive Adhesive and Pressure Sensitive Thermosetting Adhesive [CUST: CR SH 85 GS] [REVIEW: DS]	A	5970	/	GS8	19-NOV-2012
M	A-A-55563/19A	Holder, Electrical Card, Metal Card Guide, Low Profile, Open Ended, without Flared Entry, with 2 Mounting Holes, Short Length [CUST: CR EC 85 CC] [REVIEW: 99]	A	5998	/	CC	27-NOV-2012
M	A-A-55563/20A	Holder, Electrical Card, Metal Card Guide, Low Profile, Open Ended, with Flared Entry, with 2 Mounting Holes, Short Length [CUST: CR EC 85 CC] [REVIEW: 99]	A	5998	/	CC	27-NOV-2012
M	MIL-DTL-83528/2D	Gasketing Material, Conductive Shielding Gasket, Electrical, O-Ring, Standard [CUST: CR EC 85 CC] [REVIEW: 19 99 NS]	A	5999		CC	13-NOV-2012
M	MIL-DTL-3943/263A	Decoration, Exceptional Public Service Award Office of the Secretary of Defense [CUST: IH]	A	8455		IH	15-NOV-2012
M	MIL-DTL-11589/238D	Ribbon, U.S. Coast Guard Letter of Commendation [CUST: IH CG1] [REVIEW: CT]	A	8455		IH	26-NOV-2012
M	MIL-DTL-11589/241E	Ribbon, Outstanding Service Award U.S. Public Health Service [CUST: IH]	A	8455		IH	15-NOV-2012
M	MIL-DTL-11589/242D	Ribbon, Commendation Unit, U.S. Public Health Service [CUST: IH]	A	8455		IH	15-NOV-2012

## ACTIVE SECTION

## ASSIST UPDATE

LAST ACTION			DISTRIBUTION	FSC/AREA	MCA	PREP ACTY	DATE
	DOCUMENT NUMBER	DOCUMENT TITLE					
M	MIL-DTL-11589/245E	Ribbon, Foreign Service Award, U.S. Public Health Service [CUST: IH] [REVIEW: CT]	A	8455	IH		26-NOV-2012
M	MIL-DTL-11589/272G	Ribbon, Exceptional Civilian Service Medal, Office of the Secretary of Defense [CUST: IH] [REVIEW: CT]	A	8455	IH		26-NOV-2012
M	MIL-DTL-11589/307D	Ribbon, Gold Medal, Department of Commerce [CUST: IH]	A	8455	IH		15-NOV-2012
M	MIL-DTL-17111E(1)	Fluid, Power Transmission [CUST: AI OS 68 GS]	A	9150	GS3		27-NOV-2012
M	STANAG-4193-1 ED.2(1)	TECHNICAL CHARACTERISTICS OF IFF MK XA AND MK XII INTERROGATORS AND TRANSPONDERS (PART I) - GENERAL DESCRIPTION OF THE SYSTEM	A	ISDD	SO1		04-SEP-1997
M	STANAG-4193-2 ED.1	TECHNICAL CHARACTERISTICS OF IFF MK XA AND MK XII INTERROGATORS AND TRANSPONDERS (PART II) - PERFORMANCE IN THE PRESENCE OF ELECTRONIC COUNTERMEASURES	A	ISDD	SO1		12-NOV-1990
M	STANAG-4193-3 ED.1(1)	TECHNICAL CHARACTERISTICS OF IFF MK XA AND MK XII INTERROGATORS AND TRANSPONDERS (PART III) - IFF INSTALLED SYSTEM CHARACTERISTICS	A	ISDD	SO1		04-SEP-1997
M	MIL-STD-130N(1)	Identification Marking of U.S. Military Property [CUST: AR AS 16 DH] [REVIEW: 11 13 19 70 71 84 99 AT AV CC CR CR4 DP EA GS IS MC MI OS SA SH SM USTC YD] [AMSC: A9251]	A	SESS	16		16-NOV-2012
N	DI-SESS-81872	Level of Repair Analysis (LORA) Report [AMSC: A9289]	A	SESS	TM		24-OCT-2012
N	DI-SESS-81873	Level of Repair Analysis (LORA) Input Data [AMSC: A9290]	A	SESS	TM		24-OCT-2012
M	SD-21	Listing of Specifications and Standards Mandated for use by the Department of Defense by Public Laws or Government Regulations [CUST: AM NM 01 DH SO]	A	STDZ	SO		01-NOV-2012



## INACTIVE SECTION

## ASSIST UPDATE

LAST ACTION			DISTRIBUTION	FSC/AREA	MCA	PREP ACTY	DATE
	DOCUMENT NUMBER	DOCUMENT TITLE					
M	MIL-DTL-51513A(1)	Launchers, Grenade, Smoke: Screening, RP, M239 and M250 [CUST: EA]	D	1055		EA	26-NOV-2012
M	MIL-P-18526A(1) NOT 1	Pump, Positive Displacement, Main/Port use, Main Boiler Fuel Service, Naval Shipboard use [CUST: SH]	A	4320		SH	20-NOV-2012
M	MIL-PRF-8805/14F NOT 1	Switches, Sensitive-Maintained, 2 Circuit, 10 Amperes, Unsealed [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS AV MC MI OS SH]	A	5930		CC	27-NOV-2012
M	MIL-PRF-8805/17G NOT 1	Switches, Sensitive-Maintained, 6 Circuit, 15 Amperes, Unsealed [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS MC MI OS SH]	A	5930		CC	27-NOV-2012
M	MIL-PRF-8805/34E NOT 1	Switches, Sensitive-Maintained, 2 Circuit, 40 Amperes, Unsealed [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS AV MC MI OS SH]	A	5930		CC	27-NOV-2012
M	MIL-M-38510/300E NOT 2	Microcircuits, Digital, Bipolar, Low-Power Schottky, TTL, and Gates, Monolithic Silicon [CUST: CR EC 85 CC NA] [REVIEW: 03 19 99 AS CG MC MI SH SM]	A	5962		CC	16-NOV-2012
M	MIL-M-38510/302D NOT 2	Microcircuits, Digital, Bipolar Low-Power Schottky TTL, Buffers, Monolithic Silicon [CUST: CR EC 85 CC] [REVIEW: 03 19 99 AS CG MC MI SH SM]	A	5962		CC	16-NOV-2012
M	MIL-M-38510/304C NOT 2	Microcircuits, Digital, Bipolar Low-Power Schottky TTL, and-or-Invert Gates, Monolithic Silicon [CUST: CR EC 85 CC] [REVIEW: 03 19 99 AS CG MC MI SH SM]	A	5962		CC	16-NOV-2012
M	MIL-M-38510/305C NOT 2	Microcircuits, Digital, Bipolar Low-Power Schottky TTL, or Gates, Monolithic Silicon [CUST: CR EC 85 CC] [REVIEW: 03 19 99 AS CG MC MI SH SM]	A	5962		CC	16-NOV-2012
M	MIL-M-38510/309E NOT 2	Microcircuits, Digital, Bipolar, Low Power Schottky TTL, Data Selector/Multiplexer, with Three-State Outputs, Cascadable, Monolithic Silicon [CUST: CR EC 85 CC] [REVIEW: 03 19 99 AS CG MC MI SH SM]	A	5962		CC	16-NOV-2012
M	MIL-DTL-10911E SUP 1	Loudspeakers, Permanent Magnet, (Unencased, 2.5-, 3-, 4-, 5-, 6-, 8-, 10-, and 12-Inch Diameter Cones), General Specifications for [CUST: CR EC 85 CC] [REVIEW: 99]	A	5965		CC	20-NOV-2012
M	MIL-DTL-10911/2B	Loudspeakers, Permanent Magnet, (Unencased, 6-Inch Diameter Cone) [CUST: CR EC 85 CC] [REVIEW: 99]	A	5965		CC	20-NOV-2012
M	MIL-DTL-10911/3C	Loudspeaker, Permanent Magnet, (Unencased, 8-Inch Diameter Cone) [CUST: CR EC 85 CC] [REVIEW: 99]	A	5965		CC	20-NOV-2012
M	MIL-DTL-10911/8C	Loudspeaker, Permanent Magnet, (Unencased, 4-Inch Diameter Cone) [CUST: CR EC 85 CC] [REVIEW: 99]	A	5965		CC	20-NOV-2012
M	MIL-DTL-55288E	Antenna AS-1729/VRC [CUST: CR EC CC] [REVIEW: MC MI]	A	5985		CC	19-NOV-2012
M	MIL-DTL-442G	Cable, (Wire), Two Conductor, Parallel [CUST: CR OS 85 CC] [REVIEW: AT CR4 MC MI]	A	6145		CC	14-NOV-2012

## CANCELED SECTION

## ASSIST UPDATE

LAST ACTION	DOCUMENT NUMBER	DOCUMENT TITLE	DISTRIBUTION	FSC/AREA	MCA	PREP ACTY	DATE
M	SAE-AMS5836	Nickel Alloy, Corrosion and Heat Resistant Welding Wire 72NI - 3.0MN -20CR - 2.5CB (No S/S Document) [CUST: MR AS 11 GS]	A	3439		GS6	20-NOV-2012
M	MS21980E NOT 3	Ferrules, Outer, Uninsulated, Shield Terminating, Type I, Two-Piece, Class I, for Shielded Cable (S/S by SAE-AS21980) [CUST: CR AS 99 GS] [REVIEW: EC MC]	A	5940		AS	16-NOV-2012
M	MS21981D NOT 3	Ferrule, Inner, Uninsulated, Shield Terminating, Type I Two-Piece, Class I, for Shielded Cable (S/S by SAE-AS21981) [CUST: AS 85 GS] [REVIEW: 99 EC MC]	A	5940		AS	16-NOV-2012
M	MIL-L-10911/1B NOT 3	Loudspeakers, Permanent Magnet, (Unencased, 5-Inch Diameter Cone) (No S/S Document) [CUST: CR EC 85 CC] [REVIEW: 99]	A	5965		CC	20-NOV-2012
M	MIL-L-10911/4A NOT 3	Loudspeakers, Permanent Magnet, (Unencased, 10-Inch Diameter Cone) (No S/S Document) [CUST: CR EC 85 CC] [REVIEW: 99]	A	5965		CC	20-NOV-2012
M	MIL-L-10911/5A NOT 3	Loudspeaker, Permanent Magnet, (Unencased, 12-Inch Diameter Cone) (No S/S Document) [CUST: CR EC 85 CC] [REVIEW: 99]	A	5965		CC	20-NOV-2012
M	MIL-L-10911/6A NOT 3	Loudspeaker, Permanent Magnet, (Unencased, 3-Inch Diameter Cone) (No S/S Document) [CUST: CR EC 85 CC] [REVIEW: 99]	A	5965		CC	20-NOV-2012
M	MIL-L-10911/7A NOT 3	Loudspeaker, Permanent Magnet, (Unencased, 2.5-Inch Diameter Cone) (No S/S Document) [CUST: CR EC 85 CC] [REVIEW: 99]	A	5965		CC	20-NOV-2012
M	MIL-D-15141B NOT 1	Dressing, First Aid and Individual Troop, Camouflaged (No S/S Document) [CUST: MD MS 03]	A	6510		MB	11-SEP-2012
M	MIL-D-37165(2) NOT 1	Dressing, First Aid, Field, Individual Troop (No S/S Document) [CUST: MD MS 03]	A	6510		MB	11-SEP-2012
M	MIL-S-42056 NOT 1	Saw System, Bone, Electric [CUST: MD MS 03 MB]	A	6515		MB	11-SEP-2012
M	MIL-L-42006A NOT 1	Light, Dental, Operating (No S/S Document) [CUST: MD MS 03]	A	6520		MB	11-SEP-2012
M	MIL-D-42048/1 NOT 1	Light Set, Dental Operating, Field (No S/S Document) [CUST: MD MS 03]	A	6520		MB	11-SEP-2012
M	MIL-D-36449A NOT 2	Drier, X-Ray Film, Portable (No S/S Document) [CUST: MD MS 03 MB]	A	6525		MB	11-SEP-2012
M	MIL-L-36017 NOT 2	Strap, Webbing, Litter Carrying, Olive Drab (No S/S Document) [CUST: MD MS 03]	A	6530		MB	11-SEP-2012
M	MIL-L-36142 NOT 1	Little Extension, Patient's Pillow Support-Backrest (No S/S Document) [CUST: MD MS 03]	A	6530		MB	11-SEP-2012
M	MIL-T-36522B NOT 1	Table, Anesthetist S [CUST: MD MS 03]	A	6530		MB	11-SEP-2012
M	MIL-S-36545A NOT 1	Support, Litter (No S/S Document) [CUST: MD MS 03]	A	6530		MB	11-SEP-2012
M	MIL-P-36816A NOT 1	Pad, Litter (No S/S Document) [CUST: MD MS 03]	A	6530		MB	11-SEP-2012
M	MIL-F-36901A(2) NOT 2	Fabrics, Nonwoven, Surgical Packs, Disposable (No S/S Document) [CUST: MD MS 03]	A	6530		MB	11-SEP-2012
M	MIL-S-37223 NOT 1	Stand, Surgical Instrument [CUST: MD MS 03]	A	6530		MB	11-SEP-2012
M	MIL-T-37240 NOT 1	Table, Surgical Instrument, and Surgical Dressing [CUST: MD MS 03]	A	6530		MB	11-SEP-2012
M	MIL-T-37637A NOT 1	Table, Operating, Field [CUST: MD MS 03]	A	6530		MB	11-SEP-2012
M	MIL-P-42075 NOT 1	Pad, Heating, Chemical (No S/S Document) [CUST: MD MS 03]	A	6530		MB	11-SEP-2012
M	MIL-H-42076 NOT 1	Holders, Hospital Bed Patient Identification Card (No S/S Document) [CUST: MD MS 03] [REVIEW: 50 TM YD]	A	6530		MB	11-SEP-2012
M	MIL-S-36573B(2) NOT 2	Smock, Dental Operating (No S/S Document) [CUST: MD MS 03]	A	6532		MB	11-SEP-2012
M	MIL-G-36972(1) NOT 2	Gown, Operating, Surgical (No S/S Document) [CUST: MD MS 03]	A	6532		MB	11-SEP-2012
M	MIL-T-37030(1) NOT 2	Trousers, Operating, Surgical, Men's Cotton-Polyester, Static Resistant [CUST: MD MS 03]	A	6532		MB	11-SEP-2012
M	MIL-S-37130 NOT 2	Shirts, Operating, Surgical, Man's, Cotton, Quarter Length Sleeves, Style B [CUST: MD MS 03]	A	6532		MB	11-SEP-2012
M	MIL-T-36022B NOT 2	Table, Ophthalmic Laboratory [CUST: MD MS 03]	A	6540		MB	11-SEP-2012
M	MIL-I-36207C NOT 1	Insert, Optional, Chemical-Biological Mask, M-17 (No S/S Document) [CUST: MD MS 03]	A	6540		MB	11-SEP-2012
M	MIL-I-36783 NOT 1	Insert, Optical, Chemical Biological Mask, Universal Size (No S/S Document) [CUST: MD MS 03]	A	6540		MB	11-SEP-2012
M	MIL-F-37618B NOT 1	Frame, Spectacle, Gold Plated, Bayonet Temples (No S/S Document) [CUST: MD MS 03]	A	6540		MB	11-SEP-2012
M	MIL-F-37950B NOT 1	Frame, Spectacle, Aviator, Metal Wire (No S/S Document) [CUST: MD MS 03]	A	6540		MB	11-SEP-2012
M	MIL-S-37954B NOT 1	Spectacle Frame, Fronts and Temples, Cellulose Acetate [CUST: MD MS 03]	A	6540		MB	11-SEP-2012
M	MIL-I-42073 NOT 1	Insert, Optical, Chemical-Biological Mask, XM-40 (No S/S Document) [CUST: MD MS 03]	A	6540		MB	11-SEP-2012
M	MIL-D-36259A NOT 2	Dividers, Tray Chest (No S/S Document) [CUST: MD MS 03]	A	6545		MB	11-SEP-2012
M	MIL-I-36436 NOT 3	Insert Cabinet, Medical Instrument and Supply Set Chest, Spectacle Frame, 4 Drawer (No S/S Document) [CUST: MD MS 03]	A	6545		MB	11-SEP-2012
M	MIL-I-37195 NOT 2	Insert Cabinet, Medical Instrument and Supply Set Chest, 5 Drawer (No S/S Document) [CUST: MD MS 03]	A	6545		MB	11-SEP-2012
M	MIL-I-37196 NOT 2	Insert, Cabinet Medical Instrument and Supply Set Chest, Ophthalmic Lens, 10 Drawer (No S/S Document) [CUST: MD MS 03]	A	6545		MB	11-SEP-2012
M	MIL-I-37238 NOT 2	Insert Shelf Unit, Medical Instrument and Supply Set Chest (No S/S Document) [CUST: MD MS 03]	A	6545		MB	11-SEP-2012
M	MIL-I-37239(1) NOT 2	Insert Mounting Unit, Medical Instrument and Supply Set Chest (No S/S Document) [CUST: MD MS 03]	A	6545		MB	11-SEP-2012
M	MIL-S-37505 NOT 2	Sink Service Unit, Clinical Laboratory [CUST: MD MS 03]	A	6545		MB	11-SEP-2012
M	MIL-S-37721 NOT 2	Sink, Clinical Laboratory, Lightweight [CUST: MD MS 03]	A	6545		MB	11-SEP-2012
M	MS90361 NOT 2	Transmitter, Rate of Fuel Flow, Synchro Type (No S/S Document) [CUST: AS] [REVIEW: GS]	A	6620		AS	21-NOV-2012
M	MIL-T-37402 NOT 1	Tester, Antifreeze Solutions [CUST: MD MS 03]	A	6630		MB	11-SEP-2012
M	MIL-R-37640 NOT 1	Rack, Test Tube, Laboratory, Epoxy Coated Wire, 40 Tube (No S/S Document) [CUST: MD MS 03]	A	6640		MB	11-SEP-2012
M	MIL-R-42043 NOT 1	Regulator, Oxygen (No S/S Document) [CUST: MD MS 03] [REVIEW: GS]	A	6680		MB	11-SEP-2012
M	MIL-DTL-11309J NOT 1	Disinfectant, Food Service (No S/S Document) [CUST: GL MC 68 GS] [REVIEW: MD MS]	A	6840		GS3	27-NOV-2012
M	MIL-P-36174A NOT 2	Pillow, Pneumatic (No S/S Document) [CUST: MD MS 03] [REVIEW: CT]	A	7210		MB	11-SEP-2012
M	MIL-R-37828 NOT 2	Rod, Insect Bar (No S/S Document) [CUST: MD MS 03]	A	7210		MB	11-SEP-2012
M	MIL-P-44305 NOT 1	Plastic, Film, Flexible, Polyamide and Polyethylene (No S/S Document) [CUST: MD SH 99] [REVIEW: IS MR]	A	9330		MB	11-SEP-2012
M	PPP-C-186C NOT 2	Containers, Packaging and Packing for Drugs, Chemicals, and Pharmaceuticals [CUST: MD MS 03] [REVIEW: SM]	A	PACK	/	MB	11-SEP-2012