Department of Defense Standardization Program



ASSIST UPDATE

(A bi-monthly summary of changes to the ASSIST document database)

1 February 2011

(For the Period 15 January 2011 to 31 January 2011)

ASSIST UPDATE

Documents listed in the ASSIST UPDATE have an indicator of "N" or "M" to describe the last action taken on a listed document.

"N" indicates that a "new" document has been entered into the ASSIST database.

"M" indicates that a document already in ASSIST has been "modified" in some way.

The ASSIST UPDATE is published twice a month and provides a summary of changes to Department of Defense standardization documents for the period indicated. Since changes are processed to the ASSIST database on a daily basis, users should consult the ASSIST web site at https://assist.daps.dla.mil for the most current information.

If you need to track changes more frequently, or if you have an interest in specific Federal Supply Classes or individual specifications, standards, or other standardization documents, you may wish to take advantage of the ASSIST Alert Service. This feature lets you establish a list of documents of interest to you, and then the ASSIST will alert you with an E-mail message each day there is a change to one or more documents of interest to you. There is no charge for this service; however, you must have an ASSIST user account. To obtain one, complete the ASSIST online registration form at https://assist.daps.dla.mil/online/registration/registration.cfm.

Once you have your account, you can establish your Alert Portal profile. For more information on the ASSIST Alert Service, go to: https://assist.daps.dla.mil/online/news/AlertService.htm .

ACTIVE SECTION

ASSIST UPDATE

_	CITYLBLCTION	ABBIST CLEATE					
Z			DISTRIBUTION				
ΙĔ			E	<u> </u>		ACTY	
AC			ZIB.	IRE		AC	
LAST ACTION			STF	FSC/AREA	MCA		
_	DOCUMENT NUMBER	DOCUMENT TITLE	, , ,		Ž		DATE
M	. ,	Knife, Bayonet, Multipurpose, M9 with Scabbard [CUST: AR]	A	1005		AR	21-JAN-2011
	MIL-L-45935A(3) NOT 2	Launcher, Grenade, 40MM: Detachable, M203 [CUST: AR]	A			AR	21-JAN-2011
M	MIL-DTL-60251B	Cartridge, 7.62 Millimeter: Ball, NATO - M80 Overhead Fire Application [CUST: AR OS 99] [REVIEW: 70 AS MC MR NP]	ם	1305		AR	13-JAN-2011
M	MIL-DTL-20517J	Simulator, Projectile, Air Burst, M741 Parts for and Loading, Assembling and Packing [CUST: AR]	A	1370		AR	27-JAN-2011
	MIL-DTL-32336(1)	Cap, Blasting: Non-Electric, 30 Foot Shock Tube - M11 [CUST: AR]		1375		AR	26-JAN-2011
1	MIL-DTL-32189B	Explosive Material, Coated, CXM-10 [CUST: OS]	D	1376		OS	10-JAN-2011
M	MIL-DTL-6117L(1)	Wire Rope Assemblies, Aviation, Swaged Type [CUST: CR AS 99 GS] [REVIEW: 71 MI]	A	1640		GS5	26-JAN-2011
M	MS21252P(2)	Clevis End, Turnbuckle, Clip Locking [CUST: AS 99 GS] [REVIEW: MC]	A	1640		GS5	26-JAN-2011
M	MS21253S(2)	Clevis End, Turnbuckle, Clip Locking (for Bearing) [CUST: AV AS 99 GS]	A	1640		GS5	26-JAN-2011
M	MS21254V(3)	Eye End, Turnbuckle, Clip Locking [CUST: AV AS 99 GS] [REVIEW: MC]	A	1640		GS5	26-JAN-2011
M	MIL-DTL-62034G	Semitrailers, Stake; Semitrailers, Van, and Semitrailers, Refrigerator: Military Design [CUST: AT]	A	2330		AT	26-JAN-2011
M	A-A-52470A	Filter, Fluid, Pressure and Filter Element, Fluid, Pressure-Automotive Fuel (45 GPH Filtration)	A	2910	/	AT	20-JAN-2011
		[CUST: AT YD 99] [REVIEW: 70 CC MC]	١.	2020	,	CC	10 7437 2011
M	A-A-52160A	Industrial V-Belts (Multiple Drive) [CUST: AR SH 99 CC] [REVIEW: 71 AS AT CG MC NP SA YD]		3030	/	CC	18-JAN-2011
M	A-A-59623C	Bearing, Ball, Annular, Single Row, Angular Contact, Contact Angle 11 Degrees Through 22 Degrees, Dimension Series 19 [CUST: AT OS 99 GS] [REVIEW: 11 84 GL MI]	A	3110	/	GS4	28-JAN-2011
M	A-A-59631B	Bearing, Ball, Annular, Single Row, Angular Contact, Contact Angle 23 Degrees Through 32 Degrees, Dimension Series 04 [CUST: AT OS 99 GS] [REVIEW: 84 GL MI]	A	3110	/	GS4	28-JAN-2011
M	A-A-59632B	Bearing, Ball, Annular, Single Row, Angular Contact, Contact Angle 33 Degrees Through 45 Degrees, Dimension Series 10 [CUST: AT OS 99 GS] [REVIEW: 84 GL MI]	A	3110	/	GS4	28-JAN-2011
M	QPL-21562-44 NOT 1	Electrodes and Rods-Welding, Bare, Nickel Alloy (Replaced by the Qualified Products Database (QPD) See Notice 1 for Additional Information)	A	3439		SH	25-JAN-2011
M	QPL-23765-52 NOT 1	Electrodes and Rods - Welding, Bare, Solid and Alloyed Cored, General Specification for (Replaced by the Qualified Products Database (QPD) See Notice 1 for Additional Information)	A	3439		SH	24-JAN-2011
M	QPL-24572-16 NOT 1	Extinguisher, Fire, Bromotrifluromethane (Halon 1301) System Components (Fixed, Pipe,	A	4210		SH	21-JAN-2011
		Pneumatically Actuated, Naval Shipboard use) (Replaced by the Qualified Products Database (QPD) See Notice 1 for Additional Information)					
	SAE-J533	Flares for Tubing [CUST: CR4 AS 99 CC]		4710		CC	19-JAN-2011
M	MIL-DTL-8783D(1)	Clamp, Hose, Flat Band 500 Degrees F, General Specification for [CUST: AT AS 99 CC]	A	4730		CC	28-JAN-2011
	ODI 22052 11 NOT 1	[REVIEW: 70 71 AR AV CG MC MI SA SH]		4920		CII	25 TAN 2011
M	QPL-23953-11 NOT 1	Valve, Combined Vent Check for Submarine MBT Blow Lines (Replaced by the Qualified Products Database (QPD) See Notice 1 for Additional Information)	A	4820		SH	25-JAN-2011
М	A-A-2442 NOT 3	File, Hand (Swiss Pattern), Needle, Round	A	5110	#	FAS	22-NOV-2010
	A-A-2443 NOT 3	File, Hand (Swiss Pattern), Needle, Half-Round		5110	#	FAS	22-NOV-2010
	A-A-2444 NOT 3	File, Hand (Swiss Pattern), Needle, Three-Square		5110	#	FAS	22-NOV-2010
	A-A-2445 NOT 3	File, Hand (Swiss Pattern), Needle, Crossing		5110	#	FAS	22-NOV-2010
M	A-A-2446 NOT 3	File, Hand (Swiss Pattern), Needle, Knife	A	5110	#	FAS	22-NOV-2010
M	A-A-2447 NOT 3	File, Hand (Swiss Pattern), Needle, Flat	A	5110	#	FAS	22-NOV-2010
M	A-A-2448 NOT 3	File, Hand (Swiss Pattern), Needle, Square	A	5110	#	FAS	22-NOV-2010
M	A-A-2452 NOT 3	File, Hand (Swiss Pattern), Needle, Slitting	A	5110	#	FAS	22-NOV-2010
M	A-A-2453 NOT 3	File, Hand (Swiss Pattern), Needle, Marking, Half-Round	A	5110	#	FAS	22-NOV-2010
	A-A-2493 NOT 3	Wrench, Open End (Nonsparking and Nonmagnetic)	A	5110	#	FAS	22-NOV-2010
	MIL-PRF-49293A(1)	Radiac Set, AN/PDR-75 [CUST: CR]	A	5855		CR	03-JAN-2011
M	MIL-PRF-49470C	Capacitor, Fixed, Ceramic Dielectric, Switch Mode Power Supply (General Purpose and Temperature Stable), Standard Reliability and High Reliability, General Specification for [CUST: CR EC 85 CC NA] [REVIEW: 19 99 AR AT AV MC MI]	A	5910		CR	19-JAN-2011
M	MIL-PRF-49470/1D	Capacitor, Fixed, Ceramic Dielectric, Switch Mode Power Supply (General Purpose and Temperature Stable), Standard Reliability and High Reliability, Unencapsulated, Horizontally	A	5910		CR	19-JAN-2011
M	MIL-PRF-49470/2D	Stacked, Style PS01 [CUST: CR EC 85 CC NA] [REVIEW: 19 99 AR AT AV CR4 MC MI] Capacitor, Fixed, Ceramic Dielectric, Switch Mode Power Supply (General Purpose and	A	5910		CR	19-JAN-2011
		Temperature Stable), Standard Reliability and High Reliability, Encapsulated, Horizontally Stacked, Style PS02 [CUST: CR EC 85 CC NA] [REVIEW: 19 99 AR AT AV CR4 MC MI]					
	MS18192G	Shield, Electrical Connector for 7, 9, 14, 20, 26, 34, 42, 50 and 75 Contact Connectors [CUST: CR EC 85 CC] [REVIEW: 99 AM AR AS AT CR4 MC MI OS SH]		5935		CC	05-JAN-2011
M	MS18193F	Shield, Electrical Connectors for 66 and 104 Contact Connectors [CUST: CR EC 85 CC] [REVIEW: 99 AM AR AS AT CR4 MC MI OS]	A	5935		CC	05-JAN-2011
	MIL-PRF-39016/19H(1) NOT 1	Relays, Electromagnetic, Established Reliability, DPDT, Low Level to 1 Ampere with Internal Diode for Coil Transient Suppression and Polarity Reversal Protection, Terminals 0.100-Inch Grid Pattern [CUST: CR EC 85 CC] [REVIEW: 99 AR AS MC OS SH]	A	5945		CC	31-JAN-2011
1	A-A-59546A NOT 1	Relays, Electromagnetic, Relay Module Extraction Tool [CUST: 85 CC] [REVIEW: 99]		5945	/	CC	31-JAN-2011
	A-A-59547A NOT 1	Relays, Electromagnetic, Socket Module Extraction Tool [CUST: 85 CC] [REVIEW: 99]	A		/	CC	31-JAN-2011
M	MIL-PRF-19500/453F	Semiconductor Device, Transistor, NPN, Silicon, High-Frequency Type 2N5109 and 2N5109UB, JAN, JANTX, JANTXV, JANS, JANHC, JANKC JASM, JANSD, JANSP, JANSL, JANSR, JANSF, JANSG, and JANSH [CUST: CR 85 CC] [REVIEW: 19 71 99 MI]	A	5961		CC	31-JAN-2011
M	MIL-PRF-19500/657B	Semiconductor Device, Field Effect, Radiation Hardened, Transistor Die, N and P-Channel, Silicon Various Types JANHC and JANKC [CUST: CR EC 85 CC NA]	A	5961		CC	26-JAN-2011
M	MIL-PRF-31032/5(2)	Printed Wiring Board, Rigid, Multilayered, Thermoplastic, Thermosetting, or Thermoplastic and Thermosetting Resin Base Material, with Plated Through Holes, for High Frequency Applications [CUST: CR EC 85 CC] [REVIEW: 99]	A	5998		CC	31-JAN-2011
M	MIL-DTL-83413/7D	Connectors, and Assemblies, Electrical, Aircraft Grounding: Grounding Clamp for Types I and III Grounding Assemblies, Clip, Electrical [CUST: AV AS 85 CC] [REVIEW: 02 13 99 AR CR CR4 MC MI]	A	5999		CC	30-JAN-2011
M	MIL-DTL-38359D	Cable, Power, Electrical, Airport Lighting, Cross-Linked, Polyethylene (XLP) [CUST: 85 CC] [REVIEW: 99]	A	6145		CC	24-JAN-2011
M	QPL-7788-77 NOT 2	Panels, Information, Integrally Illuminated	A	6220		GS2	25-JAN-2011
	MIL-DTL-81248C NOT 1	Detector Pad, Free Water [CUST: AT AS 99] [REVIEW: 68 84 AR AV MA PS]	A			AS	20-JAN-2011
	MIL-P-14067B(4) NOT 5	Powders, Metal, Atomized (for use in Ammunition) [CUST: AR] [REVIEW: EA GS3]	A			AR	01-FEB-2011
M	A-A-58060B	Fluorocarbon and Other Refrigerants [CUST: AV SH 68 GS]	A	6830	/	68	14-JAN-2011

M A-A-58060B Fluorocarbon and Other Reingerants [CUS1: AV SH 01-FEB-2011 1

ACTIVE SECTION

ASSIST UPDATE

ACTIVE SECTION	ASSIST OFDATE			_		
z		Š				
OE OE		Ĭ	_		7	
1		BO	₹E/		ACTY	
71,		IR	'A	A	3P /	
N ST ACTION TO THE PROPERTY ACTION TO THE PRO	DOCUMENT TITLE	DISTRIBUTION	FSC/AREA	MCA	PREP.	DATE
M A-A-2577B	Cup, Disposable: Lid, Disposable Cup [CUST: GL SA 99] [REVIEW: 84 MD MS]	A	7350	/	SS	12-JAN-2011
M A-A-59291A	Ink, Marking (for Parachutes and Other Textile Items) [CUST: GL AS 99] [REVIEW: CR4 MI SA]	A	7510	/	AS	30-JAN-2011
M MIL-DTL-53039D	Coating, Aliphatic Polyurethane, Single Component, Chemical Agent Resistant [CUST: MR AS 99]	A	8010		MR	24-JAN-2011
M MIL-DTL-64159B	[REVIEW: 11 84 CG MD1 MI SH] Camouflage Coating, Water Dispersible Aliphatic Polyurethane, Chemical Agent Resistant [CUST:	_	8010		MR	24-JAN-2011
W WIE-D1E-04139B	MR SH 11] [REVIEW: 84 99 AS CG MD1 MI]	Δ.	8010		IVIIX	24-JAN-2011
N QPL-32348	Powder Coating, Camouflage Chemical, Agent Resistant Systems	A	8010		MR	21-JAN-2011
M MIL-DTL-44031E	Cloth, Camouflage Pattern: Cotton and Nylon [CUST: GL NU 11 CT] [REVIEW: MC MD]	A	8305		CT	26-JAN-2011
M MIL-DTL-25576E NOT 1	Propellant, Rocket Grade Kerosene [CUST: CR4 AS 68 PS] [REVIEW: 19 MI NA] Propellants, Dinitrogen Tetroxide [CUST: AS 68 PS] [REVIEW: 19]	A	9130		68	24-JAN-2011
M MIL-PRF-26539F NOT 1 M AOP-2 ED.C	The Identification of Ammunition	A C	9135 ISDD		68 SO	31-JAN-2011 11-DEC-2008
M AOP-15 ED.3	Guidance on the Assessment of the Safety and Suitability for Service of Non-Nuclear Munitions for		ISDD		SO	16-FEB-2001
	NATO Armed Forces					
M AOP-16 ED.4	FUZING SYSTEMS: GUIDELINES FOR STANAG 4187		ISDD		SO	09-MAR-2007
M AOP-21 ED.2	FUZING SYSTEMS: MANUAL OF DEVELOPMENT, CHARACTERIZATION AND SAFETY TEST METHODS AND PROCEDURES FOR LEAD AND BOOSTER EXPLOSIVE	C	ISDD		AI	01-JAN-2002
	COMPONENTS					
M AOP-38 ED.5	GLOSSARY OF TERMS AND DEFINITIONS CONCERNING THE SAFETY AND SUITABILITY FOR SERVICE OF MUNITIONS, EXPLOSIVES AND RELATED PRODUCTS	C	ISDD		SO	28-OCT-2009
M AOP-43 ED.2	ELECTRO-EXPLOSIVE DEVICES ASSESSMENT AND TEST METHODS FOR	C	ISDD		SO	01-JAN-2004
	CHARACTERIZATION - GUIDELINES FOR STANAG 4560					
M AOP-48 ED.2	EXPLOSIVES - NITROCELLULOSE BASED PROPELLANTS - STABILITY TEST PROCEDURES AND REQUIREMENTS USING STABILIZER DEPLETION	C	ISDD		SO	10-OCT-2008
N DI-MISC-81832	Counterfeit Prevention Plan [AMSC: D9181]	A	MISC		NRO	21-JAN-2011
N IEEE/ASTM-SI10			MISC		SO	20-JAN-2011 20-JAN-2011
N NW GED 2052 17(1)	Units, Use of the International System of, (SI): The Modern Metric System [CUST: MR SH 11] [REVIEW: 68 84 AR AS AT AV CC CR4 GS IS MI OS YD]	١.	D. L. CVI			
M MIL-STD-2073-1E(1)	Standard Practice for Military Packaging [CUST: SM AS 69 DH] [REVIEW: 11 13 19 70 71 84 AR AT AV CC CG CR CT DM EA GL GS IS LS MC MI MT OS SA SH SS YD] [AMSC: N7296]	A	PACK		AS	07-JAN-2011
M MIL-DTL-18307H NOT 1	Nomenclature and Identification for Aeronautical Systems Including Joint Electronics Type Designated Systems and Associated Support Systems [CUST: AS]	A	SESS		AS	31-JAN-2011
01 EED 2011		1				

2

01-FEB-2011

INACTIVE SECTION

ASSIST UPDATE

	ASSIST OFDATE				
NO.		NO			
7110		E	Ą	TY	
CA CATOOCU TO THE TOTAL		DISTRIBUTION	FSC/AREA	ACTY	
AST		ISTI	%C/4	MCA PREP	
	DOCUMENT TITLE	-			DATE
M MS51389B M MS53063B	Raincap, for Air Cleaner Intake, for Industrial Engines [CUST: AV AS 99 CC] [REVIEW: 71 MC SA] Indicator, Air Cleaner, Intake, Restriction Mechanical Type [CUST: AV AS 99 CC] [REVIEW: 71	A	2940 2940	CC	18-JAN-2011 18-JAN-2011
	MC SA]			CC	
M MIL-DTL-5515E M AN818 REV 20 NOT 1	Pump, Hydraulic, Ram, Hand Driven [CUST: AV AS 99 CC] [REVIEW: 71 MI] Nut, Tube Coupling, Short [CUST: AV AS 99 CC] [REVIEW: 71 CR4 MC]	A	4320 4730	CC	18-JAN-2011 28-JAN-2011
M MIL-DTL-23450D(1)	Valves, Expansion, Thermostatic, Refrigerant-12 (R-12) and Refrigerant-22 (R-22) [CUST: GL SH 99 CC] [REVIEW: 71 AT CR4 GS MC SA]	1	4820	CC	18-JAN-2011
M MS17982D(1)	Valves, Expansion, Thermostatic, Refrigerant-12 (R-12) and Refrigerant-22 (R-22) [CUST: GL SH 99 CC] [REVIEW: 71 AT CR4 GS MC SA]	A	4820	CC	18-JAN-2011
M MIL-DTL-14362H(1)	Lumber: Unitizing and Loading of [CUST: AV 99 IS] [REVIEW: 84 SM]	1	5510	IS	21-JAN-2011
M MIL-DTL-3786/1G M MIL-DTL-3786/2G	Switch, Rotary, Open Construction, 1/2 Ampere, Style SR01 [CUST: CR EC 85 CC] [REVIEW: 99] Switch, Rotary, Open Construction, 1/2 Ampere, Style SR02 [CUST: CR EC 85 CC] [REVIEW: 99]	1	5930 5930	CC CC	26-JAN-2011 26-JAN-2011
M MIL-DTL-3786/5H	Switch, Rotary, Open Construction, 200 Ampere, Style SR05 [CUST: CR EC 85 CC] [REVIEW:	1	5930	CC	26-JAN-2011
	99]				
M MIL-DTL-13484G M MIL-DTL-28827C	Switch, Sensitive: 30 Volts Direct Current Maximum, Waterproof [CUST: AT CC] Switches, Thermostatic, (Volatile Liquid), Hermetically Sealed, General Specification for [CUST: CR EC 85 CC] [REVIEW: 99]	1	5930 5930	CC	26-JAN-2011 26-JAN-2011
M MIL-DTL-28827/1C	Switch, Thermostatic (Volatile Liquid), Hermetic Sealed, Single Pole Double Throw (SPDT), Medium Response Time [CUST: CR EC 85 CC1 [REVIEW: 99]	A	5930	CC	26-JAN-2011
M MS3440D	Connectors, Receptacle, Electrical, Narrow Flange Mount, Bayonet Coupling, Solder Pin Contact, Class H, Series 2 [CUST: CR AS 85 CC] [REVIEW: 99 AV EC SH]	A	5935	CC	14-JAN-2011
M MS3443C	Connectors, Receptacle, Electrical, Solder or Welded Flange Mount, Bayonet Coupling, Solder Pin	A	5935	CC	14-JAN-2011
M MS3449E	Contact, Class H, Series 2 [CUST: CR AS 85 CC] [REVIEW: AV EC SH] Connectors, Receptacle, Electrical, Series II, Single Hole Mount, Bayonet Coupling, Solder Pin Contact, Class H (CUST, CR AS 85 CC) [REVIEW, O. AB AV, EC, MI SH]	A	5935	CC	14-JAN-2011
M MIL-R-83726/12E NOT 1	Contact, Class H [CUST: CR AS 85 CC] [REVIEW: 99 AR AV EC MI SH] Relays, Hybrid, Time Delay (on Release), Type IIA, Class B, 10 Amperes, 4PDT, Hermetically	A	5945	CC	31-JAN-2011
M MIL-R-83726/13H NOT 1	Sealed, Fixed Time, 0.100 to 300 Seconds [CUST: EC 85 CC] [REVIEW: 99] Relays, Solid State, Time Delay, (on Operate), Type I Class C, SPSTNO, 300 Milliamperes, Fixed	A	5945	CC	31-JAN-2011
M MIL-R-83726/14D NOT 1	Time, 0.05 to 600 Seconds, Hermetically Sealed [CUST: AT CC] Relays, Hybrid, Time Delay, (on Operate), Type I, Class B, 10 Amperes, 4PDT, Hermetically	A	5945	CC	31-JAN-2011
M MIL-R-83726/23D NOT 1	Sealed, Fixed Time, 0.100 to 300 Seconds [CUST: EC 85 CC] [REVIEW: 99] Relays, Hybrid, Time Delay (on Release), Type IIB, Class B, 10 Amperes, 4PDT, Hermetically	A	5945	CC	31-JAN-2011
M MIL-M-38510/210E NOT 1	Sealed [CUST: EC 85 CC] [REVIEW: 99] Microcircuit, Digital, 16,384 Bit Schottky, Bipolar, Programmable Read-Only Memory (PROM)	A	5962	CC	20-JAN-2011

01-FEB-2011

CANCELED SECTION

ASSIST UPDATE

CANCELED SECTION	ASSIST UPDATE					
OCUMENT NUMBER		DISTRIBUTION	FSC/AREA	MCA	PREP ACTY	
DOCUMENT NUMBER M APA-E30	DOCUMENT TITLE Residential and Commercial (No S/S Document) [CUST: CR4 YD 99 IS]			Σ		DATE
M AAMA-CW10	Aluminum, Architectural, from Shop to Site, Care and Handling of (No S/S Document) [CUST: CR4		5530 5670		IS IS	24-JAN-2011 24-JAN-2011
M SAE-AS33481	YD 99 IS] Contact Bushing, Electric, Wire Barrel (See Notice of Withdrawal for Replacement Information)		5935		AS	10-DEC-2010
M AAMA606.1	[CUST: CR AS 85] Aluminum, Architectural, Voluntary Guide Specifications and Inspection Methods for Integral Color Anodic Finishes for (No S/S Document) [CUST: CR4 YD 99 IS]	A	8010		IS	24-JAN-2011
M AAMA607.1	Anodic Finishes for (No S/S Document) [CUST: CR4 YD 99 IS] Aluminum, Architectural, CLear Anodic Finishes for, Inspection Methods for (No S/S Document) [CUST: CR4 YD 99 IS]		8010		IS	24-JAN-2011
M AAMA608.1	[CUST: CR4 YD 99 IS] Aluminum, Architectural, Electrolytically Deposited Color Anodic Finishes for, Voluntary Guide Specification and Inspection Methods for (No S/S Document) [CUST: CR4 YD 99 IS]	A	8010		IS	24-JAN-2011
M IEEE-SI10	Specification and Inspection Methods for (No S/S Document) [CUST: CR4 YD 99 IS] International System of Units (SI): The Modern Metric System (S/S by IEEE/ASTM-SI10) [CUST: MR SH 11 SO] [REVIEW: CC IS OS]	A	MISC		so	25-JAN-2011

01-FEB-2011