

Department of Defense Standardization Program



ASSIST UPDATE

(A bi-monthly summary of changes to the ASSIST document database)

1 February 2011

(For the Period 15 January 2011 to 31 January 2011)

ASSIST UPDATE

Documents listed in the ASSIST UPDATE have an indicator of “N” or “M” to describe the last action taken on a listed document.

“N” indicates that a “new” document has been entered into the ASSIST database.

“M” indicates that a document already in ASSIST has been “modified” in some way.

The ASSIST UPDATE is published twice a month and provides a summary of changes to Department of Defense standardization documents for the period indicated. Since changes are processed to the ASSIST database on a daily basis, users should consult the ASSIST web site at <https://assist.daps.dla.mil> for the most current information.

If you need to track changes more frequently, or if you have an interest in specific Federal Supply Classes or individual specifications, standards, or other standardization documents, you may wish to take advantage of the ASSIST Alert Service. This feature lets you establish a list of documents of interest to you, and then the ASSIST will alert you with an E-mail message each day there is a change to one or more documents of interest to you. There is no charge for this service; however, you must have an ASSIST user account. To obtain one, complete the ASSIST online registration form at <https://assist.daps.dla.mil/online/registration/registration.cfm>.

Once you have your account, you can establish your Alert Portal profile. For more information on the ASSIST Alert Service, go to: <https://assist.daps.dla.mil/online/news/AlertService.htm>.

ACTIVE SECTION

ASSIST UPDATE

LAST ACTION	DOCUMENT NUMBER	DOCUMENT TITLE	DISTRIBUTION	FSC/AREA	MCA	PREP ACTY	DATE
M	MIL-K-70606(3) NOT 2	Knife, Bayonet, Multipurpose, M9 with Scabbard [CUST: AR]	A	1005		AR	21-JAN-2011
M	MIL-L-45935A(3) NOT 2	Launcher, Grenade, 40MM: Detachable, M203 [CUST: AR]	A	1010		AR	21-JAN-2011
M	MIL-DTL-60251B	Cartridge, 7.62 Millimeter: Ball, NATO - M80 Overhead Fire Application [CUST: AR OS 99] [REVIEW: 70 AS MC MR NP]	D	1305		AR	13-JAN-2011
M	MIL-DTL-20517J	Simulator, Projectile, Air Burst, M741 Parts for and Loading, Assembling and Packing [CUST: AR]	A	1370		AR	27-JAN-2011
M	MIL-DTL-32336(1)	Cap. Blasting: Non-Electric, 30 Foot Shock Tube - M11 [CUST: AR]	D	1375		AR	26-JAN-2011
M	MIL-DTL-32189B	Explosive Material, Coated, CXM-10 [CUST: OS]	D	1376		OS	10-JAN-2011
M	MIL-DTL-6117L(1)	Wire Rope Assemblies, Aviation, Swaged Type [CUST: CR AS 99 GS] [REVIEW: 71 MI]	A	1640		GS5	26-JAN-2011
M	MS21252P(2)	Clevis End, Turnbuckle, Clip Locking [CUST: AS 99 GS] [REVIEW: MC]	A	1640		GS5	26-JAN-2011
M	MS21253S(2)	Clevis End, Turnbuckle, Clip Locking (for Bearing) [CUST: AV AS 99 GS]	A	1640		GS5	26-JAN-2011
M	MS21254V(3)	Eye End, Turnbuckle, Clip Locking [CUST: AV AS 99 GS] [REVIEW: MC]	A	1640		GS5	26-JAN-2011
M	MIL-DTL-62034G	Semitrailers, Stake; Semitrailers, Van, and Semitrailers, Refrigerator: Military Design [CUST: AT]	A	2330		AT	26-JAN-2011
M	A-A-52470A	Filter, Fluid, Pressure and Filter Element, Fluid, Pressure-Automotive Fuel (45 GPH Filtration) [CUST: AT YD 99] [REVIEW: 70 CC MC]	A	2910	/	AT	20-JAN-2011
M	A-A-52160A	Industrial V-Belts (Multiple Drive) [CUST: AR SH 99 CC] [REVIEW: 71 AS AT CG MC NP SA YD]	A	3030	/	CC	18-JAN-2011
M	A-A-59623C	Bearing, Ball, Annular, Single Row, Angular Contact, Contact Angle 11 Degrees Through 22 Degrees, Dimension Series 19 [CUST: AT OS 99 GS] [REVIEW: 11 84 GL MI]	A	3110	/	GS4	28-JAN-2011
M	A-A-59631B	Bearing, Ball, Annular, Single Row, Angular Contact, Contact Angle 23 Degrees Through 32 Degrees, Dimension Series 04 [CUST: AT OS 99 GS] [REVIEW: 84 GL MI]	A	3110	/	GS4	28-JAN-2011
M	A-A-59632B	Bearing, Ball, Annular, Single Row, Angular Contact, Contact Angle 33 Degrees Through 45 Degrees, Dimension Series 10 [CUST: AT OS 99 GS] [REVIEW: 84 GL MI]	A	3110	/	GS4	28-JAN-2011
M	QPL-21562-44 NOT 1	Electrodes and Rods-Welding, Bare, Nickel Alloy (Replaced by the Qualified Products Database (QPD) See Notice 1 for Additional Information)	A	3439		SH	25-JAN-2011
M	QPL-23765-52 NOT 1	Electrodes and Rods - Welding, Bare, Solid and Alloyed Cored, General Specification for (Replaced by the Qualified Products Database (QPD) See Notice 1 for Additional Information)	A	3439		SH	24-JAN-2011
M	QPL-24572-16 NOT 1	Extinguisher, Fire, Bromotrifluoromethane (Halon 1301) System Components (Fixed, Pipe, Pneumatically Actuated, Naval Shipboard use) (Replaced by the Qualified Products Database (QPD) See Notice 1 for Additional Information)	A	4210		SH	21-JAN-2011
N	SAE-J533	Flares for Tubing [CUST: CR4 AS 99 CC]	A	4710		CC	19-JAN-2011
M	MIL-DTL-8783D(1)	Clamp, Hose, Flat Band 500 Degrees F. General Specification for [CUST: AT AS 99 CC] [REVIEW: 70 71 AR AV CG MC MI SA SH]	A	4730		CC	28-JAN-2011
M	QPL-23953-11 NOT 1	Valve, Combined Vent Check for Submarine MBT Blow Lines (Replaced by the Qualified Products Database (QPD) See Notice 1 for Additional Information)	A	4820		SH	25-JAN-2011
M	A-A-2442 NOT 3	File, Hand (Swiss Pattern), Needle, Round	A	5110	#	FAS	22-NOV-2010
M	A-A-2443 NOT 3	File, Hand (Swiss Pattern), Needle, Half-Round	A	5110	#	FAS	22-NOV-2010
M	A-A-2444 NOT 3	File, Hand (Swiss Pattern), Needle, Three-Square	A	5110	#	FAS	22-NOV-2010
M	A-A-2445 NOT 3	File, Hand (Swiss Pattern), Needle, Crossing	A	5110	#	FAS	22-NOV-2010
M	A-A-2446 NOT 3	File, Hand (Swiss Pattern), Needle, Knife	A	5110	#	FAS	22-NOV-2010
M	A-A-2447 NOT 3	File, Hand (Swiss Pattern), Needle, Flat	A	5110	#	FAS	22-NOV-2010
M	A-A-2448 NOT 3	File, Hand (Swiss Pattern), Needle, Square	A	5110	#	FAS	22-NOV-2010
M	A-A-2452 NOT 3	File, Hand (Swiss Pattern), Needle, Slitting	A	5110	#	FAS	22-NOV-2010
M	A-A-2453 NOT 3	File, Hand (Swiss Pattern), Needle, Marking, Half-Round	A	5110	#	FAS	22-NOV-2010
M	A-A-2493 NOT 3	Wrench, Open End (Nonsparking and Nonmagnetic)	A	5110	#	FAS	22-NOV-2010
M	MIL-PRF-49293A(1)	Radiac Set, AN/PDR-75 [CUST: CR]	A	5855		CR	03-JAN-2011
M	MIL-PRF-49470C	Capacitor, Fixed, Ceramic Dielectric, Switch Mode Power Supply (General Purpose and Temperature Stable), Standard Reliability and High Reliability, General Specification for [CUST: CR EC 85 CC NA] [REVIEW: 19 99 AR AT AV MC MI]	A	5910		CR	19-JAN-2011
M	MIL-PRF-49470/1D	Capacitor, Fixed, Ceramic Dielectric, Switch Mode Power Supply (General Purpose and Temperature Stable), Standard Reliability and High Reliability, Unencapsulated, Horizontally Stacked, Style PS01 [CUST: CR EC 85 CC NA] [REVIEW: 19 99 AR AT AV CR4 MC MI]	A	5910		CR	19-JAN-2011
M	MIL-PRF-49470/2D	Capacitor, Fixed, Ceramic Dielectric, Switch Mode Power Supply (General Purpose and Temperature Stable), Standard Reliability and High Reliability, Encapsulated, Horizontally Stacked, Style PS02 [CUST: CR EC 85 CC NA] [REVIEW: 19 99 AR AT AV CR4 MC MI]	A	5910		CR	19-JAN-2011
M	MS18192G	Shield, Electrical Connector for 7, 9, 14, 20, 26, 34, 42, 50 and 75 Contact Connectors [CUST: CR EC 85 CC] [REVIEW: 99 AM AR AS AT CR4 MC MI OS SH]	A	5935		CC	05-JAN-2011
M	MS18193F	Shield, Electrical Connectors for 66 and 104 Contact Connectors [CUST: CR EC 85 CC] [REVIEW: 99 AM AR AS AT CR4 MC MI OS]	A	5935		CC	05-JAN-2011
M	MIL-PRF-39016/19H(1) NOT 1	Relays, Electromagnetic, Established Reliability, DPDT, Low Level to 1 Ampere with Internal Diode for Coil Transient Suppression and Polarity Reversal Protection, Terminals 0.100-Inch Grid Pattern [CUST: CR EC 85 CC] [REVIEW: 99 AR AS MC OS SH]	A	5945		CC	31-JAN-2011
M	A-A-59546A NOT 1	Relays, Electromagnetic, Relay Module Extraction Tool [CUST: 85 CC] [REVIEW: 99]	A	5945	/	CC	31-JAN-2011
M	A-A-59547A NOT 1	Relays, Electromagnetic, Socket Module Extraction Tool [CUST: 85 CC] [REVIEW: 99]	A	5945	/	CC	31-JAN-2011
M	MIL-PRF-19500/453F	Semiconductor Device, Transistor, NPN, Silicon, High-Frequency Type 2N5109 and 2N5109UB, JAN, JANTX, JANTXV, JANS, JANHC, JANKC JASM, JANSJ, JANSR, JANSR, JANSR, JANSF, JANSJ, and JANSJ [CUST: CR 85 CC] [REVIEW: 19 71 99 MI]	A	5961		CC	31-JAN-2011
M	MIL-PRF-19500/657B	Semiconductor Device, Field Effect, Radiation Hardened, Transistor Die, N and P-Channel, Silicon Various Types JANHC and JANKC [CUST: CR EC 85 CC NA]	A	5961		CC	26-JAN-2011
M	MIL-PRF-31032/5(2)	Printed Wiring Board, Rigid, Multilayered, Thermoplastic, Thermosetting, or Thermoplastic and Thermosetting Resin Base Material, with Plated Through Holes, for High Frequency Applications [CUST: CR EC 85 CC] [REVIEW: 99]	A	5998		CC	31-JAN-2011
M	MIL-DTL-83413/7D	Connectors, and Assemblies, Electrical, Aircraft Grounding: Grounding Clamp for Types I and III Grounding Assemblies, Clip, Electrical [CUST: AV AS 85 CC] [REVIEW: 02 13 99 AR CR CR4 MC MI]	A	5999		CC	30-JAN-2011
M	MIL-DTL-38359D	Cable, Power, Electrical, Airport Lighting, Cross-Linked, Polyethylene (XLP) [CUST: 85 CC] [REVIEW: 99]	A	6145		CC	24-JAN-2011
M	QPL-7788-77 NOT 2	Panels, Information, Integrally Illuminated	A	6220		GS2	25-JAN-2011
M	MIL-DTL-81248C NOT 1	Detector Pad, Free Water [CUST: AT AS 99] [REVIEW: 68 84 AR AV MA PS]	A	6640		AS	20-JAN-2011
M	MIL-P-14067B(4) NOT 5	Powders, Metal, Atomized (for use in Ammunition) [CUST: AR] [REVIEW: EA GS3]	A	6810		AR	01-FEB-2011
M	A-A-58060B	Fluorocarbon and Other Refrigerants [CUST: AV SH 68 GS]	A	6830	/	68	14-JAN-2011

ACTIVE SECTION

ASSIST UPDATE

LAST ACTION			DISTRIBUTION	FSC/AREA	MCA	PREP ACTY	DATE
	DOCUMENT NUMBER	DOCUMENT TITLE					
M	A-A-2577B	Cup, Disposable: Lid, Disposable Cup [CUST: GL SA 99] [REVIEW: 84 MD MS]	A	7350	/	SS	12-JAN-2011
M	A-A-59291A	Ink, Marking (for Parachutes and Other Textile Items) [CUST: GL AS 99] [REVIEW: CR4 MI SA]	A	7510	/	AS	30-JAN-2011
M	MIL-DTL-53039D	Coating, Aliphatic Polyurethane, Single Component, Chemical Agent Resistant [CUST: MR AS 99] [REVIEW: 11 84 CG MD1 MI SH]	A	8010		MR	24-JAN-2011
M	MIL-DTL-64159B	Camouflage Coating, Water Dispersible Aliphatic Polyurethane, Chemical Agent Resistant [CUST: MR SH 11] [REVIEW: 84 99 AS CG MD1 MI]	A	8010		MR	24-JAN-2011
N	QPL-32348	Powder Coating, Camouflage Chemical, Agent Resistant Systems	A	8010		MR	21-JAN-2011
M	MIL-DTL-44031E	Cloth, Camouflage Pattern: Cotton and Nylon [CUST: GL NU 11 CT] [REVIEW: MC MD]	A	8305		CT	26-JAN-2011
M	MIL-DTL-25576E NOT 1	Propellant, Rocket Grade Kerosene [CUST: CR4 AS 68 PS] [REVIEW: 19 MI NA]	A	9130		68	24-JAN-2011
M	MIL-PRF-26539F NOT 1	Propellants, Dinitrogen Tetroxide [CUST: AS 68 PS] [REVIEW: 19]	A	9135		68	31-JAN-2011
M	AOP-2 ED.C	The Identification of Ammunition	C	ISDD		SO	11-DEC-2008
M	AOP-15 ED.3	Guidance on the Assessment of the Safety and Suitability for Service of Non-Nuclear Munitions for NATO Armed Forces	C	ISDD		SO	16-FEB-2001
M	AOP-16 ED.4	FUZING SYSTEMS: GUIDELINES FOR STANAG 4187	C	ISDD		SO	09-MAR-2007
M	AOP-21 ED.2	FUZING SYSTEMS: MANUAL OF DEVELOPMENT, CHARACTERIZATION AND SAFETY TEST METHODS AND PROCEDURES FOR LEAD AND BOOSTER EXPLOSIVE COMPONENTS	C	ISDD		AI	01-JAN-2002
M	AOP-38 ED.5	GLOSSARY OF TERMS AND DEFINITIONS CONCERNING THE SAFETY AND SUITABILITY FOR SERVICE OF MUNITIONS, EXPLOSIVES AND RELATED PRODUCTS	C	ISDD		SO	28-OCT-2009
M	AOP-43 ED.2	ELECTRO-EXPLOSIVE DEVICES ASSESSMENT AND TEST METHODS FOR CHARACTERIZATION - GUIDELINES FOR STANAG 4560	C	ISDD		SO	01-JAN-2004
M	AOP-48 ED.2	EXPLOSIVES - NITROCELLULOSE BASED PROPELLANTS - STABILITY TEST PROCEDURES AND REQUIREMENTS USING STABILIZER DEPLETION	C	ISDD		SO	10-OCT-2008
N	DI-MISC-81832	Counterfeit Prevention Plan [AMSC: D9181]	A	MISC		NRO	21-JAN-2011
N	IEEE/ASTM-SI10	Units, Use of the International System of, (SI): The Modern Metric System [CUST: MR SH 11] [REVIEW: 68 84 AR AS AT AV CC CR4 GS IS MI OS YD]	A	MISC		SO	20-JAN-2011
M	MIL-STD-2073-1E(1)	Standard Practice for Military Packaging [CUST: SM AS 69 DH] [REVIEW: 11 13 19 70 71 84 AR AT AV CC CG CR CT DM EA GL GS IS LS MC MI MT OS SA SH SS YD] [AMSC: N7296]	A	PACK		AS	07-JAN-2011
M	MIL-DTL-18307H NOT 1	Nomenclature and Identification for Aeronautical Systems Including Joint Electronics Type Designated Systems and Associated Support Systems [CUST: AS]	A	SESS		AS	31-JAN-2011

INACTIVE SECTION

ASSIST UPDATE

LAST ACTION			DISTRIBUTION	FSC/AREA	MCA	PREP ACTY	DATE
	DOCUMENT NUMBER	DOCUMENT TITLE					
M	MS51389B	Raincap, for Air Cleaner Intake, for Industrial Engines [CUST: AV AS 99 CC] [REVIEW: 71 MC SA]	A	2940		CC	18-JAN-2011
M	MS53063B	Indicator, Air Cleaner, Intake, Restriction Mechanical Type [CUST: AV AS 99 CC] [REVIEW: 71 MC SA]	A	2940		CC	18-JAN-2011
M	MIL-DTL-5515E	Pump, Hydraulic, Ram, Hand Driven [CUST: AV AS 99 CC] [REVIEW: 71 MI]	A	4320		CC	18-JAN-2011
M	AN818 REV 20 NOT 1	Nut, Tube Coupling, Short [CUST: AV AS 99 CC] [REVIEW: 71 CR4 MC]	A	4730		CC	28-JAN-2011
M	MIL-DTL-23450D(1)	Valves, Expansion, Thermostatic, Refrigerant-12 (R-12) and Refrigerant-22 (R-22) [CUST: GL SH 99 CC] [REVIEW: 71 AT CR4 GS MC SA]	A	4820		CC	18-JAN-2011
M	MS17982D(1)	Valves, Expansion, Thermostatic, Refrigerant-12 (R-12) and Refrigerant-22 (R-22) [CUST: GL SH 99 CC] [REVIEW: 71 AT CR4 GS MC SA]	A	4820		CC	18-JAN-2011
M	MIL-DTL-14362H(1)	Lumber: Unitizing and Loading of [CUST: AV 99 IS] [REVIEW: 84 SM]	A	5510		IS	21-JAN-2011
M	MIL-DTL-3786/1G	Switch, Rotary, Open Construction, 1/2 Ampere, Style SR01 [CUST: CR EC 85 CC] [REVIEW: 99]	A	5930		CC	26-JAN-2011
M	MIL-DTL-3786/2G	Switch, Rotary, Open Construction, 1/2 Ampere, Style SR02 [CUST: CR EC 85 CC] [REVIEW: 99]	A	5930		CC	26-JAN-2011
M	MIL-DTL-3786/5H	Switch, Rotary, Open Construction, .200 Ampere, Style SR05 [CUST: CR EC 85 CC] [REVIEW: 99]	A	5930		CC	26-JAN-2011
M	MIL-DTL-13484G	Switch, Sensitive: 30 Volts Direct Current Maximum, Waterproof [CUST: AT CC]	A	5930		CC	26-JAN-2011
M	MIL-DTL-28827C	Switches, Thermostatic, (Volatile Liquid), Hermetically Sealed, General Specification for [CUST: CR EC 85 CC] [REVIEW: 99]	A	5930		CC	26-JAN-2011
M	MIL-DTL-28827/1C	Switch, Thermostatic (Volatile Liquid), Hermetic Sealed, Single Pole Double Throw (SPDT), Medium Response Time [CUST: CR EC 85 CC] [REVIEW: 99]	A	5930		CC	26-JAN-2011
M	MS3440D	Connectors, Receptacle, Electrical, Narrow Flange Mount, Bayonet Coupling, Solder Pin Contact, Class H, Series 2 [CUST: CR AS 85 CC] [REVIEW: 99 AV EC SH]	A	5935		CC	14-JAN-2011
M	MS3443C	Connectors, Receptacle, Electrical, Solder or Welded Flange Mount, Bayonet Coupling, Solder Pin Contact, Class H, Series 2 [CUST: CR AS 85 CC] [REVIEW: AV EC SH]	A	5935		CC	14-JAN-2011
M	MS3449E	Connectors, Receptacle, Electrical, Series II, Single Hole Mount, Bayonet Coupling, Solder Pin Contact, Class H [CUST: CR AS 85 CC] [REVIEW: 99 AR AV EC MI SH]	A	5935		CC	14-JAN-2011
M	MIL-R-83726/12E NOT 1	Relays, Hybrid, Time Delay (on Release), Type IIA, Class B, 10 Amperes, 4PDT, Hermetically Sealed, Fixed Time, 0.100 to 300 Seconds [CUST: EC 85 CC] [REVIEW: 99]	A	5945		CC	31-JAN-2011
M	MIL-R-83726/13H NOT 1	Relays, Solid State, Time Delay, (on Operate), Type I Class C, SPSTNO, 300 Milliampere, Fixed Time, 0.05 to 600 Seconds, Hermetically Sealed [CUST: AT CC]	A	5945		CC	31-JAN-2011
M	MIL-R-83726/14D NOT 1	Relays, Hybrid, Time Delay, (on Operate), Type I, Class B, 10 Amperes, 4PDT, Hermetically Sealed, Fixed Time, 0.100 to 300 Seconds [CUST: EC 85 CC] [REVIEW: 99]	A	5945		CC	31-JAN-2011
M	MIL-R-83726/23D NOT 1	Relays, Hybrid, Time Delay (on Release), Type IIB, Class B, 10 Amperes, 4PDT, Hermetically Sealed [CUST: EC 85 CC] [REVIEW: 99]	A	5945		CC	31-JAN-2011
M	MIL-M-38510/210E NOT 1	Microcircuit, Digital, 16,384 Bit Schottky, Bipolar, Programmable Read-Only Memory (PROM) Monolithic Silicon [CUST: CR EC 85 CC] [REVIEW: 03 19 99 AS CG MC MI SH SM TD]	A	5962		CC	20-JAN-2011

CANCELED SECTION

ASSIST UPDATE

LAST ACTION			DISTRIBUTION	FSC/AREA	MCA	PREP ACTY	DATE
	DOCUMENT NUMBER	DOCUMENT TITLE					
M	APA-E30	Residential and Commercial (No S/S Document) [CUST: CR4 YD 99 IS]	A	5530	IS		24-JAN-2011
M	AAMA-CW10	Aluminum, Architectural, from Shop to Site, Care and Handling of (No S/S Document) [CUST: CR4 YD 99 IS]	A	5670	IS		24-JAN-2011
M	SAE-AS33481	Contact Bushing, Electric, Wire Barrel (See Notice of Withdrawal for Replacement Information) [CUST: CR AS 85]	A	5935	AS		10-DEC-2010
M	AAMA606.1	Aluminum, Architectural, Voluntary Guide Specifications and Inspection Methods for Integral Color Anodic Finishes for (No S/S Document) [CUST: CR4 YD 99 IS]	A	8010	IS		24-JAN-2011
M	AAMA607.1	Aluminum, Architectural, CLear Anodic Finishes for, Inspection Methods for (No S/S Document) [CUST: CR4 YD 99 IS]	A	8010	IS		24-JAN-2011
M	AAMA608.1	Aluminum, Architectural, Electrolytically Deposited Color Anodic Finishes for, Voluntary Guide Specification and Inspection Methods for (No S/S Document) [CUST: CR4 YD 99 IS]	A	8010	IS		24-JAN-2011
M	IEEE-SI10	International System of Units (SI): The Modern Metric System (S/S by IEEE/ASTM-SI10) [CUST: MR SH 11 SO] [REVIEW: CC IS OS]	A	MISC	SO		25-JAN-2011