

Department of Defense Standardization Program



ASSIST UPDATE

(A bi-monthly summary of changes to the ASSIST document database)

1 February 2012

(For the Period 15 January 2012 to 31 January 2012)

ASSIST UPDATE

Documents listed in the ASSIST UPDATE have an indicator of “N” or “M” to describe the last action taken on a listed document.

“N” indicates that a “new” document has been entered into the ASSIST database.

“M” indicates that a document already in ASSIST has been “modified” in some way.

The ASSIST UPDATE is published twice a month and provides a summary of changes to Department of Defense standardization documents for the period indicated. Since changes are processed to the ASSIST database on a daily basis, users should consult the ASSIST web site at <https://assist.daps.dla.mil> for the most current information.

If you need to track changes more frequently, or if you have an interest in specific Federal Supply Classes or individual specifications, standards, or other standardization documents, you may wish to take advantage of the ASSIST Alert Service. This feature lets you establish a list of documents of interest to you, and then the ASSIST will alert you with an E-mail message each day there is a change to one or more documents of interest to you. There is no charge for this service; however, you must have an ASSIST user account. To obtain one, complete the ASSIST online registration form at <https://assist.daps.dla.mil/online/registration/registration.cfm>.

Once you have your account, you can establish your Alert Portal profile. For more information on the ASSIST Alert Service, go to: <https://assist.daps.dla.mil/online/news/AlertService.htm>.

ACTIVE SECTION

ASSIST UPDATE

| LAST ACTION | DOCUMENT NUMBER | DOCUMENT TITLE | DISTRIBUTION | FSC/AREA | | MCA | | DATE |
|-------------|-----------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------|----------|---|-----|-----------|-------------|
| | | | | | | | PREP ACTY | |
| M | MIL-DTL-70781A(2) | Cartridge, 60MM: Smoke, Marking - M722A1 Loading, Assembling and Packing [CUST: AR] | D | 1310 | | AR | | 24-JAN-2012 |
| M | MIL-DTL-12297K | Grenade, Hand, Incendiary, TH3, AN-M14 [CUST: AR MC 99] [REVIEW: 70 AV MI NP] | D | 1330 | | AR | | 19-JAN-2012 |
| M | MIL-DTL-60525B | Initiator, Cartridge Actuated, M99 Metal Parts Assembly [CUST: OS 99] | A | 1377 | | OS | | 06-JAN-2012 |
| N | A-A-59888 | Staircase, Aircraft Boarding, Standard Truck [CUST: 84] | A | 1730 | / | 84 | | 03-JAN-2012 |
| N | A-A-59889 | Staircase, Aircraft Boarding, C-5, Truck [CUST: 84] | A | 1730 | / | 84 | | 03-JAN-2012 |
| M | MIL-DTL-62073H(1) | Trailer, Flatbed: 4-, 5-, and 7.5-Ton, 4-Wheel (Tandem) Cart Type; Trailer, Bolster: 4-Ton, 4-Wheel (Tandem) [CUST: AT] | A | 2330 | | AT | | 31-JAN-2012 |
| M | QPL-5041-32 NOT 1 | Tires, Ribbed Tread, Pneumatic, Aircraft (Replaced by the Qualified Products Database (QPD) See Notice 1 for Additional Information) | A | 2620 | | 70 | | 23-JAN-2012 |
| M | A-A-59643A NOT 1 | Bearings, Ball, Annular, Single Row, Radial, Non-Filling Slot, Miniature Size, Instrument Type [CUST: AT OS 99] [REVIEW: 11 84 AR CR4 GL MI] | A | 3110 | / | GS4 | | 25-JAN-2012 |
| M | A-A-59644A NOT 1 | Bearings, Ball, Annular, Single Row, Radial, Non-Filling Slot, Extra Light Series (R - Series) [CUST: OS 99] [REVIEW: 11 84] | A | 3110 | / | GS4 | | 25-JAN-2012 |
| M | A-A-59645A NOT 1 | Bearings, Ball, Annular, Single Row, Radial, Non-Filling Slot, Extra Light Series (R-Series) (Larger Than 0.7500 Bore) [CUST: OS 99] [REVIEW: 11 84] | A | 3110 | / | GS4 | | 25-JAN-2012 |
| M | A-A-59646A NOT 1 | Bearings, Ball, Annular, Single Row, Radial, Non-Filling Slot, Extra Light Series (XLS - Series) [CUST: OS 99] [REVIEW: 11 84] | A | 3110 | / | GS4 | | 25-JAN-2012 |
| M | A-A-59647A NOT 1 | Bearings, Ball, Annular, Single Row, Radial, Non-Filling Slot, Light Series (LS - Series) [CUST: OS 99] [REVIEW: 11 84] | A | 3110 | / | GS4 | | 25-JAN-2012 |
| M | A-A-59648A NOT 1 | Bearings, Ball, Annular, Single Row, Radial, Non-Filling Slot, Medium Series (MS - Series) [CUST: OS 99] [REVIEW: 11 84] | A | 3110 | / | GS4 | | 25-JAN-2012 |
| M | MIL-STD-282A | Filter Units, Protective Clothing, Gas-Mask Components and Related Products: Performance-Test Methods [CUST: EA SH] [REVIEW: YD] | X | 4240 | | EA | | 17-JAN-2012 |
| M | AN818 REV 20 NOT 2 | Nut, Tube Coupling, Short [CUST: AV AS 85 CC] [REVIEW: 71 99 CR4 MC] | A | 4730 | | CC | | 11-JAN-2012 |
| N | SAE-AS6075 | Fitting, Bolt, Flared, 37 Degrees Spherical [CUST: AV AS 99 CC] | A | 4730 | | CC | | 12-JAN-2012 |
| N | SAE-AS6092 | Fitting, 37 Degrees Spherical Flared, Connector, Multiple Fluid Pressure Line, 75 Degrees [CUST: AV AS 99 CC] | A | 4730 | | CC | | 12-JAN-2012 |
| N | SAE-AS6093 | Fitting, 37 Degrees Spherical Flared, Connector, Multiple Fluid Pressure Line, 90 Degrees [CUST: AV AS 99 CC] | A | 4730 | | CC | | 12-JAN-2012 |
| N | SAE-AS6094 | Fitting, 37 Degrees Spherical Flared, Connector, Multiple Fluid Pressure Line, 45 Degrees [CUST: AV AS 99 CC] | A | 4730 | | CC | | 12-JAN-2012 |
| N | SAE-AS6095 | Fitting, 37 Degrees Spherical Flared, Connector, Multiple Fluid Pressure Line, Tee [CUST: AV AS 99 CC] | A | 4730 | | CC | | 12-JAN-2012 |
| N | SAE-AS6098 | Fitting, Tee, Standard and Reducer, Bulkhead On Run, Internal On Side, Flared, 37 Degrees Spherical [CUST: AV AS 99 CC] | A | 4730 | | CC | | 12-JAN-2012 |
| N | SAE-AS6099 | Fitting, Elbow, 90 Degrees, Standard and Reducer, Flared, 37 Degrees Spherical [CUST: AV AS 99 CC] | A | 4730 | | CC | | 12-JAN-2012 |
| M | MS27612K NOT 1 | Adapter, Hydraulic Bleeder Valve, Aircraft Wheel Brake [CUST: AV AS 99 CC] [REVIEW: 71 AT MC SA] | A | 4820 | | CC | | 23-JAN-2012 |
| M | A-A-55620C | Loops, Slide (for Equipage) [CUST: GL YD 99 IS] | A | 5340 | / | IS | | 30-JAN-2012 |
| M | MIL-PRF-55182H(4) SUP 1A | Resistors, Fixed, Film, Nonestablished Reliability, Established Reliability, and Space Level, General Specification for [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS CG EA MC NA OS] | A | 5905 | | CR | | 13-JAN-2012 |
| M | QPL-12934-54 | Resistor, Variable, Wire Wound, Precision, General Specification for | A | 5905 | | CC | | 11-JAN-2012 |
| M | QPL-39005-69 | Resistors, Fixed, Wire-Wound (Accurate), Nonestablished Reliability, Established Reliability, General Specification for | A | 5905 | | CR | | 25-JAN-2012 |
| M | MS27406E(1) | Switch, Toggle, Four Pole, Environmentally Sealed [CUST: CR AS 85 CC] [REVIEW: 99 AR AV CR4 EC MI] | A | 5930 | | CC | | 26-JAN-2012 |
| M | MIL-PRF-39012/141B(1) NOT 2 | Connectors, Receptacle, Electrical, Coaxial, Radio Frequency, Series SSMB, Printed Circuit Board Mount, Straight [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS AT MC MI OS SH] | A | 5935 | | CC | | 31-JAN-2012 |
| M | MIL-DTL-12883/53B(1) | Sockets and Accessories for Plug-in Electronic Components, Mounting Track, for Relay Sockets and Electromagnetic Relays [CUST: CR EC 85 CC] [REVIEW: 99 MI] | A | 5935 | | CC | | 12-JAN-2012 |
| M | MIL-DTL-24308/23G(2) | Connectors, Electric, Rectangular, Nonenvironmental, Miniature, Polarized Shell, Rack and Panel, Socket Contacts Printed Wiring Board Termination Types [CUST: CR EC 85 CC NA] [REVIEW: 99 AS AT AV CG CR4 MC MI SH] | A | 5935 | | CC | | 13-JAN-2012 |
| M | MIL-DTL-24308/24H(2) | Connectors, Electric, Rectangular, Nonenvironmental, Miniature, Polarized Shell, Rank and Panel, Pin Contacts Printed Wiring Board Termination Types [CUST: CR EC 85 CC NA] [REVIEW: 99 AS AT AV CG CR4 MC MI SH] | A | 5935 | | CC | | 13-JAN-2012 |
| M | W-C-596/41E | Connector, Receptacle, Electrical, General Purpose, Single, Hospital Grade, Grounding, 2 Pole, 3 Wire, 20 Amperes, 250 Volts, 50/60 Hertz [CUST: CR YD 85 CC] [REVIEW: 19 99 AR AS AV CR4 EC MC MI SH] | A | 5935 | / | CC | | 20-JAN-2012 |
| M | W-C-596/64E | Connector, Receptacle, Electrical, General Purpose, Single, General Grade, Grounding, 2 Pole, 3 Wire, 20 Amperes, 250 Volts, 50/60 Hertz [CUST: CR YD 85 CC] [REVIEW: 19 99 AR AS AV CR4 EC MC MI SH] | A | 5935 | / | CC | | 20-JAN-2012 |
| M | W-C-596/101D | Connector, Plug, Electrical, Special Purpose, Cable Outlet, Grounding, Locking, 2 Pole, 3 Wire, 15 Amperes, 125 Volts, 50/60 Hertz [CUST: CR YD 85 CC] [REVIEW: 99 AS AV CR4 EC MC MI SH] | A | 5935 | / | CC | | 20-JAN-2012 |
| M | W-C-596/125B | Connectors, Plug, Electrical, Special Purpose, Grounding, 3 Pole, 4 Wire, 20 Amperes, 250 Volts, 50/60 Hertz, 3-Phase [CUST: CR YD 85 CC] [REVIEW: 99 AS AV CR4 EC MC MI SH] | A | 5935 | / | CC | | 20-JAN-2012 |
| M | W-C-596/126C | Connector, Plug, Electrical, Special Purpose, Cable Outlet, Locking, Grounding, 3 Pole, 4 Wire, 20 Amperes, 125/250 Volts, 50/60 Hertz, 3-Phase [CUST: CR YD 85 CC] [REVIEW: 99 AS AV CR4 EC MC MI SH] | A | 5935 | / | CC | | 20-JAN-2012 |
| M | W-C-596/129C | Connector, Plug, Electrical, Special Purpose, Grounding, Locking, 3 Pole, 4 Wire, 30 Amperes, 250 Volts, 50/60 Hertz, 3-Phase [CUST: CR YD 85 CC] [REVIEW: 99 AS AV CR4 EC MC MI SH] | A | 5935 | / | CC | | 20-JAN-2012 |
| M | W-C-596/130C | Connector, Plug, Electrical, Special Purpose, Cable Outlet, Locking, Grounding, 3 Pole, 4 Wire, 30 Amperes, 250 Volts, 50/60 Hertz, 3-Phase [CUST: CR YD 85 CC] [REVIEW: 99 AS AV CR4 EC MC MI SH] | A | 5935 | / | CC | | 20-JAN-2012 |
| M | W-C-596/140D | Connector, Receptacle, Electrical, Male Inlet, General Purpose, Grounding, 2 Pole, 3 Wire, 15 Amperes, 125 Volts, 50/60 Hertz [CUST: CR YD 85 CC] [REVIEW: 19 99 AR AS AV CR4 EC MC MI SH] | A | 5935 | / | CC | | 20-JAN-2012 |
| M | W-C-596/141D | Connector, Receptacle, Electrical, Male Inlet, General Purpose, Grounding, 2 Pole, 3 Wire, 15 Amperes, 250 Volts, 50/60 Hertz [CUST: CR YD 85 CC] [REVIEW: 19 99 AR AS AV CR4 EC MC MI SH] | A | 5935 | / | CC | | 20-JAN-2012 |

ACTIVE SECTION

ASSIST UPDATE

| LAST ACTION | DOCUMENT NUMBER | DOCUMENT TITLE | DISTRIBUTION | | | DATE |
|-------------|--------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------|-----|-----------|-------------|
| | | | FSC/AREA | MCA | PREP ACTY | |
| M | W-C-596/142D | Connector, Receptacle, Electrical, Male Inlet, General Purpose, Grounding, 2 Pole, 3 Wire, 20 Amperes, 125 Volts, 50/60 Hertz [CUST: CR YD 85 CC] [REVIEW: 19 99 AR AS AV CR4 EC MC MI SH] | A 5935 | / | CC | 20-JAN-2012 |
| M | A-A-59560 NOT 2 | Post, Binding, Electrical (Insulated) [CUST: CR EC 85 GS4] [REVIEW: 99 MI] | A 5940 | / | GS4 | 25-JAN-2012 |
| M | MIL-PRF-1/744J | Electron Tube, Klystron Type 6BM6 [CUST: CR EC 85 CC] [REVIEW: 99 AS CG MC OS SH] | A 5960 | | CC | 17-JAN-2012 |
| M | MIL-PRF-1/796D | Electron Tube, Gas Switching Type 6024 [CUST: CR EC 85 CC] [REVIEW: 99 AR AS CG MC OS SH] | A 5960 | | CC | 13-JAN-2012 |
| M | MIL-PRF-1/943E | Electron Tube, Photomultiplier Type 5819 [CUST: CR EC 85 CC] [REVIEW: 99 AS CG MC OS] | A 5960 | | CC | 19-JAN-2012 |
| M | MIL-PRF-1/964E | Electron Tube, Gas Switching Type 6378 [CUST: CR EC CC] [REVIEW: AR] | A 5960 | | CC | 13-JAN-2012 |
| M | MIL-PRF-1/999C | Electron Tube, Gas Switching Type 6163 [CUST: CR EC 99 CC] [REVIEW: 19 AR AS CG MC MI OS SH] | A 5960 | | CC | 13-JAN-2012 |
| M | MIL-PRF-1/1112H | Electron Tube, Klystron Type 8493 [CUST: CR EC 85 CC] [REVIEW: AR AS CG MC OS SH] | A 5960 | | CC | 17-JAN-2012 |
| M | MIL-PRF-1/1232E | Electron Tube, Gas Switching Type 7166 [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS CG MC MI OS SH] | A 5960 | | CC | 13-JAN-2012 |
| M | MIL-PRF-1/1239F | Electron Tube, Power Types 6816 and 6884 [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS CG MC OS] | A 5960 | | CC | 19-JAN-2012 |
| M | MIL-PRF-1/1583C | Electron Tube, Image Converter Type 6929 [CUST: CR EC 85 CC] [REVIEW: 99 AS AV CG MC MI OS] | A 5960 | | CC | 19-JAN-2012 |
| M | MIL-PRF-1/1589E | Electron Tube, Klystron Type 8237 [CUST: EC CC] [REVIEW: AS CG MC OS] | A 5960 | | CC | 17-JAN-2012 |
| M | MIL-PRF-19500/114H(1) | Semiconductor Device, Diode, Silicon, Voltage Regulator, 1N2804B through 1N2811B, 1N2813B, 1N2814B, 1N2816B, 1N2818B through 1N2820B, 1N2822B through 1N2827B, 1N2829B, 1N2831B through 1N2838B, 1N2840B through 1N2846B, and RB Types, 1N4557B through 1N4562B, and RB Types, JAN, JANTX, JANTXV, and JANS [CUST: CR EC 85 CC] [REVIEW: 19 AR AS MC MR SH SM] | A 5961 | | CC | 24-JAN-2012 |
| M | MIL-PRF-19500/336L | Semiconductor Device, Unitized, Dual-Transistor, PNP, Silicon, Types 2N3810, 2N3810L, 2N3810U, 2N3811, 2N3811L, and 2N3811U, JAN, JANTX, JANTXV, JANS, JANSM, JANSJ, JANSK, JANSK, JANSR, JANSH, JANSHCF, JANSHCG, JANSH, JANHCA, JANHCB, JANKCA, JANKCB, JANKAM, JANKAD, JANKAP, JANKAL, JANKAR, JANKCAF, JANKCAG, and JANKCAH [CUST: CR EC 85 CC NA] [REVIEW: 19 71 99 AR AS AV MC MI] | A 5961 | | CC | 30-JAN-2012 |
| M | MIL-PRF-19500/466C NOT 1 | Semiconductor Device, Transistor, PNP, Silicon, Power, Types 2N5683 and 2N5684, JAN, JANTX, and JANTXV [CUST: CR EC 85 CC NA] [REVIEW: 19 AR AS MC MI SM] | A 5961 | | CC | 19-JAN-2012 |
| M | MIL-PRF-19500/476E | Semiconductor Device, Field Effect Transistors, P-Channel, Silicon, Types 2N5114 through 2N5116 and 2N5114UB through 2N5116UB, JAN, JANTX, and JANTXV [CUST: CR 85 CC NA] [REVIEW: 19 99 AV MI] | A 5961 | | CC | 23-JAN-2012 |
| M | MIL-PRF-19500/515D NOT 1 | Semiconductor Device, Transistor, PNP, Silicon, Power, Types 2N6378 and 2N6379, JAN, JANTX, JANTXV, and JANHC [CUST: CR EC 85 CC] [REVIEW: 19 99 AS AV MC MI SH SM] | A 5961 | | CC | 19-JAN-2012 |
| M | MIL-PRF-19500/630F | Semiconductor Device, Field Effect, Radiation Hardened Transistor, P-Channel, Silicon, Types 2N7389, 2N7390, 2N7389U, 2N7389U5, and 2N7390U, JANTXV, R, and F and JANS, R, and F [CUST: CR EC 85 CC NA] [REVIEW: 19 99 AS MC SM] | A 5961 | | CC | 27-JAN-2012 |
| M | MIL-PRF-19500/759A | Semiconductor Device, Field Effect Radiation Hardened (Total Dose and Single Event Effects) Dual Transistor, N-Channel and P-Channel, Logic-Level Silicon Types 2N7632UD, JANTXVR, F, and JANSR, F [CUST: CR EC 85 CC NA] | A 5961 | | CC | 20-JAN-2012 |
| M | A-A-55809B NOT 1 | Insulation Tape, Electrical, 600V, Polyvinyl Chloride, Pressure-Sensitive Adhesive [CUST: AR SH 99 GS4] [REVIEW: 84] | A 5970 | / | GS8 | 31-JAN-2012 |
| M | MIL-DTL-24215/10B | Attenuators, Variable (Step) Coaxial, Class 7 (BNC) [CUST: CR EC 85 CC] [REVIEW: 99 AR AS MC MI OS SH] | A 5985 | | CC | 26-JAN-2012 |
| M | MIL-DTL-32054B | Mounting MT-1995/A for use with Coaxial Type SA-521A/A Radio Frequency Transmission Line Switch [CUST: 85 CC] [REVIEW: 99] | A 5985 | | CC | 26-JAN-2012 |
| M | A-A-55563/9B | Holder, Electrical Card, Metal Card Guide, Closed Ended, with Flared Entry, with 3 Mounting Holes [CUST: EC 99 CC] | A 5998 | / | CC | 29-JAN-2012 |
| M | A-A-55563/10B | Holder, Electrical Card, Metal Card Guide, Closed Ended, without Flared Entry, with 3 Mounting Holes [CUST: EC 99 CC] | A 5998 | / | CC | 30-JAN-2012 |
| M | A-A-55563/30 NOT 1 | Holder, Electrical Card, Metal Card Guide, Center Mounting, with Multiple Mounting Holes, Unsupported for Chassis or Supported Mounting Applications [CUST: CR EC 85 CC] | A 5998 | / | CC | 19-JAN-2012 |
| M | MIL-PRF-28861/12G | Filters, and Capacitors, Radio Frequency/Electromagnetic Interference, Suppression, Hermetically Sealed on One End Only, Style FS70 [CUST: CR EC 85 CC NA] [REVIEW: 19 99 AR AS AT AV MC MI OS SH] | A 59GP | | CC | 23-JAN-2012 |
| N | MIL-PRF-29595/2 | Battery, Storage, Aircraft, Maintenance-Free, 26-Volt, 50-Ampere-Hour, Lithium Rechargeable [CUST: AS] | A 6140 | | AS | 19-JAN-2012 |
| M | MIL-DTL-25038J | Wire, Electrical, High Temperature, Fire Resistant, and Flight Critical [CUST: CR AS 85 CC] [REVIEW: 99 AR AV CR4 MI OS] | A 6145 | | CC | 10-JAN-2012 |
| M | MIL-DTL-7961D NOT 1 | Lights, Indicators, Press to Test [CUST: CR4 AS 99 GS2] [REVIEW: AR AV IS MI SH] | A 6210 | | GS2 | 24-JAN-2012 |
| M | MIL-PRF-38715B(1) NOT 1 | Indicator, Combustible Gas and Oxygen [CUST: 11 GS] | A 6665 | | 11 | 19-JAN-2012 |
| M | MIL-DTL-25867D NOT 1 | Gage, Pressure, Dial Indicating, Pneumatic [CUST: AV AS 99] [REVIEW: 71 MI] | A 6685 | | GS1 | 24-JAN-2012 |
| M | MS24478C NOT 1 | Gage, Single 1 Inch Dial, Pneumatic Pressure [CUST: MI 99] [REVIEW: 71] | A 6685 | | GS1 | 24-JAN-2012 |
| M | MIL-PRF-7024F | Calibrating Fluids, Aircraft Fuel System Components [CUST: AV AS 68 GS] [REVIEW: 11 EA MD] | A 6850 | | 68 | 20-JAN-2012 |
| M | MIL-PRF-85285E | Coating: Polyurethane, Aircraft and Support Equipment [CUST: MR AS 99] [REVIEW: 11 84 AR CG DS MC SH] | A 8010 | | AS | 12-JAN-2012 |
| M | MIL-DTL-53022E | Primer, Epoxy Coating, Corrosion Inhibiting Lead and Chromate Free [CUST: MR AS 11] [REVIEW: 84 99 CG MC MD1 MI SH] | A 8010 | | MR | 19-JAN-2012 |
| M | MIL-PRF-27617G(1) | Grease, Aircraft and Instrument, Fuel and Oxidizer Resistant [CUST: AT AS 68 GS] [REVIEW: 11 AR EA MI MR NA SH SM] | A 9150 | | 68 | 20-JAN-2012 |
| M | A-A-59588B | Rubber, Silicone [CUST: MR AS 11 IS] [REVIEW: 84 99 AR CR CR4 GL MD MI OS SH SM] | A 9320 | / | IS | 30-JAN-2012 |
| M | MIL-DTL-64154B(1) | Laminate: Fiberglass-Fabric-Reinforced, Phenolic [CUST: MR AS 11] [REVIEW: 13 AT AV DH MI SH] | A CMPS | | MR | 19-JAN-2012 |
| N | MIL-STD-2169B NOT 1 | High-Altitude Electromagnetic Pulse (HEMP) Environment [CUST: AV SH 11 DC5] | A EMCS | | DS | 19-JAN-2012 |
| N | DI-EMCS-81543 | Spectrum Supportability Risk Assessment (SSRA) [AMSC: L9157] | A EMCS | | DC5 | 20-JAN-2012 |
| N | MIL-STD-6020B NOT 1 | Data Forwarding Between Tactical Data Links (TDLs) [CUST: CR2 EC 44 NS] | A INST | | DC2 | 20-JAN-2012 |
| N | DI-MGMT-81858 | Unique Identification (IUID) Marking and Verification Report [AMSC: N9240] | A MGMT | | SH | 12-JAN-2012 |

INACTIVE SECTION

ASSIST UPDATE

| LAST ACTION | DOCUMENT NUMBER | DOCUMENT TITLE | DISTRIBUTION | MCA | | DATE |
|-------------|---------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------|----------|-----------|-------------|
| | | | | FSC/AREA | PREP ACTY | |
| M | MIL-P-26366A(1) NOT 3 | Propeller Systems, Aircraft, General Specification for [CUST: AV AS 99] | A 1610 | | GS4 | 25-JAN-2012 |
| M | MIL-P-26367A NOT 4 | Propeller Systems, Aircraft, Model Specification for (Outline and Instructions for Preparation) [CUST: AV YD GS] | A 1610 | | GS4 | 25-JAN-2012 |
| M | MS27129D | Washer, Finishing-Countersunk [CUST: AR AS 99 IS] | A 5310 | | IS | 20-JAN-2012 |
| M | W-C-596/18D | Connector, Cable Outlet, Electrical, General Purpose, General Grade, Cable Connecting, 2 Pole, 3 Wire, 15 Amperes, 250 Volts, 50/60 Hertz [CUST: CR YD 85 CC] [REVIEW: AS AV CR4 EC MC MI SH] | A 5935 | / | CC | 20-JAN-2012 |
| M | W-C-596/103B | Connector, Receptacle, Electrical, Special Purpose, Single, Grounding, 2 Pole, 3 Wire, 30 Amperes, 277 Volts, 50/60 Hertz [CUST: CR YD 85 CC] [REVIEW: AS AV CR4 EC MC MI SH] | A 5935 | / | CC | 20-JAN-2012 |
| M | W-C-596/104C | Connector, Plug, Electrical, Special Purpose, Grounding, Locking, 2 Pole, 3 Wire, 30 Amperes, 277 Volts, 50/60 Hertz [CUST: CR YD 85 CC] [REVIEW: 99 AS AV CR4 EC MC MI SH] | A 5935 | / | CC | 20-JAN-2012 |
| M | W-C-596/105C | Connector, Plug, Electrical, Special Purpose, Cable Outlet, Locking, Grounding, 2 Pole, 3 Wire, 30 Amperes, 277 Volts, 50/60 Hertz [CUST: CR YD 85 CC] [REVIEW: 99 AS AV CR4 EC MC MI SH] | A 5935 | / | CC | 20-JAN-2012 |
| M | W-C-596/108C | Connector, Plug, Electrical, Special Purpose, Grounding, Locking, 2 Pole, 3 Wire, 20 Amperes, 277 Volts, 50/60 Hertz [CUST: CR YD 85 CC] [REVIEW: 99 AS AV CR4 EC MC MI SH] | A 5935 | / | CC | 20-JAN-2012 |
| M | W-C-596/109C | Connector, Plug, Electrical, Special Purpose, Cable Outlet, Locking, Grounding, 2 Pole, 3 Wire, 20 Amperes, 277 Volts, 50/60 Hertz [CUST: CR YD 85 CC] [REVIEW: 99 AS AV CR4 EC MC MI SH] | A 5935 | / | CC | 20-JAN-2012 |
| M | W-C-596/111B | Connector, Receptacle, Electrical, Special Purpose, Single, Grounding, 2 Pole, 3 Wire, 15 Amperes, 277 Volts, 50/60 Hertz [CUST: CR YD 85 CC] [REVIEW: AS AV CR4 EC MC MI SH] | A 5935 | / | CC | 20-JAN-2012 |
| M | W-C-596/112B | Connector, Receptacle, Electrical, Special Purpose, Duplex, Grounding, 2 Pole, 3 Wire, 15 Amperes, 277 Volts, 50/60 Hertz [CUST: CR YD 85 CC] [REVIEW: AS AV CR4 EC MC MI SH] | A 5935 | / | CC | 20-JAN-2012 |
| M | W-C-596/114C | Connector, Plug, Electrical, Special Purpose, Cable Outlet, Grounding, Locking, 2 Pole, 3 Wire, 15 Amperes, 277 Volts, 50/60 Hertz [CUST: CR YD 85 CC] [REVIEW: 99 AS AV CR4 EC MC MI SH] | A 5935 | / | CC | 20-JAN-2012 |
| M | W-C-596/116B | Connectors, Receptacle, Electrical, Special Purpose, Single, Grounding, 3 Pole, 4 Wire, 30 Amperes, 125/250 Volts, 50/60 Hertz [CUST: CR YD 85 CC] [REVIEW: 99 AS AV CR4 EC MC MI SH] | A 5935 | / | CC | 20-JAN-2012 |
| M | W-C-596/118C | Connector, Plug, Electrical, Special Purpose, Cable Outlet, Locking, Grounding, 3 Pole, 4 Wire, 30 Amperes, 125/250 Volts, 50/60 Hertz [CUST: CR YD 85 CC] [REVIEW: 99 AS AV CR4 EC MC MI SH] | A 5935 | / | CC | 20-JAN-2012 |
| M | W-C-596/121B | Connectors, Plug, Electrical, Special Purpose, Grounding, 3 Pole, 4 Wire, 20 Amperes, 125/250 Volts, 50/60 Hertz [CUST: CR YD 85 CC] [REVIEW: AS AV CR4 EC MC MI SH] | A 5935 | / | CC | 20-JAN-2012 |
| M | W-C-596/128B | Connectors, Receptacle, Electrical, Special Purpose, Single, Grounding, 3 Pole, 4 Wire, 30 Amperes, 250 Volts, 50/60 Hertz, 3-Phase [CUST: CR YD 85 CC] [REVIEW: 99 AS AV CR4 EC MC MI SH] | A 5935 | / | CC | 20-JAN-2012 |
| M | MS27249E NOT 4 | Terminal Boards, Sectional [CUST: MI 85 GS4] [REVIEW: 70 71 99] | A 5940 | | GS4 | 25-JAN-2012 |
| M | MIL-PRF-19500/296F | Semiconductor Device, Field-Effect Transistors, P-Channel, Silicon, Type 2N2609, JAN and UB [CUST: CR EC 85 CC NA] [REVIEW: 19 99 AS AV MC MI OS SH SM] | A 5961 | | CC | 20-JAN-2012 |
| M | MIL-M-38510/173B NOT 4 | Microcircuits, Digital, CMOS, Decoders, Encoder, and Decoders/Demultiplexers Monolithic Silicon, Positive Logic [CUST: CR EC 85 CC NA] [REVIEW: 03 19 99 AS CG MC MI SH SM] | A 5962 | | CC | 19-JAN-2012 |
| M | MIL-M-38510/177B NOT 4 | Microcircuit, Digital, CMOS, Schmitt Triggers, Monolithic Silicon, Positive Logic [CUST: CR EC 85 CC NA] [REVIEW: 03 19 99 AS CG MC MI SH SM] | A 5962 | | CC | 19-JAN-2012 |
| M | MIL-M-38510/178A NOT 4 | Microcircuit, Digital, CMOS Multiplexers Demultiplexers Monolithic Silicon, Positive Logic [CUST: CR EC 85 CC NA] [REVIEW: 03 19 99 AS CG MC MI SH SM] | A 5962 | | CC | 19-JAN-2012 |
| M | MIL-M-38510/331A(1) NOT 4 | Microcircuits, Digital, Bipolar, Low-Power Schottky TTL, Flip-Flops, Cascadable, Monolithic Silicon [CUST: CR EC 85 CC NA] [REVIEW: 03 19 99 AS CG MC MI SH SM] | A 5962 | | CC | 31-JAN-2012 |
| M | MIL-M-38510/379A NOT 4 | Microcircuits, Digital, Advanced Low Power Schottky TTL, Universal Multiplexer with Three-State Outputs, Monolithic Silicon [CUST: CR EC 85 CC NA] [REVIEW: 03 19 99 AS CG MC MI SH SM] | A 5962 | | CC | 31-JAN-2012 |
| M | MS51608A NOT 3 | Lamp, Incandescent, T-11/4 Special Screw Base (956) [CUST: AR GS2] [REVIEW: IS] | A 6240 | | GS2 | 31-JAN-2012 |
| M | MIL-DTL-27190C NOT 1 | Indicator, Pressure AGU-3/A, Hydraulic, 0-4,000 PSI [CUST: 99 GS1] [REVIEW: 71] | A 6685 | | GS1 | 19-JAN-2012 |

CANCELED SECTION

ASSIST UPDATE

| LAST ACTION | DOCUMENT NUMBER | DOCUMENT TITLE | DISTRIBUTION | MCA | | DATE |
|-------------|--------------------|----------------------------------------------------------------------------------------------------------------------------|--------------|----------|-----------|-------------|
| | | | | FSC/AREA | PREP ACTY | |
| M | QPL-38359-18 NOT 2 | Cable, Power, Electrical, Airport Lighting, Cross-Linked Polyethylene (XLP) (No S/S Document) | A | 6145 | CC | 06-JAN-2012 |
| M | QPL-AS7788-1 NOT 3 | Panels, Information, Integrally Illuminated (S/S by QPL-7788) | A | 6220 | GS2 | 17-JAN-2012 |
| M | MIL-G-83824 NOT 3 | Gyroscope, Rate, Type I, Type II, and Type III (No S/S Document) [CUST: 70] [REVIEW: GS] | A | 6615 | 70 | 09-JAN-2012 |
| M | CSI-MP2.1 | Masterformat, Master List of Numbers and Titles for the Construction Industry (No S/S Document) [CUST: YD 99] [REVIEW: CE] | A | FACR | YD | 24-JAN-2012 |
| M | CSI-MP2.2 | Construction Specification Sections, A Recommended Format for (No S/S Document) [CUST: CR4 YD 99] [REVIEW: CE MC] | A | FACR | YD | 24-JAN-2012 |
| M | CSI-MP2.3 | Construction Specifications, A Recommended Page Format for (No S/S Document) [CUST: CR4 YD 99] [REVIEW: CE MC] | A | FACR | YD | 24-JAN-2012 |
| M | CSI-MP2.4 | Uniformat - A Uniform Classification of Construction Systems and Assemblies (No S/S Document) [CUST: CE YD 04] | A | FACR | YD | 24-JAN-2012 |