

# Department of Defense Standardization Program



## ASSIST UPDATE

(A bi-monthly summary of changes to the ASSIST document database)

**1 February 2012**

(For the Period 15 January 2012 to 31 January 2012)

## ASSIST UPDATE

Documents listed in the ASSIST UPDATE have an indicator of “N” or “M” to describe the last action taken on a listed document.

“N” indicates that a “new” document has been entered into the ASSIST database.

“M” indicates that a document already in ASSIST has been “modified” in some way.

The ASSIST UPDATE is published twice a month and provides a summary of changes to Department of Defense standardization documents for the period indicated. Since changes are processed to the ASSIST database on a daily basis, users should consult the ASSIST web site at <https://assist.daps.dla.mil> for the most current information.

If you need to track changes more frequently, or if you have an interest in specific Federal Supply Classes or individual specifications, standards, or other standardization documents, you may wish to take advantage of the ASSIST Alert Service. This feature lets you establish a list of documents of interest to you, and then the ASSIST will alert you with an E-mail message each day there is a change to one or more documents of interest to you. There is no charge for this service; however, you must have an ASSIST user account. To obtain one, complete the ASSIST online registration form at <https://assist.daps.dla.mil/online/registration/registration.cfm>.

Once you have your account, you can establish your Alert Portal profile. For more information on the ASSIST Alert Service, go to: <https://assist.daps.dla.mil/online/news/AlertService.htm>.

## ACTIVE SECTION

## ASSIST UPDATE

LAST ACTION	DOCUMENT NUMBER	DOCUMENT TITLE	DISTRIBUTION	FSC/AREA		MCA		DATE
							PREP ACTY	
M	MIL-DTL-70781A(2)	Cartridge, 60MM: Smoke, Marking - M722A1 Loading, Assembling and Packing [CUST: AR]	D	1310		AR		24-JAN-2012
M	MIL-DTL-12297K	Grenade, Hand, Incendiary, TH3, AN-M14 [CUST: AR MC 99] [REVIEW: 70 AV MI NP]	D	1330		AR		19-JAN-2012
M	MIL-DTL-60525B	Initiator, Cartridge Actuated, M99 Metal Parts Assembly [CUST: OS 99]	A	1377		OS		06-JAN-2012
N	A-A-59888	Staircase, Aircraft Boarding, Standard Truck [CUST: 84]	A	1730	/	84		03-JAN-2012
N	A-A-59889	Staircase, Aircraft Boarding, C-5, Truck [CUST: 84]	A	1730	/	84		03-JAN-2012
M	MIL-DTL-62073H(1)	Trailer, Flatbed: 4-, 5-, and 7.5-Ton, 4-Wheel (Tandem) Cart Type; Trailer, Bolster: 4-Ton, 4-Wheel (Tandem) [CUST: AT]	A	2330		AT		31-JAN-2012
M	QPL-5041-32 NOT 1	Tires, Ribbed Tread, Pneumatic, Aircraft (Replaced by the Qualified Products Database (QPD) See Notice 1 for Additional Information)	A	2620		70		23-JAN-2012
M	A-A-59643A NOT 1	Bearings, Ball, Annular, Single Row, Radial, Non-Filling Slot, Miniature Size, Instrument Type [CUST: AT OS 99] [REVIEW: 11 84 AR CR4 GL MI]	A	3110	/	GS4		25-JAN-2012
M	A-A-59644A NOT 1	Bearings, Ball, Annular, Single Row, Radial, Non-Filling Slot, Extra Light Series (R - Series) [CUST: OS 99] [REVIEW: 11 84]	A	3110	/	GS4		25-JAN-2012
M	A-A-59645A NOT 1	Bearings, Ball, Annular, Single Row, Radial, Non-Filling Slot, Extra Light Series (R-Series) (Larger Than 0.7500 Bore) [CUST: OS 99] [REVIEW: 11 84]	A	3110	/	GS4		25-JAN-2012
M	A-A-59646A NOT 1	Bearings, Ball, Annular, Single Row, Radial, Non-Filling Slot, Extra Light Series (XLS - Series) [CUST: OS 99] [REVIEW: 11 84]	A	3110	/	GS4		25-JAN-2012
M	A-A-59647A NOT 1	Bearings, Ball, Annular, Single Row, Radial, Non-Filling Slot, Light Series (LS - Series) [CUST: OS 99] [REVIEW: 11 84]	A	3110	/	GS4		25-JAN-2012
M	A-A-59648A NOT 1	Bearings, Ball, Annular, Single Row, Radial, Non-Filling Slot, Medium Series (MS - Series) [CUST: OS 99] [REVIEW: 11 84]	A	3110	/	GS4		25-JAN-2012
M	MIL-STD-282A	Filter Units, Protective Clothing, Gas-Mask Components and Related Products: Performance-Test Methods [CUST: EA SH] [REVIEW: YD]	X	4240		EA		17-JAN-2012
M	AN818 REV 20 NOT 2	Nut, Tube Coupling, Short [CUST: AV AS 85 CC] [REVIEW: 71 99 CR4 MC]	A	4730		CC		11-JAN-2012
N	SAE-AS6075	Fitting, Bolt, Flared, 37 Degrees Spherical [CUST: AV AS 99 CC]	A	4730		CC		12-JAN-2012
N	SAE-AS6092	Fitting, 37 Degrees Spherical Flared, Connector, Multiple Fluid Pressure Line, 75 Degrees [CUST: AV AS 99 CC]	A	4730		CC		12-JAN-2012
N	SAE-AS6093	Fitting, 37 Degrees Spherical Flared, Connector, Multiple Fluid Pressure Line, 90 Degrees [CUST: AV AS 99 CC]	A	4730		CC		12-JAN-2012
N	SAE-AS6094	Fitting, 37 Degrees Spherical Flared, Connector, Multiple Fluid Pressure Line, 45 Degrees [CUST: AV AS 99 CC]	A	4730		CC		12-JAN-2012
N	SAE-AS6095	Fitting, 37 Degrees Spherical Flared, Connector, Multiple Fluid Pressure Line, Tee [CUST: AV AS 99 CC]	A	4730		CC		12-JAN-2012
N	SAE-AS6098	Fitting, Tee, Standard and Reducer, Bulkhead On Run, Internal On Side, Flared, 37 Degrees Spherical [CUST: AV AS 99 CC]	A	4730		CC		12-JAN-2012
N	SAE-AS6099	Fitting, Elbow, 90 Degrees, Standard and Reducer, Flared, 37 Degrees Spherical [CUST: AV AS 99 CC]	A	4730		CC		12-JAN-2012
M	MS27612K NOT 1	Adapter, Hydraulic Bleeder Valve, Aircraft Wheel Brake [CUST: AV AS 99 CC] [REVIEW: 71 AT MC SA]	A	4820		CC		23-JAN-2012
M	A-A-55620C	Loops, Slide (for Equipage) [CUST: GL YD 99 IS]	A	5340	/	IS		30-JAN-2012
M	MIL-PRF-55182H(4) SUP 1A	Resistors, Fixed, Film, Nonestablished Reliability, Established Reliability, and Space Level, General Specification for [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS CG EA MC NA OS]	A	5905		CR		13-JAN-2012
M	QPL-12934-54	Resistor, Variable, Wire Wound, Precision, General Specification for	A	5905		CC		11-JAN-2012
M	QPL-39005-69	Resistors, Fixed, Wire-Wound (Accurate), Nonestablished Reliability, Established Reliability, General Specification for	A	5905		CR		25-JAN-2012
M	MS27406E(1)	Switch, Toggle, Four Pole, Environmentally Sealed [CUST: CR AS 85 CC] [REVIEW: 99 AR AV CR4 EC MI]	A	5930		CC		26-JAN-2012
M	MIL-PRF-39012/141B(1) NOT 2	Connectors, Receptacle, Electrical, Coaxial, Radio Frequency, Series SSMB, Printed Circuit Board Mount, Straight [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS AT MC MI OS SH]	A	5935		CC		31-JAN-2012
M	MIL-DTL-12883/53B(1)	Sockets and Accessories for Plug-in Electronic Components, Mounting Track, for Relay Sockets and Electromagnetic Relays [CUST: CR EC 85 CC] [REVIEW: 99 MI]	A	5935		CC		12-JAN-2012
M	MIL-DTL-24308/23G(2)	Connectors, Electric, Rectangular, Nonenvironmental, Miniature, Polarized Shell, Rack and Panel, Socket Contacts Printed Wiring Board Termination Types [CUST: CR EC 85 CC NA] [REVIEW: 99 AS AT AV CG CR4 MC MI SH]	A	5935		CC		13-JAN-2012
M	MIL-DTL-24308/24H(2)	Connectors, Electric, Rectangular, Nonenvironmental, Miniature, Polarized Shell, Rank and Panel, Pin Contacts Printed Wiring Board Termination Types [CUST: CR EC 85 CC NA] [REVIEW: 99 AS AT AV CG CR4 MC MI SH]	A	5935		CC		13-JAN-2012
M	W-C-596/41E	Connector, Receptacle, Electrical, General Purpose, Single, Hospital Grade, Grounding, 2 Pole, 3 Wire, 20 Amperes, 250 Volts, 50/60 Hertz [CUST: CR YD 85 CC] [REVIEW: 19 99 AR AS AV CR4 EC MC MI SH]	A	5935	/	CC		20-JAN-2012
M	W-C-596/64E	Connector, Receptacle, Electrical, General Purpose, Single, General Grade, Grounding, 2 Pole, 3 Wire, 20 Amperes, 250 Volts, 50/60 Hertz [CUST: CR YD 85 CC] [REVIEW: 19 99 AR AS AV CR4 EC MC MI SH]	A	5935	/	CC		20-JAN-2012
M	W-C-596/101D	Connector, Plug, Electrical, Special Purpose, Cable Outlet, Grounding, Locking, 2 Pole, 3 Wire, 15 Amperes, 125 Volts, 50/60 Hertz [CUST: CR YD 85 CC] [REVIEW: 99 AS AV CR4 EC MC MI SH]	A	5935	/	CC		20-JAN-2012
M	W-C-596/125B	Connectors, Plug, Electrical, Special Purpose, Grounding, 3 Pole, 4 Wire, 20 Amperes, 250 Volts, 50/60 Hertz, 3-Phase [CUST: CR YD 85 CC] [REVIEW: 99 AS AV CR4 EC MC MI SH]	A	5935	/	CC		20-JAN-2012
M	W-C-596/126C	Connector, Plug, Electrical, Special Purpose, Cable Outlet, Locking, Grounding, 3 Pole, 4 Wire, 20 Amperes, 125/250 Volts, 50/60 Hertz, 3-Phase [CUST: CR YD 85 CC] [REVIEW: 99 AS AV CR4 EC MC MI SH]	A	5935	/	CC		20-JAN-2012
M	W-C-596/129C	Connector, Plug, Electrical, Special Purpose, Grounding, Locking, 3 Pole, 4 Wire, 30 Amperes, 250 Volts, 50/60 Hertz, 3-Phase [CUST: CR YD 85 CC] [REVIEW: 99 AS AV CR4 EC MC MI SH]	A	5935	/	CC		20-JAN-2012
M	W-C-596/130C	Connector, Plug, Electrical, Special Purpose, Cable Outlet, Locking, Grounding, 3 Pole, 4 Wire, 30 Amperes, 250 Volts, 50/60 Hertz, 3-Phase [CUST: CR YD 85 CC] [REVIEW: 99 AS AV CR4 EC MC MI SH]	A	5935	/	CC		20-JAN-2012
M	W-C-596/140D	Connector, Receptacle, Electrical, Male Inlet, General Purpose, Grounding, 2 Pole, 3 Wire, 15 Amperes, 125 Volts, 50/60 Hertz [CUST: CR YD 85 CC] [REVIEW: 19 99 AR AS AV CR4 EC MC MI SH]	A	5935	/	CC		20-JAN-2012
M	W-C-596/141D	Connector, Receptacle, Electrical, Male Inlet, General Purpose, Grounding, 2 Pole, 3 Wire, 15 Amperes, 250 Volts, 50/60 Hertz [CUST: CR YD 85 CC] [REVIEW: 19 99 AR AS AV CR4 EC MC MI SH]	A	5935	/	CC		20-JAN-2012

## ACTIVE SECTION

## ASSIST UPDATE

LAST ACTION	DOCUMENT NUMBER	DOCUMENT TITLE	DISTRIBUTION			DATE
			FSC/AREA	MCA	PREP ACTY	
M	W-C-596/142D	Connector, Receptacle, Electrical, Male Inlet, General Purpose, Grounding, 2 Pole, 3 Wire, 20 Amperes, 125 Volts, 50/60 Hertz [CUST: CR YD 85 CC] [REVIEW: 19 99 AR AS AV CR4 EC MC MI SH]	A 5935	/	CC	20-JAN-2012
M	A-A-59560 NOT 2	Post, Binding, Electrical (Insulated) [CUST: CR EC 85 GS4] [REVIEW: 99 MI]	A 5940	/	GS4	25-JAN-2012
M	MIL-PRF-1/744J	Electron Tube, Klystron Type 6BM6 [CUST: CR EC 85 CC] [REVIEW: 99 AS CG MC OS SH]	A 5960		CC	17-JAN-2012
M	MIL-PRF-1/796D	Electron Tube, Gas Switching Type 6024 [CUST: CR EC 85 CC] [REVIEW: 99 AR AS CG MC OS SH]	A 5960		CC	13-JAN-2012
M	MIL-PRF-1/943E	Electron Tube, Photomultiplier Type 5819 [CUST: CR EC 85 CC] [REVIEW: 99 AS CG MC OS]	A 5960		CC	19-JAN-2012
M	MIL-PRF-1/964E	Electron Tube, Gas Switching Type 6378 [CUST: CR EC CC] [REVIEW: AR]	A 5960		CC	13-JAN-2012
M	MIL-PRF-1/999C	Electron Tube, Gas Switching Type 6163 [CUST: CR EC 99 CC] [REVIEW: 19 AR AS CG MC MI OS SH]	A 5960		CC	13-JAN-2012
M	MIL-PRF-1/1112H	Electron Tube, Klystron Type 8493 [CUST: CR EC 85 CC] [REVIEW: AR AS CG MC OS SH]	A 5960		CC	17-JAN-2012
M	MIL-PRF-1/1232E	Electron Tube, Gas Switching Type 7166 [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS CG MC MI OS SH]	A 5960		CC	13-JAN-2012
M	MIL-PRF-1/1239F	Electron Tube, Power Types 6816 and 6884 [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS CG MC OS]	A 5960		CC	19-JAN-2012
M	MIL-PRF-1/1583C	Electron Tube, Image Converter Type 6929 [CUST: CR EC 85 CC] [REVIEW: 99 AS AV CG MC MI OS]	A 5960		CC	19-JAN-2012
M	MIL-PRF-1/1589E	Electron Tube, Klystron Type 8237 [CUST: EC CC] [REVIEW: AS CG MC OS]	A 5960		CC	17-JAN-2012
M	MIL-PRF-19500/114H(1)	Semiconductor Device, Diode, Silicon, Voltage Regulator, 1N2804B through 1N2811B, 1N2813B, 1N2814B, 1N2816B, 1N2818B through 1N2820B, 1N2822B through 1N2827B, 1N2829B, 1N2831B through 1N2838B, 1N2840B through 1N2846B, and RB Types, 1N4557B through 1N4562B, and RB Types, JAN, JANTX, JANTXV, and JANS [CUST: CR EC 85 CC] [REVIEW: 19 AR AS MC MR SH SM]	A 5961		CC	24-JAN-2012
M	MIL-PRF-19500/336L	Semiconductor Device, Unitized, Dual-Transistor, PNP, Silicon, Types 2N3810, 2N3810L, 2N3810U, 2N3811, 2N3811L, and 2N3811U, JAN, JANTX, JANTXV, JANS, JANSM, JANS D, JANS P, JANS L, JANS R, JAN HCF, JAN HCG, JANS H, JAN HCA, JAN HCB, JANKCA, JANKCB, JANKAM, JANKAD, JANKAP, JANKAL, JANKAR, JANKCAF, JANKCAG, and JANKCAH [CUST: CR EC 85 CC NA] [REVIEW: 19 71 99 AR AS AV MC MI]	A 5961		CC	30-JAN-2012
M	MIL-PRF-19500/466C NOT 1	Semiconductor Device, Transistor, PNP, Silicon, Power, Types 2N5683 and 2N5684, JAN, JANTX, and JANTXV [CUST: CR EC 85 CC NA] [REVIEW: 19 AR AS MC MI SM]	A 5961		CC	19-JAN-2012
M	MIL-PRF-19500/476E	Semiconductor Device, Field Effect Transistors, P-Channel, Silicon, Types 2N5114 through 2N5116 and 2N5114UB through 2N5116UB, JAN, JANTX, and JANTXV [CUST: CR 85 CC NA] [REVIEW: 19 99 AV MI]	A 5961		CC	23-JAN-2012
M	MIL-PRF-19500/515D NOT 1	Semiconductor Device, Transistor, PNP, Silicon, Power, Types 2N6378 and 2N6379, JAN, JANTX, JANTXV, and JANHC [CUST: CR EC 85 CC] [REVIEW: 19 99 AS AV MC MI SH SM]	A 5961		CC	19-JAN-2012
M	MIL-PRF-19500/630F	Semiconductor Device, Field Effect, Radiation Hardened Transistor, P-Channel, Silicon, Types 2N7389, 2N7390, 2N7389U, 2N7389U5, and 2N7390U, JANTXV, R, and F and JANS, R, and F [CUST: CR EC 85 CC NA] [REVIEW: 19 99 AS MC SM]	A 5961		CC	27-JAN-2012
M	MIL-PRF-19500/759A	Semiconductor Device, Field Effect Radiation Hardened (Total Dose and Single Event Effects) Dual Transistor, N-Channel and P-Channel, Logic-Level Silicon Types 2N7632UD, JANTXVR, F, and JANSR, F [CUST: CR EC 85 CC NA]	A 5961		CC	20-JAN-2012
M	A-A-55809B NOT 1	Insulation Tape, Electrical, 600V, Polyvinyl Chloride, Pressure-Sensitive Adhesive [CUST: AR SH 99 GS4] [REVIEW: 84]	A 5970	/	GS8	31-JAN-2012
M	MIL-DTL-24215/10B	Attenuators, Variable (Step) Coaxial, Class 7 (BNC) [CUST: CR EC 85 CC] [REVIEW: 99 AR AS MC MI OS SH]	A 5985		CC	26-JAN-2012
M	MIL-DTL-32054B	Mounting MT-1995/A for use with Coaxial Type SA-521A/A Radio Frequency Transmission Line Switch [CUST: 85 CC] [REVIEW: 99]	A 5985		CC	26-JAN-2012
M	A-A-55563/9B	Holder, Electrical Card, Metal Card Guide, Closed Ended, with Flared Entry, with 3 Mounting Holes [CUST: EC 99 CC]	A 5998	/	CC	29-JAN-2012
M	A-A-55563/10B	Holder, Electrical Card, Metal Card Guide, Closed Ended, without Flared Entry, with 3 Mounting Holes [CUST: EC 99 CC]	A 5998	/	CC	30-JAN-2012
M	A-A-55563/30 NOT 1	Holder, Electrical Card, Metal Card Guide, Center Mounting, with Multiple Mounting Holes, Unsupported for Chassis or Supported Mounting Applications [CUST: CR EC 85 CC]	A 5998	/	CC	19-JAN-2012
M	MIL-PRF-28861/12G	Filters, and Capacitors, Radio Frequency/Electromagnetic Interference, Suppression, Hermetically Sealed on One End Only, Style FS70 [CUST: CR EC 85 CC NA] [REVIEW: 19 99 AR AS AT AV MC MI OS SH]	A 59GP		CC	23-JAN-2012
N	MIL-PRF-29595/2	Battery, Storage, Aircraft, Maintenance-Free, 26-Volt, 50-Ampere-Hour, Lithium Rechargeable [CUST: AS]	A 6140		AS	19-JAN-2012
M	MIL-DTL-25038J	Wire, Electrical, High Temperature, Fire Resistant, and Flight Critical [CUST: CR AS 85 CC] [REVIEW: 99 AR AV CR4 MI OS]	A 6145		CC	10-JAN-2012
M	MIL-DTL-7961D NOT 1	Lights, Indicators, Press to Test [CUST: CR4 AS 99 GS2] [REVIEW: AR AV IS MI SH]	A 6210		GS2	24-JAN-2012
M	MIL-PRF-38715B(1) NOT 1	Indicator, Combustible Gas and Oxygen [CUST: 11 GS]	A 6665		11	19-JAN-2012
M	MIL-DTL-25867D NOT 1	Gage, Pressure, Dial Indicating, Pneumatic [CUST: AV AS 99] [REVIEW: 71 MI]	A 6685		GS1	24-JAN-2012
M	MS24478C NOT 1	Gage, Single 1 Inch Dial, Pneumatic Pressure [CUST: MI 99] [REVIEW: 71]	A 6685		GS1	24-JAN-2012
M	MIL-PRF-7024F	Calibrating Fluids, Aircraft Fuel System Components [CUST: AV AS 68 GS] [REVIEW: 11 EA MD]	A 6850		68	20-JAN-2012
M	MIL-PRF-85285E	Coating: Polyurethane, Aircraft and Support Equipment [CUST: MR AS 99] [REVIEW: 11 84 AR CG DS MC SH]	A 8010		AS	12-JAN-2012
M	MIL-DTL-53022E	Primer, Epoxy Coating, Corrosion Inhibiting Lead and Chromate Free [CUST: MR AS 11] [REVIEW: 84 99 CG MC MD1 MI SH]	A 8010		MR	19-JAN-2012
M	MIL-PRF-27617G(1)	Grease, Aircraft and Instrument, Fuel and Oxidizer Resistant [CUST: AT AS 68 GS] [REVIEW: 11 AR EA MI MR NA SH SM]	A 9150		68	20-JAN-2012
M	A-A-59588B	Rubber, Silicone [CUST: MR AS 11 IS] [REVIEW: 84 99 AR CR CR4 GL MD MI OS SH SM]	A 9320	/	IS	30-JAN-2012
M	MIL-DTL-64154B(1)	Laminate: Fiberglass-Fabric-Reinforced, Phenolic [CUST: MR AS 11] [REVIEW: 13 AT AV DH MI SH]	A CMPS		MR	19-JAN-2012
N	MIL-STD-2169B NOT 1	High-Altitude Electromagnetic Pulse (HEMP) Environment [CUST: AV SH 11 DC5]	A EMCS		DS	19-JAN-2012
N	DI-EMCS-81543	Spectrum Supportability Risk Assessment (SSRA) [AMSC: L9157]	A EMCS		DC5	20-JAN-2012
N	MIL-STD-6020B NOT 1	Data Forwarding Between Tactical Data Links (TDLs) [CUST: CR2 EC 44 NS]	A INST		DC2	20-JAN-2012
N	DI-MGMT-81858	Unique Identification (IUID) Marking and Verification Report [AMSC: N9240]	A MGMT		SH	12-JAN-2012

## INACTIVE SECTION

## ASSIST UPDATE

LAST ACTION	DOCUMENT NUMBER	DOCUMENT TITLE	DISTRIBUTION	MCA		DATE
				FSC/AREA	PREP ACTY	
M	MIL-P-26366A(1) NOT 3	Propeller Systems, Aircraft, General Specification for [CUST: AV AS 99]	A 1610		GS4	25-JAN-2012
M	MIL-P-26367A NOT 4	Propeller Systems, Aircraft, Model Specification for (Outline and Instructions for Preparation) [CUST: AV YD GS]	A 1610		GS4	25-JAN-2012
M	MS27129D	Washer, Finishing-Countersunk [CUST: AR AS 99 IS]	A 5310		IS	20-JAN-2012
M	W-C-596/18D	Connector, Cable Outlet, Electrical, General Purpose, General Grade, Cable Connecting, 2 Pole, 3 Wire, 15 Amperes, 250 Volts, 50/60 Hertz [CUST: CR YD 85 CC] [REVIEW: AS AV CR4 EC MC MI SH]	A 5935	/	CC	20-JAN-2012
M	W-C-596/103B	Connector, Receptacle, Electrical, Special Purpose, Single, Grounding, 2 Pole, 3 Wire, 30 Amperes, 277 Volts, 50/60 Hertz [CUST: CR YD 85 CC] [REVIEW: AS AV CR4 EC MC MI SH]	A 5935	/	CC	20-JAN-2012
M	W-C-596/104C	Connector, Plug, Electrical, Special Purpose, Grounding, Locking, 2 Pole, 3 Wire, 30 Amperes, 277 Volts, 50/60 Hertz [CUST: CR YD 85 CC] [REVIEW: 99 AS AV CR4 EC MC MI SH]	A 5935	/	CC	20-JAN-2012
M	W-C-596/105C	Connector, Plug, Electrical, Special Purpose, Cable Outlet, Locking, Grounding, 2 Pole, 3 Wire, 30 Amperes, 277 Volts, 50/60 Hertz [CUST: CR YD 85 CC] [REVIEW: 99 AS AV CR4 EC MC MI SH]	A 5935	/	CC	20-JAN-2012
M	W-C-596/108C	Connector, Plug, Electrical, Special Purpose, Grounding, Locking, 2 Pole, 3 Wire, 20 Amperes, 277 Volts, 50/60 Hertz [CUST: CR YD 85 CC] [REVIEW: 99 AS AV CR4 EC MC MI SH]	A 5935	/	CC	20-JAN-2012
M	W-C-596/109C	Connector, Plug, Electrical, Special Purpose, Cable Outlet, Locking, Grounding, 2 Pole, 3 Wire, 20 Amperes, 277 Volts, 50/60 Hertz [CUST: CR YD 85 CC] [REVIEW: 99 AS AV CR4 EC MC MI SH]	A 5935	/	CC	20-JAN-2012
M	W-C-596/111B	Connector, Receptacle, Electrical, Special Purpose, Single, Grounding, 2 Pole, 3 Wire, 15 Amperes, 277 Volts, 50/60 Hertz [CUST: CR YD 85 CC] [REVIEW: AS AV CR4 EC MC MI SH]	A 5935	/	CC	20-JAN-2012
M	W-C-596/112B	Connector, Receptacle, Electrical, Special Purpose, Duplex, Grounding, 2 Pole, 3 Wire, 15 Amperes, 277 Volts, 50/60 Hertz [CUST: CR YD 85 CC] [REVIEW: AS AV CR4 EC MC MI SH]	A 5935	/	CC	20-JAN-2012
M	W-C-596/114C	Connector, Plug, Electrical, Special Purpose, Cable Outlet, Grounding, Locking, 2 Pole, 3 Wire, 15 Amperes, 277 Volts, 50/60 Hertz [CUST: CR YD 85 CC] [REVIEW: 99 AS AV CR4 EC MC MI SH]	A 5935	/	CC	20-JAN-2012
M	W-C-596/116B	Connectors, Receptacle, Electrical, Special Purpose, Single, Grounding, 3 Pole, 4 Wire, 30 Amperes, 125/250 Volts, 50/60 Hertz [CUST: CR YD 85 CC] [REVIEW: 99 AS AV CR4 EC MC MI SH]	A 5935	/	CC	20-JAN-2012
M	W-C-596/118C	Connector, Plug, Electrical, Special Purpose, Cable Outlet, Locking, Grounding, 3 Pole, 4 Wire, 30 Amperes, 125/250 Volts, 50/60 Hertz [CUST: CR YD 85 CC] [REVIEW: 99 AS AV CR4 EC MC MI SH]	A 5935	/	CC	20-JAN-2012
M	W-C-596/121B	Connectors, Plug, Electrical, Special Purpose, Grounding, 3 Pole, 4 Wire, 20 Amperes, 125/250 Volts, 50/60 Hertz [CUST: CR YD 85 CC] [REVIEW: AS AV CR4 EC MC MI SH]	A 5935	/	CC	20-JAN-2012
M	W-C-596/128B	Connectors, Receptacle, Electrical, Special Purpose, Single, Grounding, 3 Pole, 4 Wire, 30 Amperes, 250 Volts, 50/60 Hertz, 3-Phase [CUST: CR YD 85 CC] [REVIEW: 99 AS AV CR4 EC MC MI SH]	A 5935	/	CC	20-JAN-2012
M	MS27249E NOT 4	Terminal Boards, Sectional [CUST: MI 85 GS4] [REVIEW: 70 71 99]	A 5940		GS4	25-JAN-2012
M	MIL-PRF-19500/296F	Semiconductor Device, Field-Effect Transistors, P-Channel, Silicon, Type 2N2609, JAN and UB [CUST: CR EC 85 CC NA] [REVIEW: 19 99 AS AV MC MI OS SH SM]	A 5961		CC	20-JAN-2012
M	MIL-M-38510/173B NOT 4	Microcircuits, Digital, CMOS, Decoders, Encoder, and Decoders/Demultiplexers Monolithic Silicon, Positive Logic [CUST: CR EC 85 CC NA] [REVIEW: 03 19 99 AS CG MC MI SH SM]	A 5962		CC	19-JAN-2012
M	MIL-M-38510/177B NOT 4	Microcircuit, Digital, CMOS, Schmitt Triggers, Monolithic Silicon, Positive Logic [CUST: CR EC 85 CC NA] [REVIEW: 03 19 99 AS CG MC MI SH SM]	A 5962		CC	19-JAN-2012
M	MIL-M-38510/178A NOT 4	Microcircuit, Digital, CMOS Multiplexers Demultiplexers Monolithic Silicon, Positive Logic [CUST: CR EC 85 CC NA] [REVIEW: 03 19 99 AS CG MC MI SH SM]	A 5962		CC	19-JAN-2012
M	MIL-M-38510/331A(1) NOT 4	Microcircuits, Digital, Bipolar, Low-Power Schottky TTL, Flip-Flops, Cascadable, Monolithic Silicon [CUST: CR EC 85 CC NA] [REVIEW: 03 19 99 AS CG MC MI SH SM]	A 5962		CC	31-JAN-2012
M	MIL-M-38510/379A NOT 4	Microcircuits, Digital, Advanced Low Power Schottky TTL, Universal Multiplexer with Three-State Outputs, Monolithic Silicon [CUST: CR EC 85 CC NA] [REVIEW: 03 19 99 AS CG MC MI SH SM]	A 5962		CC	31-JAN-2012
M	MS51608A NOT 3	Lamp, Incandescent, T-11/4 Special Screw Base (956) [CUST: AR GS2] [REVIEW: IS]	A 6240		GS2	31-JAN-2012
M	MIL-DTL-27190C NOT 1	Indicator, Pressure AGU-3/A, Hydraulic, 0-4,000 PSI [CUST: 99 GS1] [REVIEW: 71]	A 6685		GS1	19-JAN-2012

## CANCELED SECTION

## ASSIST UPDATE

LAST ACTION	DOCUMENT NUMBER	DOCUMENT TITLE	DISTRIBUTION	MCA		DATE
				FSC/AREA	PREP ACTY	
M	QPL-38359-18 NOT 2	Cable, Power, Electrical, Airport Lighting, Cross-Linked Polyethylene (XLP) (No S/S Document)	A	6145	CC	06-JAN-2012
M	QPL-AS7788-1 NOT 3	Panels, Information, Integrally Illuminated (S/S by QPL-7788)	A	6220	GS2	17-JAN-2012
M	MIL-G-83824 NOT 3	Gyroscope, Rate, Type I, Type II, and Type III (No S/S Document) [CUST: 70] [REVIEW: GS]	A	6615	70	09-JAN-2012
M	CSI-MP2.1	Masterformat, Master List of Numbers and Titles for the Construction Industry (No S/S Document) [CUST: YD 99] [REVIEW: CE]	A	FACR	YD	24-JAN-2012
M	CSI-MP2.2	Construction Specification Sections, A Recommended Format for (No S/S Document) [CUST: CR4 YD 99] [REVIEW: CE MC]	A	FACR	YD	24-JAN-2012
M	CSI-MP2.3	Construction Specifications, A Recommended Page Format for (No S/S Document) [CUST: CR4 YD 99] [REVIEW: CE MC]	A	FACR	YD	24-JAN-2012
M	CSI-MP2.4	Uniformat - A Uniform Classification of Construction Systems and Assemblies (No S/S Document) [CUST: CE YD 04]	A	FACR	YD	24-JAN-2012