

Department of Defense Standardization Program



ASSIST UPDATE

(A bi-monthly summary of changes to the ASSIST document database)

1 February 2016

(For the Period 15 January 2016 to 31 January 2016)

ASSIST UPDATE

Documents listed in the ASSIST UPDATE have an indicator of “N” or “M” to describe the last action taken on a listed document.

“N” indicates that a “new” document has been entered into the ASSIST database.

“M” indicates that a document already in ASSIST has been “modified” in some way.

The ASSIST UPDATE is published twice a month and provides a summary of changes to Department of Defense standardization documents for the period indicated. Since changes are processed to the ASSIST database on a daily basis, users should consult the ASSIST web site at <https://assist.dla.mil/> for the most current information.

If you need to track changes more frequently, or if you have an interest in specific Federal Supply Classes or individual specifications, standards, or other standardization documents, you may wish to take advantage of the ASSIST Alert Service. This feature lets you establish a list of documents of interest to you, and then the ASSIST will alert you with an E-mail message each day there is a change to one or more documents of interest to you. There is no charge for this service; however, you must have an ASSIST user account. To obtain one, complete the ASSIST online registration form at <https://assist.dla.mil/online/registration/registration.cfm>.

Once you have your account, you can establish your Alert Portal profile. For more information on the ASSIST Alert Service, go to: <https://assist.dla.mil/online/news/AlertService.htm>.

ACTIVE SECTION

ASSIST UPDATE

DOCUMENT NUMBER	DOCUMENT TITLE	DISTRIBUTION	FSC/AREA	MCA	PREP ACTY	DATE
M MIL-DTL-32288A	Cartridge, 7 62 Millimeter - M118, Special Ball Long Range [CUST: AR OS 99] [REVIEW: 40 70 AS MC MR SH]	D	1305		AR	26-JAN-2016
M MIL-DTL-46933C	Cartridge, 7 62 Millimeter, Blank - M82 [CUST: AR OS 99] [REVIEW: 40 70 AS MC MR SH]	D	1305		AR	26-JAN-2016
M MIL-DTL-64037A(3)	Cartridge, High Explosive, 60MM, M888 with Fuze M935 [CUST: AR]	D	1310		AR	25-JAN-2016
M MIL-DTL-32267A(3) NOT 1	Fuze, Point Detonating, M739A1 [CUST: AR]	D	1315		AR	20-JAN-2016
M MIL-DTL-14933C(1)	Grenade, Hand: Frag, Delay-M67 Loading, Assembling and Packing (LAP) [CUST: AR MC 70] [REVIEW: FAS SH]	D	1330		AR	22-JAN-2016
M MIL-G-155A(2) NOT 4	Graphite, Dry (For Use in Ammunition) [CUST: AR]	A	1376		AR	13-JAN-2016
M A-A-59624C NOT 1	Bearing, Ball, Annular, Single Row, Angular Contact, Contact Angle 11 Degrees Through 22 Degrees, Dimension Series 10 [CUST: AT OS 99 GS] [REVIEW: 11 84 GL MI]	A	3110	/	GS4	21-JAN-2016
M A-A-59625C NOT 1	Bearing, Ball, Annular, Single Row, Angular Contact, Contact Angle 11 Degrees Through 22 Degrees, Dimension Series 02 [CUST: AT OS 99 GS] [REVIEW: 11 84 GL MI]	A	3110	/	GS4	21-JAN-2016
M A-A-59626C NOT 1	Bearing, Ball, Annular, Single Row, Angular Contact, Contact Angle 11 Degrees through 22 Degrees, Dimension Series 03 [CUST: AT OS 99 GS] [REVIEW: 11 84 GL MI]	A	3110	/	GS4	21-JAN-2016
M A-A-59627C NOT 1	Bearing, Ball, Annular, Single Row, Angular Contact, Contact Angle 11 Degrees Through 22 Degrees, Dimension Series 04 [CUST: AT OS 99 GS] [REVIEW: 84 GL MI]	A	3110	/	GS4	21-JAN-2016
M KKK-W-291G	Wheelbarrows [CUST: AT IS] [REVIEW: GL MC]	A	3920	/	IS	22-JAN-2016
M A-A-50455A NOT 1	Portable Filtration Cart [CUST: SH]	A	4330	/	SH	20-JAN-2016
M MIL-DTL-38726C(1)	Adapter Assembly, Reusable, Flexible Hose, Low Pressure [CUST: AT AS 99 CC] [REVIEW: 71 MC SA]	A	4730		CC	14-JAN-2016
M A-A-59326/4B NOT 1	Coupling Half, Male by Flange (TTMA), Type IV [CUST: AT YD 99] [REVIEW: 71 AV CC GL MC SH]	A	4730	/	AT	20-JAN-2016
M A-A-59326/7B NOT 1	Coupling Half, Female by External Pipe Thread, Type VII [CUST: AT YD 99] [REVIEW: 71 AV CC GL MC SH]	A	4730	/	AT	20-JAN-2016
M A-A-59326/10B NOT 1	Coupling Half, Cap, Dust, Type IX [CUST: AT YD 99] [REVIEW: 71 AV CC GL MC SH]	A	4730	/	AT	22-JAN-2016
M A-A-59326/16B NOT 1	Coupling Half, Female by External Straight Threads, Type XVI, (for use with NATO Equipment) [CUST: AT YD 99] [REVIEW: 71 AV CC GL MC SH]	A	4730	/	AT	22-JAN-2016
M A-A-59326/17B NOT 1	Coupling Half, Male by Internal Straight Threads, Type XVII (for use with NATO Equipment) [CUST: AT YD 99] [REVIEW: 71 AV CC GL MC SH]	A	4730	/	AT	22-JAN-2016
M A-A-59326/19B NOT 1	Coupling Half, Nipple Adapter, Male by External Grooved Pipe, Type XIX [CUST: AT YD 99] [REVIEW: 71 AV CC GL MC SH]	A	4730	/	AT	22-JAN-2016
M A-A-59326/20B NOT 1	Y Connection, Flanged, Type XX [CUST: AT YD 99] [REVIEW: 71 AV CC GL MC SH]	A	4730	/	AT	22-JAN-2016
M A-A-59326/21B NOT 1	Adapter, Male by Male, Cam Locking Type, Type XXI [CUST: AT YD 99] [REVIEW: 71 AV CC GL MC SH]	A	4730	/	AT	22-JAN-2016
M WW-P-460F SUP 1	Pipe Fittings Brass or Bronze (Threaded), Classes 125 and 250 Pound [CUST: CR4 YD 99 CC] [REVIEW: AR CE CG EA MC SA]	A	4730	/	CC	12-JAN-2016
M MIL-DTL-3390H NOT 1	Rings, Dee [CUST: GL MC 99 GS] [REVIEW: CR4]	A	5365		GS4	21-JAN-2016
M MIL-PRF-26/3E(3)	Resistor, Fixed, Wirewound (Power Type), Styles RW29, RW30 1/, RW31, RW32 1/, RW33, RW34 1/, RW35, RW36 1/, RW37, RW38, RW39 1/, and RW47 [CUST: CR EC 85 CC] [REVIEW: 19 AS MI]	A	5905		CC	11-DEC-2015
M MIL-PRF-19207/9N	Fuseholders, Extractor Post Type, Blown Fuse Indicating, Types FHL 18G1 and FHL 18G2 [CUST: CR SH 85 CC] [REVIEW: 19 70 71 84 99 AR AS AT CR4 MC MI OS]	A	5920		CC	21-JAN-2016
M MIL-DTL-22992H SUP 1	Connectors, Plugs and Receptacles, Electrical, Waterproof, Quick Disconnect, Heavy Duty Type, General Specification for [CUST: CR EC 85 CC] [REVIEW: 19 AR AS MC MI OS SH YD]	A	5935		CC	28-DEC-2015
M MIL-DTL-83527/8A	Connector, Receptacle, Electrical, Rectangular, Rack to Panel, Environment Resisting, 150 Degree C Continuous Operating Temperature, Multiple Inserts [CUST: CR AS 85] [REVIEW: 19 99 AR EC MC MI OS]	A	5935		CC	11-JAN-2016
M MS14055J(1)	Insert Arrangements, Electrical Connector, Size 44, Class L, 100 Amps [CUST: CR EC 85 CC] [REVIEW: 19 99 AS AT AV CG CR4 MC MI OS YD]	A	5935		CC	13-JAN-2016
M MS14057H(1)	Insert Arrangements, Electrical Connector, Size 52, Class L, 200 Amps [CUST: CR EC 85 CC] [REVIEW: 19 99 AS AT AV CG CR4 MC MI SH]	A	5935		CC	13-JAN-2016
M MS90556J(1)	Connector, Plug, Electrical, Straight, Class L [CUST: CR EC 85 CC] [REVIEW: 13 19 99 AS AT AV CG CR4 MC MI OS SH]	A	5935		CC	15-JAN-2016
M MS90557J(1)	Connector, Receptacle, Electrical, Cable Connecting, (Without Coupling Ring), Class L [CUST: CR EC 85 CC] [REVIEW: 19 99 AS AV CG MC MI OS]	A	5935		CC	15-JAN-2016
M MS90558G(1)	Connector, Plug, Electrical, Wall Mounting, (With Coupling Ring), Class L, (Equipment) [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS AV CG MC MI OS]	A	5935		CC	15-JAN-2016
M MIL-PRF-27/48D(1) NOT 1	Transformers, Power, 1 5 Volt Amperes, 400 HZ [CUST: CR EC 85 CC] [REVIEW: 19 99 AS CR4 MC MI OS]	A	5950		CC	24-DEC-2015
M MIL-PRF-27/49D(1) NOT 1	Transformers, Power, 1 5 Volt Amperes, 400 HZ, Electrostatic Shielded [CUST: CR EC 85 CC] [REVIEW: 19 99 AS CR4 MC MI OS]	A	5950		CC	24-DEC-2015
M MIL-PRF-27/50D(1) NOT 1	Transformers, Power, 3 Volt Amperes, 400 Hz [CUST: CR EC 85 CC] [REVIEW: 19 99 AS CR4 MC MI OS]	A	5950		CC	24-DEC-2015
M MIL-PRF-19500/358G	Semiconductor Device, Diode, Silicon, Voltage Regulator, Stud Mount Package, Standard and Reverse Polarity, Types 1N3305B through 1N3350B and 1N4549B through 1N4554B, Quality Levels JAN, JANTX, JANTXV, and JANS [CUST: CR 85 CC NA] [REVIEW: 99 AR MR SM]	A	5961		CC	25-JAN-2016
M MIL-PRF-19500/501F	Transistor, Darlington, PNP, Silicon, Power, Encapsulated (Through-Hole Mount Package) Types 2N6051 and 2N6052, Quality Levels JAN, JANTX, and JANTXV [CUST: CR EC 85 CC NA] [REVIEW: 19 99]	A	5961		CC	08-JAN-2016
M MIL-PRF-19500/515E	Transistor, PNP, Silicon, Power, Through Hole, Types 2N6378 and 2N6379, Quality Levels JAN, JANTX, JANTXV, and JANHC [CUST: CR EC 85 CC] [REVIEW: 19 99 AS MC MI SH SM]	A	5961		CC	22-JAN-2016
M A-A-55828B	Sulfuric Acid, Technical [CUST: EA 68 GS] [REVIEW: MD1 MI]	A	6810	/	GS3	20-JAN-2016
M O-M-232M	Methanol (Methyl Alcohol) [CUST: EA OS 68] [REVIEW: AR AS GL MD1 MI]	A	6810	/	GS3	19-JAN-2016
M MIL-DTL-3628/30M	Badge, Qualification, Parachutist, Army, Navy, Marine Corps and Air Force Senior and Master Parachutist, Army and Air Force [CUST: IH MC 11] [REVIEW: CG1 CT]	A	8455		IH	12-JAN-2016
M MIL-DTL-3628/73E	Badge, Qualification, Ground Radar/Airfield Systems Maintenance, U S Air Force [CUST: IH 11] [REVIEW: CT]	A	8455		IH	19-JAN-2016
M MIL-DTL-11589/466B	Ribbon, Kuwait Liberation Medal, Government of Kuwait [CUST: IH MC 11] [REVIEW: CT]	A	8455		IH	19-JAN-2016
M MIL-DTL-11589/497A	Ribbon, Civilian Combat Support Medal, Defense Intelligence Agency [CUST: IH DI] [REVIEW: CT]	A	8455		IH	12-JAN-2016
M MIL-DTL-11589/500A	Ribbon, Leadership Award, Defense Intelligence Agency [CUST: IH] [REVIEW: CT DI]	A	8455		IH	12-JAN-2016

ACTIVE SECTION

ASSIST UPDATE

DOCUMENT NUMBER	DOCUMENT TITLE	DISTRIBUTION FSC/AREA	MCA PREP ACTY	DATE
M MIL-DTL-11589/513A	Ribbon, Outstanding Cadet AFJROTC [CUST: IH 11] [REVIEW: CT]	A 8455	IH	12-JAN-2016
M MIL-DTL-11589/514A	Ribbon, Academic Ribbon, AFJROTC [CUST: IH 11] [REVIEW: CT]	A 8455	IH	12-JAN-2016
M MIL-DTL-11589/515A	Ribbon, Drill Team Ribbon, AFJROTC [CUST: IH 11] [REVIEW: CT]	A 8455	IH	12-JAN-2016
M MIL-PRF-2104K	Lubricating Oil, Internal Combustion Engine, Combat/Tactical Service [CUST: AT SH 68] [REVIEW: 03 11 AR AS GS MC MI PS SA SM YD]	A 9150	AT	15-JAN-2016
M MIL-DTL-32375A	Armor Plate, Aluminum Alloy, 7056 and 7085 Unweldable Applique [CUST: MR] [REVIEW: AR AT AV IS TE]	A 9535	MR	21-JAN-2016
N DI-MGMT-81991	Contract Status Report [AMSC: N9568]	A MGMT	SH	19-JAN-2016
N DI-MGMT-82022	Major Milestone Commonality and Configuration Variance Progress Report [AMSC: N9623]	A MGMT	SH	19-JAN-2016
N DI-MGMT-82034	Test Index (TI) Report for USN Supplied Foreign Military Sales (FMS) Weapon Systems [AMSC: N9636]	A MGMT	SH	19-JAN-2016
M DI-MISC-81191B	Training Device Inventory Checklist/Record (ICL/R) [AMSC: N9624]	A MISC	AS	19-JAN-2016
M SD-1	Standardization Directory [CUST: AM NM 01 DH DC1] [REVIEW: DA]	A STDZ	SO	01-JAN-2016
M SD-22	Diminishing Manufacturing Sources and Material Shortages [CUST: SO]	A STDZ	SO	01-JAN-2016

INACTIVE SECTION

ASSIST UPDATE

DOCUMENT NUMBER	DOCUMENT TITLE	DISTRIBUTION FSC/AREA	MCA PREP ACTY	DATE
M MIL-DTL-60547G(3)	Projectile, 105MM, HE, M1 and M760 Metal Parts Assembly [CUST: AR]	A 1315	AR	11-JAN-2016
M XX-C-2816A	Compressor, Air, Reciprocating or Rotary, Electric Motor Driven, Stationary, 10 HP and Larger [CUST: SH CC] [REVIEW: SA]	A 4310	/ CC	08-JAN-2016
M MIL-PRF-26/4F(2)	Resistor, Fixed, Wire-Wound (Power Type), Styles RW55, RW56, RW67, RW68, and RW69 [CUST: CR EC 85 CC] [REVIEW: 19 AS MI]	A 5905	CC	11-DEC-2015
M MIL-R-26/2D(2)	Resistor, Fixed, Wirewound (Power Type), Styles RW20, RW21, RW22, RW23, and RW24 [CUST: CR EC 85 CC] [REVIEW: 19 AS MI]	A 5905	CC	11-DEC-2015
M MIL-R-26/5D(3)	Resistor, Fixed, Wirewound (Power Type), Styles RW70, RW74, RW78, and RW79 [CUST: CR EC 85 CC] [REVIEW: 19 AS MI]	A 5905	CC	11-DEC-2015
M MIL-R-26/6D(3)	Resistor, Fixed, Wire Wound (Power Type), Styles RW80 and RW81 [CUST: CR EC 85 CC] [REVIEW: 19 AS MI]	A 5905	CC	11-DEC-2015
M MIL-R-83726/12F	Relays, Hybrid, Time Delay (on Release), Type IIA, Class B, 10 Amperes, 4PDT, Hermetically Sealed, Fixed Time, 0 100 to 300 Seconds [CUST: EC 85 CC] [REVIEW: 99]	A 5945	CC	07-JAN-2016
M MIL-R-83726/18H	Relays, Hybrid, Time Delay (on Release), Track Mounted, Type IIA, Class B, 10 Amperes, 2PDT, Hermetically Sealed, Fixed Time, 0 1 to 300 Seconds [CUST: EC 85 CC] [REVIEW: 99]	A 5945	CC	11-JAN-2016
M MIL-R-83726/19H	Relays, Hybrid, Time Delay (on Operate), Track Mounted, Type I, Class B, 10 Amperes, 2PDT, Hermetically Sealed, Fixed Time, 0 1 to 300 Seconds [CUST: EC 85 CC] [REVIEW: 99]	A 5945	CC	06-JAN-2016
M MIL-R-83726/24M	Relays, Solid State, Time Delay (on Operate), Track Mounted, Type I, Class C, SPST, 150 Milliampers, Fixed Time, 50 Milliseconds to 500 Seconds [CUST: EC 85 CC] [REVIEW: 99]	A 5945	CC	12-JAN-2016
M MIL-R-83726/27M	Relays, Hybrid, Time Delay, Voltage Sensitive, Delay on Drop-Out, Class A, Type V, Hermetically Sealed (Potted), SPDT, 2 Ampere, Track Mounted [CUST: EC 85 CC] [REVIEW: 99]	A 5945	CC	05-JAN-2016
M MIL-PRF-19500/263B(1)	Transistor, NPN, Silicon, High Power, Through-Hole Mount, Type 2N1714 Through 2N1717, Quality Levels JAN, JANTX, and JANTXV [CUST: CR 85 CC] [REVIEW: 70 99 EA MI]	A 5961	CC	19-JAN-2016
M MIL-DTL-16225C(1)	Loudspeaker, Permanent Magnet, Blastproof and Submersible, Navy Type 49546() [CUST: EC CC]	A 5965	CC	05-JAN-2016
M MIL-PRF-62560B NOT 2	Distribution Box, Electrical [CUST: AT] [REVIEW: GS]	A 6110	AT	12-JAN-2016
M MIL-DTL-16878H(1) SUP 1	Wire, Electrical, Insulated, General Specification for [CUST: SH 85 CC] [REVIEW: AS]	A 6145	CC	12-JAN-2016
M MIL-DTL-16878/1C(1) NOT 3	Wire, Electrical, Polyvinyl Chloride (PVC) Insulated, 105 Degrees C, 600 Volts (Not for Navy Shipboard Use) [CUST: SH 85 CC] [REVIEW: AS]	A 6145	CC	12-JAN-2016
M MIL-DTL-16878/2C(1) NOT 3	Wire, Electrical, Polyvinyl Chloride (PVC) Insulated, 105 Degree C, 1000 Volts (Not for Navy Shipboard Use) [CUST: SH 85 CC] [REVIEW: AS]	A 6145	CC	12-JAN-2016
M MIL-DTL-16878/3C(1) NOT 3	Wire, Electrical, Polyvinyl Chloride (PVC) Insulated, 105 Degree C, 3000 Volts (Not for Navy Shipboard Use) [CUST: SH 85 CC] [REVIEW: AS]	A 6145	CC	12-JAN-2016
M MIL-DTL-16878/10E(1) NOT 3	Wire, Electrical, Polyethylene Insulated, 75 Degree C, 600 Volts [CUST: SH 85 CC] [REVIEW: AS]	A 6145	CC	12-JAN-2016
M MIL-DTL-16878/14B(1) NOT 3	Wire, Electrical, Crosslinked, Modified Polyethylene (XLPE) Insulated, 125 Degree C, 600 Volts [CUST: SH 85 CC] [REVIEW: 99 AS]	A 6145	CC	12-JAN-2016
M MIL-DTL-16878/15B(1) NOT 3	Wire, Electrical, Crosslinked, Modified Polyethylene (XLPE) Insulated, 125 Degree C, 1000 Volts [CUST: SH 85 CC] [REVIEW: 99 AS]	A 6145	CC	12-JAN-2016
M MIL-DTL-16878/16D NOT 1	Wire, Electrical, Crosslinked, Modified Polyethylene (XLPE) Insulated, 125 Degrees C, 3000 Volts [CUST: SH 85 CC] [REVIEW: 99 AS]	A 6145	CC	12-JAN-2016
M MIL-DTL-16878/17B(1) NOT 3	Wire, Electrical, Polyvinyl Chloride (PVC) Insulated, Polyamide Jacket, 105 Degree C, 600 Volts (Not for Navy Shipboard Use) [CUST: SH 85 CC] [REVIEW: AS]	A 6145	CC	12-JAN-2016
M MIL-DTL-16878/18B(1) NOT 3	Wire, Electrical, Polyvinyl Chloride (PVC) Insulated, Polyamide Jacket, 105 Degree C, 1000 Volts, (Not for Navy Shipboard Use) [CUST: SH 85 CC] [REVIEW: AS]	A 6145	CC	12-JAN-2016
M MIL-DTL-16878/19B(1) NOT 3	Wire, Electrical, Polyvinyl Chloride (PVC) Insulated, Polyamide Jacket, 105 Degree C, 3000 Volts (Not for Navy Shipboard Use) [CUST: SH 85 CC] [REVIEW: AS]	A 6145	CC	12-JAN-2016
M MIL-DTL-16878/33B(1) NOT 3	Wire, Electrical, Polyethylene Insulated, 75 Degree C, 600 Volts, Polyamide Covering, Abrasion Resistant [CUST: SH 85 CC] [REVIEW: AS]	A 6145	CC	12-JAN-2016
M MIL-DTL-16878/36A(1) NOT 3	Wire, Electrical, Low Smoke, Crosslinked Polyolefin (XLPO) Insulated, 105 Degree C, 600 Volts [CUST: SH 85 CC] [REVIEW: 99 AS]	A 6145	CC	12-JAN-2016
M MIL-DTL-16878/37A(1) NOT 2	Wire, Electrical, Ethylene-Propylene Diene Elastomer (EPDM) Insulated, 125 Degree C, 600 Volts, Extruded Insulation [CUST: SH 85 CC] [REVIEW: AS]	A 6145	CC	12-JAN-2016
M MIL-DTL-16878/38A(1) NOT 2	Wire, Electrical, Ethylene-Propylene Diene Elastomer (EPDM) Insulated, 125 Degree C, 5000 Volts, Extruded Insulation [CUST: SH 85 CC] [REVIEW: AS]	A 6145	CC	12-JAN-2016
M MIL-DTL-55021D NOT 1	Cable, Electrical, Shielded Singles, Shielded and Jacketed Singles, Twisted Pairs and Triples, Internal Hookup, General Specification for [CUST: MI AS 85 CC] [REVIEW: AR CR]	A 6145	CC	19-JAN-2016
M MIL-DTL-55021/1D NOT 1	Cable, Electrical, Shielded Singles, Shielded and Jacketed Singles, Twisted Pairs and Triples, Internal Hookup, -40 to 105 Degrees C [CUST: MI AS 85 CC] [REVIEW: AR AT CR CR4]	A 6145	CC	19-JAN-2016
M MIL-DTL-55021/2D NOT 1	Cable, Electrical, Shielded Singles, Shielded and Jacketed Singles, Twisted Pairs and Triples, Internal Hookup, -65 to 200 Degrees C [CUST: MI AS 85 CC] [REVIEW: CR]	A 6145	CC	19-JAN-2016
M MIL-DTL-25627D	Transmitter, Synchro, Angle of Attack or Sideslip [CUST: 85 CC]	A 6610	CC	12-JAN-2016

CANCELED SECTION

ASSIST UPDATE

		DISTRIBUTION	FSC/AREA	MCA	PREP ACTY	DATE
DOCUMENT NUMBER	DOCUMENT TITLE					
M AN960 REV 21 NOT 2	Washer, Flat (S/S by NAS1149) [CUST: AV AS 99 IS] [REVIEW: 71 EA]	A	5310		IS	15-JAN-2016
M ASTM-D421	Soil, Dry Preparation of Soil Samples for Particle-Size Analysis and Determination of Soil Constants, Standard Practice for (No S/S Document) [CUST: CR4 YD 99 IS] [REVIEW: 84 MC]	A	5610		IS	15-JAN-2016
M ASTM-D648	Plastics, Deflection Temperature of, Under Flexural load in the Edgewise Position (No S/S Document) [CUST: MR SH 20 GS] [REVIEW: AS AT AV CR CR4 GL MI YD]	A	9330		IS	15-JAN-2016
M MIL-V-89300(1) NOT 2	Mapping, Charting and Geodesy (MC&G) Video Disc (No S/S Document) [CUST: AV NO 09] [REVIEW: 33 99 CG DC1 MC MI NS]	A	GINT		MP	14-JAN-2016
M ASTM-A309	Weight and Composition of Coating on Terne Sheet by the Triple-Spot Test, Standard Test Method for (No S/S Document) [CUST: MR YD 99 GS] [REVIEW: 84 GL IS SA]	A	MFFP		GS8	13-JAN-2016