Department of Defense Standardization Program



ASSIST UPDATE

(A bi-monthly summary of changes to the ASSIST document database)

1 January 2010

(For the Period 15 December 2009 to 31 December 2009)

ASSIST UPDATE

Documents listed in the ASSIST UPDATE have an indicator of "N" or "M" to describe the last action taken on a listed document.

"N" indicates that a "new" document has been entered into the ASSIST database.

"M" indicates that a document already in ASSIST has been "modified" in some way.

The ASSIST UPDATE is published twice a month and provides a summary of changes to Department of Defense standardization documents for the period indicated. Since changes are processed to the ASSIST database on a daily basis, users should consult the ASSIST web site at <u>http://assist.daps.dla.mil</u> for the most current information.

If you need to track changes more frequently, or if you have an interest in specific Federal Supply Classes or individual specifications, standards, or other standardization documents, you may wish to take advantage of the ASSIST Alert Service. This feature lets you establish a list of documents of interest to you, and then the ASSIST will alert you with an E-mail message each day there is a change to one or more documents of interest to you. There is no charge for this service; however, you must have an ASSIST user account. To obtain one, complete the ASSIST online registration form at http://assist.daps.dla.mil/online/registration/registration.cfm.

Once you have your account, you can establish your Alert Portal profile. For more information on the ASSIST Alert Service, go to: <u>http://assist.daps.dla.mil/online/news/AlertService.htm</u>.

ACTIVE SECTION

ASSIST UPDATE

ACTIVE SECTION	ASSIST UPDATE					
N		NO				
ZO LUC		DISTRIBUTION	V		ΥY	
TAC		RIB	ARE		5 AC	
S POCUMENT NUMBER	DOCUMENT TITLE	ISIC	FSC/AREA	MCA	PREP ACTY	DATE
DOCUMENT NUMBER MIL-DTL-32194B	Impulse Cartridge, CCU-72/A [CUST: OS]	A		4	OS	DATE 08-DEC-2009
M A-A-59757A	Crane Truck, Warehouse, Pneumatic Rubber Tires [CUST: MI 84] [REVIEW: 99]	A		/	84	17-DEC-2009
N MIL-DTL-25427/1	Coupling Assembly, Aircraft Hydraulic, Self-Sealing, Quick Disconnect, Ground Support [CUST: AV AS 99] [REVIEW: 11 71 AT CC MI SA]	A	4730		AS	08-DEC-2009
N MIL-DTL-25427/3	Coupling Half, Hose Attachment, Hydraulic, Self-Sealing, Ground Support, Quick Disconnect, Type I and Type II [CUST: AV AS 99] [REVIEW: 11 AT CC MI SA]	A	4730		AS	08-DEC-2009
N MIL-DTL-25427/5	Coupling Plug, Hose Attachment, Hydraulic, Self-Sealing, Ground Support, Quick Disconnect [CUST: AV AS 99] [REVIEW: 11 AT CC MI SA]	A	4730		AS	08-DEC-2009
N MIL-DTL-25427/6	Coupling Nut, Aircraft Hydraulic, Self-Sealing, Ground Support, Quick Disconnect, Type I and Type II [CUST: AV AS 99] [REVIEW: 11 AT CC MI SA]	A	4730		AS	08-DEC-2009
N MIL-DTL-25427/7	Coupling Flange, Aircraft Mounting, Hydraulic, Self-Sealing [CUST: AV AS 99] [REVIEW: 11 AT [CC MI SA]	A	4730		AS	08-DEC-2009
M MS14305C	Fittings, Pipe, Brass or Bronze, Threaded (Tees, Crosses, 45-Degrees Elbows, and Couplings), Class	A	4730		CC	15-DEC-2009
M MS14306C	 [125 [CUST: AT MC 99 CC] [REVIEW: 71 AR CE EA SA SH YD] Fittings, Pipe, Brass or Bronze, Threaded (Reducers, Close and Open Return Bends, and 45-Degrees Y-Branches), Class 125 [CUST: AT MC 99 CC] [REVIEW: 71 AR CE EA SA SH YD] 	A	4730		CC	15-DEC-2009
M MS14307C	Elbows, Pipe, Brass or Bronze, Threaded, 45-Degrees, Street, Class 125 [CUST: AT MC 99 CC] [REVIEW: 71 AK CE EA SA SH YD]	A	4730		CC	15-DEC-2009
M MS14308C	Elbows, Pipe, Brass or Bronze, Threaded, 90-Degrees, Reducing, Class 125 [CUST: AT MC 99 CC]	A	4730		CC	15-DEC-2009
M MS14309D	[REVIEW: 71 AR CE EA SA SH YD] Tees, Pipe, Brass or Bronze, Threaded, Reducing, Class 125 [CUST: AT MC 99 CC] [REVIEW: 71 AP CF EA SA SH VD]	A	4730		CC	15-DEC-2009
M MS14310C	AR CE EA SA SH YD] Caps, Pipe, Brass or Bronze, Threaded, Class 125 [CUST: AT MC 99 CC] [REVIEW: 71 AR CE EA SA SH YD]	A	4730		CC	15-DEC-2009
M MS14311C	Fittings, Pipe, Brass or Bronze, Threaded (90-Degrees Elbows, Tees, Crosses, 45-Degrees Elbows,	A	4730		CC	15-DEC-2009
M MS14312C	and Coupling), Class 250 [CUST: AT MC 99 CC] [REVIEW: 71 AR CE EA SA SH YD] Elbows, Pipe, Brass or Bronze, Threaded, 90-Degrees, Reducing, Class 250 [CUST: AT MC 99 CC] [REVIEW: 71 AR CE EA SA SH YD]	A	4730		CC	15-DEC-2009
M MS14314D	[REVIEW: /1 AK CE EA SA SH 1D] Plugs, Pipe, Brass or Bronze, Threaded (Square Head and Square Socket), Classes 250 and 125 [CUST: AT MC 99 CC] [REVIEW: 71 AR CE EA SA SH YD]	A	4730		CC	15-DEC-2009
M MS51845D	[LUS1: A1 MC 99 CC] [REVIEW: 71 AR CE EA SA SH YD] Elbows, Pipe, Brass or Bronze, Threaded, 90-Degrees Straight, Class 125 [CUST: AR MC 99 CC] [REVIEW: 71 AR CE EA SA SH YD]	A	4730		CC	15-DEC-2009
M WW-P-460E	[REVIEW: /1 AR CE EA SA SH YD] Pipe Fittings; Brass or Bronze (Threaded), Classes 125 and 250 Pound [CUST: CR4 YD 99 CC] [REVIEW: 71 AR CE CG EA MC]	A	4730	/	CC	15-DEC-2009
N SAE-AS34801	Tool, Connector Assembly; for MIL-C-5015 Connectors [CUST: CR AS CC] [REVIEW: EC GL	A	5120		AS	23-DEC-2009
M MIL-DTL-26482H(1) SUP 1A	[GS] Connectors, Electrical, (Circular, Miniature, Quick Disconnect, Environment Resisting), Receptacles and Plugs, General Specification for [CUST: CR AS 85 CC] [REVIEW: 99 AR AV EC SH TD]	A	5935		CC	07-DEC-2009
M MIL-DTL-83723G SUP 1	Connectors, Electrical, (Circular, Environment Resisting), Receptacles and Plugs, General Specification for [CUST: CR AS 85 CC] [REVIEW: 19 99 AR AV EC MI OS]	A	5935		CC	07-DEC-2009
N QPL-AS50151	Connectors, Electrical, Circular Threaded, AN Type, General Specification for		5935		AS	23-DEC-2009
N SAE-AS25042	Cover, Electrical AS50151 Connector, Plug, AN Type [CUST: CR AS 85 CC] [REVIEW: 99 AR AV MI]		5935		AS	23-DEC-2009
N SAE-AS25043	Cover, Electrical AS50151 Connector, Receptacle, AN Type [CUST: CR AS 85 CC] [REVIEW: 99 AR AV M]		5935		AS	23-DEC-2009
N SAE-AS25183	Connector, Plug, Electric, Potting Seal, Solder Contact, AN Type [CUST: CR AS 85 CC] [REVIEW: 99 AT AV CG CR4 EC MC MI OS]		5935		AS	23-DEC-2009
N SAE-AS31001	Connector, Receptacle, Electric, Wall Mounting, Solder Contacts, AN Type [CUST: CR AS 85 CC] [REVIEW: 99 AT AV CG CR4 MC MI OS SH]		5935		AS	23-DEC-2009
N SAE-AS31011	Connector, Plug, Electric, Cable Connecting, Solder Contacts, AN Type [CUST: CR AS 85 CC] [REVIEW: 99 AT AV CG CR4 EC MC MI OS SH]	A	5935		AS	23-DEC-2009
N SAE-AS31021	Connector, Receptacle, Electric, Box Mounting, Solder Contacts, AN Type [CUST: CR AS 85 CC] [REVIEW: 99 AT AV CG CR4 EC MC MI OS SH]	A	5935		AS	23-DEC-2009
N SAE-AS31031	Connector, Receptacle, Electric, Potting Seal, Solder Contacts, AN Type [CUST: CR AS 85 CC] [REVIEW: 99 AT AV CG EC MC MI OS]	A	5935		AS	23-DEC-2009
N SAE-AS31051	Connector, Receptacle, Electric Dummy Stowage [CUST: CR AS CC] [REVIEW: CG CR4 EC MC MI OS]	A	5935		AS	23-DEC-2009
N SAE-AS31061	Connector, Plug, Electric, Straight, Solder Contacts, AN Type [CUST: CR AS 85 CC] [REVIEW: 99 AT AV CG CR4 EC MC MI OS SH]	A	5935		AS	23-DEC-2009
N SAE-AS31071	Connector Plug, Electric, Quick Disconnect [CUST: CR AS 85 CC] [REVIEW: 99 AT AV CG CR4 EC MC MI OS SH]	A	5935		AS	23-DEC-2009
N SAE-AS31081	Connectors, Plug, Electric, Solder Contact, 90 Degree, AN Type [CUST: CR AS 85 CC] [REVIEW: 99 AT AV CG CR4 EC MC MI OS SH]	A	5935		AS	23-DEC-2009
N SAE-AS31421	Connectors, Receptacle, Electrical, Box Mounting, Solder Contact, Hermetic, AN Type [CUST: AS CC] [REVIEW: EC]	A	5935		AS	23-DEC-2009
N SAE-AS31551	Connector, Electric, Rear Accessory Design Standard [CUST: AS CC] [REVIEW: EC]		5935		AS	23-DEC-2009
N SAE-AS34011	Connectors, Receptacle, Electric, Cable Connecting, Front Release, Crimp Contact, AN Type [CUST: AS CC]		5935		AS	23-DEC-2009
N SAE-AS34041	Connectors, Receptacle, Electric, Jam Nut Mounting, Front Release, Crimp Contact, AN Type [CUST: AS CC]		5935		AS	23-DEC-2009
N SAE-AS34061 N SAE-AS34081	Connectors, Plug, Electric, Front Release, Crimp Contact, AN Type [CUST: AS CC] Connectors, Plug, Electric, 90 Degree Assembly, Crimp Contact, AN Type [CUST: AS CC]		5935 5935		AS AS	23-DEC-2009 23-DEC-2009
N SAE-AS34091	[REVIEW: OS] Connectors, Plug, Electric, 45 Degrees Assembly, Crimp Contact, AN Type [CUST: AS CC]	A	5935		AS	23-DEC-2009
N SAE-AS34361	Connector, Plug, Electric, Solder Contact, Utility [CUST: AS CC]		5935		AS	23-DEC-2009
N SAE-AS34411 N SAE-AS34501	Connector, Plug, Electric, Utility [CUST: AS CC] [REVIEW: EC] Connectors, Receptacle, Electrical, Wall Mounting, Rear Release, Crimp Contact, AN Type [CUST:		5935 5935		AS AS	23-DEC-2009 23-DEC-2009
N SAE-AS34511	CR AS 85 CC] [REVIEW: 99 AR AT AV CR4 EC MI] Connectors, Receptacle, Electrical, Cable Connecting, Rear Release, Crimp Contact, AN Type		5935		AS	23-DEC-2009
I. DINLINGTOIL	[CUST: CR AS 85 CC] [REVIEW: EC]		5755		110	25-010-2009

1

ACTIVE SECTION

Downloaded from http://www.everyspec.com

ASSIST UPDATE

Z OL D V L S V L S V L S V L S V L S V D D V V L S V D L S V V L S V V L S V V L S V V L S V V L S V V L S V V L S V V L S V S V		DISTRIBUTION	FSC/AREA		ACTY	
I DOCUMENT NUMBER	DOCUMENT TITLE	IST	'SC//	MCA	PREP /	DATE
N SAE-AS34521	Connector, Receptacle, Electric, Box Mounting, Rear Release, Crimp Contact, AN Type, With	A	5935	4	AS	23-DEC-2009
N SAE-AS34561	[CUST: CR AS 85 CC] [REVIEW: 99 AR AT CR4 EC MI] Connectors, Plug, Electrical, Rear Release, Crimp Contact, AN Type [CUST: CR AS 85 CC] [REVIEW: 99 AR AT AV CR4 EC MI]	A	5935		AS	23-DEC-2009
N SAE-AS35071	Connector, Plug, Electric, Solder Contact, Quick Disconnect, Utility [CUST: AS CC] [REVIEW: EC]	A	5935		AS	23-DEC-2009
N SAE-AS50151	Connectors, Electrical, Circular Threaded, AN Type, General Specification for [CUST: CR AS 85 CC] [REVIEW: 99 AR EC MI NA]	A	5935		AS	23-DEC-2009
N SAE-AS85049/139	Bushing, Cable Clamp to Cable, Telescoping, for AS85049 Cable Clamps, Category 9 [CUST: AR AS 85 CC] [REVIEW: CG CR MC MI]	A	5935		AS	23-DEC-2009
M MIL-PRF-19500/211C	Semiconductor Device, Diode, Silicon, Power Rectifier, Types 1N3164, 1N3168, 1N3170, 1N3172, 1N3174, 1N3175, 1N3176, 1N3177 and R TYPES JAN, JANTX, and JANTXV [CUST: CR EC 85 CC NA] [REVIEW: 19 70 99 AR AS AV MC MI OS SM]	A	5961		CC	10-DEC-2009
M MIL-DTL-24728/8A	Interconnecting Box, Fiber Optic, Fusion Splice Tray and Tray Holder Module [CUST: CR SH 85 CC NA] [REVIEW: 19 93 99 AS CG EC MC M]	A	6099		SH	10-DEC-2009
M A-A-52078C M MIL-DTL-13528C	Lantern, Gasoline, Nonleaded Fuel, with Case [CUST: GL CG 99 GS] [REVIEW: CR4 MC MD] Hydrochloric Acid, Inhibited, Rust-Removing [CUST: MR GS] [REVIEW: AT AV CR4 MD1 MI SM]	A A	6260 6850	/	GS2 GS3	07-DEC-2009 07-DEC-2009
M MIL-DTL-3628/42F	Badge, Qualification, Marine Corps, Division Rifle Competition [CUST: IH NU] [REVIEW: CT MC]	A	8455		IH	10-NOV-2009
M MIL-DTL-3628/43F	Badge, Qualification, Marine Corps, Division Pistol Competition [CUST: IH NU] [REVIEW: CT MC]	A	8455		IH	10-NOV-2009
M MIL-DTL-3628/63G	Badge, Qualification, Air Assault, Army [CUST: IH] [REVIEW: CT]	A			IH	15-NOV-2009
M MIL-DTL-3628/174A M MIL-DTL-3628/175A	Badge, Qualification, Aviation, Pilot, Air Force [CUST: IH 11] [REVIEW: 99 CT] Badge, Qualification, Aviation, Pilot, Senior, Air Force [CUST: IH 11] [REVIEW: 99 CT]	AA			IH IH	15-NOV-2009 15-NOV-2009
M MIL-DTL-3628/176A	Badge, Qualification, Aviation, Pilot, Command, Air Force [CUST: IH 11] [REVIEW: 99 CT]	A			IH	15-NOV-2009
M MIL-DTL-3628/232B	Badge, Qualification, Aviation, Air Wing, Coast Guard Auxiliary [CUST: IH] [REVIEW: CT]	A	8455		IH	15-NOV-2009
M MIL-DTL-3628/234A	Badge, Qualification, Sapper Tab, Army [CUST: IH] [REVIEW: CT]	A	8455		IH	15-NOV-2009
N MIL-DTL-3628/253	Badge, Qualification, Unmanned Aircraft Systems Basic, Senior, Master Grades, Air Force [CUST: IH 11] [REVIEW: 99 CT]	A	8455		IH	15-NOV-2009
M MIL-STD-6017B	Variable Message Format (VMF) [CUST: CR NM 44] [REVIEW: 93 AS AV]	C	INST		DC2	30-OCT-2009

INACTIVE SECTION

ASSIST UPDATE

NOLLOY ELSEY DOCUMENT NUMBER		DISTRIBUTION	EA	CTY	
ST A		STRIE	FSC/AREA	MCA PREP ACTY	
MDOCUMENT NUMBERMMIL-DTL-3691E(1)	DOCUMENT TITLE Dye Mix, Violet [CUST: EA OS] [REVIEW: GS]		6820	EA	DATE 27-OCT-2009
M MIL-DIL-3091E(1)	Dye Mix, violet [CUS1: EA OS] [KEVIEW: GS]	A	0820	EA	27-OC1-2009
01-JAN-2010	3				

Downloaded from http://www.everyspec.com

CANCELED SECTION

ASSIST UPDATE

CANCELED SECTION	ASSIST UPDATE				
N		ION			
CIIC		3UT.	EA	ACTY	
U U U U U U U U U U U U U U U U U U U		DISTRIBUTION	FSC/AREA	A EP A(
J DOCUMENT NUMBER	DOCUMENT TITLE	DIS	FSC	MCA PREP	DATE
M UL427	Refrigerating Units (No S/S Document) [CUST: YD SS]	A		SS	22-DEC-2009
M MS3480 NOT 1 M MIL-DTL-5015H(1) SUP 1 NOT 1	Tool, Connector Assembly, for MIL-C-5015 Connectors (S/S by SAE-AS34801) [CUST: AS CC] Connectors, Electrical, Circular Threaded, AN Type, General Specification for (S/S by SAE-		5120 5935	AS AS	23-DEC-2009 23-DEC-2009
M MS3100F(1) NOT 3	AS50151) [CUST: CR AS 85] [REVIEW: 99 AR CC EC MI NA] Connector, Receptacle, Electric, Wall Mounting, Solder Contacts, AN Type (S/S by SAE-AS31001)	A	5935	AS	23-DEC-2009
M MS3101D(1) NOT 2	[CUST: CR AS 85 CC] [REVIEW: 99 AT AV CG CR4 MC MI OS SH] Connector, Plug, Electric, Cable Connecting, Solder Contacts, AN Type (S/S by SAE-AS31011) [CUST: CR AS 85 CC] [REVIEW: 99 AT AV CG CR4 EC MC MI OS SH]	A	5935	AS	23-DEC-2009
M MS3102E(1) NOT 3	Connector, Receptacle, Electric, Box Mounting, Solder Contacts, AN Type (S/S by SAE-AS31021) [CUST: CR AS 85 CC] [REVIEW: 99 AT AV CG CR4 EC MC MI OS SH]	A	5935	AS	23-DEC-2009
M MS3103D(1) NOT 3	Connector, Receptacle, Electric, Potting Seal, Solder Contact, AN Type (S/S by SAE-AS31031) [CUST: CR AS 85 CC] [REVIEW: 99 AT AV CG EC MC MI OS]	A	5935	AS	23-DEC-2009
M MS3105A(1) NOT 2	Connector, Receptacle, Electric Dummy Stowage (S/S by SAE-AS31051) [CUST: AS CC] [REVIEW: CG CR4 EC MC MI OS]	A	5935	AS	23-DEC-2009
M MS3106D(1) NOT 2	Connector, Plug, Electric, Straight, Solder Contacts, AN Type (S/S by SAE-AS31061) [CUST: CR AS 85 CC] [REVIEW: 99 AT AV CG CR4 EC MC MI OS SH]	A	5935	AS	23-DEC-2009
M MS3107C NOT 3	Connector Plug, Electric, Quick Disconnect (S/S by SAE-AS31071) [CUST: CR AS 85 CC] [REVIEW: 99 AT AV CG CR4 EC MC MI OS SH]	A	5935	AS	23-DEC-2009
M MS3108D(1) NOT 2	Connectors, Plug, Electric, Solder Contact, 90 Degrees, AN Type (S/S by SAE-AS31081) [CUST: CR AS 85 CC] [REVIEW: 99 AT AV CG CR4 EC MC MI OS SH]	A	5935	AS	23-DEC-2009
M MS3142D NOT 3	Connector, Receptacle, Electrical, Box Mounting, Solder Contact, Hermetic, AN Type (S/S by SAE- AS31421) [CUST: AS CC] [REVIEW: EC]	A	5935	AS	23-DEC-2009
M MS3155C(1) NOT 3	Connector, Electric, Rear Accessory Design Standard (S/S by SAE-AS31551) [CUST: AS CC] [REVIEW: EC]	A	5935	AS	23-DEC-2009
M MS3400G NOT 3	Connectors, Receptacle, Wall Mounting, Front Release, Crimp Contact, AN Type (S/S by SAE-AS34001) [CUST: AS]	A	5935	AS	23-DEC-2009
M MS3401G NOT 3	Connectors, Receptacle, Electric, Cable Connecting, Front Release, Crimp Contact, AN Type (S/S by SAE-AS34011) [CUST: AS]	A	5935	AS	23-DEC-2009
M MS3402G NOT 3	Connector, Receptacle, Electric Box Mounting, Front Release, Crimp Contact, AN Type (S/S by SAE-AS34021) [CUST: CR AS 85]	A	5935	AS	23-DEC-2009
M MS3404G NOT 3	Connectors, Receptacle, Electric, Jam Nut Mounting, Front Release, Crimp Contact, AN Type (S/S by SAE-AS34041) [CUST: AS]	A	5935	AS	23-DEC-2009
M MS3406H NOT 3	Connectors, Plug, Electric, Front Release, Crimp Contact, AN Type (S/S by SAE-AS34061) [CUST: AS]	A	5935	AS	23-DEC-2009
M MS3408D NOT 1	Connector, Plug, Electric, 90 Degree Assembly, Crimp Contact, AN Type (S/S by SAE-AS34081) [CUST: AS CC] [REVIEW: OS]	A	5935	AS	23-DEC-2009
M MS3409B NOT 2	Connectors, Plug, Electric, 45 Degrees Assembly, Crimp Contact, AN Type (S/S by SAE-AS34091) [CUST: AS CC]	A	5935	AS	23-DEC-2009
M MS3412D NOT 2	Connectors, Receptacle, Electric, Wall Mounting, Front Release, Crimp Contact, AN Type-with Accessory Threads (S/S by SAE-AS34121) [CUST: AS]	A	5935	AS	23-DEC-2009
M MS3420C NOT 4	Adapter, Cable Clamp to Cable, Bushing, Telescoping (S/S by SAE-AS85049/139) [CUST: AR AS 85 CC] [REVIEW: CG CR MC MI]		5935	AS	23-DEC-2009
M MS3436A NOT 2 M MS3441 NOT 2	Connector, Plug, Electric, Solder Contact, Utility (S/S by SAE-AS34361) [CUST: AS] Connector, Plug, Electric, Utility (S/S by SAE-AS34411) [CUST: AS]	A A	5935 5935	AS AS	23-DEC-2009 23-DEC-2009
M MS3450E NOT 1	Connector, Receptacle, Electric, Wall Mounting, Rear Release, Crimp Contact, AN Type (S/S by SAE-AS34501) [CUST: CR AS 85] [REVIEW: 99 AR AT AV CC CR4 EC MI]		5935	AS	23-DEC-2009
M MS3451C NOT 2	Connector, Receptacle, Electrical, Cable Connecting, Rear Release, Crimp Contact, AN Type (S/S by SAE-AS34511) [CUST: CR AS 85] [REVIEW: EC]	A	5935	AS	23-DEC-2009
M MS3452D NOT 1	Connector, Receptacle, Electric, Box Mounting, Rear Release, Crimp Contact, AN Type With (S/S by SAE-AS34521) [CUST: CR AS 85] [REVIEW: 99 AR AT CR4 EC MI]	A	5935	AS	23-DEC-2009
M MS3454C NOT 2	Connectors, Receptacle, Electrical, Jam Nut Mounting, Rear Release Crimp Contact, AN Type (S/S by SAE-AS34541) [CUST: CR AS 85] [REVIEW: AR AT AV CR4 EC MI]	A	5935	AS	23-DEC-2009
M MS3456D NOT 1	Connectors, Plug, Electrical, Rear Release, Crimp Contact, AN Type (S/S by SAE-AS34561) [CUST: AS 85] [REVIEW: 99 AR AT AV CC CR4 EC MI]	A	5935	AS	23-DEC-2009
M MS3507A NOT 1	Connector, Plug, Electric, Solder Contact, Quick Disconnect, Utility (S/S by SAE-AS35071) [CUST: AS CC] [REVIEW: EC]	A	5935	AS	23-DEC-2009
M MS25042K NOT 2	Cover, Electrical Connector; Plug, AN Type (S/S by SAE-AS25042) [CUST: CR AS 85] [REVIEW: 99 AR AV CC MI]	A	5935	AS	23-DEC-2009
M MS25043K NOT 2	Cover, Electrical, Connector, Receptacle, AN Type (S/S by SAE-AS25043) [CUST: CR AS 85] [REVIEW: 99 AR AV CC MI]	A	5935	AS	23-DEC-2009
M MS25183C(1) NOT 3	Connector, Plug, Electric, Potting Seal, Solder Contacts, AN Type (S/S by SAE-AS25183) [CUST: CR AS 85 CC] [REVIEW: 99 AT AV CG CR4 EC MC MI OS]	A	5935	AS	23-DEC-2009
M QPL-5015-43 NOT 1	Connectors, Electrical, Circular Threaded, AN Type, General Specification for (S/S by QPL-AS50151)	A	5935	AS	23-DEC-2009
M NSF20	Commercial Bulk Milk Dispensing Equipment (No S/S Document) [CUST: GL YD 99 SS] [REVIEW: 84 CG GS MC MD MS SA]	A	7310	SS	22-DEC-2009
M NSF3	Dishwashing Machine, Commercial Spray Type (No S/S Document) [CUST: GL YD 99 SS] [REVIEW: CG GS MC MD MS SA]	A	7320	SS	22-DEC-2009

01-JAN-2010