

Department of Defense Standardization Program



ASSIST UPDATE

(A bi-monthly summary of changes to the ASSIST document database)

1 January 2013

(For the Period 15 December 2012 to 31 December 2012)

ASSIST UPDATE

Documents listed in the ASSIST UPDATE have an indicator of “N” or “M” to describe the last action taken on a listed document.

“N” indicates that a “new” document has been entered into the ASSIST database.

“M” indicates that a document already in ASSIST has been “modified” in some way.

The ASSIST UPDATE is published twice a month and provides a summary of changes to Department of Defense standardization documents for the period indicated. Since changes are processed to the ASSIST database on a daily basis, users should consult the ASSIST web site at <https://assist.dla.mil/> for the most current information.

If you need to track changes more frequently, or if you have an interest in specific Federal Supply Classes or individual specifications, standards, or other standardization documents, you may wish to take advantage of the ASSIST Alert Service. This feature lets you establish a list of documents of interest to you, and then the ASSIST will alert you with an E-mail message each day there is a change to one or more documents of interest to you. There is no charge for this service; however, you must have an ASSIST user account. To obtain one, complete the ASSIST online registration form at <https://assist.dla.mil/online/registration/registration.cfm>.

Once you have your account, you can establish your Alert Portal profile. For more information on the ASSIST Alert Service, go to: <https://assist.dla.mil/online/news/AlertService.htm>.

ACTIVE SECTION

ASSIST UPDATE

LAST ACTION	DOCUMENT NUMBER	DOCUMENT TITLE	DISTRIBUTION	FSC/AREA		MCA		DATE
							PREP ACTY	
M	MIL-DTL-10190F(2)	Cartridge, Caliber .50, Ball - M33 [CUST: AR OS 99] [REVIEW: 40 70 AS MC MR SH]	D	1305		AR		19-NOV-2012
M	MIL-DTL-60616D(1)	Cartridge, 5.56 Millimeter, Blank - M200 [CUST: AR OS 99] [REVIEW: 40 70 AS MC MR SH]	D	1305		AR		13-NOV-2012
N	MIL-DTL-32417	Fuze, Point Detonating: Practice - M781 [CUST: AR]	D	1390		AR		17-DEC-2012
M	A-A-82587A	Trap, Flying Insects, Electrocuting [CUST: MD 99 GS] [REVIEW: 50 AV GL MS]	A	3740	/	GS3		28-DEC-2012
N	A-A-59440/10	Valve, Inline Check-Valve, Water, Oil, and Gas (WOG) [CUST: AR SH 99 CC] [REVIEW: AS AT CR4 GL MC MI SA]	A	4820	/	CC		05-DEC-2012
N	A-A-59440/11	Valve, Swing, Check-Valve, Steam [CUST: AR SH 99 CC] [REVIEW: AS AT CR4 GL MC MI SA]	A	4820	/	CC		05-DEC-2012
N	A-A-59440/12	Valve, Relief, Straight, Steam [CUST: AR SH 99 CC] [REVIEW: AS AT CR4 GL MC MI SA]	A	4820	/	CC		05-DEC-2012
N	A-A-59440/13	Valve, Relief, Angle, Steam [CUST: AR SH 99 CC] [REVIEW: AS AT CR4 GL MC MI SA]	A	4820	/	CC		05-DEC-2012
N	A-A-59440/14	Valve, Flapper, Check-Swing, Water [CUST: AR SH 99 CC] [REVIEW: AS AT CR4 GL MC MI SA]	A	4820	/	CC		05-DEC-2012
N	A-A-59440/15	Valve, Relief, Angle, Water, Oil, and Gas (WOG) [CUST: AR SH 99 CC] [REVIEW: AS AT CR4 GL MC MI SA]	A	4820	/	CC		05-DEC-2012
N	A-A-59440/16	Valve, Angle, Shutoff, Water, Oil, and Gas (WOG) [CUST: AR SH 99 CC] [REVIEW: AS AT CR4 GL MC MI SA]	A	4820	/	CC		05-DEC-2012
N	A-A-59440/17	Valve, Trap, Strainer, Water, Oil, and Gas (WOG) [CUST: AR SH 99 CC] [REVIEW: AS AT CR4 GL MC MI SA]	A	4820	/	CC		05-DEC-2012
N	A-A-59440/18	Valve, Trap, Strainer, Steam [CUST: AR SH 99 CC] [REVIEW: AS AT CR4 GL MC MI SA]	A	4820	/	CC		05-DEC-2012
M	MIL-PRF-23648/9C(2)	Resistor, Thermal (Thermistor), Insulated Positive Temperature Coefficient Style RTH22 [CUST: CR EC 85 CC NA] [REVIEW: 19 AS AT AV CG MC OS]	A	5905		CC		11-DEC-2012
M	MIL-PRF-23648/19C(2)	Resistor, Thermal (Thermistor), Hermetically Sealed, Positive Temperature Coefficient, Style RTH42 [CUST: CR EC 85 CC NA] [REVIEW: 19 AR AS AT AV CG MC OS]	A	5905		CC		11-DEC-2012
M	MIL-PRF-23648/20C(2)	Resistor, Thermal (Thermistor), Insulated Negative Temperature Coefficient Style RTH44 [CUST: CR EC 85 CC NA] [REVIEW: 19 AS AT AV CG MC OS]	A	5905		CC		11-DEC-2012
M	A-A-55504D	Fuseholder, Extractor Post, Which Accommodates 3AG (.25 Inch (In) X 1.25 In (6.35 Millimeters (MM) X 31.75 MM)) or .196 In X .787 In (5 MM X 20 MM) Fuse Cartridges [CUST: EC CC]	A	5920	/	CC		15-DEC-2012
M	A-A-55519D	Fuse, Inclosed Link, Subminiature, Surface Mount (SM), General Requirements for [CUST: EC CC]	A	5920	/	CC		15-DEC-2012
N	A-A-55570/4	Fuseholder, Extractor Post, in-Line Non-Crimp Type, Accommodates Miniature, Automotive Blade Type, Inclosed Link Fuses [CUST: EC CC]	A	5920	/	CC		20-DEC-2012
M	A-A-59688D	Fuse, Cartridge, Instrument Type, 5 MM x 20 MM, General Requirements for [CUST: EC CC]	A	5920	/	CC		15-DEC-2012
N	A-A-59920	Fuseholder, Extractor Post, in-Line, Non-Crimp Type, Accommodates .75 Inch 19.05 Millimeter (MM) to 1.25 Inch (31.75 MM) Long Fuses Cartridges [CUST: EC CC]	A	5920	/	CC		20-DEC-2012
M	MIL-PRF-8805/8H	Switches, Sensitive, SPDT, Leaf Actuator, Low Level To 4 Amperes, Hermetic Seal [CUST: CR EC 85 CC] [REVIEW: 19 AR AS AV MC MI OS SH]	A	5930		CC		06-DEC-2012
M	MIL-PRF-8805/23H	Switch Assemblies, Sensitive, Push, Momentary, 5 Amperes, Unsealed [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS AV MC MI OS]	A	5930		CC		06-DEC-2012
M	MIL-PRF-8805/38H	Switches, Push, Momentary, 4 Circuit, 4 Amperes or Low Level, Dusttight [CUST: EC 85 CC] [REVIEW: 99]	A	5930		CC		06-DEC-2012
M	MIL-PRF-8805/65E	Switches, Sensitive, DPDT, Plunger, 5 Amperes, Resilient Seal [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS AV MC MI SH]	A	5930		CC		06-DEC-2012
M	MIL-PRF-8805/70L	Switches, Sensitive, DPDT and 4PDT, Plunger or Roller, 4 Amperes, Hermetically Sealed Contacts, Resilient Sealed Plunger [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS AV MC MI OS SH]	A	5930		CC		06-DEC-2012
M	MIL-PRF-8805/104D	Switches, Sensitive, Plunger, 7 Amperes, 4PDT, Resilient Seal, Grounded Plunger [CUST: 85 CC] [REVIEW: 99]	A	5930		CC		06-DEC-2012
M	MIL-PRF-8805/110E	Switches, Pushbutton, Momentary, 5 Amperes and Low Level, Miniature, Dusttight, or Watertight [CUST: EC 85 CC] [REVIEW: 99]	A	5930		CC		06-DEC-2012
M	MIL-PRF-8805/114D	Switch Assembly, Sensitive, Roller Plunger, SPDT, 7 Amperes, Watertight Seal [CUST: AT 85 CC] [REVIEW: 99]	A	5930		CC		06-DEC-2012
N	SAE-AS85049/132	Connector Accessories, Fiber Optic Backshell, 45 Degrees, Self-Locking Category 3B for MIL-DTL-38999 Series III and SAE-AS5590/1 Connectors [CUST: CR AS 85 CC] [REVIEW: 99 AV MI]	A	5935		AS		10-DEC-2012
N	SAE-AS85049/133	Connector Accessories, Fiber Optic Backshell, 90 Degrees, Self-Locking Category 3B for MIL-DTL-38999 Series III and SAE-AS5590/1 Connectors [CUST: CR AS 85 CC] [REVIEW: 99 AV MI]	A	5935		AS		10-DEC-2012
N	SAE-AS85049/134	Connector Accessories, Fiber Optic Backshells Filler Plug, Category 7 [CUST: CR AS 85 CC] [REVIEW: 99 AV MI]	A	5935		AS		10-DEC-2012
N	SAE-AS85049/137	Connector Accessories, Fiber Optic Backshell, Split, 90 Degrees, Self-Locking Category 3B For MIL-DTL-38999 Series III And AS5590/1 Connectors [CUST: CR AS 85 CC] [REVIEW: 99 AV MI]	A	5935		AS		10-DEC-2012
M	MIL-PRF-19500/478K	Semiconductor Device, Diode, Silicon, Power Rectifier, Fast Recovery, Types 1N5812, 1N5814, 1N5816, and R Versions, JAN, JANTX, JANTXV, JANHC, JANKC, and JANS [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS MC MI NA SM]	A	5961		CC		12-DEC-2012
M	MIL-PRF-19500/523D	Semiconductor Device, Transistor, NPN, Silicon, Power Darlington Types 2N6383, 2N6384, 2N6385, JAN, JANTX, and JANTXV [CUST: CR EC 85 CC NA] [REVIEW: MI]	A	5961		CC		29-DEC-2012
M	MIL-PRF-19500/539F	Semiconductor Device, Transistor, NPN, Silicon, Power Darlington, Types 2N6300 and 2N6301, JAN, JANTX, and JANTXV [CUST: CR EC 85 CC NA] [REVIEW: 19 99 AR MI]	A	5961		CC		30-DEC-2012
M	MIL-PRF-19500/567E	Semiconductor Device, Diode, Silicon, Schottky Barrier, Fast Recovery, Type 1N6492, 1N6492U4, JAN, JANTX, JANTXV, and JANS [CUST: CR EC 85 CC NA] [REVIEW: 19 71 99 AR MC MI SH]	A	5961		CC		10-DEC-2012
M	MIL-PRF-19500/624E	Semiconductor Device, Transistor, NPN, Silicon, Power Darlington Types 2N7370, JAN, JANTX, JANTXV, and JANS [CUST: CR EC 85 CC NA] [REVIEW: 99 MI]	A	5961		CC		31-DEC-2012
M	MIL-PRF-31032/6A	Printed Wiring Board, Rigid, Single and Double Sided, Thermoplastic Resin Base Material, with or without Plated-Through Holes, for High Frequency Applications [CUST: CR EC 85 CC] [REVIEW: 99 MI]	A	5998		CC		11-DEC-2012
N	SAE-AIR6113	Guidelines for Design of Digital Fiber Optic Link Loss Budget Methodolgy [CUST: AS CC] [REVIEW: SH]	A	60GP		AS		10-DEC-2012
N	SAE-AS5603	Digital Fiber Optic Link Loss Budget Methodology for Aerospace Platforms [CUST: AS CC] [REVIEW: SH]	A	60GP		AS		10-DEC-2012
M	MIL-PRF-8565/19(2)	Battery, Storage, Aircraft, Medium Rate, Maintenance-Free, 24-Volt, 15-Ampere-Hour [CUST: AS 99 CC] [REVIEW: 11]	A	6140		AS		13-DEC-2012
M	MIL-PRF-8565/20(2)	Battery, Storage, Aircraft, Medium Rate, Maintenance-Free, 24-Volt, 17-Ampere-Hour [CUST: AS 99 CC] [REVIEW: 11]	A	6140		AS		13-DEC-2012

ACTIVE SECTION

ASSIST UPDATE

LAST ACTION	DOCUMENT NUMBER	DOCUMENT TITLE	DISTRIBUTION	MCA		DATE
				FSC/AREA	PREP ACTY	
M	FED-STD-3(1) NOT 2	Colors, Aeronautical Lighting [CUST: AV AS 11] [REVIEW: MC MI MS]	A 6220	/	AS	19-DEC-2012
M	MIL-DTL-32412 NOT 1	HFC-227ea Fire Extinguishing Agent Enhanced with Special Sodium Bicarbonate Powder (HFC-227ea/SBCs) [CUST: MR AS 99] [REVIEW: 03 11 84 AT AV CC GS3 IS MI YD]	A 6830		MR	11-DEC-2012
M	A-A-52122C	Kit, Water Purification, Emergency [CUST: GL MC 68 GS] [REVIEW: 50 EA MD]	A 6850	/	GS3	17-DEC-2012
N	MIL-PRF-32433	Blanket, Washable, Flame Resistant, Shipboard [CUST: GL SH 99] [REVIEW: 03 11 CG CT NU]	A 7210		SH	11-DEC-2012
M	MIL-DTL-3628/22H	Badge, Qualification, Clasps, Basic, Driver and Mechanic, U.S. Army [CUST: IH] [REVIEW: CT]	A 8455		IH	12-DEC-2012
M	MIL-DTL-3628/49H	Badge, Qualification, Glider, U.S. Army [CUST: IH] [REVIEW: CT]	A 8455		IH	12-DEC-2012
M	MIL-DTL-3943/255A	Decoration, Distinguished Civilian Service Award, National Imagery and Mapping Agency [CUST: IH]	A 8455		IH	12-DEC-2012
M	MIL-DTL-3943/256A	Decoration, Meritorious Civilian Service Award, National Imagery and Mapping Agency [CUST: IH]	A 8455		IH	12-DEC-2012
M	MIL-DTL-3943/257A	Decoration, Superior Civilian Service Award, National Imagery and Mapping Agency [CUST: IH]	A 8455		IH	12-DEC-2012
M	MIL-DTL-3943/258A	Medal, Armed Forces Civilian Service [CUST: IH NU 11] [REVIEW: CT MC]	A 8455		IH	12-DEC-2012
M	MIL-DTL-3943/284A	Decoration, Purple Cross Wound Medal, U.S. Border Patrol [CUST: IH]	A 8455		IH	10-DEC-2012
M	MIL-DTL-3943/287A	Decoration, Special Commendation Medal, U.S. Border Patrol [CUST: IH]	A 8455		IH	10-DEC-2012
M	MIL-DTL-3943/290A	Decoration, President's Medal, Defense Acquisition University [CUST: IH]	A 8455		IH	10-DEC-2012
N	MIL-DTL-11484/353	Lapel Button, Strategic Mission, Defense Intelligence Agency [CUST: IH] [REVIEW: DI]	A 8455		IH	12-DEC-2012
M	MIL-DTL-11589/278E	Ribbon, Air Force Overseas with Short Tour Designation [CUST: IH 11] [REVIEW: CT]	A 8455		IH	10-DEC-2012
M	MIL-DTL-11589/279E	Ribbon, Citation, U.S. Public Health Service [CUST: IH] [REVIEW: CT]	A 8455		IH	12-DEC-2012
M	MIL-DTL-11589/290E	Ribbon, U.S. Coast Guard Maritime Protection of the New Republic [CUST: IH CG1] [REVIEW: CT]	A 8455		IH	10-DEC-2012
M	MIL-DTL-83767C(1)	Lubricating Oil, Vacuum Pump, Mechanical [CUST: AT SH 68 GS] [REVIEW: 11 AV DS PS]	A 9150		GS3	14-DEC-2012
M	MIL-STD-3004C(1)	Quality Assurance/Surveillance for Fuels, Lubricants and Related Products [CUST: AT SA 68 PS] [REVIEW: 11 AS GS OS SH]	A 91GP		PS	07-DEC-2012
M	MIL-DTL-32375(1)	Armor Plate, Aluminum Alloy, 7085, Unweldable Applique [CUST: MR] [REVIEW: AR AT AV IS TE]	A 9535		MR	11-DEC-2012
N	STANAG-2263 ED.4(6)	MGD - COASTAL AREAS AND LANDING BEACHES	A ISDF		06	14-MAY-1998
M	MIL-STD-40051-1B	Preparation of Digital Technical Information for Interactive Electronic Technical Manuals (IETMs) [CUST: TM MC] [REVIEW: APD AR AT AV CR EA MI PT] [AMSC: A9293]	A TMSS		TM	30-NOV-2012
M	MIL-STD-40051-2B	Preparation of Digital Technical Information for Page-Based Technical Manuals (TMs) [CUST: TM MC] [REVIEW: APD AR AT AV CR EA MI PT] [AMSC: A9294]	A TMSS		TM	30-NOV-2012

INACTIVE SECTION

ASSIST UPDATE

LAST ACTION	DOCUMENT NUMBER	DOCUMENT TITLE	DISTRIBUTION	MCA		DATE
				FSC/AREA	PREP ACTY	
M	MIL-DTL-45585F(1)	Link, Cartridge - Metallic Belt, 40 Millimeter - M16A2 [CUST: AR]	D 1310		AR	20-DEC-2012
M	MIL-DTL-32267A(2)	Fuze, Point Detonating, M739A1 [CUST: AR]	A 1315		AR	17-DEC-2012
M	AN914 REV 11	Elbow, Pipe, Internal and External Thread, 90 Degrees [CUST: AV AS 99 CC] [REVIEW: 71 MC SH]	A 4730		CC	12-DEC-2012
M	MIL-M-24476B NOT 1	Mounts, Resilient: Pipe Support, Types 7M50, 6M150, 6M450, 6M900, and 5M3500 [CUST: SH] [REVIEW: IS]	A 5340		SH	12-DEC-2012
M	MIL-PRF-23648/2E(2)	Resistor, Thermal (Thermistor), Insulated Negative Temperature Coefficient Style RTH08 [CUST: CR EC 85 CC NA] [REVIEW: 19 AS AT AV CG MC OS]	A 5905		CC	11-DEC-2012
M	MIL-PRF-23648/3E(2)	Resistor, Thermal (Thermistor), Insulated Negative Temperature Coefficient Style RTH10 [CUST: CR EC 85 CC NA] [REVIEW: 19 AS AT AV CG MC OS]	A 5905		CC	11-DEC-2012
M	MIL-M-19719A NOT 1	Methyl Centralite (for Ammunition Use) [CUST: AR OS]	A 6810		AR	06-DEC-2012
M	MIL-STD-406 NOT 1	Visual Inspection Standards for Terne Plate Cans and Steel Boxes Used in Small Arms Ammunition Packaging [CUST: AR AS] [REVIEW: EA GS MI]	A 8140		AR	03-DEC-2012
M	MIL-B-12673(1) NOT 1	Brazing, Oxyacetylene, of Built-Up Metal Structures [CUST: AR]	A THJM		AR	06-DEC-2012

CANCELED SECTION

ASSIST UPDATE

LAST ACTION	DOCUMENT NUMBER	DOCUMENT TITLE	DISTRIBUTION	MCA		DATE
				FSC/AREA	PREP ACTY	
M	MIL-M-46379A NOT 1	Mount Sight, Infinity Reflex: 10511780 and 10553489 (No S/S Document) [CUST: AR] [REVIEW: GS]	A	1270	AR	27-NOV-2012
M	RMA-IP7	Rubber Welding Hose, Specifications for (No S/S Document) [CUST: AR SH 99 GS]	A	34GP	GS6	04-DEC-2012
M	A-A-55491B NOT 1	Circuit Breaker, Automotive Type, Sealed (No S/S Document) [CUST: EC CC]	A	5925	/ CC	15-DEC-2012
M	W-T-631C(2) NOT 1	Transformer, Power Distribution (No S/S Document) [CUST: YD 85] [REVIEW: 99]	A	6120	* 85	28-DEC-2012
M	MIL-E-12397B NOT 1	Eraser, Rubber-Pumice (for Testing Coated Optical Elements) (No S/S Document) [CUST: AR] [REVIEW: GL MI]	A	7510	AR	23-NOV-2012
M	MIL-W-12598(1) NOT 2	Wax, Microcrystalline, Impregnating (No S/S Document) [CUST: AR] [REVIEW: GS IS]	A	9160	AR	27-NOV-2012