

Department of Defense Standardization Program



ASSIST UPDATE

(A bi-monthly summary of changes to the ASSIST document database)

1 January 2015

(For the Period 15 December 2014 to 31 December 2014)

ASSIST UPDATE

Documents listed in the ASSIST UPDATE have an indicator of “N” or “M” to describe the last action taken on a listed document.

“N” indicates that a “new” document has been entered into the ASSIST database.

“M” indicates that a document already in ASSIST has been “modified” in some way.

The ASSIST UPDATE is published twice a month and provides a summary of changes to Department of Defense standardization documents for the period indicated. Since changes are processed to the ASSIST database on a daily basis, users should consult the ASSIST web site at <https://assist.dla.mil/> for the most current information.

If you need to track changes more frequently, or if you have an interest in specific Federal Supply Classes or individual specifications, standards, or other standardization documents, you may wish to take advantage of the ASSIST Alert Service. This feature lets you establish a list of documents of interest to you, and then the ASSIST will alert you with an E-mail message each day there is a change to one or more documents of interest to you. There is no charge for this service; however, you must have an ASSIST user account. To obtain one, complete the ASSIST online registration form at <https://assist.dla.mil/online/registration/registration.cfm>.

Once you have your account, you can establish your Alert Portal profile. For more information on the ASSIST Alert Service, go to: <https://assist.dla.mil/online/news/AlertService.htm>.

ACTIVE SECTION

ASSIST UPDATE

LAST ACTION	DOCUMENT NUMBER	DOCUMENT TITLE	DISTRIBUTION	FSC/AREA		MCA		DATE
							PREP ACTY	
M	MIL-DTL-48623B(3)	Cartridge, Caliber 50, Blank - M1A1 [CUST: AR OS 99] [REVIEW: 40 70 AS MC MR SH]	D	1305		AR		08-DEC-2014
N	MIL-DTL-32475	Fuze: Grenade, Hand-M201A2E2 [CUST: AR OS 99] [REVIEW: 70 AS FAS MC MR]	D	1330		AR		01-DEC-2014
M	MIL-STD-1791B	Designing for Internal Aerial Delivery in Fixed Wing Aircraft [CUST: AV AS 11]	A	1510		11		02-DEC-2014
M	MIL-DTL-6458H	Chain Assemblies, Single Leg, Aircraft Cargo Tie Down [CUST: AV AS 84 GS2] [REVIEW: 11 71]	A	1670		84		05-DEC-2014
M	MS75009J(4)	Bracket Assembly, Resistor (Power Type) [CUST: CR EC 85 CC] [REVIEW: AR AS MC OS]	A	5905		CC		05-DEC-2014
M	MIL-PRF-15733/38L NOT 1	Filters, Radio Frequency Interference, Hermetically Sealed, Style FL16 [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS AT AV MC OS SH]	A	5915		CC		19-DEC-2014
M	MIL-PRF-15733/39K NOT 1	Filters, Radio Frequency Interference, Hermetically Sealed, Style FL91 [CUST: CR EC 85 CC] [REVIEW: 99 AS AT AV CG MC OS SH]	A	5915		CC		19-DEC-2014
M	MIL-PRF-15733/41H(1) NOT 2	Filters, Radio Frequency Interference, Style FL84 [CUST: CR EC 85 CC] [REVIEW: 19 99 AS AT AV MC MI OS]	A	5915		CC		19-DEC-2014
M	MIL-PRF-15733/54G(1) NOT 1	Filters, Radio Frequency Interference, Hermetically Sealed, Style FL94 [CUST: CR EC 85 CC] [REVIEW: 19 99 AS AT AV MC MI OS]	A	5915		CC		19-DEC-2014
M	MIL-PRF-15733/56D(2) NOT 1	Filters, Radio Frequency Interference Suppression, Hermetically Sealed, Style FL61 [CUST: EC 85 CC]	A	5915		CC		19-DEC-2014
M	MIL-PRF-15733/57D NOT 1	Filter, Radio Frequency Interference, Hermetically Sealed, Style FL62 [CUST: EC 85 CC]	A	5915		CC		19-DEC-2014
M	MIL-PRF-15733/59B NOT 1	Filters, Radio Frequency Interference, Hermetically Sealed, Style FL64 [CUST: EC 85 CC] [REVIEW: 99]	A	5915		CC		19-DEC-2014
M	MIL-PRF-15733/67B(1) NOT 1	Filters, Radio Frequency Interference, Hermetically Sealed, Style FL88 [CUST: CR EC 85 CC] [REVIEW: 19 99 AS AT AV MC OS SH]	A	5915		CC		19-DEC-2014
M	MIL-PRF-28861/2C(1) NOT 1	Filters, Radio Frequency/Electromagnetic Interference Suppression, Hermetically Sealed, Style FS2 [CUST: CR EC 85 CC NA] [REVIEW: 19 99 AS AV MC MI OS SH]	A	5915		CC		19-DEC-2014
M	MIL-PRF-28861/3C(1) NOT 1	Filters, Radio Frequency/Electromagnetic Interference Suppression, Hermetically Sealed, Style FS30 [CUST: CR EC 85 CC NA] [REVIEW: 19 99 AS AV MC MI OS SH]	A	5915		CC		19-DEC-2014
M	MIL-PRF-28861/4D(1) NOT 1	Filters, Radio Frequency/Electromagnetic Interference Suppression, Hermetically Sealed, Style FS40 [CUST: CR EC 85 CC NA] [REVIEW: 19 99 AS AV MC MI OS SH]	A	5915		CC		19-DEC-2014
M	MIL-PRF-55629/8F NOT 1	Circuit Breakers, Magnetic, Low-Power, Unsealed, Trip-Free, Series Trip, Single Pole, Auxiliary Contacts (0 2 to 30 Amperes) [CUST: CR EC 85 CC] [REVIEW: 19 99 AS AV CR4 MC MI OS SH]	A	5925		CR		17-DEC-2014
M	MIL-PRF-55629/10E NOT 1	Circuit Breakers, Magnetic, Low Power, Unsealed, Trip-Free, Series Trip, Double Pole, Auxiliary Contact (0 2 to 30 Amperes) [CUST: CR EC 85 CC] [REVIEW: 19 99 AS AV CR4 MC MI OS SH]	A	5925		CR		17-DEC-2014
M	MIL-PRF-22710/18K	Switches, Code Indicating Wheel (Printed Circuit), (Pushbutton, Bidirectional, Sealed or Unsealed, EMI/RFI Shielded, Illuminated or Nonilluminated) Style SRPC18-1 and -2 [CUST: CR EC 85 CC] [REVIEW: 99 AR AS CR4 MC SM]	A	5930		CC		08-DEC-2014
M	MIL-DTL-9395J SUP 1	Switches, Pressure, (Absolute, Gage, and Differential), General Specification for [CUST: CR EC 85 CC] [REVIEW: 99 AV MC SH]	A	5930		CC		24-NOV-2014
M	MIL-DTL-9395/5F	Switches, Pressure, (Gage), Type II, SPST, 5 Amperes [CUST: CR EC 85 CC] [REVIEW: 99 MC SH]	A	5930		CC		24-NOV-2014
N	MIL-DTL-9395/50	Switch, Pressure, Absolute Type 1, 5 Amperes, 28 5 plus/minus 5 Inches HG [CUST: 85 CC]	A	5930		CC		24-NOV-2014
M	QPL-22885-100	Switches, Push Button, Illuminated, General Specification for	A	5930		CC		02-DEC-2014
M	MIL-DTL-28754/9E	Connectors, Electrical, Modular, Type IV, Double Span, Connector Assembly, (Dip Frame) [CUST: CR AS 85 CC] [REVIEW: 99 AR MC MI]	A	5935		CC		21-NOV-2014
M	MIL-DTL-28754/10D	Connectors, Electrical, Modular, Connector, Type IV, 40 Pin, Contact Tails on 0 050 Centers [CUST: CR AS 85 CC] [REVIEW: 99 AR MC MI YD]	A	5935		CC		21-NOV-2014
M	MIL-DTL-28754/11F	Connectors, Electrical, Modular, Type IV, 40 Contact, Right Angle (for Solid or Dip Frame) [CUST: CR AS 85 CC] [REVIEW: 99 AR MC MI]	A	5935		CC		21-NOV-2014
M	MIL-DTL-28754/12G	Connectors, Electrical, Modular, Connector Assembly, Type IV, Single Span (for Solid State or Dip Frame) [CUST: CR AS 85 CC] [REVIEW: 99 AR MC MI]	A	5935		CC		21-NOV-2014
M	MIL-DTL-28754/20B	Connectors, Electrical, Modular, Spacer, Pin, Type IV, Double Span [CUST: CR AS 85 CC] [REVIEW: 99 AR MC MI]	A	5935		CC		21-NOV-2014
N	MIL-DTL-38999/62	Sealing Boot, Size 8, Pin or Socket, Shielded Crimp Contacts, Electrical Connector, Circular, Metric [CUST: CR AS 85 CC] [REVIEW: 19 99 EC MC MI OS]	A	5935		CC		21-NOV-2014
M	MIL-PRF-6106P	Relays, Electromagnetic, General Specification for [CUST: CR AS 85 CC NA] [REVIEW: 99 EC]	A	5945		CC		03-DEC-2014
M	MIL-PRF-3098/8G NOT 1	Crystal Unit, Quartz, CR26/U [CUST: CR EC 99 CC] [REVIEW: 19 84 AR AS MC MI SH]	A	5955		CR		17-DEC-2014
M	MIL-PRF-3098/16J NOT 1	Crystal Unit, Quartz, CR36/U [CUST: CR EC 99 CC] [REVIEW: 19 84 AR AS CG MC MI SH]	A	5955		CR		17-DEC-2014
M	MIL-PRF-3098/21H NOT 1	Crystal Unit, Quartz, CR42/U [CUST: CR EC 99 CC] [REVIEW: 19 84 AR AS MC MI SH]	A	5955		CR		17-DEC-2014
M	MIL-PRF-3098/24F NOT 1	Crystal Unit, Quartz, CR45/U [CUST: CR EC 99 CC] [REVIEW: 19 84 AR AS MC MI SH]	A	5955		CR		17-DEC-2014
M	MIL-PRF-3098/26H NOT 1	Crystal Unit, Quartz, CR47/U [CUST: CR EC 99 CC] [REVIEW: 19 84 AR AS MC MI SH]	A	5955		CR		17-DEC-2014
M	QPL-3098-103	Crystal Units, Quartz, General Specification for	A	5955		CR		03-DEC-2014
M	QPL-55310-91	Oscillator, Crystal Controlled, General Specification for	A	5955		CR		03-DEC-2014
M	MIL-PRF-19500/402G	Transistor, NPN, Silicon, Power, Device Type 2N3739, JAN, JANTX, and JANTXV [CUST: CR EC 85 CC NA] [REVIEW: 19 AR AS AV MI SH SM]	A	5961		CC		10-DEC-2014
M	MIL-PRF-19500/509E	Transistor, NPN, Silicon, Power, Types 2N6338 and 2N6341, JAN, JANTX, JANTXV, and JANS [CUST: CR 85 CC NA] [REVIEW: 19 99]	A	5961		CC		12-DEC-2014
M	MIL-PRF-19500/727C	Transistor, NPN, Silicon, Switching, Device Types 2N5010 through 2N5015, JAN, JANTX, JANTXV, and JANS [CUST: CR EC 85 CC NA] [REVIEW: 19 71 99 AR AS MC MI SM]	A	5961		CC		28-NOV-2014
N	MIL-DTL-3928/30	Switches, Radio-Frequency Transmission Line (Coaxial) (Electrically Operated) Class 5, 1P2T [CUST: CR EC 85 CC] [REVIEW: 19 99 AS MC MI OS]	A	5985		CC		05-DEC-2014
N	MIL-DTL-3928/31	Switches, Radio-Frequency Transmission Line (Coaxial) (Electrically Operated) Miniature Class 5, 1P2T [CUST: CR EC 85 CC] [REVIEW: 19 99 AS MC MI OS]	A	5985		CC		05-DEC-2014
N	MIL-DTL-3928/32	Switches, Radio-Frequency Transmission Line (Coaxial) (Electrically Operated) Mid-Size Class 5, 1P2T [CUST: CR EC 85 CC] [REVIEW: 19 99 AS MC MI OS]	A	5985		CC		05-DEC-2014
N	MIL-DTL-3928/33	Switches, Radio-Frequency Transmission Line (Coaxial) (Electrically Operated) Class 4, 1P2T [CUST: CR EC 85 CC] [REVIEW: 19 99 AS MC MI OS]	A	5985		CC		05-DEC-2014
M	A-A-59832/5A	Extractor, Electrical Card, Metal, Non-Locking, Single-Sided Actuation, Narrow Profile, Angled Actuating Handle, for 032, 063, 094, 125, and 156 Inch Thick Circuit Card Assemblies [CUST: CR EC 85 CC] [REVIEW: 99]	A	5998	/	CC		25-NOV-2014
M	A-A-59832/6A	Extractor, Electrical Card, Metal, Non-Locking, Single-Sided Actuation, Narrow Profile, Straight Actuating Handle for 032, 063, 094, 125, and 156 Inch Thick Circuit Card Assemblies [CUST: CR EC 85 CC] [REVIEW: 99]	A	5998	/	CC		26-NOV-2014

ACTIVE SECTION

ASSIST UPDATE

LAST ACTION	DOCUMENT NUMBER	DOCUMENT TITLE	DISTRIBUTION	FSC/AREA		MCA		DATE
							PREP ACTY	
M	MIL-PRF-64266/1B(1)	Connector, Receptacle, Fiber Optic, Circular, Multiple Removable Genderless Termini, Screw Threads, Wall Mounting, Environment Resisting [CUST: CR SH 85 CC] [REVIEW: 13 19 93 99 AS MI NA]	A	6060		CC		02-DEC-2014
M	MIL-PRF-64266/2B(1)	Connector, Plug Style, Fiber Optic, Circular, Multiple Removable Genderless Termini, Screw Threads, Environment Resisting [CUST: CR SH 85 CC] [REVIEW: 13 19 93 99 AS MI NA]	A	6060		CC		02-DEC-2014
M	MIL-PRF-64266/3B(1)	Connector, Receptacle, Fiber Optic, Circular, Multiple Removable Termini, Screw Threads, Jamnut Mounting, Environment Resisting [CUST: CR SH 85 CC] [REVIEW: 13 19 93 99 AS MI NA]	A	6060		CC		25-NOV-2014
M	MIL-PRF-64266/9A(1)	Connectors, Fiber Optic, Circular, Alignment Sleeve Retainer (ASR), Multiple Removable Genderless Termini, Screw Threads, Environment Resisting [CUST: CR SH 85 CC] [REVIEW: 13 19 93 99 AS NA]	A	6060		CC		01-DEC-2014
M	MIL-PRF-64266/12A(1)	Connectors, Fiber Optic, Circular, Plug and Receptacle Style, Multiple Removable Genderless Termini, Screw Threads, Backshell, Solid, Single Fiber Cables, Convoluted Tubing Threaded Cable Interface, Environment Resisting [CUST: CR AS 85 CC] [REVIEW: 13 19 93 99 DI FAS MDA NA SH TE]	A	6060		CC		01-DEC-2014
M	MIL-PRF-64266/13A(1)	Connectors, Fiber Optic, Circular, Plug and Receptacle Style, Multiple Removable Genderless Termini, Screw Threads, Backshell, Solid Single Fiber Cables, Banded Adapter/Cable Strain Relief Interface, Environment Resisting [CUST: CR AS 85 CC] [REVIEW: 13 19 93 99 DI FAS MDA NA SH TE]	A	6060		CC		01-DEC-2014
M	MIL-PRF-64266/14A(1)	Connectors, Fiber Optic, Circular, Plug and Receptacle Style, Multiple Removable Genderless Termini, Screw Threads, Backshell, Solid, Single Fiber Cables, no Cable Entry End Interface, Environment Resisting [CUST: CR AS 85 CC] [REVIEW: 13 19 93 99 DI FAS MDA NA SH TE]	A	6060		CC		01-DEC-2014
M	MIL-PRF-64266/15A(1)	Connectors, Fiber Optic, Circular, Plug and Receptacle Style, Multiple Removable Genderless Termini, Screw Threads, Backshell, Solid, Single Fiber Cables, Convoluted Tubing Threaded Cable Interface, Nonenvironment Resisting [CUST: CR AS 85 CC] [REVIEW: 13 19 93 99 DI FAS MDA NA SH TE]	A	6060		CC		01-DEC-2014
M	MIL-PRF-64266/16A(1)	Connectors, Fiber Optic, Circular, Plug and Receptacle Style, Multiple Removable Genderless Termini, Screw Threads, Backshell, Solid, Single Fiber Cables, Banded Adapter/Cable Strain Relief Interface, Nonenvironment Resisting [CUST: CR AS 85 CC] [REVIEW: 13 19 93 99 DI FAS MDA NA SH TE]	A	6060		CC		01-DEC-2014
M	MIL-PRF-64266/17A(1)	Connector, Receptacle, Fiber Optic, Circular, Multiple Removable Termini, Dummy Stowage, Screw Threads, Environment Resisting [CUST: CR AS 85 CC] [REVIEW: 13 19 93 99 DI FAS MDA NA SH TE]	A	6060		CC		01-DEC-2014
M	MIL-PRF-64266/19(1)	Connectors, Fiber Optic, Circular, Plug and Receptacle Style, Multiple Removable Termini, Screw Threads, Backshell, Split, Single Fiber Cables, Convoluted Tubing Threaded Cable Interface, Environment Resisting [CUST: CR SH 85 CC] [REVIEW: 13 19 93 99 AS DI MDA NA TE]	A	6060		CC		01-DEC-2014
M	MIL-PRF-64266/20(1)	Connectors, Fibers Optic, Circular, Plug and Receptacle Style, Multiple Removable Termini, Screw Threads, Backshell, Split, Single Fiber Cables, Banding Adapter/Cable Strain Relief Interface, Environment Resisting [CUST: CR SH 85 CC] [REVIEW: 13 19 93 99 AS DI MDA NA TE]	A	6060		CC		01-DEC-2014
M	MIL-PRF-64266/21(1)	Connectors, Fiber Optic, Circular, Plug and Receptacle Style, Multiple Removable Termini, Screw Threads, Backshell, Split, Single Fiber Cables, No Cable Entry End Interface, Environment Resisting [CUST: CR AS 85 CC] [REVIEW: 13 19 93 99 AS DI MDA NA TE]	A	6060		CC		01-DEC-2014
M	MIL-PRF-21480B NOT 1	Generator System, Electric Power, 400 Hertz, Alternating Current, Aircraft General Specification for [CUST: AV AS 11] [REVIEW: GS]	A	6115		AS		23-DEC-2014
M	MIL-PRF-21480/24 NOT 1	Generator System, Alternating Current Integrally Excited, Brushless (P-3 Aircraft) [CUST: AS]	A	6115		AS		23-DEC-2014
M	MIL-PRF-38135D	Indicator, Indicated Airspeed AVU-19/A, Standby [CUST: 71] [REVIEW: 99 GS]	A	6610		71		16-DEC-2014
M	A-A-59160B	Sodium Sulfite, Anhydrous, Technical [CUST: MI SH 68 GS3]	A	6810	/	GS		25-NOV-2014
M	MIL-DTL-46110C NOT 1	Coating Compound, Oxide Black [CUST: CR SH 68 GS] [REVIEW: MC OS SM]	A	6850		GS3		19-DEC-2014
M	A-A-59146B	Cleaning Compound, Alkali, Boiling Vat (Soak) or Hydrosteam [CUST: MR SH 68 GS] [REVIEW: CR4 MC MI]	A	6850	/	GS3		26-NOV-2014
M	MIL-DTL-3628/6H	Badge, Qualification, Distinguished Pistol Shot, Civilian Award, Army Pendant and Suspension Bar [CUST: IH] [REVIEW: CT]	A	8455		IH		08-DEC-2014
M	MIL-DTL-3628/210B	Badge, Qualification, Deck Officer, National Oceanic and Atmospheric Administration [CUST: IH] [REVIEW: CT]	A	8455		IH		08-DEC-2014
M	MIL-DTL-3943/152C	Decoration, Hazardous Duty Award, U S Public Health Service [CUST: IH] [REVIEW: CT]	A	8455		IH		08-DEC-2014
M	MIL-DTL-3943/153C	Decoration, Special Assignment Award, U S Public Health Service [CUST: IH] [REVIEW: CT]	A	8455		IH		08-DEC-2014
M	MIL-DTL-3943/154C	Decoration, Isolated/Hardship Award, U S Public Health Service [CUST: IH] [REVIEW: CT]	A	8455		IH		08-DEC-2014
M	MIL-DTL-3943/173B	Medal, Secretary's Award, Department of Energy [CUST: IH] [REVIEW: CT DOE]	A	8455		IH		08-DEC-2014
M	MIL-DTL-3943/201C	Medal, Civilian Award for Humanitarian Service, U S Army [CUST: IH] [REVIEW: CT]	A	8455		IH		08-DEC-2014
M	MIL-PRF-6081E	Lubricating Oil, Jet Engine [CUST: AS 20] [REVIEW: 68]	A	9150		20		12-DEC-2014
M	MIL-STD-220C NOT 1	Method of Insertion Loss Measurement [CUST: CR EC 85 CC] [REVIEW: MI YD]	A	EMCS		CC		19-DEC-2014
N	AAP-32 ED B	PUBLISHING STANDARDS FOR NATO STANDARDIZATION DOCUMENTS	A	ISDD		SO1		18-DEC-2014
N	AIR-STD-40101(1)	Compatibility of Arming Systems and Expendible Aircraft Stores	C	ISDF		06		06-AUG-2010
N	AIR-STD-40411(1)	Evaluation Procedures for Flight Helmets	C	ISDF		06		21-SEP-2011
N	AIR-STD-60171(1)	Minimum Standards for the Protection of Aircraft Crew against Hypoxia and Decompression Sickness on Parachuting Operations between 25,000 and 38,000 Ft	C	ISDF		06		01-AUG-2014
M	DI-SESS-80255A	Failure Summary and Analysis Report	A	SESS		AS		19-DEC-2014
M	DI-SESS-81495A	Failure Modes, Effects, and Criticality Analysis Report [AMSC: N9507]	A	SESS		AS		19-DEC-2014
M	DI-SESS-81496A	Reliability and Maintainability (R&M) Block Diagrams and Mathematical Models Report [AMSC: N9508]	A	SESS		AS		19-DEC-2014
M	DI-SESS-81497A	Reliability and Maintainability Predictions Report [AMSC: N9509]	A	SESS		AS		19-DEC-2014
M	MIL-HDBK-516C	Airworthiness Certification Criteria [CUST: AV AS 11]	A	SESS		11		12-DEC-2014

INACTIVE SECTION

ASSIST UPDATE

LAST ACTION	DOCUMENT NUMBER	DOCUMENT TITLE	DISTRIBUTION	MCA		DATE
				FSC/AREA	PREP ACTY	
M	MIL-DTL-51073E(3)	Coupling Halves, Quick Disconnect [CUST: EA]	C	4730	EA	18-DEC-2014
M	MIL-DTL-7899D	Valve, Check, Aircraft Fuel System [CUST: AV AS 71] [REVIEW: 99 CC CR4 MI]	A	4820	71	26-NOV-2014
M	MIL-DTL-25469J	Valves, Filler, Liquid Oxygen, Aircraft Type [CUST: AS 71] [REVIEW: 99]	A	4820	71	08-DEC-2014
M	MIL-F-15733/24D(2) NOT 1	Filters, Radio Frequency Interference, Hermetically Sealed, Style FL12 [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS AT AV MC MI OS SH]	A	5915	CC	19-DEC-2014
M	MIL-DTL-28754/13D	Connectors, Electrical, Modular, Connector Assembly, Type IV, Single Span (without Guide Ribs) [CUST: CR AS 85 CC] [REVIEW: 99 AR MC MI]	A	5935	CC	21-NOV-2014
M	MIL-R-83726/7F	Relays, Hybrid, Time Delay, on Pickup, Type I, Class A, 2 Amperes, 2PDT, Fixed Time, 0 06 to 300 Seconds [CUST: CR EC 85 CC] [REVIEW: 99]	A	5945	CC	05-DEC-2014
M	MIL-DTL-49198B	Headset-Microphone Kit, MK-1564()/AIC [CUST: CR EC 85 CC]	A	5965	CC	14-NOV-2014
M	MIL-DTL-28875/1B NOT 1	Amplifiers, Radio-Frequency and Microwave, Solid-State, Narrow-Band Dip Configuration [CUST: CR EC 85 CC] [REVIEW: 19 99 AS MC MI OS SH]	A	5996	CC	04-DEC-2014
M	MIL-PRF-49471/1A(1) NOT 3	Battery, Non-Rechargeable, High Performance, BA-X599/U [CUST: CR]	A	6135	CR	23-DEC-2014
M	MIL-PRF-49471/2A(1) NOT 3	Battery, Non-Rechargeable, High Performance, BA-X598/U [CUST: CR]	A	6135	CR	23-DEC-2014
M	MIL-PRF-49471/4A NOT 2	Battery, Non-Rechargeable, High Performance, BA-X567/U [CUST: CR]	A	6135	CR	23-DEC-2014
M	MIL-PRF-49471/6A(1) NOT 3	Battery, Non-Rechargeable, High Performance, BA-X557/U [CUST: CR]	A	6135	CR	23-DEC-2014
M	MIL-PRF-49471/9A(1) NOT 3	Battery, Non-Rechargeable, Lithium Manganese Dioxide, High Performance, BA-5372/U [CUST: CR]	A	6135	CR	23-DEC-2014
M	MIL-PRF-49471/10A(2) NOT 3	Battery, Non-Rechargeable, High Performance, Watertight, BA-X112/U [CUST: CR]	A	6135	CR	23-DEC-2014
M	MIL-PRF-49471/13A(3) NOT 3	Battery, Non-Rechargeable, Lithium Manganese Dioxide, High Performance, BA-5368/U [CUST: CR]	A	6135	CR	23-DEC-2014
M	MIL-DTL-16878/1C NOT 3	Wire, Electrical, Polyvinyl Chloride (PVC) Insulated, 105 Degrees C, 600 Volts (Not for Navy Shipboard Use) [CUST: SH 85 CC] [REVIEW: AS]	A	6145	CC	08-DEC-2014
M	MIL-DTL-16878/2C NOT 3	Wire, Electrical, Polyvinyl Chloride (PVC) Insulated, 105 Degree C, 1000 Volts (Not for Navy Shipboard Use) [CUST: SH 85 CC] [REVIEW: AS]	A	6145	CC	08-DEC-2014
M	MIL-DTL-16878/3C NOT 3	Wire, Electrical, Polyvinyl Chloride (PVC) Insulated, 105 Degree C, 3000 Volts (Not for Navy Shipboard Use) [CUST: SH 85 CC] [REVIEW: AS]	A	6145	CC	08-DEC-2014
M	MIL-DTL-16878/10E NOT 3	Wire, Electrical, Polyethylene Insulated, 75 Degree C, 600 Volts [CUST: SH 85 CC] [REVIEW: AS]	A	6145	CC	08-DEC-2014
M	MIL-DTL-16878/14B NOT 3	Wire, Electrical, Crosslinked, Modified Polyethylene (XLPE) Insulated, 125 Degree C, 600 Volts [CUST: SH 85 CC] [REVIEW: 99 AS]	A	6145	CC	08-DEC-2014
M	MIL-DTL-16878/15B NOT 3	Wire, Electrical, Crosslinked, Modified Polyethylene (XLPE) Insulated, 125 Degree C, 1000 Volts [CUST: SH 85 CC] [REVIEW: 99 AS]	A	6145	CC	08-DEC-2014
M	MIL-DTL-16878/16D NOT 1	Wire, Electrical, Crosslinked, Modified Polyethylene (XLPE) Insulated, 125 Degrees C, 3000 Volts [CUST: SH 85 CC] [REVIEW: 99 AS]	A	6145	CC	08-DEC-2014
M	MIL-DTL-16878/17B NOT 3	Wire, Electrical, Polyvinyl Chloride (PVC) Insulated, Polyamide Jacket, 105 Degree C, 600 Volts (Not for Navy Shipboard Use) [CUST: SH 85 CC] [REVIEW: AS]	A	6145	CC	08-DEC-2014
M	MIL-DTL-16878/18B NOT 3	Wire, Electrical, Polyvinyl Chloride (PVC) Insulated, Polyamide Jacket, 105 Degree C, 1000 Volts, (Not for Navy Shipboard Use) [CUST: SH 85 CC] [REVIEW: AS]	A	6145	CC	08-DEC-2014
M	MIL-DTL-16878/19B NOT 3	Wire, Electrical, Polyvinyl Chloride (PVC) Insulated, Polyamide Jacket, 105 Degree C, 3000 Volts (Not for Navy Shipboard Use) [CUST: SH 85 CC] [REVIEW: AS]	A	6145	CC	08-DEC-2014
M	MIL-DTL-16878/36A NOT 3	Wire, Electrical, Low Smoke, Crosslinked Polyolefin (XLPO) Insulated, 105 Degree C, 600 Volts [CUST: SH 85 CC] [REVIEW: 99 AS]	A	6145	CC	08-DEC-2014
M	MIL-G-58083A(2) NOT 4	Generator, Tachometer, Four Pole, Screw Mounted [CUST: AV 99] [REVIEW: CG GS]	A	6620	AV	23-DEC-2014
M	MIL-G-58103 NOT 4	Grip Assembly, Cyclic Controller, Helicopter [CUST: AV AS 11] [REVIEW: GS]	A	6620	AV	23-DEC-2014
M	MIL-R-60346C NOT 6	Roving, Glass, Fibrous (for Prepreg Tape and Roving, Filament Winding, and Pultrusion Applications [CUST: MI 11]	A	8310	MI	17-DEC-2014

CANCELED SECTION

ASSIST UPDATE

LAST ACTION	DOCUMENT NUMBER	DOCUMENT TITLE	DISTRIBUTION	FSC/AREA		MCA		DATE
							PREP ACTY	
M	MIL-S-38043A NOT 3	Starter, Engine, Air Turbine STU-16/A (No S/S Document) [CUST: 71] [REVIEW: 99 GS]	A	2995		71		01-DEC-2014
M	AN6211 REV 3 NOT 5	Valve - in Line Type 6 GPM Hydraulic Directional Control (No S/S Document) [CUST: 71] [REVIEW: 99]	A	4820		71		01-DEC-2014
M	A-A-55090A NOT 2	Filter, Radio Frequency Interference (No S/S Document) [CUST: EC CC]	A	5915	/	CC		08-DEC-2014
M	A-A-55458D NOT 1	Interrupter, Ground Fault, Two-Pole, Three-Wire, 15 Ampere (No S/S Document) [CUST: EC CC]	A	5925	/	CC		04-DEC-2014
M	A-A-55459D NOT 1	Interrupter, Ground Fault, Two-Pole, Three-Wire, 20-Ampere (No S/S Document) [CUST: EC CC]	A	5925	/	CC		04-DEC-2014
M	A-A-55460D NOT 1	Interrupter, Ground Fault, Two-Pole, Three-Wire Hospital Grade, 15-Ampere (No S/S Document) [CUST: EC CC]	A	5925	/	CC		04-DEC-2014
M	A-A-55461D NOT 1	Interrupter, Ground Fault, Two-Pole, Three-Wire, Hospital Grade, 20-Ampere (No S/S Document) [CUST: EC CC]	A	5925	/	CC		04-DEC-2014
M	MS3459D NOT 1	Connector, Plug, Electrical, Self-Locking, Coupling Nut, Rear Release, Crimp Contact, An Type (S/S by SAE-AS34591) [CUST: CR AS 85] [REVIEW: AR AV CR4 EC MI]	A	5935		AS		26-NOV-2014
M	MIL-STD-1821(2) NOT 5	Standard Simulator Data Base (SSDB) Interchange Format (SIF) (No S/S Document) [CUST: PT AS 11]	A	69GP		11		01-DEC-2014
M	GEIA-859	Data Management (See Withdrawal Notice for Replacement Information) [CUST: AM AS 10]	A	SESS		SE		24-NOV-2014