

Department of Defense Standardization Program



ASSIST UPDATE

(A bi-monthly summary of changes to the ASSIST document database)

1 July 2012

(For the Period 15 June 2012 to 30 June 2012)

ASSIST UPDATE

Documents listed in the ASSIST UPDATE have an indicator of “N” or “M” to describe the last action taken on a listed document.

“N” indicates that a “new” document has been entered into the ASSIST database.

“M” indicates that a document already in ASSIST has been “modified” in some way.

The ASSIST UPDATE is published twice a month and provides a summary of changes to Department of Defense standardization documents for the period indicated. Since changes are processed to the ASSIST database on a daily basis, users should consult the ASSIST web site at <https://assist.daps.dla.mil> for the most current information.

If you need to track changes more frequently, or if you have an interest in specific Federal Supply Classes or individual specifications, standards, or other standardization documents, you may wish to take advantage of the ASSIST Alert Service. This feature lets you establish a list of documents of interest to you, and then the ASSIST will alert you with an E-mail message each day there is a change to one or more documents of interest to you. There is no charge for this service; however, you must have an ASSIST user account. To obtain one, complete the ASSIST online registration form at <https://assist.daps.dla.mil/online/registration/registration.cfm>.

Once you have your account, you can establish your Alert Portal profile. For more information on the ASSIST Alert Service, go to: <https://assist.daps.dla.mil/online/news/AlertService.htm>.

LAST ACTION	DOCUMENT NUMBER	DOCUMENT TITLE	DISTRIBUTION	FSC/AREA			MCA	PREP ACTY	DATE
N	MIL-DTL-32416	Bandoleer: 5.56 Millimeter Cartridges - M8A1 [CUST: AR OS 99] [REVIEW: 70 AS FAS MC MR NP]	D	1305			AR		28-JUN-2012
M	MIL-DTL-48425B(1)	Fin Assembly - M24 [CUST: AR OS 70] [REVIEW: 99 MC NP]	D	1310			AR		18-JUN-2012
M	MIL-DTL-64037A(2)	Cartridge, High Explosive, 60MM, M888 with Fuze M935 [CUST: AR]	D	1310			AR		18-JUN-2012
M	MIL-DTL-48635A	Cartridge, 81MM, Practice - M879 W/Fuze, Practice - M751 Loading, Assembling and Packing [CUST: AR]	D	1315			AR		15-JUN-2012
M	MIL-DTL-48636A	Body, Painted 81MM for Cartridge: Practice - M879 [CUST: AR]	D	1315			AR		15-JUN-2012
M	MIL-DTL-70549A(1)	Cartridge, 81MM: Smoke, Red Phosphorus M819 with Fuze MTSQ, M772 Loading, Assembling, Packing and Parts for [CUST: AR]	D	1315			AR		18-JUN-2012
M	MIL-DTL-71127A	Fuze, Point Detonating: Practice - M775 [CUST: AR]	D	1390			AR		26-JUN-2012
M	A-A-55598B NOT 1	Bearings, Roller, Cylindrical, Single Row of Rollers, Two Roller Retaining Ribs on Inner Ring, One Roller Retaining Rib on Outer Ring, One Direction Locating [CUST: AT OS 11 GS4] [REVIEW: MC SH]	A	3110	/		GS4		22-JUN-2012
M	A-A-55599B NOT 1	Bearings, Roller, Cylindrical, Single Row of Rollers, One Roller Retaining Rib on Inner Ring, Two Roller Retaining Ribs on Outer Ring, One Direction Locating [CUST: AT OS 11] [REVIEW: MC SH]	A	3110	/		GS4		22-JUN-2012
M	A-A-55601B NOT 1	Bearings, Roller, Cylindrical, Single Row of Rollers, Cylindrical Inner Ring, Two Roller Retaining Ribs on Outer Ring, Non-Locating [CUST: AT OS 11] [REVIEW: MC SH]	A	3110	/		GS4		22-JUN-2012
M	A-A-55602B NOT 1	Bearings, Roller, Cylindrical, Single Row of Rollers, Two Roller Retaining Ribs on Inner Ring, Cylindrical Outer Ring, Non-Locating [CUST: AT OS 11] [REVIEW: MC SH]	A	3110	/		GS4		22-JUN-2012
M	MIL-PRF-83817B	Truck, Lift, Fork, 4,000 Pound Capacity, Variable Reach, Rough Terrain [CUST: 84] [REVIEW: 99 IS]	A	3930			84		15-JUN-2012
M	MS35489K	Grommets, Synthetic and Silicone Rubber, Hot-Oil and Coolant Resistant [CUST: AR OS 99 IS] [REVIEW: AS CR EC GL MC MI NS SA]	A	5325			IS		20-JUN-2012
M	MS51830F	Insert, Screw - Thread, Locked in, Key-Locked, Miniature and Lightweight [CUST: AR AS 99 IS]	A	5325			IS		21-JUN-2012
N	MIL-HDBK-524	Interoperable Systems Management and Requirements Transformation (iSmart) Process [CUST: EC] [REVIEW: MC]	A	5895			EC		20-JUN-2012
M	MIL-PRF-49467/7B NOT 1	Capacitor, Ceramic, Multilayer, High Voltage, 600 V DC, Style HV07 [CUST: CR EC 85 CC NA] [REVIEW: 19 99 AT AV CR4 MC MI]	A	5910			CR		21-JUN-2012
M	MIL-DTL-38999/10B	Connectors, Electrical, Circular, Receptacle, Dummy Stowage, Bayonet Coupling, (MIL-DTL-27599, Series II and MIL-DTL-38999, Series II) [CUST: CR AS 85 CC] [REVIEW: 19 99 AR EC IS MC MI OS]	A	5935			CC		15-JUN-2012
M	MS27501H	Connectors, Electrical, Circular, Cover, Protective, Plug, Bayonet Coupling, Series I [CUST: CR AS 85 CC] [REVIEW: 19 99 AR EC MC MI OS]	A	5935			CC		15-JUN-2012
M	MS27510H	Connectors, Electrical, Circular, Cover, Protective, Plug, Bayonet Coupling, Series II [CUST: CR AS 85 CC] [REVIEW: 19 99 AR EC IS MC MI OS]	A	5935			CC		15-JUN-2012
M	A-A-59125B	Terminal Boards, Molded, Barrier Screw and Stud Types and Associated Accessories [CUST: CR AS 11] [REVIEW: GS]	A	5940	/		CR		21-JUN-2012
M	MIL-PRF-83726/30H	Relay, Hybrid, Time Delay (on Operate), Class B, Type I, Hermetically Sealed, DPDT, 10 Amperes, Adjustable Time Delay (External Resistor), 0.1 to 500 Seconds [CUST: EC 85 CC] [REVIEW: 19 OS]	A	5945			CC		18-JUN-2012
M	MIL-PRF-83726/31H	Relay, Hybrid, Time Delay (on Release), Class B, Type IIA, Hermetically Sealed, DPDT, 10 Amperes, Adjustable Time Delay (External Resistor), 0.1 to 500 Seconds [CUST: EC 85 CC] [REVIEW: 19 OS]	A	5945			CC		18-JUN-2012
M	MIL-PRF-83726/35C	Relays, Hybrid, Time Delay (on Operate), Class B, Type I, Hermetically Sealed, 4PDT, 10 Amperes, Fixed Time Delay, 0.1 to 600 Seconds [CUST: CR EC 85 CC]	A	5945			CC		19-JUN-2012
M	MIL-PRF-83726/36C	Relay, Hybrid, Time Delay (on Release), Class B, Type IIA, Hermetically Sealed, 4PDT, 10 Amperes, Fixed Time Delay, 0.1 to 600 Seconds [CUST: CR EC 85 CC]	A	5945			CC		19-JUN-2012
M	MIL-PRF-1/1461G	Electron Tube, Magnetron Type 7006 [CUST: CR EC 85 CC] [REVIEW: 99 AS CG MC OS SH]	A	5960			CC		22-JUN-2012
M	MIL-PRF-1/1719C	Electron Tube, Magnetron Type DOD-011 [CUST: CR EC CC] [REVIEW: AR AS CG MC OS]	A	5960			CC		22-JUN-2012
M	MIL-PRF-19500/396K NOT 1	Semiconductor Device, Transistor, PNP, Silicon, Switching, Types 2N3762L, 2N3762U, 2N3762UA, 2N3763, 2N3763L, 2N3763U4, 2N3763UA, 2N3764, and 2N3765, JAN, JANTX, JANTXV, JANS, JANSML, JANSMD, JANSPL, JANSLL, JANSR, JANSE, JANSJ, JANSH, JANHCA, JANCKA, JANCKAM, JANCKAD, JANCKAP, JANCKAL, JANCKAR, JANCKAF, JANCKAG, and JANCKAH [CUST: CR EC 85 CC NA] [REVIEW: 19 71 99 AS MC MI]	A	5961			CC		22-JUN-2012
M	MIL-PRF-19500/533J NOT 1	Semiconductor Device, Diode, Silicon, Voltage Regulator, Types 1N6309 through 1N6355; 1N6309US through 1N6355US, Plus C and D Tolerance Suffix, JAN, JANTX, JANTXV, and JANS [CUST: CR EC 85 CC NA] [REVIEW: 19 99 AS]	A	5961			CC		22-JUN-2012
M	MIL-PRF-19500/642D NOT 1	Semiconductor Device, Diode, Silicon, Power Rectifier, Dual, Common Cathode or Anode Center Tap, Ultrafast, Types 1N6762 Through 1N6765 and 1N6762R Through 1N6765R JANTX, JANTXV, and JANS [CUST: CR EC 85 CC NA]	A	5961			CC		22-JUN-2012
M	MIL-PRF-19500/661C(1)	Semiconductor Device, Field Effect Radiation Hardened (Total Dose and Single Event Effects) Transistors, N-Channel, Silicon, Types 2N7444, 2N7434, 2N7391, and 2N7392, JANTXVR and JANSR [CUST: CR EC 85 CC NA] [REVIEW: 19 99 AS]	A	5961			CC		18-JUN-2012
M	MIL-STD-750-2(1)	Mechanical Test Methods for Semiconductor Devices Part 2: Test Methods 2001 through 2999 [CUST: CR EC 85 CC NA] [REVIEW: 19 99 AR AS CG MC MI NRO SH SM]	A	5961			CC		25-JUN-2012
M	A-A-55563/13B	Holder, Electrical Card, Metal Card Guide, Low Profile, Open Ended, with Flared Entry, with 2 Offset (Side) Mounting Holes, with Controlled Inside Bend Radius [CUST: EC 99 CC]	A	5998	/		CC		22-JUN-2012
M	A-A-55563/14B	Holder, Electrical Card, Metal Card Guide, Low Profile, Open Ended, without Flared Entry, with 2 Offset (Side) Mounting Holes, with Controlled Inside Bend Radius [CUST: EC 99 CC]	A	5998	/		CC		22-JUN-2012
M	A-A-59590/18B	Holder, Electrical Card, Wedge Retainers, 3 Piece, Screw Actuated Drive .260 X .260 Inch Body Size, with Visual Lock Indication [CUST: CR EC 85 CC] [REVIEW: 99]	A	5998	/		CC		18-JUN-2012
M	MIL-STD-1678-3A	Fiber Optic Cabling Systems Requirements and Measurements Physical, Mechanical, Environmental and Material Measurements (Part 3 of 6 Parts) [CUST: CR SH 85 CC] [REVIEW: 99]	A	60GP			CC		19-JUN-2012
M	MIL-STD-633F	Standard Family of Mobile Electric Power Generating Sources General Description Information and Characteristic Data [CUST: CR4 YD 99] [REVIEW: 11 AS CE EC GS MC MI]	A	6115			CR4		21-JUN-2012
M	MIL-PRF-49450B(1) NOT 2	Battery, Rechargeable, Nickel-Cadmium, Vented, Aircraft [CUST: CR] [REVIEW: GS]	A	6140			CR		21-JUN-2012
M	MS27280A(1) NOT 2	Stake Mounting, Airport Marker Light [CUST: AS 99 GS2] [REVIEW: 71 IS]	A	6210			GS2		22-JUN-2012
M	MS35422C(1) NOT 2	Lampholder, Light, Marker, Clearance [CUST: AT MC 99 GS2] [REVIEW: IS]	A	6220			GS2		22-JUN-2012
M	A-A-59874A	Hydrogen Leak Detector [CUST: 84] [REVIEW: 99]	A	6635	/		84		26-JUN-2012
M	A-A-50503A NOT 2	Scale, Balance, Beam Indicating: Metric, 2610 Gram Capacity [CUST: 99 GS1]	A	6670	/		GS1		28-JUN-2012
M	AA-C-2859A	Cabinet, Security, Weapons Storage	A	7110	#		FAS		20-APR-2007

ACTIVE SECTION

ASSIST UPDATE

LAST ACTION			DISTRIBUTION	FSC/AREA	MCA	PREP ACTY	DATE
	DOCUMENT NUMBER	DOCUMENT TITLE					
M	QPL-AA-F-358-12	Filing Cabinet, Legal and Letter Size, Uninsulated, Security	A	7110	#	FAS	13-APR-2012
M	QPL-AA-F-363-18	Filing Cabinet, Security, Maps and Plans, General Filing and Storage	A	7110	#	FAS	13-APR-2012
M	MIL-DTL-6054G NOT 1	Drum, Metal-Shipping and Storage [CUST: GL AS 11 IS] [REVIEW: 99 AR AV CG MI MS SA SM]	A	8110		IS	22-JUN-2012
M	MIL-DTL-11589/127H	Ribbon, Republic of Korea Presidential Unit Citation [CUST: IH NU 11] [REVIEW: CG1 CT MC]	A	8455		IH	19-JUN-2012
M	MIL-DTL-11589/136E	Ribbon, Silver Star [CUST: IH NU 11] [REVIEW: CG1 CT MC]	A	8455		IH	19-JUN-2012
M	L-P-535E NOT 4	Plastic Sheet (Sheeting); Plastic Strip: Poly (Vinyl Chloride) and Poly (Vinyl chloride-Vinyl Acetate), Rigid [CUST: MR SH 11 IS] [REVIEW: 99 AS CR4 EA MI SM]	A	9330	/	IS	20-JUN-2012
M	MIL-STD-6013A NOT 2	Army Tactical Data Link-1 (ATDL-1) Message Standard, Department of Defense Interface Standard [CUST: CR OM 93 DC2] [REVIEW: MC MI NS]	C	INST		CR	21-JUN-2012
N	DI-MGMT-81861	Integrated Program Management Report (IPMR) [AMSC: D7549]	A	MGMT		PARCA	20-JUN-2012
M	MIL-DTL-85025B NOT 1	NATOPS Program Technical Publications and Products; Style, Format and Common Technical Content [CUST: AS] [REVIEW: MC]	A	TMSS		AS	28-JUN-2012

INACTIVE SECTION

ASSIST UPDATE

LAST ACTION	DOCUMENT NUMBER	DOCUMENT TITLE	DISTRIBUTION FSC/AREA	MCA PREP ACTY	DATE
M	AN924 REV 12	Nut, Tube, Bulkhead and Universal Fitting [CUST: AV AS 99 CC] [REVIEW: 71 SA]	A 4730	CC	14-JUN-2012
M	MS25270L	Relays, Electromagnetic, 5 Amperes, 6 PDT, Type I, Potted Lead, Hermetically Sealed [CUST: AS 85 CC] [REVIEW: EC]	A 5945	CC	26-JUN-2012
M	MIL-PRF-1/851H NOT 2	Electron Tube, Magnetron Type 5780 [CUST: CR EC 85 CC] [REVIEW: 99 AR AS AV CG MC MI OS SH]	A 5960	CC	22-JUN-2012
M	MIL-PRF-1/945E NOT 2	Electron Tube, Magnetron Types 2J49 and 2J50 [CUST: CR EC 85 CC] [REVIEW: 99 AS AV CG MC OS SH]	A 5960	CC	22-JUN-2012
M	MIL-PRF-1/1203K NOT 2	Electron Tube, Negative Grid (Microwave) Type 7077 [CUST: CR EC 85 CC] [REVIEW: AS CG MC MI OS]	A 5960	CC	26-JUN-2012
M	MIL-PRF-1/1325F	Electron Tube, Negative Grid (Microwave) Type 7554 [CUST: CR EC 85 CC] [REVIEW: 99 AR CG MC]	A 5960	CC	26-JUN-2012
M	MIL-PRF-1/1330G NOT 1	Electron Tube, Negative Grid (Microwave) Type 7486 [CUST: CR EC 85 CC] [REVIEW: 99 AS CG MC OS]	A 5960	CC	26-JUN-2012
M	MIL-PRF-1/1335H NOT 1	Electron Tube, Negative Grid (Microwave) Type 7462 [CUST: CR EC 85 CC] [REVIEW: 99 AS CG MC OS]	A 5960	CC	26-JUN-2012
M	MIL-PRF-1/1705C NOT 1	Electron Tube, Magnetron Type 8896 [CUST: CR EC 85 CC] [REVIEW: 99 AS AV]	A 5960	CC	22-JUN-2012
M	MIL-PRF-1/1738D NOT 1	Electron Tube, Magnetron Type 8939 [CUST: CR EC 85 CC] [REVIEW: 99 AR AS AV MC OS]	A 5960	CC	22-JUN-2012
M	MIL-M-38510/203E NOT 1	Microcircuits, Digital, 1024 Bit Schottky, Bipolar, Programmable Read-Only Memory (Prom), Monolithic Silicon [CUST: CR EC 85 CC] [REVIEW: 03 19 99 AS CG MC MI SH SM]	A 5962	CC	22-JUN-2012
M	MIL-DTL-25446E	Transmitter, Temperature, Electrical Resistance, Armored, Bayonet Locking Type, (-50 Degrees C to 300 Degrees C) [CUST: AV 70 GS] [REVIEW: 99]	A 6685	GS1	21-JUN-2012
M	A-A-55104 NOT 3	Coveralls, Safety, Industrial [CUST: GL NU 99] [REVIEW: 68]	A 8415	/ 99	28-JUN-2012

CANCELED SECTION

ASSIST UPDATE

LAST ACTION			DISTRIBUTION	FSC/AREA	MCA	PREP ACTY	DATE
	DOCUMENT NUMBER	DOCUMENT TITLE					
M	MS28896B NOT 4	Filter, Fluid, Pressure, Hydraulic Line, 3000 PSI Absolute 15 Micron, Style B, Non Bypass -65 Degrees to +275 Degrees F (S/S MIL-F-8815/2)) [CUST: AV AS 71] [REVIEW: 99 GS MI]	A	1650	71		20-JUN-2012
M	MIL-T-21643D NOT 1	Trucks, Lift, Fork, Reaching and Tiering, Narrow Aisle, Electric, 3000 (1360 KG) and 4000 Pounds (1820 KG), Capacity (No S/S Document) [CUST: CR4 SA 99 IS] [REVIEW: AT CC MT SO YD]	A	3930	IS		25-JUN-2012
M	MIL-T-52932/3B NOT 3	Trucks, Lift, Fork, Pneumatic Tires, 4000 Pound Capacity, 144 Inch Lift (No S/S Document) [CUST: AT 99 IS]	A	3930	IS		25-JUN-2012
M	MIL-DTL-55302/140C NOT 1	Connectors, Printed Circuit Subassembly and Accessories: Plug with Pin Contacts, 2 Keying Pins, for Printed Wiring Boards (.100 Inch Spacing) (No S/S Document) [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS AT AV CR4 MC OS SH]	A	5935	CC		22-JUN-2012
M	MIL-DTL-55302/141C NOT 1	Connectors, Printed Circuit Subassembly and Accessories, Plug with Pin Contacts, 3 Keying Pins, for Printed Wiring Boards (.100 Spacing) (No S/S Document) [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS AT AV CR4 MC MI OS SH]	A	5935	CC		22-JUN-2012
M	MIL-DTL-55302/143C NOT 1	Connectors, Printed Circuit Subassembly and Accessories, Receptacle with Socket Contacts, 3 Keying Guides, for Printed Wiring Boards (.100 Inch Spacing) (No S/S Document) [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS AT AV CR4 MC MI OS SH]	A	5935	CC		22-JUN-2012
M	MIL-DTL-55302/144C(1) NOT 1	Connectors, Printed Circuit Subassembly and Accessories, Receptacle with Pin Contacts, 2 Female Keying Guides, 1.516 Inches Length, for Printed Wiring Boards (.100 Inch Spacing) (No S/S Document) [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS AT AV CR4 MC MI OS SH]	A	5935	CC		22-JUN-2012
M	MIL-DTL-55302/146C(1) NOT 1	Connectors, Printed Circuit Subassembly and Accessories, Receptacle with Pin Contacts, 2 Female Keying Guides, 2.717 Inches Length, for Printed Wiring Boards (.100 Inch Spacing) (No S/S Document) [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS AT AV CR4 MC OS SH]	A	5935	CC		22-JUN-2012
M	MIL-DTL-55302/147C(1) NOT 1	Connectors, Printed Circuit Subassembly and Accessories, Receptacle with Pin Contacts, 2 Female Keying Guides, 3.315 Inches Length, for Printed Wiring Boards (.100 Inch Spacing) (No S/S Document) [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS AT AV CR4 MC MI OS SH]	A	5935	CC		22-JUN-2012
M	MIL-DTL-55302/148C(1) NOT 1	Connectors, Printed Circuit Subassembly and Accessories, Receptacle with Pin Contacts, 2 Female Keying Guides, 3.917 Inches Length, for Printed Wiring Boards (.100 Inch Spacing) (No S/S Document) [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS AT AV CR4 MC OS SH]	A	5935	CC		22-JUN-2012
M	MIL-DTL-55302/149C NOT 1	Connectors, Printed Circuit Subassembly and Accessories: Plug with Socket Contacts, 1.516 Inches Length, 2 Keying Pins, for Printed Wiring Boards (.100 Inch Spacing) (No S/S Document) [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS AT AV CR4 MC MI OS SH]	A	5935	CC		22-JUN-2012
M	MIL-DTL-55302/151C NOT 1	Connectors, Printed Circuit Subassembly and Accessories: Plug with Socket Contacts, 2.717 Inches Length, for Printed Wiring Boards (.100 Inch Spacing) (No S/S Document) [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS AT AV CR4 MC MI OS SH]	A	5935	CC		22-JUN-2012
M	MIL-DTL-55302/152C NOT 1	Connectors, Printed Circuit Subassembly and Accessories: Plug with Socket Contacts, 3.315 Inches Length, 2 Keying Pins, for Printed Wiring Boards (.100 Inch Spacing) (No S/S Document) [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS AT AV CR4 MC MI OS SH]	A	5935	CC		22-JUN-2012
M	MIL-DTL-55302/153C NOT 1	Connectors, Printed Circuit Subassembly and Accessories: Plug with Socket Contacts, 3.917 Inches Length, 2 Keying Pins, for Printed Wiring Boards (.100 Inch Spacing) (No S/S Document) [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS AT AV CR4 MC MI OS SH]	A	5935	CC		22-JUN-2012
M	MIL-DTL-55302/155B NOT 2	Connectors, Printed Circuit Subassembly and Accessories, Hood for Printed Wiring Boards (No S/S Document) [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS AT AV CR4 MC OS SH]	A	5935	CC		22-JUN-2012
M	MIL-H-55460A NOT 2	Headset-Microphone H-182 (/)PT (S/S by MIL-DTL-83511/8) [CUST: CR]	A	5965	CR		21-JUN-2012
M	MS24482A NOT 3	Transmitter, Temperature, Electrical Resistance, Armored, Bayonet Locking Type, (-50 Degrees C to 300 Degrees C) (S/S by MIL-DTL-25446) [CUST: AV 99 GS] [REVIEW: 70]	A	6685	GS1		21-JUN-2012
M	A-A-50034 NOT 1	Dispensers, Bread, Self-Leveling, Drop-in (No S/S Document) [CUST: GL SA SS] [REVIEW: MD MS YD]	A	7320	/	SS	18-JUN-2012