

Department of Defense Standardization Program



ASSIST UPDATE

(A bi-monthly summary of changes to the ASSIST document database)

1 July 2012

(For the Period 15 June 2012 to 30 June 2012)

ASSIST UPDATE

Documents listed in the ASSIST UPDATE have an indicator of “N” or “M” to describe the last action taken on a listed document.

“N” indicates that a “new” document has been entered into the ASSIST database.

“M” indicates that a document already in ASSIST has been “modified” in some way.

The ASSIST UPDATE is published twice a month and provides a summary of changes to Department of Defense standardization documents for the period indicated. Since changes are processed to the ASSIST database on a daily basis, users should consult the ASSIST web site at <https://assist.daps.dla.mil> for the most current information.

If you need to track changes more frequently, or if you have an interest in specific Federal Supply Classes or individual specifications, standards, or other standardization documents, you may wish to take advantage of the ASSIST Alert Service. This feature lets you establish a list of documents of interest to you, and then the ASSIST will alert you with an E-mail message each day there is a change to one or more documents of interest to you. There is no charge for this service; however, you must have an ASSIST user account. To obtain one, complete the ASSIST online registration form at <https://assist.daps.dla.mil/online/registration/registration.cfm>.

Once you have your account, you can establish your Alert Portal profile. For more information on the ASSIST Alert Service, go to: <https://assist.daps.dla.mil/online/news/AlertService.htm>.

ACTIVE SECTION

ASSIST UPDATE

LAST ACTION	DOCUMENT NUMBER	DOCUMENT TITLE	DISTRIBUTION	FSC/AREA		MCA	PREP ACTY	DATE
M	QPL-AA-F-358-12	Filing Cabinet, Legal and Letter Size, Uninsulated, Security	A	7110	#	FAS		13-APR-2012
M	QPL-AA-F-363-18	Filing Cabinet, Security, Maps and Plans, General Filing and Storage	A	7110	#	FAS		13-APR-2012
M	MIL-DTL-6054G NOT 1	Drum, Metal-Shipping and Storage [CUST: GL AS 11 IS] [REVIEW: 99 AR AV CG MI MS SA SM]	A	8110		IS		22-JUN-2012
M	MIL-DTL-11589/127H	Ribbon, Republic of Korea Presidential Unit Citation [CUST: IH NU 11] [REVIEW: CG1 CT MC]	A	8455		IH		19-JUN-2012
M	MIL-DTL-11589/136E	Ribbon, Silver Star [CUST: IH NU 11] [REVIEW: CG1 CT MC]	A	8455		IH		19-JUN-2012
M	L-P-535E NOT 4	Plastic Sheet (Sheeting); Plastic Strip: Poly (Vinyl Chloride) and Poly (Vinyl chloride-Vinyl Acetate), Rigid [CUST: MR SH 11 IS] [REVIEW: 99 AS CR4 EA MI SM]	A	9330	/	IS		20-JUN-2012
M	MIL-STD-6013A NOT 2	Army Tactical Data Link-1 (ATDL-1) Message Standard, Department of Defense Interface Standard [CUST: CR OM 93 DC2] [REVIEW: MC MI NS]	C	INST		CR		21-JUN-2012
N	DI-MGMT-81861	Integrated Program Management Report (IPMR) [AMSC: D7549]	A	MGMT		PARCA		20-JUN-2012
M	MIL-DTL-85025B NOT 1	NATOPS Program Technical Publications and Products; Style, Format and Common Technical Content [CUST: AS] [REVIEW: MC]	A	TMSS		AS		28-JUN-2012

INACTIVE SECTION

ASSIST UPDATE

LAST ACTION	DOCUMENT NUMBER	DOCUMENT TITLE	DISTRIBUTION	MCA		DATE
				FSC/AREA	PREP ACTY	
M	AN924 REV 12	Nut, Tube, Bulkhead and Universal Fitting [CUST: AV AS 99 CC] [REVIEW: 71 SA]	A 4730		CC	14-JUN-2012
M	MS25270L	Relays, Electromagnetic, 5 Amperes, 6 PDT, Type I, Potted Lead, Hermetically Sealed [CUST: AS 85 CC] [REVIEW: EC]	A 5945		CC	26-JUN-2012
M	MIL-PRF-1/851H NOT 2	Electron Tube, Magnetron Type 5780 [CUST: CR EC 85 CC] [REVIEW: 99 AR AS AV CG MC MI OS SH]	A 5960		CC	22-JUN-2012
M	MIL-PRF-1/945E NOT 2	Electron Tube, Magnetron Types 2J49 and 2J50 [CUST: CR EC 85 CC] [REVIEW: 99 AS AV CG MC OS SH]	A 5960		CC	22-JUN-2012
M	MIL-PRF-1/1203K NOT 2	Electron Tube, Negative Grid (Microwave) Type 7077 [CUST: CR EC 85 CC] [REVIEW: AS CG MC MI OS]	A 5960		CC	26-JUN-2012
M	MIL-PRF-1/1325F	Electron Tube, Negative Grid (Microwave) Type 7554 [CUST: CR EC 85 CC] [REVIEW: 99 AR CG MC]	A 5960		CC	26-JUN-2012
M	MIL-PRF-1/1330G NOT 1	Electron Tube, Negative Grid (Microwave) Type 7486 [CUST: CR EC 85 CC] [REVIEW: 99 AS CG MC OS]	A 5960		CC	26-JUN-2012
M	MIL-PRF-1/1335H NOT 1	Electron Tube, Negative Grid (Microwave) Type 7462 [CUST: CR EC 85 CC] [REVIEW: 99 AS CG MC OS]	A 5960		CC	26-JUN-2012
M	MIL-PRF-1/1705C NOT 1	Electron Tube, Magnetron Type 8896 [CUST: CR EC 85 CC] [REVIEW: 99 AS AV]	A 5960		CC	22-JUN-2012
M	MIL-PRF-1/1738D NOT 1	Electron Tube, Magnetron Type 8939 [CUST: CR EC 85 CC] [REVIEW: 99 AR AS AV MC OS]	A 5960		CC	22-JUN-2012
M	MIL-M-38510/203E NOT 1	Microcircuits, Digital, 1024 Bit Schottky, Bipolar, Programmable Read-Only Memory (Prom), Monolithic Silicon [CUST: CR EC 85 CC] [REVIEW: 03 19 99 AS CG MC MI SH SM]	A 5962		CC	22-JUN-2012
M	MIL-DTL-25446E	Transmitter, Temperature, Electrical Resistance, Armored, Bayonet Locking Type, (-50 Degrees C to 300 Degrees C) [CUST: AV 70 GS] [REVIEW: 99]	A 6685		GS1	21-JUN-2012
M	A-A-55104 NOT 3	Coveralls, Safety, Industrial [CUST: GL NU 99] [REVIEW: 68]	A 8415	/	99	28-JUN-2012

CANCELED SECTION

ASSIST UPDATE

LAST ACTION	DOCUMENT NUMBER	DOCUMENT TITLE	DISTRIBUTION	MCA		DATE
				FSC/AREA	PREP ACTY	
M	MS28896B NOT 4	Filter, Fluid, Pressure, Hydraulic Line, 3000 PSI Absolute 15 Micron, Style B, Non Bypass -65 Degrees to +275 Degrees F (S/S MIL-F-8815/2)) [CUST: AV AS 71] [REVIEW: 99 GS MI]	A	1650	71	20-JUN-2012
M	MIL-T-21643D NOT 1	Trucks, Lift, Fork, Reaching and Tiering, Narrow Aisle, Electric, 3000 (1360 KG) and 4000 Pounds (1820 KG), Capacity (No S/S Document) [CUST: CR4 SA 99 IS] [REVIEW: AT CC MT SO YD]	A	3930	IS	25-JUN-2012
M	MIL-T-52932/3B NOT 3	Trucks, Lift, Fork, Pneumatic Tires, 4000 Pound Capacity, 144 Inch Lift (No S/S Document) [CUST: AT 99 IS]	A	3930	IS	25-JUN-2012
M	MIL-DTL-55302/140C NOT 1	Connectors, Printed Circuit Subassembly and Accessories: Plug with Pin Contacts, 2 Keying Pins, for Printed Wiring Boards (.100 Inch Spacing) (No S/S Document) [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS AT AV CR4 MC OS SH]	A	5935	CC	22-JUN-2012
M	MIL-DTL-55302/141C NOT 1	Connectors, Printed Circuit Subassembly and Accessories, Plug with Pin Contacts, 3 Keying Pins, for Printed Wiring Boards (.100 Spacing) (No S/S Document) [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS AT AV CR4 MC MI OS SH]	A	5935	CC	22-JUN-2012
M	MIL-DTL-55302/143C NOT 1	Connectors, Printed Circuit Subassembly and Accessories, Receptacle with Socket Contacts, 3 Keying Guides, for Printed Wiring Boards (.100 Inch Spacing) (No S/S Document) [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS AT AV CR4 MC MI OS SH]	A	5935	CC	22-JUN-2012
M	MIL-DTL-55302/144C(1) NOT 1	Connectors, Printed Circuit Subassembly and Accessories, Receptacle with Pin Contacts, 2 Female Keying Guides, 1.516 Inches Length, for Printed Wiring Boards (.100 Inch Spacing) (No S/S Document) [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS AT AV CR4 MC MI OS SH]	A	5935	CC	22-JUN-2012
M	MIL-DTL-55302/146C(1) NOT 1	Connectors, Printed Circuit Subassembly and Accessories, Receptacle with Pin Contacts, 2 Female Keying Guides, 2.717 Inches Length, for Printed Wiring Boards (.100 Inch Spacing) (No S/S Document) [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS AT AV CR4 MC OS SH]	A	5935	CC	22-JUN-2012
M	MIL-DTL-55302/147C(1) NOT 1	Connectors, Printed Circuit Subassembly and Accessories, Receptacle with Pin Contacts, 2 Female Keying Guides, 3.315 Inches Length, for Printed Wiring Boards (.100 Inch Spacing) (No S/S Document) [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS AT AV CR4 MC MI OS SH]	A	5935	CC	22-JUN-2012
M	MIL-DTL-55302/148C(1) NOT 1	Connectors, Printed Circuit Subassembly and Accessories, Receptacle with Pin Contacts, 2 Female Keying Guides, 3.917 Inches Length, for Printed Wiring Boards (.100 Inch Spacing) (No S/S Document) [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS AT AV CR4 MC OS SH]	A	5935	CC	22-JUN-2012
M	MIL-DTL-55302/149C NOT 1	Connectors, Printed Circuit Subassembly and Accessories: Plug with Socket Contacts, 1.516 Inches Length, 2 Keying Pins, for Printed Wiring Boards (.100 Inch Spacing) (No S/S Document) [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS AT AV CR4 MC MI OS SH]	A	5935	CC	22-JUN-2012
M	MIL-DTL-55302/151C NOT 1	Connectors, Printed Circuit Subassembly and Accessories: Plug with Socket Contacts, 2.717 Inches Length, for Printed Wiring Boards (.100 Inch Spacing) (No S/S Document) [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS AT AV CR4 MC MI OS SH]	A	5935	CC	22-JUN-2012
M	MIL-DTL-55302/152C NOT 1	Connectors, Printed Circuit Subassembly and Accessories: Plug with Socket Contacts, 3.315 Inches Length, 2 Keying Pins, for Printed Wiring Boards (.100 Inch Spacing) (No S/S Document) [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS AT AV CR4 MC MI OS SH]	A	5935	CC	22-JUN-2012
M	MIL-DTL-55302/153C NOT 1	Connectors, Printed Circuit Subassembly and Accessories: Plug with Socket Contacts, 3.917 Inches Length, 2 Keying Pins, for Printed Wiring Boards (.100 Inch Spacing) (No S/S Document) [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS AT AV CR4 MC MI OS SH]	A	5935	CC	22-JUN-2012
M	MIL-DTL-55302/155B NOT 2	Connectors, Printed Circuit Subassembly and Accessories, Hood for Printed Wiring Boards (No S/S Document) [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS AT AV CR4 MC OS SH]	A	5935	CC	22-JUN-2012
M	MIL-H-55460A NOT 2	Headset-Microphone H-182 ()/PT (S/S by MIL-DTL-83511/8) [CUST: CR]	A	5965	CR	21-JUN-2012
M	MS24482A NOT 3	Transmitter, Temperature, Electrical Resistance, Armored, Bayonet Locking Type, (-50 Degrees C to 300 Degrees C) (S/S by MIL-DTL-25446) [CUST: AV 99 GS] [REVIEW: 70]	A	6685	GS1	21-JUN-2012
M	A-A-50034 NOT 1	Dispensers, Bread, Self-Leveling, Drop-in (No S/S Document) [CUST: GL SA SS] [REVIEW: MD MS YD]	A	7320	/ SS	18-JUN-2012