# Department of Defense Standardization Program



## **ASSIST UPDATE**

(A bi-monthly summary of changes to the ASSIST document database)

1 July 2015

(For the Period 15 June 2015 to 30 June 2015)

#### **ASSIST UPDATE**

Documents listed in the ASSIST UPDATE have an indicator of "N" or "M" to describe the last action taken on a listed document.

"N" indicates that a "new" document has been entered into the ASSIST database.

"M" indicates that a document already in ASSIST has been "modified" in some way.

The ASSIST UPDATE is published twice a month and provides a summary of changes to Department of Defense standardization documents for the period indicated. Since changes are processed to the ASSIST database on a daily basis, users should consult the ASSIST web site at <a href="https://assist.dla.mil/">https://assist.dla.mil/</a> for the most current information.

If you need to track changes more frequently, or if you have an interest in specific Federal Supply Classes or individual specifications, standards, or other standardization documents, you may wish to take advantage of the ASSIST Alert Service. This feature lets you establish a list of documents of interest to you, and then the ASSIST will alert you with an E-mail message each day there is a change to one or more documents of interest to you. There is no charge for this service; however, you must have an ASSIST user account. To obtain one, complete the ASSIST online registration form at <a href="https://assist.dla.mil/online/registration/registration.cfm">https://assist.dla.mil/online/registration/registration.cfm</a>.

Once you have your account, you can establish your Alert Portal profile. For more information the ASSIST Alert Service, go to: <a href="https://assist.dla.mil/online/news/AlertService.htm">https://assist.dla.mil/online/news/AlertService.htm</a> .	ion

#### **ACTIVE SECTION**

#### **ASSIST UPDATE**

ACTIVE SECTION	ASSIST OFDATE						
Z		NO					
OIL		Ĭ	∢		}		
AC		E	RE		ACTY	3	
ON CANON TO THE PROPERTY OF TH		DISTRIBUTION	FSC/AREA	ć	MCA	1	
	DOCUMENT TITLE						DATE
M MIL-DTL-32472(1)	Mortar, 81 Millimeter - M252A1 (Without M67 Sight Unit) [CUST: AR]		1015			R	17-JUN-2015
N MIL-PRF-32312	Cartridge, 9 Millimeter: Dye, Marking - M1041 [CUST: AR OS 99] [REVIEW: 40 70 AS MI MR SH]	D	1305		Α	R	09-JUN-2015
M MIL-DTL-9963G(3)	Cartridge, 5.56MM, Ball - M193 [CUST: AR OS 99] [REVIEW: 22 70 AS MC MR]	D	1305		Α	R	19-JUN-2015
M MIL-DTL-32338A(4)	Cartridge, 5.56 Millimeter: Ball, M855A1 [CUST: AR OS 70] [REVIEW: 22 99 AS FAS MC MR	D	1305		Α	R	19-JUN-2015
14 New Pers 20005(2)	SH]	_	1205				10 7777 2015
M MIL-DTL-32395(2)	Cartridge, 5.56 Millimeter: Tracer - M856A1 [CUST: AR OS 99] [REVIEW: 22 70 AS FAS MC MR SH]	р	1305		Α	R	19-JUN-2015
M MIL-DTL-60616D(3)	Cartridge, 5.56 MM, Blank - M200 [CUST: AR OS 99] [REVIEW: 22 70 AS FAS MC MR]	D	1305		Α	R	19-JUN-2015
M MIL-DTL-63989D(4)	Cartridge, 5.56 Millimeter, Ball - M855 [CUST: AR OS 99] [REVIEW: 22 70 AS FAS MC MR SH]	D	1305		Α	R	19-JUN-2015
M MIL-DTL-63990D(4)	Cartridge, 5.56 Millimeter, Tracer - M856 [CUST: AR OS 99] [REVIEW: 22 70 AS FAS MC MR SH]	D	1305		A	R	19-JUN-2015
M MIL-DTL-3984K(1)	Propellants for Small Arms Ammunition [CUST: AR OS 99] [REVIEW: 11 70 84 AS AV MI SH	D	1376		Α	R	16-JUN-2015
	TE]		1570				10 0011 2010
M MIL-C-23024(4) NOT 1	Cartridge, Delay, Mark 36 Mod 0 (No S/S Document) [CUST: AS]		1377			S	04-JUN-2015
M MIL-HDBK-145D NOT 2	Fuze Catalog [CUST: AR OS 99] [REVIEW: 11 70 AS MI SH TE]		1390			R	09-JUN-2015
N A-A-59960	Aircraft Lavatory Service Truck [CUST: 184] [REVIEW: 99]	1	1730	/		84	30-APR-2015
M MIL-DTL-45150N	Chassis, Trailer, 2-Wheel Cart Type 2-1/2 Ton [CUST: AT]	A				T	25-JUN-2015
M MIL-DTL-62548C NOT 1	Lead, Ignition [CUST: AT]	A				T	25-JUN-2015
M MIL-PRF-423G NOT 1 M A-A-52535 NOT 3	Ripping Tools, Metal Drum, Paving Breaker [CUST: AT 99] [REVIEW: 84 CC] Drill, Pneumatic, Sinker, Rock [CUST: AT YD] [REVIEW: CC CE MC]		3820 3820			T T	18-JUN-2015 30-JUN-2015
M A-A-52558A NOT 1	Breakers, Paving, Pneumatic-Powdered; (0.875 Inch Hexagon by 3.25 Inch Chuck) [CUST: AT 99]	1	3820			T	17-JUN-2015
N A-A-32336A NOT 1	[REVIEW: 84 CC]	Δ.	3620	,		L I	17-3014-2013
M A-A-52599 NOT 3	Breakers, Paving: Pneumatic (Metric) [CUST: AT YD 99] [REVIEW: 84 CC MC]	A	3820	/	/ A	Т	25-JUN-2015
M MIL-DTL-13220F SUP 1	Hook, Sliding Choker (for use with Wire Rope) [CUST: AV AS 99 CC] [REVIEW: 50 70 71 CG	A	4030		C	C	26-MAY-2015
M MIL-PRF-62411/1A NOT 2	MC MI] Heat Exchanger, NBC System Heat Exchanger P/N M62411/1 (Engineering P/N 12336771) [CUST:		4120			Т	25-JUN-2015
MIL-1 KI -02-11/17 (NOT 2	AT] [REVIEW: IS]	1	4130		23	. 1	23-3011-2013
M MIL-PRF-62411/2A NOT 2	Heat Exchanger, NBC System Condenser P/N M62411/2 (Engineering P/N 12336772) [CUST: AT]	A	4130		A	Т	25-JUN-2015
M. MIL DDE 62411/24 NOT 2	[REVIEW: IS]	١,	4120			т	25 HIN 2015
M MIL-PRF-62411/3A NOT 2	Heat Exchanger, NBC System Precooler P/N M62411/3 (Engineering 12336768) [CUST: AT] [REVIEW: IS]	A	4130		А	Т	25-JUN-2015
M MIL-DTL-81543C NOT 1	Container Assemblies, Inflatable Life Raft [CUST: AS IS]	A	4220		15	S	29-JUN-2015
M MIL-DTL-85361A NOT 1	Carrying Case, Assemblies, Inflatable Life Raft [CUST: AS IS]	A	4220		15	S	29-JUN-2015
M A-A-52546 NOT 3	Hose, Preformed:Semi-Flexible, Reinforced [CUST: AT] [REVIEW: CC CD]	A	4720	/	/ A	Т	30-JUN-2015
M A-A-52546/1 NOT 3	Hose, Preformed, Air Cleaner, Semi-Flexible, Heavy Duty 517 Kilopascals (75 PSI) Burst [CUST:	A	4720	/	/ A	Т	30-JUN-2015
M MS20761B(1)	AT MC] [REVIEW: CC] Elbow, Flared Tube, Flanged, Swivel, 45 Degree [CUST: AV AS 99 CC] [REVIEW: 71 AR MC	١,	4730		0	C.C	09-JUN-2015
W W320701B(1)	[SA]	A	4/30			.C	09-JUN-2013
M A-A-59379 NOT 2	Valves, Gate, Rising Stem, Double Action, Lightweight [CUST: AT MC] [REVIEW: YD]	A	4820	/	/ A	Т	15-JUN-2015
M MIL-PRF-81380F	Filter/Monitor, Contamination, Helicopter in-Flight Refueling System [CUST: AV AS 99 CC]	A	4930		A	S	25-JUN-2015
M A-A-52593A NOT 1	[REVIEW: AT MC MI YD] Saw Reciprocating, Portable, Pneumatic: Metal Cutting [CUST: AT YD 99] [REVIEW: GL GS]	_	5130	- 1	/ A	т	25-JUN-2015
M MIL-DTL-45910D	Insert, Screw Thread-Locked in and Ring Locked, Serrated General Specification for [CUST: AR AS			,	IS		18-JUN-2015
M ME 512 107105	99 IS]		0020				10 0011 2015
M A-A-52524/1 NOT 3	Seal, Plain Encased: Single Sealing Member, Spring Loaded [CUST: AT] [REVIEW: AR IS MI]		5330	/		Т	15-JUN-2015
M A-A-52524/6 NOT 3	Seal, Plain Encased: Single Seal, External Type, Spring Loaded [CUST: AT] [REVIEW: AR IS MI]	A	5330	/	/ A	Т	15-JUN-2015
M A-A-52524/8 NOT 3	Seal, Plain Encased: Dual Sealing Members, Opposed, One Seal Spring Loaded [CUST: AT] [REVIEW: AR IS MI]	A	5330	/	/ A	Т	15-JUN-2015
N MIL-DTL-32526	Stowage Strap Assembly [CUST: AR]	D	5342		А	R	17-JUN-2015
M MIL-PRF-18546G(2)	Resistor, Fixed, Wirewound (Power Type, Chassis Mounted), General Specification for [CUST: CR		5905			C	24-JUN-2015
,	EC 85 CC] [REVIEW: 99 AR AS MC MI]						
M MIL-PRF-18546/2C(2) NOT 1	Resistor, Fixed, Wirewound (Power Type, Chassis Mounted), Styles RE77 and RE80 [CUST: CR EC 85 CC] [REVIEW: 99 AR AS MC MI]	A	5905		C	C	24-JUN-2015
M MIL-PRF-55182/5M(3) NOT 1	Resistor, Fixed, Film, Nonestablished Reliability, Established Reliability, and Space Level, Style	A	5905		С	R	15-JUN-2015
	RN*65 1/ [CUST: CR EC 85 CC NA] [REVIEW: 19 99 AR AS CG MC OS]						
M MIL-PRF-55182/6P(3) NOT 1	Resistor, Fixed, Film, Nonestablished Reliability, Established Reliability, and Space Level, Style RN*70 1/[CUST: CR EC 85 CC NA] [REVIEW: 19 99 AR AS CG MC OS]	A	5905		C	R	15-JUN-2015
M MIL-PRF-55182/9G(3) NOT 1	Resistor, Fixed, Film, Nonestablished Reliability, Established Reliability, and Space Level, Style	A	5905		C	R	15-JUN-2015
	RN*90 1/ [CUST: CR EC 85 CC NA] [REVIEW: 19 99 AR AS CG MC OS]						
M MIL-PRF-55342H(3) SUP 1	Resistor, Chip, Fixed, Film, Nonestablished Reliability, Established Reliability, Space Level,	A	5905		C	R	09-JUN-2015
	General Specification for [CUST: CR EC 85 CC NA] [REVIEW: 19 99 AR AS AT AV CG CR4 MC MDA OS]						
M MIL-PRF-39012/82G(2)	Connectors, Receptacle, Electrical, Coaxial, Radio Frequency, Series SMA (Cabled, Semirigid),	A	5935		C	C	02-JUN-2015
	Flange Mounted - Socket Contact, Class 2 [CUST: CR EC 85 CC NA] [REVIEW: 19 99 AM AS AT						
M MIL DDE 20012/92G(2)	CR4 MC MI OS SH]		5935		0	C	02 HIN 2015
M MIL-PRF-39012/83G(2)	Connectors, Plug, Electrical, Coaxial, Radio Frequency, Series SMA (Cabled, Semirigid) - Jam Nut Mounted, Socket Contact, Class 2 [CUST: CR EC 85 CC NA] [REVIEW: 19 99 AM AS AT CR4	A	3933		C	·C	02-JUN-2015
	MC MI OS SH]						
M MIL-PRF-28776/1H	Relays, Hybrid, Established Reliability, DPDT, Low-Level to 1.0 Ampere (Transistor Driven)	A	5945		C	C	04-JUN-2015
M MIL-PRF-28776/3H	(Electromechanical Output) [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS CR4 MI NS OS SH] Relays, Hybrid, Established Reliability, DPDT, Low-Level to 1.0 Ampere (Sensitive Coil Operate	_	5945		C	C	08-JUN-2015
WI WILL-I KI-20/70/311	Power at 25 Degrees C) (Transistor Driven) (Electromechanical Output) with Diode Coil	Δ.	3943				08-3014-2013
	Suppression [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS CR4 MI NS OS SH]		<b>-</b> 0 · -			. ~	
M MIL-PRF-28776/4H	Relays, Hybrid, Established Reliability, SPDT, Low-Level to 1.0 Ampere (Sensitive Coil Operate Power at 25 Degrees C) (Transistor Driven) (Electromechanical Output) with Diode Coil	A	5945		C	CC.	04-JUN-2015
	Suppression [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS CR4 MI NS OS SH]						
M MIL-PRF-28776/5H	Relays, Hybrid, Established Reliability, SPDT, Low-Level to 1.0 Ampere (Transistor Driven)	A	5945		C	C	05-JUN-2015
	(Electromechanical Output) with Diode Coil Suppression [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS CR4 MI NS OS SH]						
		L					
01 IIII 2015							

### ACTIVE SECTION

#### **ASSIST UPDATE**

TICTIVE BECTION	ABBIST CLEATE					
NO NO		DISTRIBUTION			χ.	
ACTI		IBUI	REA		ACTY	
O O O O O O O O O O O O O O O O O O O		STR	FSC/AREA	MCA	PREP A	
	DOCUMENT TITLE			Ĭ		DATE
M MIL-PRF-1/1291J	Electron Tube, Thyratron Type 7410 [CUST: CR SH 85 CC] [REVIEW: 19 99 AR AS CG MC MI OS]	A			CC	15-JUN-2015
M MIL-PRF-1/1426F M MIL-PRF-1/1636D	Electron Tube, Thyratron Type 8354 [CUST: CR EC 85 CC] [REVIEW: AS CG MC MI OS SH] Electron Tube, Thyratron Type 7782 [CUST: EC 85 CC] [REVIEW: CG MC]	A	5960 5960		CC CC	15-JUN-2015 15-JUN-2015
M MIL-PRF-19500/379K	Transistor, PNP, Silicon, High-Power, Encapsulated (Through Hole), Device Types 2N3791 and 2N3792, Quality Levels: JAN, JANTX, JANTXV, and JANS [CUST: CR EC 85 CC NA] [REVIEW: 19 99 AR AS AV MC MI SM]		5961		CC	19-JUN-2015
M MIL-PRF-19500/441L	Transistor, PNP, Silicon, Power Encapsulated (Through Hole and Surface Mount), and Unencapsulated, Radiation Hardness Assurance, Device Types 2N3740 AND 2N3741 Quality Levels JAN, JANTX, JANTXV, JANS, JANHC, and JANKC [CUST: CR EC 85 CC NA] [REVIEW: 19 71 99 AR AS AV MC MI SM]	A	5961		CC	19-JUN-2015
M MIL-PRF-19500/540G	Transistor, Darlington, PNP Silicon, Power, Device Types 2N6298 and 2N6299, JAN, JANTX, and JANTXV [CUST: CR 85 CC] [REVIEW: 19 71 99 AR]	A	5961		CC	17-JUN-2015
M MIL-PRF-19500/570E NOT 1	Semiconductor Device, Transistor, Field Effect, N-Channel, Silicon Logic-Level, Types 2N6901 and 2N6903, JAN, JANTX, JANTXV, JANS, JANHC, and JANKC [CUST: CR EC 85 CC] [REVIEW: 19 AR AS MC MI OS SH SM]	A	5961		CC	15-JUN-2015
M MIL-PRF-19500/583B NOT 1	Semiconductor Device, Transistor, NPN, Silicon Amplifier, Types 2N5681 and 2N5682, JAN, JANTX, and JANTXV [CUST: CR EC 85 CC]	A	5961		CC	15-JUN-2015
M MIL-PRF-19500/656B	Diode, Silicon, Schottky, Power Rectifier, Common Cathode or Common Anode Center Tap, Types 1N6785 and 1N6785R, JAN, JANTX, JANTXV and JANS [CUST: CR EC 85 CC NA]	A	5961		CC	08-JUN-2015
N MIL-PRF-19500/774	Rectifier, Semiconductor Device, Diode, Silicon, Ultrafast Recovery, Power, Types 1N8255, 1N8256, 1N8257, JAN, JANTX, JANTXV, and JANS [CUST: CR EC 85 CC NA] [REVIEW: 1971 99 AR AS AV MC MI SM]	A	5961		CC	12-JUN-2015
M A-A-59590/13C	Holder, Electrical Card, Wedge Retainers, 3 Piece, Screw Actuated Drive, .375 X .375 Inch Body Size, Wedge Mounting Body [CUST: CR EC 85 CC] [REVIEW: 99]	A	5998	/	CC	13-JUN-2015
M A-A-59590/14C	Holder, Electrical Card, Wedge Retainers, 3 Piece, Screw Actuated Drive, .375 X .375 Inch Body Size, Wedge Mounting Body, with Visual Lock Indication [CUST: CR EC 85 CC] [REVIEW: 99]	A	5998	/	CC	14-JUN-2015
M A-A-59812/3 NOT 1	Holder, Electrical Card, Metal Card Guide, Multiple Piece, with Heat Transfer Housing, Flange Mounting with Two, Three, or Four Mounting Holes for Chassis or Cold Plate Mounting Applications [CUST: CR EC 85 CC] [REVIEW: 99]	A	5998	/	CC	15-JUN-2015
M A-A-59812/4 NOT 1	Holder, Electrical Card, Metal Card Guide, Multiple Piece, Flange Mounting with Two, Three, or Four Mounting Holes Chassis or Cold Plate Mounting Applications [CUST: CR EC 85 CC] [REVIEW: 99]	A	5998	/	CC	15-JUN-2015
M A-A-52536 NOT 3	Contact, Electrical No. 12, 14, and 16 A.W.G. [CUST: AT YD] [REVIEW: AR CC MC]	A	5999	/	AT	29-JUN-2015
M MIL-PRF-7032/1 NOT 1	Inverter, Aircraft, DC to AC, 750 VA 3-Phase, 1000 VA 1-Phase, and 1000 VA 3-Phase, Multi-Purpose, Class B [CUST: CR4 AS 99] [REVIEW: 71 AV CR GS]		6125		AS	15-JUN-2015
M MIL-DTL-17/90B	Cable, Radio Frequency, Coaxial, 93 OHMS, M17/90-RG71 [CUST: CR EC 85 CC] [REVIEW: 19 99 AS AT CR4 MC MI OS SH]	A	6145		CC	19-JUN-2015
M MIL-DTL-17/92E	Cable, Radio Frequency, Flexible Coaxial, 50 OHMS, M17/92-RG115, M17/92-00001 [CUST: CR EC 85 CC] [REVIEW: 19 99 AS AT CR4 MC MI OS SH]	A	6145		CC	19-JUN-2015
M MIL-DTL-17/93H	Cable, Radio Frequency, Flexible, Coaxial, 50 OHMS, M17/93-RG178 and M17/93-00001 [CUST: CR EC 85 CC] [REVIEW: 19 99 AS AT CR4 MC MI OS SH]	A	6145		CC	19-JUN-2015
M MIL-DTL-17/94G	Cables, Radio Frequency, Flexible, Coaxial, 75 OHMS, M17/94-RG179 [CUST: CR EC 85 CC] [REVIEW: 19 99 AS AT CR4 MC MI OS SH]	A	6145		CC	19-JUN-2015
M MIL-DTL-17/95F	Cables, Radio Frequency, Flexible, Coaxial, 95 OHMS, M17/95-RG180 [CUST: CR EC 85 CC] [REVIEW: 19 99 AS AT CR4 MC MI OS SH]	A	6145		CC	19-JUN-2015
M MIL-DTL-17/97D	Cables, Radio Frequency, Flexible, Coaxial, 93 OHMS, M17/97-RG210 [CUST: CR EC 85 CC] [REVIEW: 19 99 AS AT CR4 MC MI OS SH]	A	6145		CC	19-JUN-2015
M MIL-DTL-17/110E	Cable, Radio Frequency, Flexible, Coaxial, 75 OHMS, M17/110-RG302 [CUST: CR EC 85 CC] [REVIEW: 19 99 AS AT CR4 MC MI OS SH]	A	6145		CC	19-JUN-2015
M MIL-DTL-17/112B	Cable, Radio Frequency, Flexible Coaxial, 50 OHMS, M17/112-RG304 [CUST: CR EC 85 CC] [REVIEW: 19 99 AS AT CR4 MC MI OS SH]	A	6145		CC	19-JUN-2015
M MIL-DTL-17/113D	Cable, Radio Frequency, Flexible, Coaxial, 50 OHMS, M17/113-RG316 [CUST: CR EC 85 CC] [REVIEW: 19 99 AS AT CR4 MC MI OS SH]	A	6145		CC	19-JUN-2015
M MIL-DTL-17/116D	Cables, Radio Frequency, Flexible, Triaxial, 75 OHMS, M17/116-RG307 [CUST: CR EC 85 CC]	A	6145		CC	19-JUN-2015
M MIL-DTL-17/127D	Cable, Radio Frequency, Flexible, Coaxial, 50 OHMS M17/127 RG393 [CUST: CR EC 85 CC] [REVIEW: 19 99 AS AT CR4 MC MI OS SH]	A	6145		CC	19-JUN-2015
M MIL-DTL-17/131C	Cables, Radio Frequency, Flexible, Triaxial, 50 OHMS, M17/131-RG403 [CUST: CR EC 85 CC] [REVIEW: 19 99 AS AT CR4 MC MI OS SH]	A	6145		CC	19-JUN-2015
M MIL-DTL-17/132C	Cables, Radio Frequency, Coaxial, Low Noise, 50 OHMS, M17/132-00001 [CUST: CR EC 85 CC] [REVIEW: 19 99 AS AT CR4 MC MI OS SH]	A	6145		CC	19-JUN-2015
M MIL-DTL-17/136C	[REVIEW: 19 99 AS AT CR4 MC MI OS SH]  Cable, Radio Frequency, Flexible Coaxial, 75 OHMS, M17/136-00001 [CUST: CR EC 85 CC] [REVIEW: 19 99 AS AT CR4 MC MI OS SH]	A	6145		CC	19-JUN-2015
M MIL-DTL-17/137A	Cable, Radio Frequency, Flexible Coaxial, 95 OHMS, M17/137-00001 [CUST: CR EC 85 CC] [REVIEW: 19 99 AS AT CR4 MC MI OS SH]	A	6145		CC	19-JUN-2015
M MIL-DTL-17/138B	Cable, Radio Frequency, Flexible Coaxial, 50 OHMS, M17/138-00001 [CUST: CR EC 85 CC] [REVIEW: 19 99 AS AT CR4 MC MI OS SH]	A	6145		CC	19-JUN-2015
M MIL-DTL-17/139D	Cable, Radio Frequency, Flexible Coaxial, 95 OHMS, M17/139-00001 [CUST: CR EC 85 CC] [REVIEW: 19 99 AS AT CR4 MC MI OS SH]	A	6145		CC	19-JUN-2015
M MIL-DTL-17/152B	Cable, Radio Frequency, Flexible, Coaxial, 50 OHMS, M17/152-00001 [CUST: CR EC 85 CC] [REVIEW: 19 99 AS AT CR4 MC MI OS SH]	A	6145		CC	19-JUN-2015
M MIL-DTL-17/176E	Cables, Radio Frequency, Flexible, Twin, M17/176-00002 and M17/176-00003 [CUST: CR EC 85 CC] [REVIEW: 19 99 AS AT CR4 MC MI OS SH]	A	6145		CC	19-JUN-2015
M MIL-DTL-17/177B	Cables, Radio Frequency, Flexible, Triaxial, 95 OHMS, M17/177-00001 [CUST: CR EC 85] [REVIEW: 19 99 AS AT CR4 MC MI OS SH]	A	6145		CC	19-JUN-2015
M MIL-DTL-5003E NOT 1	Floodlight Set, Electric, Tripod-Mounted, Four 150-Watt Floodlights [CUST: CR4 GS] [REVIEW: MD SM]	A	6230		GS2	19-JUN-2015
M MIL-DTL-52543E NOT 1	Light, Marker, Ground-Obstruction [CUST: CR4 AS GS] [REVIEW: AV IS YD]	A	6230		GS2	19-JUN-2015
M MIL-PRF-6799L NOT 1	Coatings, Sprayable, Strippable, Protective, Water Emulsion [CUST: MR AS 20] [REVIEW: AV]	A	8030	,	AS	15-JUN-2015
M A-A-59464A NOT 2 M MIL-STD-1411B NOT 1	Plastic Plastisol (for Coating Metallic Objects) [CUST: AT SH 99] [REVIEW: 03 20 84 AS CG MR] Inspection and Maintenance of Compressed Gas Cylinders [CUST: EA SH 68 GS]		8030 8120	/	AT GS7	17-JUN-2015 29-JUN-2015
M WIL-31D-1411B NOT 1		<b></b>	5120		55,	2, 3011-2013

01-JUL-2015 2

### ACTIVE SECTION

#### **ASSIST UPDATE**

7 1	CITYLBLCTION	ABBIST CIDITIE					
7			ž				
LAST ACTION			DISTRIBUTION			~	
ΙĘ			5	₹		ACTY	
ΙŞ			B	2		Q4	
E			ĸ	₹	_	Ъ,	
St			$\mathbf{S}$	FSC/AREA	MCA	PREP	
Ľ	DOCUMENT NUMBER	DOCUMENT TITLE	☒	H	Σ	PI.	DATE
М	MIL-DTL-3628/122B	Badge, Identification, Permanent Professor, U.S Air Force Academy [CUST: IH 11] [REVIEW: CT]	Α	8455		IH	18-JUN-2015
	MIL-DTL-3943/124K			8455		IH	12-JUN-2015
		Decoration, Civilian Service Achievement Medal, U. S. Army [CUST: IH] [REVIEW: CT]					
M	MIL-DTL-3943/167C	Decoration, Service Award, Office of Protection Services, Smithsonian Institute [CUST: IH]	A	8455		IH	12-JUN-2015
		[REVIEW: CT]					
M	MIL-DTL-3943/168C	Decoration, Achievement Award, Office of Protection Services, Smithsonian Institute [CUST: IH]	A	8455		IH	12-JUN-2015
		[REVIEW: CT]					
М	MIL-DTL-3943/169C	Decoration, Director's Award, Office of Protection Services, Smithsonian Institute [CUST: IH]	A	8455		IH	12-JUN-2015
1	11111 2 12 37 13/10/0	[REVIEW: CT]	•	0.00			12 0011 2015
M	MIL-DTL-3943/170C	Decoration, Valor Medal, Office of Protection Services, Smithsonian Institute [CUST: IH]		8455		IH	12-JUN-2015
IVI	MIL-D1L-3943/1/0C	[REVIEW: CT]	A	6433		ш	12-JUN-2013
			١.				
M	MIL-DTL-3943/171C	Decoration, Lifesaving Medal, Office of Protection Services, Smithsonian Institute [CUST: IH]	A	8455		IH	12-JUN-2015
		[REVIEW: CT]					
M	MIL-DTL-11484/160D	Lapel Button, Civilian Service Achievement Medal, U.S. Army [CUST: IH] [REVIEW: CT]	A	8455		IH	12-JUN-2015
М	MIL-DTL-11589/77F	Ribbon, Joint Service Commendation Medal [CUST: IH NU 11] [REVIEW: 99 CG1 CT MC]	A	8455		IH	18-JUN-2015
	MIL-DTL-11589/78G			8455		IH	18-JUN-2015
		Ribbon, Korean Service Medal [CUST: IH NU 11] [REVIEW: CG1 CT MC]					
M	MIL-DTL-11589/80F	Ribbon, Legion of Merit [CUST: IH NU 11] [REVIEW: 99 CG1 CT MC]	A	8455		IH	18-JUN-2015
M	MIL-DTL-11589/91J	Ribbon, Good Conduct Medal, U.S. Coast Guard Reserve [CUST: IH CG1] [REVIEW: CT]	A	8455		IH	18-JUN-2015
м	MIL-DTL-11589/236E	Ribbon, Distinguished Service Medal, Uniformed Services University of the Health Sciences	A	8455		IH	18-JUN-2015
1,11	WHE DIE 11309/230E	[CUST: IH NU 11] [REVIEW: CG1 CT MC]	1.	0133			10 3011 2013
1.4	MIL DEL 11590/227E		١,	0.455		***	10 HIN 2015
IVI	MIL-DTL-11589/237E	Ribbon, Exceptional Service Medal, Uniformed Services University of the Health Sciences [CUST: IH NIL 11] (DEVIEW: CGLCT MC)	A	8455		IH	18-JUN-2015
1_		IH NU 11] [REVIEW: CG1 CT MC]		0.7			10 77
M	MIL-DTL-11589/284E	Ribbon, Commendable Service Medal, Uniformed Services University of the Health Sciences	A	8455		IH	18-JUN-2015
		[CUST: IH NU 11] [REVIEW: CG1 CT MC]					
M	MIL-DTL-11589/314D	Ribbon, Medal of Achievement, Uniformed Services University of the Health Sciences [CUST: IH	A	8455		IH	18-JUN-2015
		NU 11] [REVIEW: CG1 CT MC]					
1.4	MIL-DTL-11589/331C			8455		IH	12-JUN-2015
		Ribbon, Civilian Service Achievement Medal, U. S. Army [CUST: IH] [REVIEW: CT]					
M	MIL-DTL-11589/381C	Ribbon, Meritorious Team Commendation Award, U.S. Coast Guard [CUST: IH CG1] [REVIEW:	A	8455		IH	18-JUN-2015
		CT]					
M	MIL-DTL-32235/1A NOT 1	Heater Module, Type I: Heater, Assembly Required [CUST: GL SA 35] [REVIEW: MC MD QM	A	8970		GL	17-JUN-2015
		SS]					
м	MIL-DTL-32235/2 NOT 1	Heater Module, Type II: Heater, Assembled [CUST: GL SA 35] [REVIEW: MC MD QM SS]	A	8970		GL	17-JUN-2015
	MIL-DTL-32235/3 NOT 1	Heater Module, Boil-in-Bag (BIB) Module [CUST: GL SA 35] [REVIEW: MC MD QM SS]		8970		GL	17-JUN-2015
M	A-A-52557A NOT 2	Fuel Oil, Diesel; for Posts, Camps and Stations [CUST: AT SH 68] [REVIEW: 03 20 84 99 AR EC	A	9140	/	AT	19-JUN-2015
		MC MI PS SA]					
M	A-A-59197C	Fatty Oil (for Metal-Working Lubricants) [CUST: AR GS] [REVIEW: AV MI]	A	9150	/	GS3	25-JUN-2015
N	ASTM-D4054	Qualification and Approval of New Aviation Turbine Fuels and Fuel Additives, Standard Practice for	Δ	91GP		68	17-JUN-2015
1,	A31W-D4034	[CUST: AT AS 68 PS] [REVIEW: 11 20 AV MI SA]	Δ.	9101		00	17-3014-2013
	NIA 02206		١.	EACD		4.0	12 HD1 2015
	NAS3306	Facility Requirements for Aircraft Operations [CUST: AV AS 85]		FACR		AS	12-JUN-2015
N	NAS412	Foreign Object Damage/Foreign Object Debris (FOD) Prevention [CUST: AV AS 85] [REVIEW:	A	QCIC		AS	12-JUN-2015
		IS]					
М	DI-SAFT-80101C	System Safety Hazard Analysis Report (SSHAR) [AMSC: F9550]	A	SAFT		40	12-JUN-2015
	DI-SAFT-80102C	Safety Assessment Report (SAR) [AMSC: F9551]		SAFT		40	12-JUN-2015
M	DI-SAFT-80103C	Engineering Change Proposal System Safety Report (ECPSSR) [AMSC: F9552]	A	SAFT		40	12-JUN-2015
M	DI-SAFT-80104C	Waiver or Deviation System Safety Report (WDSSR) [AMSC: F9553]	A	SAFT		40	12-JUN-2015
м	DI-SAFT-80105C	System Safety Program Progress Report (SSPPR) [AMSC: F9554]	A	SAFT		40	12-JUN-2015
	DI-SAFT-80106C	Health Hazard Assessment Report (HHAR) [AMSC: F9556]		SAFT		40	12-JUN-2015
M	DI-SAFT-81299C	Explosive Hazard Classification Data Report (EHCDR) [AMSC: F9556]	A	SAFT		40	12-JUN-2015
M	DI-SAFT-81300B	Mishap Risk Assessment Report (MRAR) [AMSC: F9557]	A	SAFT		40	12-JUN-2015
	DI-SESS-81984	Commercial Derivative Aircraft (CDA) Airworthiness Certification Data [AMSC: F9558]		SESS		11	25-JUN-2015
N	IEEE15288.1	Systems Engineering on Defense Programs, Application of [CUST: AM AS 19 SE] [REVIEW: 01	A	SESS		19	05-JUN-2015
		08 10 11 16 24 33 94 AC AR AV CC CG CH CR DC1 DC5 DH DMS HS MA MC MDA MI NS OS					
		PT SA SH SO SY TE TM USTC]					
N	IEEE15288.2	Technical Reviews and Audits on Defense Programs, IEEE Standard for [CUST: AM AS 19 SE]	A	SESS		19	05-JUN-2015
		[REVIEW: 01 08 10 11 16 24 33 94 AC AR AV CC CG CH CR DC1 DC5 DH DMS HS MA MC					
		MDA MI NS OS PT SA SH SO SY TE TM USTC]					
M	MIL-STD-188-184A	Interoperability Standard for the Data Control Waveform [CUST: CR EC 02 NS] [REVIEW: 11 13	C	TCSS		DC1	17-JUN-2015
1	·	Interoperability Standard for the Data Control Waveform [CUST: CR EC 02 NS] [REVIEW: 11 13 44 71 93 99 AC AS AV CG CR2 DC DC5 DI DMS MC MI MP OM PT SE SPO TE]	آ				
		44 /1 95 99 AC AS AV CO CK2 DC DC5 DI DNS MC MI MF OM F1 SE SFO TE					

### INACTIVE SECTION

#### **ASSIST UPDATE**

	ABBIST CIDITIE	_				i
Z OLD		DISTRIBUTION	¥5		ACTY	
T AC		IRIB	FSC/AREA	_	P AC	
O DOCUMENT NUMBER	DOCUMENT TITLE	DIS	FSC	MCA	PREP	DATE
	Coupler, Optical [CUST: AT]	A	1240		AT	22-JUN-2015
M MIL-T-52509C NOT 2	Dolly, Trailer Converters, M197A1, M198A1, and M354 [CUST: AT MC] Tractor, Full Tracked, Low Speed, Diesel Engine Driven, Sectionalized and Non Sectionalized [CUST: AT]	A	2330 2410		AT AT	15-JUN-2015 30-JUN-2015
	Tractors, Full-Tracked, Low-Speed [CUST: AT YD 99] [REVIEW: 84 CE MC]	1	2410	,	AT	30-JUN-2015
`	Tires, Pneumatic, Vehicular (Highway) [CUST: AT YD 99] [REVIEW: CC CE] Tire, Pneumatic, Industrial [CUST: AT YD 99] [REVIEW: 84 CC]	A	2610 2610	/	AT AT	18-JUN-2015 18-JUN-2015
M ZZ-T-1083F NOT 2	Tire, Pneumatic Low Speed, Off Highway [CUST: AT]	A		/	AT	18-JUN-2015
	Tires, Pneumatic, Agricultural [CUST: AT] Tire, Solid Rubber, and Wheels, Solid Rubber Tire, (Industrial) [CUST: AT YD 99] [REVIEW: CC	1	2610 2630	/	AT AT	18-JUN-2015 18-JUN-2015
	MC MD] Power Package: AVDS 1790-2C, 2CA, 2D or 2DA Engine with CD850-6A or 6A1 Transmission		2815	,	AT	15-JUN-2015
	[CUST: AT] Hoists, Chain, Hand-Operated, Hook and Trolley Suspension [CUST: SH 99] [REVIEW: 84 CC CG MC MP SA YD]	A	3950		SH	18-JUN-2015
M MIL-H-15317C NOT 4	Hoists, Chain or Wire Rope, Electric Power Operated, Lug, Hook or Trolley Suspension and Base Mounted [CUST: AV SH 99] [REVIEW: 84 CC MC MP OS SA]	A	3950		SH	18-JUN-2015
	Padlock, Key Operated, High Security, Shrouded Shackle [CUST: YD 99 IS] [REVIEW: AS CG NO]	A	5340		IS	29-JUN-2015
	Resistor, Fixed, Wirewound (Power Type, Chassis Mounted), Styles RE60, RE65, RE70, and RE75 [CUST: CR EC 85 CC] [REVIEW: 19 AR AS AT AV CG CR4 MC OS]		5905		CC	24-JUN-2015
1.7	Filters, Radio Frequency Interference, Style FL48 [CUST: CR EC 85 CC] [REVIEW: 19 99 AS AT CG MC SH] Electron Tube, Thyratron Type 5C22 [CUST: CR EC 85 CC] [REVIEW: 99 AR AS CG CR4 MC		5915 5960		CC	16-JUN-2015 19-JUN-2015
	Electron Tube, Thyratron Types 7190 and 7191 [CUST: CR EC 85 CC] [REVIEW: 99 AR AS CO CR4 MC MI OS SH]  Electron Tube, Thyratron Types 7190 and 7191 [CUST: CR EC 85 CC] [REVIEW: 99 AR AS CG		5960		CC	19-JUN-2015
	MC MI OS SH] Electron Tube, Thyratron Type 7322 [CUST: CR EC 85 CC] [REVIEW: 99 AS CG MC MI OS SH]		5960		CC	19-JUN-2015
	Electron Tube, Thyratron Type 8789 [CUST: 85 CC] [REVIEW: 99]	1	5960		CC	19-JUN-2015
M MIL-PRF-19500/120D	Electron Tube, Thyratron Type 8765 [CUST: CR EC 85 CC] [REVIEW: 99 AS CG CR4 MI OS] Transistor, NPN, Silicon, Switching, Low-Power, Through-Hole Mount, Type 2N706, Quality Level		5960 5961		CC CC	19-JUN-2015 12-JUN-2015
M MIL-PRF-19500/207D	JAN [CUST: CR EC 85 CC] [REVIEW: 19 70 99 AR AS AV CG MC MI NA OS SH SM] Transistor, NPN, Silicon, Switching, Medium-Power, through-Hole Mount, Types 2N1479, 2N1480, 2N1481 and 2N1482, Quality Level Jan [CUST: CR EC 99 CC] [REVIEW: AR MI SM]	A	5961		CC	27-JUN-2015
M MIL-DTL-10911E(1) SUP 1A	Loudspeakers, Permanent Magnet, (Unencased, 2.5-, 3-, 4-, 5-, 6-, 8-, 10-, and 12-Inch Diameter Cones), General Specifications for [CUST: CR EC 85 CC] [REVIEW: 99]	A	5965		CC	13-MAY-2015
M MIL-E-52891B NOT 3	Detector Tubes, Chemical Agent [CUST: EA SH] Enamel, Lusterless, Zinc Phosphate, Styrenated Alkyd Type [CUST: MR] [REVIEW: AR AT CR	C A	6665 8010		EA MR	06-MAY-2015 17-JUN-2015
	EA MD1] Propellant, Isopropyl Alcohol [CUST: 68 PS] [REVIEW: 19]	A	9135		68	15-JUN-2015

#### **CANCELED SECTION**

#### **ASSIST UPDATE**