

# Department of Defense Standardization Program



## ASSIST UPDATE

(A bi-monthly summary of changes to the ASSIST document database)

**1 June 2011**

(For the Period 15 May 2011 to 31 May 2011)

## ASSIST UPDATE

Documents listed in the ASSIST UPDATE have an indicator of “N” or “M” to describe the last action taken on a listed document.

“N” indicates that a “new” document has been entered into the ASSIST database.

“M” indicates that a document already in ASSIST has been “modified” in some way.

The ASSIST UPDATE is published twice a month and provides a summary of changes to Department of Defense standardization documents for the period indicated. Since changes are processed to the ASSIST database on a daily basis, users should consult the ASSIST web site at <https://assist.daps.dla.mil> for the most current information.

If you need to track changes more frequently, or if you have an interest in specific Federal Supply Classes or individual specifications, standards, or other standardization documents, you may wish to take advantage of the ASSIST Alert Service. This feature lets you establish a list of documents of interest to you, and then the ASSIST will alert you with an E-mail message each day there is a change to one or more documents of interest to you. There is no charge for this service; however, you must have an ASSIST user account. To obtain one, complete the ASSIST online registration form at <https://assist.daps.dla.mil/online/registration/registration.cfm>.

Once you have your account, you can establish your Alert Portal profile. For more information on the ASSIST Alert Service, go to: <https://assist.daps.dla.mil/online/news/AlertService.htm>.

## ACTIVE SECTION

## ASSIST UPDATE

LAST ACTION	DOCUMENT NUMBER	DOCUMENT TITLE	DISTRIBUTION	FSC/AREA	MCA	PREP ACTY	DATE
M	MIL-DTL-82919B(1)	Explosive, Plastic-Bonded, Cast PBXN-112 [CUST: OS]	D	1376		OS	12-MAY-2011
N	MIL-DTL-32369	Cartridge, Impulse, CCU-167/B [CUST: OS]	A	1377		OS	27-APR-2011
M	MS27566H NOT 3	Cap Assembly, Liquid Oxygen Fill Valve [CUST: AS 71] [REVIEW: 11 99 GS]	A	1660		71	23-MAY-2011
M	MIL-DTL-83798D(1) SUP 1	Fitting, Rubber Hose, Lightweight, Medium Pressure, General Specification For [CUST: AV AS 99 CC] [REVIEW: 71 85 AT MC SA]	A	4730		CC	26-MAY-2011
M	MS9197D(1)	Nut, Tube Coupling-CRES SAE-AMS5646, Silver Plate [CUST: AS 99 CC] [REVIEW: 71 MC]	A	4730		CC	17-MAY-2011
M	MS9198D(1)	Nut, Tube Coupling-CRES SAE-AMS5646 [CUST: MI AS 99 CC] [REVIEW: 71 MC]	A	4730		CC	17-MAY-2011
M	MS20756F	Flange, Swivel, Retaining [CUST: AV AS 99 CC] [REVIEW: 85 AT SA]	A	4730		CC	24-MAY-2011
M	MIL-PRF-25961H(1)	Valve, Fill-Buildup-Vent, Liquid Oxygen Converter, CRU-50/A [CUST: AS 71] [REVIEW: 99 CC MC]	A	4820		71	31-MAY-2011
N	MIL-PRF-32381	Acoustic Hailing Device (Light) [CUST: AR]	A	5830		AR	20-MAY-2011
M	MIL-PRF-39023/1C(1)	Resistors, Variable, Nonwirewound, Precision, Style RQ090 [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS AT CG CR4 MC MI OS]	A	5905		CC	31-MAY-2011
M	MIL-PRF-39023/2D(1)	Resistors, Variable, Nonwirewound, Precision, Style RQ110 [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS AT AV CG MC MI OS]	A	5905		CC	31-MAY-2011
M	MIL-PRF-39023/3C(1)	Resistors, Variable, Nonwirewound, Precision, Style RQ150 [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS AT AV CG CR4 MC MI OS]	A	5905		CC	31-MAY-2011
M	MIL-PRF-39023/4C(1)	Resistors, Variable, Nonwirewound, Precision, Style RQ200 [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS AT AV CG CR4 MC MI OS]	A	5905		CC	31-MAY-2011
M	MIL-PRF-39023/5C(1)	Resistors, Variable, Nonwirewound, Precision, Style RQ300 [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS AT AV CG CR4 MC MI OS]	A	5905		CC	31-MAY-2011
M	MIL-PRF-39023/6C(1)	Resistors, Variable, Nonwirewound, Precision, Style RQ100 [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS AT AV CG MC MI OS]	A	5905		CC	31-MAY-2011
M	MIL-PRF-39023/7C(1)	Resistors, Variable, Nonwirewound, Precision, Style RQ160 [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS AT AV CG CR4 MC MI OS]	A	5905		CC	31-MAY-2011
M	MIL-PRF-39023/8C(1)	Resistors, Variable, Nonwirewound, Precision, Style RQ210 [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS AT AV CG CR4 MC MI OS]	A	5905		CC	31-MAY-2011
M	MIL-PRF-39023/9B(1)	Resistors, Variable, Nonwirewound, Precision, Style RQ091 [CUST: EC 85 CC] [REVIEW: 19 AS CG MC OS]	A	5905		CC	31-MAY-2011
M	MIL-PRF-39023/10C(1)	Resistors, Variable, Nonwirewound, Precision, Style RQ051 [CUST: CR EC CC] [REVIEW: AR AS CG MC MI OS]	A	5905		CC	31-MAY-2011
M	MIL-DTL-55302/55G(1)	Connectors, Printed Circuit Subassembly and Accessories: Plug, Socket Contacts, Decade Increments 10 thru 70 Contact Positions and Intermediate Positions of 14, 24, 44, 54 and 26, 36, 56, 66 for Printed Wiring Boards (.100 Spacing) [CUST: CR EC 85 CC NA] [REVIEW: 19 99 AR AS AT AV CR4 MC MI OS TD]	A	5935		CC	11-MAY-2011
M	MIL-DTL-55302/59H(1)	Connectors, Printed Circuit Subassembly and Accessories: Plug, Pin Contacts, Decade Increments 90, 100 and 120 Contact Positions for Printed Wiring Boards (.100 Spacing) [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS AT AV CR4 MC MI OS TD]	A	5935		CC	11-MAY-2011
M	MIL-DTL-83723/16B(2) NOT 2	Connector, Electrical, Backshell, with Heat-Shrinkable Strain-Relief, Boot (Straight or Right Angle), Bayonet-Coupling, Series I and III [CUST: 85 CC] [REVIEW: 99]	A	5935		CC	16-MAY-2011
M	MIL-PRF-19500/115N(1)	Semiconductor Device, Diode, Silicon, Voltage Regulator, Types 1N3821A through 1N3828A, 1N3016B through 1N3051B, 1N3821A-1 through 1N3828A-1, 1N3016B-1 through 1N3051B-1, 1N3821AUR-1 through 1N3828AUR-1, 1N3016BUR-1 through 1N3051BUR-1, Plus C- and D- Tolerance Suffix, JAN, JANTX, JANTXV, and JANHC [CUST: CR EC 85 CC NA] [REVIEW: 19 99 AR AS AV MC MI SM]	A	5961		CC	29-MAY-2011
M	MIL-PRF-19500/508D	Semiconductor Device, Transistor, PNP, Silicon, Power, Types 2N6437 and 2N6438, JAN, JANTX and JANTXV [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS CG MC MI SH]	A	5961		CC	23-MAY-2011
M	MIL-PRF-19500/552F	Semiconductor Device, Diode, Silicon, Transient Voltage Suppressor, Types 1N6469 through 1N6476, 1N6469US through 1N6476US, 1N6469URS through 1N6476URS, JAN, JANTX, and JANTXV [CUST: CR EC 85 CC] [REVIEW: 19 99]	A	5961		CC	14-MAY-2011
M	MIL-PRF-19500/558H	Semiconductor Device, Unizited, PNP, Silicon, Switching, Four Transistor Array, Types 2N6987, 2N6987U, and 2N6988, JAN, JANTX, JANTXV, and JANS JANTX, JANTXV, JANS, JANSN, JANSN, JANSF, JANSF, JANSF, and JANSF [CUST: CR EC 85 CC] [REVIEW: 19 71 99 AR AS MI SM]	A	5961		CC	24-MAY-2011
M	MIL-PRF-19500/690A	Semiconductor Device, Diode, Silicon, Switching Types 1N4148SCSP (NBN), JANHC, JANKC [CUST: CR EC 85 CC NA]	A	5961		CC	18-MAY-2011
M	MIL-PRF-19500/572C	Semiconductor Device, Diode, Light Emitting, Types 1N6493, 1N6494, 1N6495, 1N6500, 1N6501, and 1N6502, JAN and JANTX [CUST: 85 CC] [REVIEW: 99]	A	5980		CC	16-MAY-2011
M	MIL-PRF-19500/574C	Semiconductor Device, Diode, Light Emitting Types 1N6497, 1N6498, 1N6499, 1N6503, 1N6504, and 1N6505, JAN and JANTX [CUST: 85 CC] [REVIEW: 99]	A	5980		CC	27-MAY-2011
M	MIL-DTL-3922D	Flanges, Waveguide, General Purpose, General Specification for [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS AV MC MI OS]	A	5985		CC	24-MAY-2011
M	MIL-PRF-85676A NOT 1	Lighting, Emergency Egress, Subassembly [CUST: AS] [REVIEW: IS]	A	6220		AS	26-MAY-2011
M	A-A-50441A	Lamp, Incandescent, T-12, Medium Screw, 3 Contact [CUST: CR4 SH 99 GS] [REVIEW: 71]	A	6240	/	GS2	19-MAY-2011
M	MIL-DTL-53072D(1)	Chemical Agent Resistant Coating (CARC) System Application Procedures and Quality Control Inspection [CUST: MR SH 11] [REVIEW: 84 99 AS CG MC MD1 MI]	A	8010		MR	17-MAY-2011
M	MIL-DTL-3060G	Boxes, Small Arms Ammunition - M19A1 and M2A1 [CUST: AR]	A	8140		AR	31-MAY-2011
N	MIL-DTL-3943/342	Medal, Global Health Initiative Service, U.S. Public Health Service [CUST: IH] [REVIEW: CT]	A	8455		IH	01-JUN-2011
N	MIL-DTL-3943/343	Medal, Global Health Campaign, U.S. Public Health Service [CUST: IH] [REVIEW: CT]	A	8455		IH	01-JUN-2011
N	MIL-DTL-11484/337	Lapel Button, Global Health Initiative Service Medal, U.S. Public Health Service [CUST: IH] [REVIEW: CT]	A	8455		IH	01-JUN-2011
N	MIL-DTL-11484/338	Lapel Button, Global Health Campaign Medal, U.S. Public Health Service [CUST: IH CT]	A	8455		IH	01-JUN-2011
M	A-A-59489B	Matches, Safety [CUST: GL SA 35 SS] [REVIEW: MC MD QM]	A	9920	/	SS	25-MAY-2011
M	DI-FNCL-81565C	Cost Data Summary Report (DD Form 1921) [AMSC: D9193]	A	FNCL		CAPE	18-MAY-2011
M	DI-FNCL-81566C	Functional Cost-Hour Report (DD Form 1921-1) [AMSC: D9194]	A	FNCL		CAPE	18-MAY-2011
M	DI-FNCL-81567C	Progress Curve Report (DD Form 1921-2) [AMSC: D9195]	A	FNCL		CAPE	18-MAY-2011
M	DI-FNCL-81765B	Contractor Business Data Report (DD Form 1921-3) [AMSC: D9196]	A	FNCL		CAPE	18-MAY-2011
M	MIL-STD-171F	Finishing of Metal and Wood Surfaces [CUST: AR SH 11] [REVIEW: 99 AS AV GL MD MI MR OS YD]	A	MFFP		AR	31-MAY-2011
M	DI-MGMT-81334D	Contract Work Breakdown Structure [AMSC: D9199]	A	MGMT		CAPE	18-MAY-2011
M	DI-MGMT-81739A	Software Resources Data Reporting: Initial Developer Report and Data Dictionary [AMSC: D9198]	A	MGMT		CAPE	18-MAY-2011

## ACTIVE SECTION

## ASSIST UPDATE

LAST ACTION			DISTRIBUTION	FSC/AREA	MCA	PREP ACTY	DATE
	DOCUMENT NUMBER	DOCUMENT TITLE					
M	DI-MGMT-81740A	Software Resources Data Reporting: Final Developer Report and Data Dictionary [AMSC: D9197]	A	MGMT		CAPE	18-MAY-2011
M	MIL-STD-2105D	Hazard Assessment Tests for Non-Nuclear Munitions [CUST: AR OS 11] [REVIEW: AS TE] [AMSC: N9200]	A	SAFT		OS	19-APR-2011

## INACTIVE SECTION

## ASSIST UPDATE

LAST ACTION			DISTRIBUTION	FSC/AREA	MCA	PREP ACTY	DATE
	DOCUMENT NUMBER	DOCUMENT TITLE					
M	MS35644G	Filler Neck: Fuel Tank-Military Vehicles [CUST: AT SH 99 CC] [REVIEW: 71 AR CR4 MC SA YD]	A	2910		CC	09-MAY-2011
M	MS90908C	Filler Tube, Fuel Tank-Military Vehicles [CUST: AT MC 99 CC] [REVIEW: 71 CR4 MC SA YD]	A	2910		CC	09-MAY-2011
M	MS9195B(1)	Elbow, Tube - SAE-AMS5639, Boss, 45 Degrees [CUST: AS CC] [REVIEW: SA]	A	4730		CC	17-MAY-2011
M	MIL-C-5G	Capacitors, Fixed, MICA Dielectric, General Specification for [CUST: CR EC 85 CC] [REVIEW: 19 99 AS MC MI OS]	A	5910		CC	19-MAY-2011
M	MIL-DTL-83723/17B(2) NOT 1	Connectors Electrical, (Circular, Environment Resisting), Receptacle, (Cable Connecting, Threaded Coupling, Crimp Socket Contacts), (Series II, Classes A, G, and R) [CUST: 85 CC] [REVIEW: 19 99]	A	5935		CC	16-MAY-2011
M	MIL-DTL-83723/18B(2) NOT 2	Connectors, Electrical, (Circular, Environment Resisting), Receptacle, (Cable connecting, Threaded Coupling, Crimp Pin Contacts), (Series II, Classes A, G, and R) [CUST: 85 CC] [REVIEW: 19 99]	A	5935		CC	16-MAY-2011
M	MIL-DTL-83723/19C(2) NOT 2	Connectors, Electrical, (Circular, Environment Resisting), Receptacle, (Wall Mount, Threaded Coupling, Crimp Socket Contacts), (Series II, Classes A, G, K, and R) [CUST: 85 CC] [REVIEW: 19 99]	A	5935		CC	16-MAY-2011
M	MIL-DTL-83723/20C(2) NOT 2	Connectors, Electrical, (Circular, Environment Resisting), Receptacle, (Wall Mount, Threaded Coupling, Crimp Pin Contacts), (Series II, Classes A, G, K, and R) [CUST: 85 CC] [REVIEW: 19 99]	A	5935		CC	16-MAY-2011
M	MIL-DTL-83723/21B(2) NOT 1	Connectors, Electrical, (Circular, Environment Resisting), Receptacle, (Box Mount, Threaded Coupling, Crimp Socket Contacts), (Series II, Classes A, G, and R) [CUST: CR AS 85 CC] [REVIEW: 19 99]	A	5935		CC	16-MAY-2011
M	MIL-DTL-83723/22B(2) NOT 2	Connectors, Electrical, (Circular, Environment Resisting), Receptacle, (Box Mount, Threaded Coupling, Crimp Pin Contacts), (Series II, Classes A, G, and R) [CUST: CR AS 85 CC] [REVIEW: 19 99]	A	5935		CC	16-MAY-2011
M	MIL-DTL-83723/23D(1)	Connectors, Electrical, (Circular, Environment Resisting), Plug, (Threaded Coupling, Crimp Socket Contacts), (Series II, Classes A, G, K, and R) [CUST: CR EC 85 CC] [REVIEW: 19 99]	A	5935		CC	16-MAY-2011
M	MIL-DTL-83723/24C(2) NOT 2	Connectors, Electrical, (Circular, Environment Resisting), Plug, (Threaded Coupling, Crimp Pin Contacts), Series II, Classes A, G, K, and R [CUST: CR AS 85 CC] [REVIEW: 19 99]	A	5935		CC	16-MAY-2011
M	MS27615F(1)	Connectors, Electrical, Plug, Ratchet Lock Coupling, Firewall Series [CUST: 85 CC] [REVIEW: 99]	A	5935		CC	16-MAY-2011
M	MIL-DTL-13777/3B	Cable, Special Purpose, Electrical, 16, 17, 18, 19 and 20 Conductors [CUST: AR SH 85 CC] [REVIEW: 19 CE CR MC MI]	A	6145		CC	11-MAY-2011
M	MIL-DTL-7077D	Indicator, Temperature, Electrical Resistance, Multifunction, -70 Degrees C to 150 Degrees C, 2-Inch Size [CUST: CR4 99 GS] [REVIEW: 71]	A	6685		GS1	16-MAY-2011
M	MIL-DTL-25026C	Indicator, Temperature, Thermocouple, Engine Exhaust, Type MJ-4 [CUST: 99 GS] [REVIEW: 71]	A	6685		GS1	16-MAY-2011

## CANCELED SECTION

## ASSIST UPDATE

LAST ACTION			DISTRIBUTION	FSC/AREA	MCA	PREP ACTY	DATE
	DOCUMENT NUMBER	DOCUMENT TITLE					
M	A-A-54734 NOT 1	Filter Unit, Contamination Analysis, Gravimetric (No S/S Document) [CUST: GS3]	A	6630	/	GS3	17-MAY-2011
M	A-A-59302 NOT 2	Magnesium Oxide, Technical (No S/S Document) [CUST: EA OS GS] [REVIEW: AS MD1 MI]	A	6810	/	GS3	27-MAY-2011
M	SAE-J898	Machines, Off-Road Work, Control Locations for (See Notice of Withdrawal for Replacement Information) [CUST: AT SA 99] [REVIEW: 84]	A	HFAC		AT	19-MAY-2011