

# Department of Defense Standardization Program



## ASSIST UPDATE

(A bi-monthly summary of changes to the ASSIST document database)

**1 June 2012**

(For the Period 15 May 2012 to 31 May 2012)

## ASSIST UPDATE

Documents listed in the ASSIST UPDATE have an indicator of “N” or “M” to describe the last action taken on a listed document.

“N” indicates that a “new” document has been entered into the ASSIST database.

“M” indicates that a document already in ASSIST has been “modified” in some way.

The ASSIST UPDATE is published twice a month and provides a summary of changes to Department of Defense standardization documents for the period indicated. Since changes are processed to the ASSIST database on a daily basis, users should consult the ASSIST web site at <https://assist.daps.dla.mil> for the most current information.

If you need to track changes more frequently, or if you have an interest in specific Federal Supply Classes or individual specifications, standards, or other standardization documents, you may wish to take advantage of the ASSIST Alert Service. This feature lets you establish a list of documents of interest to you, and then the ASSIST will alert you with an E-mail message each day there is a change to one or more documents of interest to you. There is no charge for this service; however, you must have an ASSIST user account. To obtain one, complete the ASSIST online registration form at <https://assist.daps.dla.mil/online/registration/registration.cfm>.

Once you have your account, you can establish your Alert Portal profile. For more information on the ASSIST Alert Service, go to: <https://assist.daps.dla.mil/online/news/AlertService.htm>.

ACTIVE SECTION

ASSIST UPDATE

LAST ACTION	DOCUMENT NUMBER	DOCUMENT TITLE	DISTRIBUTION	FSC/AREA		MCA		DATE
							PREP ACTY	
M	MIL-K-70606(4) NOT 2	Knife, Bayonet, Multipurpose, M9 with Scabbard [CUST: AR]	A	1005		AR		10-MAY-2012
M	MIL-DTL-60315C(2) NOT 1	Charge, Propelling, M67, for 105MM Howitzer Loading, Assembling and Packing [CUST: AR]	A	1315		AR		11-MAY-2012
M	MIL-PRF-32293(1)	Cap, Blasting, Electric - M6 [CUST: AR]	A	1375		AR		04-MAY-2012
M	MIL-HDBK-349 NOT 1	Manufacture and Inspection of Adhesive Bonded, Aluminum Honeycomb Sandwich Assemblies for Aircraft [CUST: 99] [REVIEW: GS]	A	1560		84		17-MAY-2012
M	MIL-HDBK-500B NOT 1	Key Supplier Processes for Aviation and Space Sectors Acquisition and Sustainment Programs [CUST: AV AS 11] [REVIEW: 99]	A	15GP			11	31-MAY-2012
M	MS20658J	Terminal, Wire Rope, Swaging, Fork End [CUST: CR4 AS 99 GS] [REVIEW: 71 MC MD]	A	1640			GS5	21-MAY-2012
M	A-A-58026B NOT 1	Tractor, Aircraft Towing, U-30 [CUST: AV 84] [REVIEW: 99 MI]	A	1740	/		84	17-MAY-2012
M	A-A-58045B NOT 1	Tractor, Aircraft Towing, MB-2 [CUST: 84] [REVIEW: 99]	A	1740	/		84	17-MAY-2012
M	A-A-59210C NOT 1	Tractor, Aircraft Towing, MB-4 [CUST: 84] [REVIEW: 99]	A	1740	/		84	17-MAY-2012
M	A-A-59312C NOT 1	Tractor, Aircraft Towing, Flight Line [CUST: AV 84] [REVIEW: 99]	A	1740	/		84	17-MAY-2012
M	A-A-58091B NOT 1	Trailer, Tank Mounted, Recoverable Aviation Turbine Fuel (Bowsers): 200, 400 and 600 Gallon Capacity [CUST: 84] [REVIEW: 99]	A	2330	/		84	17-MAY-2012
M	MIL-HDBK-1599A(1) NOT 3	Bearings, Control System Components, and Associated Hardware used in the Design and Construction of Aerospace Mechanical Systems and Subsystems [CUST: AT AS 99] [REVIEW: AV GS SH]	A	31GP			84	17-MAY-2012
M	ANSI-B11.3	Machine Tools - Power Press Brakes - Safety Requirements for Construction, Care, Use (No S/S Document) [CUST: AR SH 99 GS]	A	34GP			GS6	21-MAY-2012
M	A-A-58083A NOT 1	Truck, Lift, Fork, Diesel-Engine-Driven, Pneumatic-Tired, 4-Wheel Drive, Rough Terrain, 6,000 Pounds Capacity at 24 Inch Load Center [CUST: AT SA 84] [REVIEW: 99 IS]	A	3930	/		84	17-MAY-2012
M	A-A-59141A NOT 1	Truck, Lift, Fork, Electric, Solid-Tired, 2,000 Pounds Capacity At 24 Inch Load Center, 144 Inch Lift Height [CUST: AT SA 84] [REVIEW: 99 IS]	A	3930	/		84	17-MAY-2012
M	A-A-59340B NOT 1	Truck, Lift, Fork, Diesel-Engine-Driven, Pneumatic-Tired, 10,000 Pound Capacity [CUST: MI 84] [REVIEW: 99 IS]	A	3930	/		84	17-MAY-2012
M	A-A-59792 NOT 1	Truck, Lift, Telescoping Mast, Container Handler, Diesel-Engine-Driven, Pneumatic-Tired, 100,000-Pound Capacity [CUST: 99] [REVIEW: IS]	A	3930	/		84	17-MAY-2012
M	A-A-59795 NOT 1	Truck, Lift, Fork, Container Handler, Diesel-Engine-Driven, Pneumatic-Tired, Rough Terrain 50,000-Pound Capacity [CUST: 99] [REVIEW: IS]	A	3930	/		84	17-MAY-2012
M	MS16842G	Clamp, Wire Rope, Saddled, Single-Grip, Steel, Type I (Malleable-Iron and Steel Saddle) [CUST: AR SH 99 CC] [REVIEW: 71 AT AV CR4 GL MC SA YD]	A	4030			CC	16-APR-2012
M	MS16843G	Clamp, Wire Rope (Double Grip), Threaded, Steel, Type IV [CUST: AR SH 99 CC] [REVIEW: 71 AT AV CR4 GL MC SA YD]	A	4030			CC	16-APR-2012
M	MS51868D	Clamp, Wire Rope, Double Saddled, Double-Grip, Steel, Type III [CUST: AR SH 99 CC] [REVIEW: 71 AT AV CR4 GL MC SA YD]	A	4030			CC	16-APR-2012
M	FF-C-450/1A	Clamp, Wire Rope, Double-Grip, Steel, Double Saddled, Type II [CUST: AR SH 99 CC] [REVIEW: 71 AT AV CR4 GL MC SA YD]	A	4030	/		CC	16-APR-2012
N	MIL-PRF-2939(11)	Cooling Coils, Air, Duct Type and Gravity Type, Naval Shipboard Environmental Control Systems [CUST: SH]	A	4130			SH	09-MAY-2012
M	MIL-DTL-83796/3B(1)	Hose Assembly, Rubber, Lightweight, Medium Pressure, Field Attachable End Fittings, Flareless to Flareless [CUST: AV AS 99 CC] [REVIEW: 71 85 AT MC SA]	A	4720			CC	24-MAY-2012
M	MIL-DTL-83796/4B(1)	Hose Assembly, Rubber, Lightweight, Medium Pressure, Field Attachable End Fittings, Flareless to Flareless, with Lockwire Hole [CUST: AV AS 99 CC] [REVIEW: 71 85 AT MC SA]	A	4720			CC	24-MAY-2012
M	MIL-DTL-83796/7C(1)	Hose Assembly, Rubber, Lightweight, Medium Pressure, Field Attachable End Fittings, Flareless to Flange [CUST: AV AS 99 CC] [REVIEW: 71 85 AT MC SA]	A	4720			CC	24-MAY-2012
M	MIL-DTL-83796/8C(1)	Hose Assembly, Rubber, Lightweight, Medium Pressure, Field Attachable End Fittings, Flareless to Flange, with Lockwire Hole [CUST: AV AS 99 CC] [REVIEW: 71 85 AT MC SA]	A	4720			CC	24-MAY-2012
M	MIL-DTL-83796/12(1)	Hose Assembly, Rubber, Lightweight, Medium Pressure, Internal Support Coil, Field Attachable End Fittings, Flareless to Flareless [CUST: AV AS 99 CC] [REVIEW: 71 85 AT MC SA]	A	4720			CC	24-MAY-2012
M	MIL-DTL-83796/13(1)	Hose Assembly, Rubber, Lightweight, Medium Pressure, Internal Support Coil, Field Attachable End Fittings, Flareless to Flareless, with Lockwire Hole [CUST: AV AS 99 CC] [REVIEW: 71 85 AT MC SA]	A	4720			CC	24-MAY-2012
M	MIL-DTL-83796/16A(1)	Hose Assembly, Rubber, Lightweight, Medium Pressure, Internal Support Coil, Field Attachable End Fittings, Flareless to Flange [CUST: AV AS 99 CC] [REVIEW: 71 85 AT MC SA]	A	4720			CC	24-MAY-2012
M	MIL-DTL-83798D(3) SUP 1	Fitting, Rubber Hose, Lightweight, Medium Pressure, General Specification For [CUST: AV AS 99 CC] [REVIEW: 11 71 AT MC SA]	A	4730			CC	23-MAY-2012
M	MS18229B NOT 1	Plug for O Ring Gasket [CUST: SH] [REVIEW: CR4]	A	4730			SH	17-MAY-2012
M	A-A-59553A	Coupling Halves, Cap and Wye; Quick Disconnect Pneumatic Hose, Two-Lug Universal Type [CUST: AT SH CC] [REVIEW: AR MC OS SA]	A	4730	/		CC	14-MAY-2012
M	A-A-59440C	Cock-Valves and Valves, General Requirements for [CUST: AR SH 99 CC] [REVIEW: 71 AS AT AV CR4 GL MC MI SA]	A	4820	/		CC	21-MAY-2012
M	A-A-59440/1B	Cock-Valve, Center Drain, Internal Seat or External Seat, 150 PSI, Brass, Non-Flammable Liquid or Gas, NPTF-1 Threads [CUST: AR SH 99 CC] [REVIEW: 71 AS AT AV CR4 GL MC MI SA]	A	4820	/		CC	21-MAY-2012
M	A-A-59440/2B	Cock-Valve, Drain, with Hose Bib, 150 PSI, Non-Flammable Liquid or Gas, NPTF-1 Threads [CUST: AR SH 99 CC] [REVIEW: AS AT AV CR4 MC MI SA]	A	4820	/		CC	21-MAY-2012
M	A-A-59440/3B	Cock-Valve, Drain, Spring Key, Brass, 50 PSI, Water, Oil, and Gas (WOG), NPTF-1 Threads [CUST: AR SH 99 CC] [REVIEW: AS AT AV CR4 MC SA]	A	4820	/		CC	21-MAY-2012
M	A-A-59440/4B	Cock-Valve, Drain, Ground Key, 150 PSI, Brass, Steam Pressure, NPTF-1 Threads [CUST: MI SH 99 CC] [REVIEW: AS AT AV CR4 MC SA]	A	4820	/		CC	21-MAY-2012
M	A-A-59440/5B	Cock-Valve, Drain, Ground Key, Bib Nozzle 150 PSI, Steam Pressure, Brass, NPTF-1 Threads [CUST: AR SH 99 CC] [REVIEW: AS GL MC MI SA]	A	4820	/		CC	21-MAY-2012
M	A-A-59440/6B	Cock-Valve, Plug, Three-Way, Threaded Type, Brass, 125 PSI, NPTF-1 Threads, Water, Oil and Gas (WOG) [CUST: AR SH 99 CC] [REVIEW: AS AT CR4 GL MC SA]	A	4820	/		CC	21-MAY-2012
M	A-A-59440/7B	Valve, Shut-Off, Screw Stem, Threaded Type, 150 PSI, Brass, Water, Oil, and Gas (WOG), NPTF-1 Threads [CUST: AR SH 99 CC] [REVIEW: AS CR4 GL MC MI SA]	A	4820	/		CC	21-MAY-2012
M	A-A-59440/8B	Cock-Valve, Shut-Off, Screw Stem, Threaded Type, 50 PSI, Brass, Water, Oil, and Gas (WOG), NPTF-1 Threads [CUST: AR SH 99 CC] [REVIEW: AS AT CR4 GL MC MI]	A	4820	/		CC	21-MAY-2012
M	A-A-59440/9B	Cock-Valve, Plug, Ground Key, Threaded Type, Brass, 125 PSI Steam, NPTF-1 Threads [CUST: AR SH 99 CC] [REVIEW: AS AT CR4 GL MC MI]	A	4820	/		CC	21-MAY-2012
M	A-A-59790 NOT 1	Balancer, Vehicle Wheel (Electric) [CUST: AT YD 99] [REVIEW: CC]	A	4910	/		84	17-MAY-2012
M	A-A-59579B	Test Set, Fuel Control System - AC/DC Quantity [CUST: 84] [REVIEW: 99]	A	4920	/		84	15-MAY-2012

ACTIVE SECTION

ASSIST UPDATE

LAST ACTION	DOCUMENT NUMBER	DOCUMENT TITLE	DISTRIBUTION			DATE
			FSC/AREA	MCA	PREP ACTY	
M	A-A-50743A NOT 1	Cleaner, Ultrasonic, with Rinse and Dry, 5.5 Gallon [CUST: 84] [REVIEW: 99]	A 4940	/	84	17-MAY-2012
M	MS20001P	Hinge, Butt Structural, Extruded [CUST: AV AS 99] [REVIEW: IS]	A 5340		AS	21-MAY-2012
M	QPL-24688 NOT 2	Insulation, Thermal and Acoustic Absorptive, Cellular Polyimide Foam	A 5640		SH	31-MAY-2012
M	QPL-39005-70	Resistors, Fixed, Wire-Wound (Accurate), Nonestablished Reliability, Established Reliability, General Specification for	A 5905		CR	14-MAY-2012
M	QPL-39007-99	Resistors, Fixed, Wire Wound (Power Type), Nonestablished Reliability, Established Reliability, and Space Level, General Specification for	A 5905		CR	14-MAY-2012
M	QPL-55342-116	Resistors, Chip, Fixed, Film, Nonestablished Reliability, Established Reliability, Space Level, General Specification for	A 5905		CR	14-MAY-2012
M	MIL-PRF-39006/33A	Capacitors, Fixed, Electrolytic (Nonsolid Electrolyte), Tantalum, (Polarized, Sintered Slug), (Extended Range), 85 Degrees C (Voltage Derated to 125 Degrees C), Established Reliability, Style CLR93 [CUST: CR EC 85 CC] [REVIEW: 19 AS MC OS]	A 5910		CC	01-JUN-2012
M	MIL-PRF-49470/1E	Capacitor, Fixed, Ceramic Dielectric, Switch Mode Power Supply (General Purpose and Temperature Stable), Standard Reliability and High Reliability, Unencapsulated, Horizontally Stacked, Style PS01 [CUST: CR EC 85 CC NA] [REVIEW: 19 99 AR AT AV CR4 MC MI]	A 5910		CR	14-MAY-2012
M	MIL-PRF-15160/62H	Fuses, Instrument, Power, and Telephone (Nonindicating), Style F62 [CUST: CR SH 85 CC] [REVIEW: 19 99 AR AS AT CG CR4 MC MI OS YD]	A 5920		CC	31-MAY-2012
M	MIL-PRF-24236/20J(3) NOT 1	Switches, Thermostatic, (Bimetallic), Subminiature, Type 1, Hermetically Sealed, Single Pole, Single Throw (SPST), 2 Amperes and Low Level [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS AT AV CG CR4 MC MI OS SH]	A 5930		CC	23-MAY-2012
M	MIL-DTL-28731/20E	Connector, Electrical, Contact, Fork Type, Crimp Removable (8.5 Amperes) [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS AT AV CR4 MC MI OS]	A 5935		CC	25-MAY-2012
M	MIL-DTL-28731/29C	Connectors, Electrical, Insert (Insulator), Male Rectangular, Polarized, Center Screw Lock, for 75 Removable Type Contacts [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS AT AV CR4 MC MI OS]	A 5935		CC	25-MAY-2012
M	MIL-DTL-28731/30C	Connectors, Electrical, Insert (Insulator), Female Rectangular, Polarized, Center Screw Lock, for 75 Removable Type Contacts [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS AT AV CR4 MC MI OS]	A 5935		CC	25-MAY-2012
M	MIL-DTL-28731/31C	Connectors, Electrical, Insert (Insulator), Male Rectangular, Polarized, Center Screw Lock for 117 Removable Type Contacts [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS AT AV CR4 MC MI OS]	A 5935		CC	25-MAY-2012
M	MIL-DTL-28731/32C	Connectors, Electrical, Insert (Insulator), Female Rectangular, Polarized, Center Screw Lock, for 117 Removable Type Contacts [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS AT AV CR4 MC MI OS]	A 5935		CC	25-MAY-2012
M	MIL-DTL-28731/33D	Connectors, Electrical, Insert (Insulator), Male Rectangular, Polarized, Center Screw Lock, for 165 Removable Type Contacts [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS AT AV CR4 MC MI OS]	A 5935		CC	25-MAY-2012
M	MIL-DTL-28731/35C	Connectors, Electrical, Contact Fork Type, Crimp Removable (5.0 Amperes) [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS AT AV CR4 MC MI OS]	A 5935		CC	25-MAY-2012
M	MIL-DTL-38999L(2) SUP 1A	Connectors, Electrical, Circular, Miniature, High Density, Quick Disconnect (Bayonet, Threaded, and Breech Coupling), Environment Resistant, Removable Crimp and Hermetic Solder Contacts, General Specification for [CUST: CR AS 85 CC] [REVIEW: 19 99 AR EC IS MC MI OS]	A 5935		CC	10-MAY-2012
M	MIL-STD-1353B(4) NOT 6	Electrical Connectors, Plug-in Sockets and Associated Hardware, Selection and Use of [CUST: CR EC 85 CC] [REVIEW: 19 99 AS AV CR4 MC MI OS SH]	A 5935		CC	14-MAY-2012
M	MIL-STD-1560B(1)	Insert Arrangements for MIL-DTL-38999, MIL-DTL-27599 and SAE-AS29600 Series A Electrical Circular Connectors [CUST: CR AS 85 CC] [REVIEW: AR EC MC MI OS]	A 5935		CC	18-MAY-2012
M	MIL-PRF-83536/35A	Relays, Electromagnetic, Established Reliability, 1PDT, Low Level to 10 Amperes, Permanent Magnet Drive, Hermetically Sealed All Welded, Transient Suppressed DC Coil [CUST: CR EC 85 CC] [REVIEW: MI]	A 5945		CC	17-MAY-2012
M	MIL-PRF-19500P(1)	Semiconductor Devices, General Specification for [CUST: CR EC 85 CC NA] [REVIEW: 19 99 AR AS MC MI SM]	A 5961		CC	16-MAY-2012
M	MIL-PRF-19500/590J	Semiconductor Device, Diode, Silicon, Ultrafast Recovery, Power Rectifier, 1N6626 through 1N6631, 1N6626U through 1N6631U, 1N6626US through 1N6631US, JAN, JANTX, JANTXV, and JANS [CUST: CR EC 85 CC NA] [REVIEW: 19 AR AS MC MI SM]	A 5961		CC	04-JUN-2012
M	MIL-PRF-38535J(1)	Integrated Circuits (Microcircuits) Manufacturing, General Specification for [CUST: CR EC 85 CC NA] [REVIEW: 19 99 AS CG MC MI OS SM]	A 5962		CC	14-MAY-2012
M	MIL-PRF-31032B(1) SUP 1	Printed Circuit Board/Printed Wiring Board, General Specification for [CUST: CR EC 85 CC] [REVIEW: 99 MC MI NRO SH]	A 5998		CC	16-MAY-2012
M	A-A-59590/19B	Holder, Electrical Card, Wedge Retainers, 3 Piece, Screw Actuated Drive, .260 X .260 Inch Body Size, with Screw Retention [CUST: CR EC 85 CC] [REVIEW: 99]	A 5998	/	CC	19-MAY-2012
M	A-A-59590/20B	Holder, Electrical Card, Wedge Retainers, 3 Piece, Screw Actuated Drive .260 X .260 Inch Body Size, with Visual Lock Indication and Screw Retention [CUST: CR EC 85 CC] [REVIEW: 99]	A 5998	/	CC	20-MAY-2012
M	A-A-50799A	Charger/Analyzer for Vented Cell Nickel-Cadmium Batteries [CUST: EC 99 CC] [REVIEW: 71]	A 6130	/	CC	31-MAY-2012
M	MIL-PRF-8565/17A	Battery, Storage, Aircraft, Maintenance-Free, 24-Volt, 1/3-Ampere-Hour [CUST: AS]	A 6140		AS	23-MAY-2012
M	MS24489D(1) NOT 4	Filter, Marker Light, Airport Approach, Glass [CUST: AS 99] [REVIEW: 71 IS]	A 6210		GS2	31-MAY-2012
M	AN3146 REV A(1) NOT 2	Light Assembly - Passing [CUST: 99] [REVIEW: 71 IS]	A 6220		GS2	31-MAY-2012
N	AAMI-8637	Cardiovascular Implants and Extracorporeal Systems - Hemodialyzers, Hemodiafilters, Hemofilters and Hemoconcentrators [CUST: EA MS 99 MB]	A 6515		MB	22-MAY-2012
N	AAMI-8638	Cardiovascular Implants and Extracorporeal Systems - Extracorporeal Blood Circuit for Hemodialyzers, Hemodiafilters and Hemofilters [CUST: EA MS 99 MB]	A 6515		MB	22-MAY-2012
N	AAMI-60601-2-16	Medical Electrical Equipment, Part 2-16: Particular Requirements for Basic Safety and Essential Performance of Hemodialysis, Hemodiafiltration and Hemofiltration Equipment [CUST: EA MS 99 MB]	A 6515		MB	22-MAY-2012
N	AAMI-81060-2	Non-Invasive Sphygmomanometers - Part 2: Clinical Validation of Automated Measurement Type [CUST: MD MS 03]	A 6515		MB	22-MAY-2012
N	AAMI-HE75	Human Factors Engineering - Design of Medical Devices [CUST: EA MS 99 MB]	A 6515		MB	22-MAY-2012
N	AAMI-11138-3	Sterilization of Health Care Products - Biological Indicators - Part 3: Biological Indicators for Moist Heat Sterilization Processes [CUST: MD MS 03]	A 6530		MB	22-MAY-2012
N	AAMI-11138-2	Sterilization of Health Care Products - Biological Indicators - Part 2: Biological Indicators for Ethylene Oxide Sterilization Processes [CUST: MD MS 03]	A 6530		MB	22-MAY-2012
M	MIL-PRF-17850B NOT 2	Compass, Magnetic, Pocket [CUST: GL SH 99 GS1] [REVIEW: 71 AV]	A 6605		GS1	31-MAY-2012
M	A-A-50718A NOT 1	Test Set, Fuel System [CUST: SH 84] [REVIEW: 99]	A 6625	/	84	17-MAY-2012

## ACTIVE SECTION

## ASSIST UPDATE

LAST ACTION	DOCUMENT NUMBER	DOCUMENT TITLE	DISTRIBUTION	FSC/AREA		MCA	PREP ACTY	DATE
M	A-A-59707	NOT 2	Detector/Monitor, Hydrazine [CUST: EA SH 11 GS1] [REVIEW: 99 CG GS]	A	6665	/	11	31-MAY-2012
M	A-A-59732C	NOT 1	Scale, Vehicle Platform [CUST: GL CG 99 GS] [REVIEW: MC]	A	6670	/	84	17-MAY-2012
M	MIL-DTL-47113E		Compound, Heat Sink, Silicone and/or Non-Silicone [CUST: SH 68 GS]	A	6850		GS3	15-MAY-2012
M	A-A-59664B		Cleaning Compound, Windshield (Solvent and Anti-Freeze) [CUST: GS]	A	6850	/	GS3	15-MAY-2012
M	TT-B-1325D	NOT 1	Beads (Glass Spheres) Retro-Reflective [CUST: YD 99] [REVIEW: 50]	A	8010	/	84	17-MAY-2012
M	MIL-DTL-14650/1V		Streamers, Army Set [CUST: IH] [REVIEW: CT]	A	8345		IH	08-MAY-2012
M	MIL-DTL-11589/398A		Ribbon, Achievement, Senior ROTC, Academic R-1-3 [CUST: IH]	A	8455		IH	31-MAY-2012
M	MIL-DTL-11589/399A		Ribbon, Achievement, Senior ROTC, Academic R-1-4 [CUST: IH]	A	8455		IH	31-MAY-2012
M	MIL-DTL-11589/400A		Ribbon, Achievement, Senior ROTC, Academic R-1-5 [CUST: IH]	A	8455		IH	31-MAY-2012
M	MIL-DTL-11589/401A		Ribbon, Achievement, Senior ROTC, Academic R-1-6 [CUST: IH]	A	8455		IH	31-MAY-2012
M	MIL-DTL-11589/402A		Ribbon, Achievement, Senior ROTC, Academic R-1-7 [CUST: IH]	A	8455		IH	01-JUN-2012
M	MIL-DTL-11589/403A		Ribbon, Achievement, Senior ROTC, Academic R-1-8 [CUST: IH]	A	8455		IH	01-JUN-2012
M	MIL-DTL-11589/404B		Ribbon, Achievement, Senior ROTC, Recruiting R-5-1 [CUST: IH]	A	8455		IH	01-JUN-2012
M	MIL-DTL-11589/405B		Ribbon, Achievement, Senior ROTC, Academic R-5-2 [CUST: IH]	A	8455		IH	01-JUN-2012
M	MIL-DTL-11589/406A		Ribbon, Achievement, Senior ROTC, Athletic R-2-1 [CUST: IH]	A	8455		IH	01-JUN-2012
M	MIL-DTL-11589/407B		Ribbon, Achievement, Senior ROTC, Athletic R-2-2 [CUST: IH]	A	8455		IH	01-JUN-2012
M	MIL-DTL-11589/408A		Ribbon, Achievement, Senior ROTC, Athletic R-2-3 [CUST: IH] [REVIEW: CT]	A	8455		IH	31-MAY-2012
M	MIL-DTL-11589/558A		Ribbon, President's Medal, Defense Acquisition University [CUST: IH] [REVIEW: CT]	A	8455		IH	31-MAY-2012
M	MIL-DTL-11589/559A		Ribbon, Superior Civilian Service Medal, Defense Acquisition University [CUST: IH] [REVIEW: CT]	A	8455		IH	31-MAY-2012
N	MIL-DTL-11589/640		Ribbon, Federal Law Enforcement, Congressional Badge of Bravery, US Department of Justice [CUST: IH]	A	8455		IH	09-MAY-2012
N	MIL-DTL-11589/647		Ribbon, Early Career Achievement, NASA [CUST: IH]	A	8455		IH	09-MAY-2012
N	MIL-DTL-11589/648		Ribbon, Silver Achievement, NASA [CUST: IH]	A	8455		IH	18-MAY-2012
N	MIL-DTL-11589/649		Ribbon, Exceptional Public Achievement, NASA [CUST: IH]	A	8455		IH	18-MAY-2012
N	MIL-DTL-11589/650		Ribbon, Outstanding Public Leadership, NASA [CUST: IH]	A	8455		IH	18-MAY-2012
N	MIL-DTL-15665/108		Insignia, Collar, Officer, Electronic Warfare, U.S. Army [CUST: IH]	A	8455		IH	15-MAY-2012
N	MIL-DTL-15665/109		Insignia, Collar, Enlisted, Electronic Warfare, U.S. Army [CUST: IH] [REVIEW: CT]	A	8455		IH	15-MAY-2012
M	A-A-20352A		Chicken Chunks, White, Cooked, with or without Water, Canned or in Flexible Pouches [CUST: GL SA 35] [REVIEW: MC MD QM]	A	8905	/	SS	18-MAY-2012
M	MIL-DTL-15606J		Bricks, Refractory, and Burner Tile, Naval Boiler Furnace Lining Quality [CUST: SH 99] [REVIEW: IS MC]	A	9350		SH	09-MAY-2012
M	ITOP-1.1.056		Software Performance Testing and Analysis [CUST: TE]	D	ISDA		TE	18-MAY-2010
M	ITOP-1.1.057		Safety Critical Software Analysis and Testing [CUST: TE]	D	ISDA		TE	14-MAY-2010
N	ITOP-5.3.001		Sensitivity Assessment of Explosives by Bullet Impact Testing [CUST: TE]	D	ISDA		TE	29-APR-2011
M	TOP-1-1-011A		Vehicle Test Facilities at Aberdeen Test Center and Yuma Test Center [CUST: TE]	A	ISDA		TE	27-FEB-2012
M	TOP-2-2-812A		Infrared Measurements of Wheeled and Tracked Vehicles [CUST: TE]	A	ISDA		TE	14-OCT-2011
M	TOP-2-2-615A		Security from Detection (Vehicles) [CUST: TE]	A	ISDA		TE	24-FEB-2011
N	TOP-3-2-709		Field Artillery Fire Control Sights [CUST: TE]	A	ISDA		TE	19-NOV-2010
N	TOP-8-2-198		Collective Protection (ColPro) Field Testing [CUST: TE]	A	ISDA		TE	28-SEP-2011
M	TOP-9-2-181A		Pumps, Centrifugal and Reciprocating [CUST: TE]	A	ISDA		TE	27-APR-2011
N	TOP-10-2-511		Cold Regions – Environmental Testing of Individual Soldier Clothing [CUST: TE]	A	ISDA		TE	17-OCT-2011
N	TOP-10-2-175		Tents and Shelters [CUST: TE]	A	ISDA		TE	15-JUL-2010
N	TOP-10-2-512		Cold Regions – Environmental Testing of Individual Soldier Equipment [CUST: TE]	A	ISDA		TE	17-OCT-2011
N	DI-MGMT-81862		Post Training and Operations Report [AMSC: N9253]	A	MGMT		SH	22-MAY-2012
N	DI-MISC-81863		Contractual Shipping Documentation [AMSC: N9254]	A	MISC		SH	23-MAY-2012
M	MIL-HDBK-470A	NOT 2	Designing and Developing Maintainable Products and Systems, Volume I [CUST: SY AS 11 DH] [REVIEW: 08 13 19 33 AS CG DI EC HS MA MC MI NP NS PT SA TM]	A	SESS		11	31-MAY-2012
M	MIL-HDBK-515	NOT 2	Weapon System Integrity Guide (WSIG) [CUST: 11]	A	SESS		11	31-MAY-2012
M	MIL-DTL-38804D		Time Compliance Technical Orders-Preparation [CUST: 16] [REVIEW: 01 10 99]	A	TMSS		16	24-MAY-2012

## INACTIVE SECTION

## ASSIST UPDATE

LAST ACTION	DOCUMENT NUMBER	DOCUMENT TITLE	DISTRIBUTION	MCA		DATE
				FSC/AREA	PREP ACTY	
M	MIL-DTL-5508C NOT 1	Fuses, Aircraft Automatic Quantity-Measuring, Hydraulic [CUST: AV AS 99] [REVIEW: 71]	A 1650		GS1	22-MAY-2012
M	AN6281 REV 4 NOT 1	Fuse - Hydraulic Quantity Measuring, Class 3000, Type I [CUST: AV AS 99] [REVIEW: 71]	A 1650		GS1	21-MAY-2012
M	AN6282 REV 5 NOT 1	Fuse - Hydraulic Quantity Measuring, Class 3000, Type II [CUST: AV AS 99] [REVIEW: 71]	A 1650		GS1	17-MAY-2012
M	AN7516 REV 4(1) NOT 1	Adapter, Tie Down Aircraft Floor (2,500 Pounds) [CUST: AV 99 GS] [REVIEW: 84]	A 1670		GS2	31-MAY-2012
M	MIL-PRF-53024C	Compactor, High Speed, Self-Propelled, Commercial Construction Equipment (CCE) [CUST: AT]	A 3895		AT	09-MAY-2012
M	AN840 REV 10(1)	Adapter, Straight, Pipe to Hose [CUST: AV AS 99 CC] [REVIEW: 71]	A 4730		CC	14-MAY-2012
M	MS9951 NOT 4	Nut, Spanner End Slots, Cupwasher Locked, Steel AMS6322, MIL-S-8879 [CUST: AS 99 IS]	A 5310		IS	16-MAY-2012
M	MIL-DTL-22438/2C	Panel, Receptacle, Enclosed, Electrical and Electronic (Symbol No. 755.3) [CUST: SH CC]	A 6110		CC	03-MAY-2012
M	AN5811 REV 7 NOT 2	Tube, Pitot, Electrically Heated, "L" Shaped, Inverted [CUST: 11]	A 6610		GS8	21-MAY-2012
M	AN5812 REV 7 NOT 3	Tube, Pitot, Electrically Heated, "L" Shaped [CUST: 11 GS]	A 6610		GS8	21-MAY-2012
M	MIL-S-27626E	Sampler, Cryogenic Liquid [CUST: 84] [REVIEW: 99]	A 6695		84	29-MAY-2012

## CANCELED SECTION

## ASSIST UPDATE

LAST ACTION	DOCUMENT NUMBER	DOCUMENT TITLE	DISTRIBUTION	FSC/AREA	MCA	PREP ACTY	DATE
M	MIL-C-684D(2) NOT 2	Cups, Bullet Jacket, Copper Alloy Clad Steel: for Small Arms Ammunition (No S/S Document) [CUST: AR]	A	1305		AR	21-MAY-2012
M	MIL-S-8959(1) NOT 4	Spring, Hydraulic: General Specification for (No S/S Document) [CUST: AS 70] [REVIEW: GS]	A	1620		70	07-MAY-2012
M	ABMA22.1	Bearings, Spherical Plain Radial Joint Type, Metric Design (See Notice of Withdrawal for Replacement Information) [CUST: AT AS 99 GS4]	A	3110		GS4	17-MAY-2012
M	MIL-B-8943A(3) NOT 2	Bearing, Journal-Plain and Flanged, TFE Lined (S/S by SAE-AS8943) [CUST: AV AS 99 GS4]	A	3120		AS	21-MAY-2012
M	MS21240D NOT 3	Bearing, Sleeve, Plain, TFE-Lined (S/S by SAE-AS21240) [CUST: AV AS 99 GS]	A	3120		AS	21-MAY-2012
M	MS21241D NOT 3	Bearing, Sleeve, Flanged, TFE-Lined (S/S by SAE-AS21241) [CUST: AV AS 99 GS]	A	3120		AS	21-MAY-2012
M	ANSI-B11.13	Machine Tools, Single and Multiple Spindle Automatic Screw/Bar and Chucking Machines Safety Requirements for the Construction, Care, and Use (No S/S Document) [CUST: AR SH 99 GS] [REVIEW: 84 CR4]	A	3416		GS6	22-MAY-2012
M	AWS-A5.22	Electrode, Flux Cored Corrosion Resisting Chromium and Chromium Nickel Steel (No S/S Document) [CUST: MR 11 GS]	A	3439		GS6	22-MAY-2012
M	SAE-AMS2816	Identification Welding Wire, Tab Marking Method (No S/S Document) [CUST: MR AS 11 GS]	A	3439		GS6	11-MAY-2012
M	SAE-AMS5779	Alloy Welding Electrodes, Covered, Corrosion and Heat Resistant 75NI - 15CR - 1.5 (CB + TA) - 1.9TI - 0.55AL - 5.5FE (No S/S Document) [CUST: MR AS 11 GS]	A	3439		GS6	02-MAY-2012
M	SAE-AMS6459	Wire, Steel Welding 1.0CR - 1.0MO - 0.12V (0.18 - 0.23C) Vacuum Melted (No S/S Document) [CUST: MR AS 11 GS]	A	3439		GS6	22-MAY-2012
M	SAE-AMS6465	Wire, Steel Welding 2.0CR - 10NI - 8.0CO - 1.0MO - 0.02A1 - 0.06V (0.10 - 0.14C) Vacuum Melted, Environment Controlled Packaging (No S/S Document) [CUST: MR AS 11 GS]	A	3439		AS	23-MAY-2012
M	ASME-B5.50	Tool, V Flange Shanks for Machining Centers with Automatic Tool Changers (No S/S Document) [CUST: MR 11 GS] [REVIEW: 99 AR IS MI]	A	34GP		GS6	21-MAY-2012
M	MIL-T-17760G NOT 4	Trucks, Pallet, Powered: Electric, Non-Tiering, Industrial; Walkie, Walkie-Rider, Hand Guided (No S/S Document) [CUST: AT SA 99] [REVIEW: DP IS]	A	3930		AT	01-JUN-2012
M	MIL-T-52698A NOT 4	Truck, Lift, Fork, Tiering, Walkie Straddle Type, Electric, 2,000 and 2,500 Pounds (No S/S Document) [CUST: AT SA 99] [REVIEW: DP IS OS SH]	A	3930		AT	01-JUN-2012
M	MIL-T-52843C(1) NOT 4	Trucks, Lift, Fork, Diesel-Engine-Driven: Pneumatic Tired, Rough Terrain; 10,000 Pound Capacity at 48-Inch Load Center (No S/S Document) [CUST: AT SA 99] [REVIEW: 84 CC IS MT]	A	3930		AT	01-JUN-2012
M	MIL-T-52864D SUP 1 NOT 4	Trucks, Lift, Fork: Diesel-Engine-Driven, Pneumatic-Tired, 10,000, 15,000 and 20,000 Pound Capacity; General Specification for (No S/S Document) [CUST: AT SA 99] [REVIEW: DP IS OS SM]	A	3930		AT	01-JUN-2012
M	MIL-T-52864/1A NOT 4	Truck, Lift, Fork: Diesel-Engine-Driven, Pneumatic-Tired, 10,000 Pound Capacity at 24 Inch Load Center, 168 Inch Lift (No S/S Document) [CUST: AT SA 99] [REVIEW: DP IS OS SM]	A	3930		AT	01-JUN-2012
M	MIL-T-52864/2B NOT 4	Truck, Lift, Fork: Diesel-Engine-Driven, Pneumatic Tired, 15,000 Pound Capacity at 24 Inch Load Center, 100 Inch Lift (No S/S Document) [CUST: AT SA 99] [REVIEW: DP IS OS SM]	A	3930		AT	01-JUN-2012
M	MIL-T-52864/3C NOT 4	Truck, Lift, Fork: Diesel-Engine-Driven, Pneumatic Tired, 15,000 Pound Capacity at 24 Inch Load Center, 210 Inch Lift (No S/S Document) [CUST: AT SA 99] [REVIEW: DP IS OS SM]	A	3930		AT	01-JUN-2012
M	MIL-T-52864/4A NOT 4	Truck, Lift, Fork: Diesel-Engine-Driven, Pneumatic Tired, 20,000 Pound Capacity at 24 Inch Load Center, 120 Inch Lift (No S/S Document) [CUST: AT SA 99] [REVIEW: DP IS OS SM]	A	3930		AT	01-JUN-2012
M	MIL-T-52864/5A NOT 4	Truck, Lift, Fork: Diesel-Engine-Driven, Pneumatic Tired, 20,000 Pound Capacity at 24 Inch Load Center, 210 Inch Lift (No S/S Document) [CUST: AT SA 99] [REVIEW: DP IS OS SM]	A	3930		AT	01-JUN-2012
M	ASHRAE52	Air-Cleaning Devices used in General Ventilation for Removing Particulate Matter (No S/S Document) [CUST: AV YD] [REVIEW: IS]	A	4130		YD	17-MAY-2012
M	API-STD-5B	Casing, Tubing and Line Pipe Threads, Threading, Gaging, and Thread Inspection of (See Notice of Withdrawal for Replacement Information) [CUST: YD 99] [REVIEW: 71 CC CR4]	A	4710		YD	17-MAY-2012
M	AWPA-M17	Miscellaneous Methods, Procedures and Information (No S/S Document) [CUST: CR4 SH 99 CC] [REVIEW: 84 CE SM]	A	5510		IS	17-MAY-2012
M	IPC-A142	Finished Fabric Woven from Aramid for Printed Boards, Specification for (No S/S Document) [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AT CR4 EA MI]	A	5998		CC	16-MAY-2012
M	AAMI-HE	Medical Devices, Human Factors Engineering Guidelines and Preferred Practices for the Design of (S/S by AAMI-HE75) [CUST: EA MS 99 MB]	A	6515		MB	17-MAY-2012
M	AAMI-RD5	Hemodialysis Systems (S/S by AAMI-60601-2-16) [CUST: EA MS 99 MB]	A	6515		MB	17-MAY-2012
M	AAMI-RD16	Hemodialyzers, First Use (S/S by AAMI-8637) [CUST: EA MS 99 MB]	A	6515		MB	17-MAY-2012
M	AAMI-RD17	Hemodialyzer Blood Tubing (S/S by AAMI-8638) [CUST: EA MS 99 MB]	A	6515		MB	17-MAY-2012
M	AAMI-SP10	Sphygmomanometers, Electronic or Automated, American National Standard for (S/S by AAMI-81060-2) [CUST: MD MS 03]	A	6515		MB	17-MAY-2012
M	AAMI-ST19	Indicators, Biological, for Saturated Steam Sterilization Processes in Health Care Facilities, American National Standard for (S/S by AAMI-11138-3) [CUST: MD MS 03]	A	6530		MB	17-MAY-2012
M	AAMI-ST21	Indicators, Biological, for Ethylene Oxide Sterilization Processes in Health Care Facilities, American National Standard for (S/S by AAMI-11138-2) [CUST: MD MS 03]	A	6530		MB	17-MAY-2012
M	MIL-DTL-9814C NOT 2	Stand, Cable Rewind, Reversible, THU-4/E (No S/S Document) [CUST: 70] [REVIEW: GS]	A	6920		70	07-MAY-2012
M	AWPA-A8	Creosote or Creosote-Coal Tar Solution from Freshly Treated Piles, Poles, or Timber (Squeeze Method) Qualitative Recover of (No S/S Document) [CUST: MR 99] [REVIEW: 84 CC CR4]	A	8030		MR	17-MAY-2012
M	AWPA-F1	Creosote-Coal Tar Solution (up to 50 Percent Tar) and Coal Tar (Coke Oven Tar) Volume and Specific Gravity Correction Tables for Creosote (No S/S Document) [CUST: MR 99]	A	8030		MR	17-MAY-2012
M	AWPA-F4	Creosote-Petroleum Solutions, Standard Volume Correction Table for (No S/S Document) [CUST: MR 99] [REVIEW: 11 84 CC CR4]	A	8030		MR	17-MAY-2012
M	AWPA-F6	Factors and Correction Tables, Miscellaneous Conversion (No S/S Document) [CUST: MR 99] [REVIEW: 11 84 CC CR4]	A	8030		MR	17-MAY-2012
M	AWPA-P7	Field Cuts, Creosote for Brush or Spray Treatment, Standard for (No S/S Document) [CUST: MR 99]	A	8030		MR	17-MAY-2012
M	AWPA-P11	Creosote-Pentachlorophenol Wood Preservative Solution, Standard for (No S/S Document) [CUST: MR 99] [REVIEW: 11 84 CC CR4 SH]	A	8030		MR	17-MAY-2012
M	AWPA-P12	Creosote-Coal Tar Solution to be used in the Treatment of Marine (Costal Waters) Piles and Timbers, Standard for (No S/S Document) [CUST: MR 99]	A	8030		MR	17-MAY-2012
M	API-STD-1542	Fuel Manufacturing and Distribution Facilities, Airport Storage and Mobile Fuelling Equipment, Identification Markings for Dedicated Aviation (See Notice of Withdrawal for Replacement Information) [CUST: AV AS 68 PS]	A	91GP		68	17-MAY-2012
M	QPL-15606-51 NOT 2	Bricks, Refractory, and Burner Tile, Naval Boiler Furnace Lining Quality (Replaced by the Qualified Products Database (No S/S Document)	A	9350		SH	15-MAY-2012

## CANCELED SECTION

## ASSIST UPDATE

LAST ACTION	DOCUMENT NUMBER	DOCUMENT TITLE	DISTRIBUTION	MCA		DATE
				FSC/AREA	PREP ACTY	
M	AA30	Aluminum Structures, Specification for (See Notice of Withdrawal for Replacement Information) [CUST: MR YD 99] [REVIEW: 84 IS]	A	9540	YD	17-MAY-2012
M	ASSE1005	Water Heater Drain Valves (No S/S Document) [CUST: YD]	A	FACR	YD	17-MAY-2012
M	IEC60034-2	Machines, Rotating Electrical, Part 2: Methods for Determining Losses and Efficiency of Rotating Electrical Machinery from Tests (Excluding Machines for Traction Vehicles) (See Notice of Withdrawal for Replacement Information) [CUST: YD]	A	FACR	YD	16-MAY-2012
M	IEC60265-1	Switches, High Voltage Part 1: Switches for Rated Voltages Above 1 KV and Less than 52 KV (See Notice of Withdrawal for Replacement Information) [CUST: YD]	A	FACR	YD	16-MAY-2012
M	AA46	Aluminum, Anodized Architectural (No S/S Document) [CUST: MR YD 11]	A	MFFP	YD	17-MAY-2012
M	ISO9000-1	Guidelines for Selection and Use, Quality Management and Quality Assurance Standards - Part 1 (S/S by ISO9000) [CUST: AR OS 05]	A	QCIC	05	16-MAY-2012
M	ISO9000-3	Guidelines for the Application of ISO 9001 to the Development, Supply, Insulation and Maintenance of Computer Software Quality Management and Quality Assurance Standards - Part 3 (See Notice of Withdrawal for Replacement Information) [CUST: AR OS 05] [REVIEW: 10 13 19 70 71 84 AS AT AV CR DH EA EC MC MI SH TE]	A	QCIC	05	16-MAY-2012
M	ISO10011-1	Guidelines for Auditing Quality Systems - Part 1: Auditing (See Notice of Withdrawal for Replacement Information) [CUST: AR OS 01]	A	QCIC	01	16-MAY-2012
M	ISO10011-2	Guidelines for Auditing Quality Systems - Part 2: Qualification Criteria for Quality Systems Auditors (See Notice of Withdrawal for Replacement Information) [CUST: AR OS 05]	A	QCIC	05	16-MAY-2012
M	ISO10011-3	Guidelines for Auditing Quality Systems - Part 3: Management of Audit Programmes (See Notice of Withdrawal for Replacement Information) [CUST: AR OS 05]	A	QCIC	05	16-MAY-2012
M	ISO10012-1	Equipment, Quality Assurance Requirements for Measuring - Part 1: Metrological Confirmation System for Measuring Equipment (See Notice of Withdrawal for Replacement Information) [CUST: AR OS 05]	A	QCIC	05	16-MAY-2012