

# Department of Defense Standardization Program



## ASSIST UPDATE

(Formerly the DoDISS Notice)

(A bi-monthly summary of changes to the ASSIST document database)

**1 March 2007**

(For the Period 15 February 2007 to 28 February 2007)

## ASSIST UPDATE

Documents listed in the ASSIST UPDATE have an indicator of “N” or “M” to describe the last action taken on a listed document.

“N” indicates that a “new” document has been entered into the ASSIST database.

“M” indicates that a document already in ASSIST has been “modified” in some way.

The ASSIST UPDATE is published twice a month and provides a summary of changes to Department of Defense standardization documents for the period indicated. Since changes are processed to the ASSIST database on a daily basis, users should consult the ASSIST web site at <http://assist.daps.dla.mil> for the most current information.

If you need to track changes more frequently, or if you have most interested in specific Federal Supply Classes or individual specifications, standards, or other standardization documents, you may wish to take advantage of the ASSIST Alert Service. This feature lets you establish a list of documents of interest to you, and then the ASSIST will alert you with an E-mail message each day there is a change to one or more documents of interest to you. There is no charge for this service; however, you must have an ASSIST user account. To obtain one, complete the ASSIST online registration form at <http://assist.daps.dla.mil/online/registration/registration.cfm>.

Once you have your account, you can establish your Alert Portal profile. For more information on the ASSIST Alert Service, go to: <http://assist.daps.dla.mil/online/news/AlertService.htm>.

## ACTIVE SECTION

## ASSIST UPDATE

DOCUMENT NUMBER	DOCUMENT TITLE	DISTRIBUTION	FSC/AREA	MCA	PREP ACTY	DATE
M MIL-W-13855D(2) NOT 3	Weapons, Small Arms and Aircraft Armament Subsystems, General Specification for [CUST: AR]	A	1005	AR		08-FEB-2007
M MIL-PRF-5041K SUP 1	Tires, Ribbed Tread, Pneumatic, Aircraft [CUST: AV AS 70] [REVIEW: MC]	A	2620	70		20-FEB-2007
M MIL-PRF-7726K SUP 1	Retread Tires, Ribbed Tread, Pneumatic Aircraft [CUST: AV AS 70 GS]	A	2620	70		20-FEB-2007
M QPL-5041-32	Tires, Ribbed Tread, Pneumatic, Aircraft	A	2620	70		20-FEB-2007
M QPL-7726-10	Retread Tires, Ribbed Tread, Pneumatic Aircraft	A	2620	70		20-FEB-2007
M A-A-50499A NOT 2	Tamper, Vibrating Plate Type, Gasoline and Diesel Engine Driven [CUST: YD]	A	3895	/	IS	05-MAR-2007
N A-A-59795	Truck, Lift, Fork, Container Handler, Diesel-Engine-Driven, Pneumatic-Tired, Rough Terrain 50,000-Pound Capacity [CUST: 99]	A	3930	/	84	21-FEB-2007
M A-A-50547 NOT 2	Bag, Lineman's Glove [CUST: YD]	A	4240	/	IS	08-MAR-2007
M MIL-DTL-3992F	Hose and Hose Assembly, Rubber, Air and Vacuum Brake, Systems [CUST: AT MC 99 CC] [REVIEW: 71 MI SA]	A	4720		CC	30-JAN-2007
M MIL-DTL-26633E	Hose Assembly, Nonconductive, Polytetrafluoroethylene, Oxygen [CUST: AV AS 99 CC] [REVIEW: 71 CG MC SA SH]	A	4720		CC	17-JAN-2007
M MIL-DTL-25677E	Adapter, Cap, and Nozzle, Pressure Lubricating Oil Servicing, Aircraft, General Specification for [CUST: AS 99 CC] [REVIEW: 06 70 71 CG MC SA]	A	4730		CC	22-JAN-2007
M A-A-50473B NOT 2	Oilers, Hand, Push-Bottom [CUST: YD] [REVIEW: CC EA MC]	A	4930	/	IS	05-MAR-2007
M A-A-50492A NOT 2	Oilers, Air Line [CUST: YD] [REVIEW: CC]	A	4930	/	IS	05-MAR-2007
M A-A-50688 NOT 2	Sentry Building, Mobile	A	5410	/	IS	08-MAR-2007
M A-A-55522A NOT 1	BARBED TAPE, CONCERTINA [CUST: 99 IS]	A	5660	/	IS	05-MAR-2007
M MIL-PRF-39007/8K(2) NOT 1	Resistor, Fixed, Wire-Wound (Power Type), Nonestablished Reliability, Established Reliability, and Space Level Style RWR80 [CUST: CR EC 11 NA] [REVIEW: 19 AR AS AT AV CG CR4 MC MI OS]	A	5905		CR	22-FEB-2007
M A-A-55564A NOT 1	Resistor, Voltage Sensitive (Varistor), General Requirements for [CUST: EC CC]	A	5905	/	CC	20-FEB-2007
M A-A-55564/1A NOT 1	Resistor, Voltage Sensitive (Varistor), Base Mount [CUST: EC CC]	A	5905	/	CC	20-FEB-2007
M A-A-55564/2A NOT 1	Resistor, Voltage Sensitive (Varistor), Metal-Oxide, High Energy [CUST: EC CC]	A	5905	/	CC	20-FEB-2007
M QPL-39035-84	Resistors, Variable, Nonwire Wound (Adjustment Type), Nonestablished Reliability, and Established Reliability, General Specification for	A	5905		CC	05-MAR-2007
M MIL-PRF-11693/7E NOT 1	Capacitors, Feed through, Radio-Interference Reduction, DC (Hermetically Sealed in Metal Cases) Established and Non-Established Reliability Styles CZ23, CZ24, CZR23 and CZR24 [CUST: CR EC 11 CC] [REVIEW: EA MI]	A	5910		CC	28-FEB-2007
M MIL-PRF-39001/5D(2) NOT 1	Capacitors, Fixed, MICA Dielectric, Established Reliability, Styles CMR03, CMR04, CMR05, CMR06, CMR07 and CMR08 [CUST: CR EC 11 CC] [REVIEW: 19 AV MC MI]	A	5910		CR	22-FEB-2007
M MIL-PRF-39018/1G	Capacitors, Fixed, Electrolytic (Aluminum Oxide) (Polarized), Non-Established Reliability and Established Reliability Styles CU12 (Uninsulated), CU13 (Insulated), and CUR13 (Insulated) [CUST: CR EC 11 CC] [REVIEW: 19 AS MC OS SH]	A	5910		CC	02-MAR-2007
M MIL-PRF-55514/1C NOT 1	Capacitors, Fixed, Plastic Dielectric, DC, in Nonmetal Cases, Established Reliability, Style CFR02 [CUST: CR EC 11 CC] [REVIEW: 19 71 AS MC OS]	A	5910		CR	22-FEB-2007
M MIL-PRF-55514/4F NOT 1	Capacitors, Fixed, Metallized Plastic Dielectric, DC, in Nonmetal Cases, Established Reliability and Non-Established Reliability, Styles CFR05 and CFR06 [CUST: CR EC 11 CC] [REVIEW: 19 AS MC OS]	A	5910		CR	22-FEB-2007
M MIL-PRF-55514/7B(1) NOT 1	Capacitors, Fixed, Metallized Plastic Dielectric, DC-AC, in Nonmetal Cases, Established Reliability, Style CFR09 [CUST: CR EC 11 CC] [REVIEW: 19 99 AS MC OS]	A	5910		CC	28-FEB-2007
M MIL-PRF-55514/8G NOT 1	Capacitors, Fixed, Metallized Plastic Dielectric, DC, in Nonmetal Cases, Established Reliability, Style CFR12 and CFR16 [CUST: CR EC 11 CC] [REVIEW: 19 99 AS MC OS]	A	5910		CR	05-MAR-2007
M MIL-PRF-55514/13 NOT 1	Capacitors, Fixed, Metalized Plastic Dielectric, FIXED, DC-AC, in Nonmetal Cases, Established Reliability, Style CFR30 [CUST: CR EC 11 CC] [REVIEW: 19 AS MC OS]	A	5910		CC	28-FEB-2007
M MIL-PRF-15160J(1) SUP 1	Fuses, Instrument, Power, and Telephone General Specification for [CUST: CR SH 11 CC] [REVIEW: 19 99 AR AS AT CG CR4 MC MI OS YD]	A	5920		CC	21-FEB-2007
M A-A-59718A	Fuse, Inclosed Link, Bolt-on, General Requirements for [CUST: EC CC]	A	5920	/	CC	22-FEB-2007
M A-A-59718/1A	Fuse, Inclosed Link, Bolt-on, Miniature [CUST: EC CC]	A	5920	/	CC	22-FEB-2007
M A-A-59718/2A	Fuse, Inclosed Link, Bolt-on [CUST: EC CC]	A	5920	/	CC	22-FEB-2007
M QPL-15160-69	Fuses, Instrument, Power, and Telephone General Specification for	A	5920		CC	22-FEB-2007
M MIL-DTL-23928/4C(1)	Panel, Electrical, Power Distribution for Double AQB-A101 and NQB-A101 Circuit Breakers, 2-12 Circuits, with and without Manual Transfer, Dripproof, Totally Enclosed and Watertight [CUST: SH CC]	A	5925		CC	12-FEB-2007
M MIL-PRF-22710/12G	Switches, Code Indicating Wheel (Printed Circuit), (Thumbwheel Switch Assembly, Sealed Modules, Illuminated or Non-Illuminated), (Top Relampable), Style SRPC12 [CUST: CR EC 11 CC] [REVIEW: 99 AS CR4 MC MI OS SM]	A	5930		CC	22-FEB-2007
M MIL-DTL-3950/15(1)	Switches, Toggle, Momentary, Double Pole, 4 Amperes, Low Level, Environmentally Sealed [CUST: EC CC]	A	5930		CC	01-MAR-2007
M MIL-DTL-3950/16(1)	Switches, Toggle, Momentary, Three Pole, 4 Amperes, Low Level, Environmentally Sealed [CUST: EC CC]	A	5930		CC	01-MAR-2007
M MIL-DTL-3950/17(1)	Switches, Toggle, Momentary, Four Pole, 4 Amperes, Low Level, Environmentally Sealed [CUST: EC CC]	A	5930		CC	01-MAR-2007
M MIL-DTL-15743/1C	Switch, Rotary, Enclosed, Submersible (15 Feet), Snap Action, 125 Volts Alternating Current, 10 Ampere, Symbol 801.1 (DPST) [CUST: SH CC]	A	5930		CC	28-FEB-2007
M MS25225J	Guard, Switch, 3 Position [CUST: CR AS 11 CC] [REVIEW: 99]	A	5930		CC	22-FEB-2007
N EIA-RS448.4	Logic (TTL) Level Endurance and Low Level Endurance, Standard Test Methods for [CUST: EC CC]	A	5930		CC	02-MAR-2007
M MIL-PRF-39012/18H	Connectors, Receptacle, Electrical, Coaxial, Radio Frequency, (Series BNC, (Cabled), Socket Contact, Flange Mounted, Class 2) [CUST: CR EC 11 CC NA] [REVIEW: 19 99 AR AS AT EA MC MI OS SH]	A	5935		CC	16-NOV-2006
M MIL-PRF-39012/19H	Connectors, Receptacle, Electrical, Coaxial, Radio Frequency, (Series BNC (Cabled), Socket Contact, Jam Nut Mounted, Class 2) [CUST: CR EC 11 CC NA] [REVIEW: 19 99 AS AT AV EA MC MI OS SH]	A	5935		CC	16-NOV-2006
M MIL-PRF-39012/20H	Connectors, Plug, Electrical, Coaxial, Radio Frequency, (Series BNC (Cabled), Pin Contact, Right Angle, Class 2) [CUST: CR EC 11 CC NA] [REVIEW: 19 99 AS AT AV EA MC MI OS SH]	A	5935		CC	16-NOV-2006
M MIL-PRF-39012/21B	Connectors, Receptacle, Electrical, Coaxial, Radio Frequency, (Series BNC (Uncabled), Socket Contact, Jam Nut Mounted, Class 2) [CUST: CR EC 11 CC NA] [REVIEW: 19 99 AR AS AT AV CR4 MI OS]	A	5935		CC	16-NOV-2006

## ACTIVE SECTION

## ASSIST UPDATE

LAST ACTION	DOCUMENT NUMBER	DOCUMENT TITLE	DISTRIBUTION	FSC/AREA	MCA	PREP ACTY	DATE
M	MIL-PRF-39012/22B	Connectors, Receptacles, Electrical, Coaxial, Radio Frequency, (Series BNC (Uncabled), Socket Contact, Flange Mounted, Class 2) [CUST: CR EC 11 CC NA] [REVIEW: 19 99 AM AS AT CR4 MC MI OS SH]	A	5935		CC	16-NOV-2006
M	MIL-PRF-39012/23B	Connectors, Receptacles, Electrical, Coaxial, Radio Frequency, (Series BNC (Uncabled), Socket Contact, Right Angle, Class 2) [CUST: CR EC 11 CC NA] [REVIEW: 19 99 AR AS AT AV CR4 MI OS]	A	5935		CC	16-NOV-2006
M	MIL-PRF-39012/24D	Connectors, Receptacle, Electrical, Coaxial, Radio Frequency, (Series BNC (Uncabled), Socket Contact, Hermetic Sealed, Jam Nut Mounted, Class 2) [CUST: CR EC 11 CC NA] [REVIEW: 19 99 AR AS AT AV CR4 MI OS]	A	5935		CC	16-NOV-2006
M	MIL-DTL-2726/37F	Receptacle, Electrical, 15 - Ampere, 125 - Volt, 60 Hertz, Bladed Type, Grounded (Symbol No. 1099.1) [CUST: SH CC]	A	5935		CC	01-NOV-2006
M	MIL-DTL-28731F	Connectors, Electrical, Rectangular, Removable Contact, Formed Blade, Fork Type (for Rack and Panel and other Applications) General Specification for [CUST: CR EC 11 CC] [REVIEW: 99 AR AS AT MI OS SH]	A	5935		CC	22-JAN-2007
M	MIL-DTL-32234 SUP 1	Connectors, Electrical, Ultra High Density, Modular, Blade and Fork, Eight Row, General Specification for [CUST: CR EC 11 CC]	A	5935		CC	12-FEB-2007
M	A-A-59125A NOT 1	Terminal Boards, Molded, Barrier Screw and Stud Types and Associated Accessories [CUST: CR AS 11] [REVIEW: GS]	A	5940	/	CR	22-FEB-2007
M	MIL-PRF-21038/27E(2) NOT 1	Transformers, Pulse, Low Power [CUST: CR EC 11 CC] [REVIEW: 19 99 AM AS CR4 MC MI OS SH]	A	5950		CC	26-FEB-2007
M	MIL-PRF-19500/454G	Semiconductor Device, Transistor, NPN, Silicon, Power Types 2N5660, 2N5660U3, 2N5661, 2N5661U3, 2N5662, and 2N5663, JAN, JANTX, and JANTXV [CUST: CR EC 11 CC NA] [REVIEW: 19 AR AS MC MI OS SM]	A	5961		CC	13-FEB-2007
M	MIL-PRF-19500/560H	Semiconductor Device, Transistor, NPN, Silicon, Switching, Type 2N5339 and 2N5339U3, JAN, JANTX, JANTXV, JANS, JANHC, and JANKC [CUST: CR 11 CC] [REVIEW: 19 71 99 MI]	A	5961		CC	09-FEB-2007
M	QML-38535-20	Integrated Circuits (Microcircuits) Manufacturing, General Requirements for	A	5962		CC	02-FEB-2007
M	MIL-DTL-9415B	Dynamic Loudspeaker LS-184A/AIC-10 [CUST: 11 CC] [REVIEW: 99]	A	5965		CC	17-JAN-2007
M	MIL-DTL-22442/63(1)	Cable Assembly, Aircraft Audio, AWICS CH-46E, CH-53D, CH-53E, and MH-53E [CUST: AS]	A	5995		AS	22-FEB-2007
M	MIL-PRF-49471B(1) SUP 1 NOT 1	Batteries, Non-Rechargeable, High Performance [CUST: CR AS 99]	A	6135		CR	22-FEB-2007
M	MIL-PRF-49471/1A(1) NOT 1	Battery, Non-Rechargeable, High Performance, BA-X599/U [CUST: CR] [REVIEW: GS]	A	6135		CR	22-FEB-2007
M	MIL-PRF-49471/2A(1) NOT 1	Battery, Non-Rechargeable, High Performance, BA-X598/U [CUST: CR] [REVIEW: GS]	A	6135		CR	22-FEB-2007
M	MIL-PRF-49471/3A(1) NOT 1	Battery, Non-Rechargeable, High Performance, BA-X590/U [CUST: CR] [REVIEW: GS]	A	6135		CR	22-FEB-2007
M	MIL-PRF-49471/6A(1) NOT 1	Battery, Non-Rechargeable, High Performance, BA-X557/U [CUST: CR] [REVIEW: GS]	A	6135		CR	22-FEB-2007
M	MIL-PRF-49471/7A(1) NOT 1	Battery, Non-Rechargeable, High Performance, BA-X558/U [CUST: CR] [REVIEW: GS]	A	6135		CR	22-FEB-2007
M	MIL-PRF-49471/8A(1) NOT 1	Battery, Non-Rechargeable, High Performance, BA-X600/U [CUST: CR] [REVIEW: GS]	A	6135		CR	22-FEB-2007
M	MIL-PRF-49471/9A(1) NOT 1	Battery, Non-Rechargeable, Lithium Manganese Dioxide, High Performance, BA-5372/U [CUST: CR] [REVIEW: GS]	A	6135		CR	22-FEB-2007
M	MIL-PRF-49471/10A(2) NOT 1	Battery, Non-Rechargeable, High Performance, Watertight, BA-X112/U [CUST: CR AS 99]	A	6135		CR	22-FEB-2007
M	MIL-PRF-49471/11A(1) NOT 1	Battery, Non-Rechargeable, High Performance, BA-X800/U [CUST: CR] [REVIEW: GS]	A	6135		CR	22-FEB-2007
M	MIL-PRF-49471/12A(1) NOT 1	Battery, Non-Rechargeable, High Performance, BA-X093/U [CUST: CR] [REVIEW: GS]	A	6135		CR	22-FEB-2007
M	MIL-PRF-49471/13A(3) NOT 1	Battery, Non-Rechargeable, Lithium Manganese Dioxide, High Performance, BA-5368/U [CUST: CR] [REVIEW: GS]	A	6135		CR	22-FEB-2007
M	MIL-PRF-49471/14A(1) NOT 1	Battery, Non-Rechargeable, Lithium Manganese Dioxide, High Performance, BA-5374/U [CUST: CR] [REVIEW: GS]	A	6135		CR	22-FEB-2007
N	MIL-PRF-8565/18	Battery, Storage, Aircraft, Maintenance-Free, 24- Volt, 10-Ampere-Hour [CUST: AS]	A	6140		AS	09-MAR-2007
M	MIL-PRF-49450B(1) NOT 1	Battery, Rechargeable, Nickel-Cadmium, Vented, Aircraft [CUST: CR] [REVIEW: GS]	A	6140		CR	22-FEB-2007
N	MIL-DTL-24643/62	Cable, Electrical, Type LSPB2SD (Including Variations LSPB2SDW, LSPB2SDOS, LSPB2SDOSW) [CUST: MI SH] [REVIEW: AR AV CG CR EC IS]	A	6145		SH	01-MAR-2007
N	MIL-DTL-24643/63	Cable, Electrical, 1000 Volts, Type LSYSGU [CUST: MI SH] [REVIEW: AR AV CG CR EC IS]	A	6145		SH	01-MAR-2007
N	MIL-DTL-24643/65	Cable, Electrical, Type LS3C179DT (Including Variation LS6C179DT) [CUST: MI SH] [REVIEW: AR AV CG CR EC IS]	A	6145		SH	01-MAR-2007
M	QPL-24640-28	Cables, Light-Weight, Electric, for Shipboard Use, General Specification for	A	6145		SH	22-JAN-2007
M	QPL-AS7788-1 NOT 2	Panels, Information, Integrally Illuminated	A	6220		AS	28-FEB-2007
M	MS28933 NOT 3	Lamp, Incandescent - T-20 Bulb, Medium Bipost Base [CUST: AS 99 IS]	A	6240		IS	05-MAR-2007
M	QPL-6363-5	Lamps, Incandescent, Aircraft Service, General Specification for	A	6240		AS	21-FEB-2007
M	MIL-PRF-83287G	Indicators, Fault Locating, General Specification for [CUST: AV AS 11 CC] [REVIEW: 99 MI]	A	6625		CC	15-FEB-2007
M	MIL-PRF-83287/1D	Indicators, Fault Locating, Flag Indicating, Mechanical Reset [CUST: AV AS 11 CC] [REVIEW: 84 MI]	A	6625		CC	15-FEB-2007
M	MIL-PRF-83287/2E	Indicators, Fault Locating, Flag Indicating, Electrical Reset [CUST: AV AS 11 CC] [REVIEW: 84 MI]	A	6625		CC	15-FEB-2007
M	MIL-PRF-83287/3C	Indicators, Fault Locating, Ball Indicating, Electrical Reset [CUST: AV AS 11 CC] [REVIEW: 84 MI]	A	6625		CC	15-FEB-2007
M	MIL-PRF-83287/4C	Indicators, Fault Locating, Dual Drum Indicating, Mechanical Reset [CUST: AS 11 CC]	A	6625		CC	15-FEB-2007
M	A-A-50227 NOT 3	T-Squares (Metal, Wood, and Plastic) [CUST: CE 99 IS] [REVIEW: 71 MC]	A	6675	/	IS	05-MAR-2007
M	A-A-52001 NOT 3	Planetables, Surveying, with Tripod and Carrying Case [CUST: CE YD 99 IS] [REVIEW: 71 CG MC]	A	6675	/	IS	08-MAR-2007
M	A-A-52002 NOT 3	Level, Circular, Rod [CUST: CE IS]	A	6675	/	IS	08-MAR-2007
M	A-A-52003 NOT 3	Mesurer, Map [CUST: CE 99 IS] [REVIEW: 71 MC]	A	6675	/	IS	08-MAR-2007
M	A-A-52024 NOT 2	Compass, Magnetic: Surveyor's and Transit, Pocket; with Optional Ball and Socket Joint or Ball and Socket Head, and Jacob's Staff [CUST: CE 99 IS] [REVIEW: 71]	A	6675	/	IS	08-MAR-2007
M	A-A-52025 NOT 2	Levels, Surveying: Abney Type [CUST: CE YD IS] [REVIEW: MC]	A	6675	/	IS	08-MAR-2007
M	A-A-52034A NOT 2	Drafting Instrument Sets and Drafting Instruments [CUST: CE 99 IS] [REVIEW: MC YD]	A	6675	/	IS	08-MAR-2007
M	A-A-52035 NOT 2	Protractor, One Arm: Semicircular (Corrosion-Resistant Alloy, with Case [CUST: CE 99 IS] [REVIEW: MC YD]	A	6675	/	IS	08-MAR-2007
M	A-A-52040 NOT 2	Stereoscopes, Lens, Aerial Photograph Interpretation (Pocket [CUST: CE IS]	A	6675	/	IS	08-MAR-2007
M	MIL-DTL-24577A	Distiller Scale Preventive Treatment Formulations [CUST: SH GS3]	A	6850		GS3	26-FEB-2007
M	A-A-59601D	Dry Cleaning and Degreasing Solvent, PD680 [CUST: AS 68]	A	6850	/	GS3	28-FEB-2007
M	QPL-24577-15	Distiller Scale Preventive Treatment Formulations	A	6850		GS3	26-FEB-2007
M	MIL-DTL-85054C NOT 1	Corrosion Preventive Compound, Clear (AMLGUARD) [CUST: AS]	A	8030		AS	22-FEB-2007

01-MAR-2007

## ACTIVE SECTION

## ASSIST UPDATE

LAST ACTION			DISTRIBUTION	FSC/AREA	MCA	PREP ACTY	DATE
	DOCUMENT NUMBER	DOCUMENT TITLE					
M	MIL-PRF-29597C(2)	Bag, Odor Barrier, Flexible - for Food Contaminated Plastic Waste [CUST: AS] [REVIEW: SA]	A	8105	AS		21-FEB-2007
N	MIL-DTL-32237	Boot, Combat, Hot Weather Army [CUST: GL CT]	A	8430	CT		06-FEB-2007
M	MIL-DTL-3943/77G	Decoration, Exceptional Civilian Service Award, Defense Logistics Agency [CUST: IH] [REVIEW: CT]	A	8455	IH		02-FEB-2007
M	MIL-DTL-3943/78G	Decoration, Meritorious Civilian Service Award, Defense Logistics Agency [CUST: IH] [REVIEW: CT]	A	8455	IH		02-FEB-2007
M	MIL-DTL-3943/146E	Decoration, Distinguished Service Medal, Department of Homeland Security [CUST: IH] [REVIEW: CT]	A	8455	IH		01-MAR-2007
N	MIL-DTL-32235	Heater Module, General Specification for [CUST: GL SA 35] [REVIEW: MC MD QM SS]	A	8970	GL		12-FEB-2007
N	MIL-DTL-32235/1	Heater Module, Type I: Magnesium and Iron Heater, Assembly Required [CUST: GL SA 35] [REVIEW: MC MD QM SS]	A	8970	GL		12-FEB-2007
M	MIL-PRF-27401E	Propellant Pressurizing Agent, Nitrogen [CUST: MI AS 68 PS] [REVIEW: 11 19]	A	9135	68		23-FEB-2007
M	MIL-DTL-23549D NOT 1	Grease, General Purpose [CUST: AS 11 GS3] [REVIEW: GS OS SH]	A	9150	AS		20-FEB-2007
M	MIL-STD-001553B(6) NOT 3	Digital Time Division Command/Response Multiplex Data Bus [CUST: 11]	D	MCCR	11		28-FEB-2007
M	DI-MGMT-81737	Implementation Plan [AMSC: G7706]	A	MGMT	NS		15-FEB-2007
M	DI-TMSS-81666B	Maintenance Manual Changes [AMSC: G7711]	A	TMSS	NS		23-FEB-2007

## INACTIVE SECTION

## ASSIST UPDATE

LAST ACTION	DOCUMENT NUMBER	DOCUMENT TITLE	DISTRIBUTION	FSC/AREA	MCA	PREP ACTY	DATE
M	MIL-DTL-51489A(3)	Projectile, 155MM, Smoke, WP, M110A2, Filling Assembly [CUST: EA]	D	1320		EA	08-FEB-2007
M	MS17241B(1) NOT 3	Heat Interchanger, Refrigerant-12 [CUST: GL YD 99 IS] [REVIEW: 84 CE GS MC MD SH]	A	4130		IS	05-MAR-2007
M	MIL-C-5/18E NOT 1	Capacitors, Fixed, MICA Dielectric, Styles CM04, CM05, CM06, CM07, CM08, CM09, CM10, CM11, CM12, and CM13 [CUST: CR EC 11 CC] [REVIEW: 19 AS CG MC OS SH]	A	5910		CC	28-FEB-2007
M	MIL-C-11015/10F(1)	Capacitors, Fixed, Ceramic Dielectric (General Purpose), Style CK61 [CUST: CR EC 11 CC] [REVIEW: 19 AS MI OS SH]	A	5910		CC	06-MAR-2007
M	MIL-C-18312F NOT 1	Capacitors, Fixed, Metallized (Paper-Plastic, or Plastic Film) Dielectric, Direct Current (Hermetically Sealed in Metal Cases), General Specification for [CUST: CR EC 11 CC] [REVIEW: 19 AS MC MI OS]	A	5910		CC	28-FEB-2007
M	MIL-C-18312/2C NOT 1	Capacitors, Fixed, Metallized (Paper-Plastic, or Plastic Film) Dielectric, Direct Current (Hermetically Sealed in Metal Cases), Style CH09 [CUST: CR EC 11 CC] [REVIEW: 19 AR AS MC OS]	A	5910		CC	28-FEB-2007
M	MIL-C-18312/3C NOT 1	Capacitors, Fixed, Metallized (Paper-Plastic, or Plastic Film) Dielectric, Direct Current (Hermetically Sealed in Metal Cases), Style CH12 [CUST: CR EC 11 CC] [REVIEW: 19 AR AS MC OS]	A	5910		CC	28-FEB-2007
M	MIL-C-18312/4C NOT 1	Capacitors, Fixed, Metallized (Paper-Plastic, or Plastic Film) Dielectric, Direct Current (Hermetically Sealed in Metal Cases), Style CH53 [CUST: CR EC 11 CC] [REVIEW: 19 AR AS MC OS]	A	5910		CC	28-FEB-2007
M	MIL-C-18312/5C NOT 1	Capacitors, Fixed, Metallized (Paper-Plastic, or Plastic Film) Dielectric, Direct Current (Hermetically Sealed in Metal Cases), Style CH54 [CUST: CR EC 11 CC] [REVIEW: 19 AR AS MC OS]	A	5910		CC	28-FEB-2007
M	MIL-PRF-15160/51B(1)	Fuses: Instrument, Power, and Telephone (Nonindicating), Style F51 [CUST: CR SH 11 CC] [REVIEW: 19 99 AR AS AT CG CR4 MC MI OS]	A	5920		CC	09-FEB-2007
M	MIL-DTL-2726/31B	Receptacle, Plug, Electrical 10 - Ampere, 125 - Volt, Double Pole, Male (Symbol No. 729.1) [CUST: SH CC]	A	5935		CC	01-NOV-2006
M	MIL-DTL-2726/33C	Receptacle, Plug, Electrical, 40-ampere, 125-Volt, Single Pole, Male (Symbol No. 1214.2 - Red; Symbol No. 1214.5 - Black) [CUST: SH CC]	A	5935		CC	01-NOV-2006
M	MIL-DTL-2726/34D	Receptacle, Plug, Electrical, 40 - Ampere, 125 Volt, Single Pole, Female Type (Symbol No. 1214.3 - Red; Symbol No. 1214.4 - Black) [CUST: SH CC]	A	5935		CC	01-NOV-2006
M	MIL-DTL-2726/35C	Receptacle, Electrical, 40 - Ampere, 125 - Volt Single Pole, Panel Mounted, Female (Symbol No. 1213.2 - Red; Symbol No. 1213.4 - Black) [CUST: SH CC]	A	5935		CC	01-NOV-2006
M	MIL-DTL-2726/36C	Receptacle, Electrical, 40 - Ampere, 125 - Volt, Single Pole, Panel Mounted, Male Type (Symbol No. 1213.3 Red; Symbol No. 1213.5 - Black) [CUST: SH CC]	A	5935		CC	01-NOV-2006
M	MIL-PRF-39016/45D	Relays, Electromagnetic, Established Reliability, DPDT, Low Level to 2 Amperes (Latching) [CUST: CR EC 11 CC] [REVIEW: 19 AR AS AT AV CR4 MC MI OS SH SM]	A	5945		CC	26-FEB-2007
M	MIL-M-38510/207D	Microcircuit, Digital, 256-Bit, SCHOTTKY, Bipolar, Programmable Read-Only Memory (Prom), Monolithic Silicon [CUST: CR EC 11 CC] [REVIEW: 03 19 99 AS CG MC MI SH SM TD]	A	5962		CC	16-FEB-2007
M	MIL-DTL-13253/4B	Handset, Type H-23( )/U [CUST: CR SH 99 CC] [REVIEW: AR AS CG MC MI]	A	5965		CC	10-JAN-2007
M	MS17183B	Clamp Assembly (Synchro) [CUST: AS CC]	A	5990		CC	27-DEC-2006
M	MS17185A	Clamp (Synchro) [CUST: AS CC]	A	5990		CC	27-DEC-2006
M	MIL-DTL-6484D	Lights, Cockpit Utility, Aircraft General Specification for [CUST: AV AS 99] [REVIEW: 71]	A	6220		IS	09-FEB-2007
M	MS17245E NOT 2	Light, Cockpit Utility [CUST: AV AS 99] [REVIEW: 71]	A	6220		IS	28-FEB-2007
M	MS17246B NOT 3	Mounting Base, Cockpit Utility [CUST: AV AS 99] [REVIEW: 71]	A	6220		IS	28-FEB-2007
M	MIL-PRF-83287/5C	Indicators, Fault Locating, Internal Drum Indicating, Electrical Reset, Printed Circuit Mounting [CUST: AS 11 CC]	A	6625		CC	15-FEB-2007



## CANCELED SECTION

## ASSIST UPDATE

LAST ACTION			DISTRIBUTION	FSC/AREA	MCA	PREP ACTY	DATE
	DOCUMENT NUMBER	DOCUMENT TITLE					
M	DOD-B-82737 SUP 1 NOT 4	Balls, Bearing, Ferrous and Non-Ferrous (for use in Bearings, Valves and Bearing Applications, General Specification for (No S/S Document) [CUST: AT OS 99 GS4] [REVIEW: 11 84 AV CR IS SH]	A	3110		GS4	28-FEB-2007
M	DOD-B-82737/1 NOT 4	Balls, Bearing, Aircraft Quality Steel, Metric (No S/S Document) [CUST: AT OS 99 GS4] [REVIEW: 11 84 AV CR IS SH]	A	3110		GS4	28-FEB-2007
M	DOD-B-82737/2 NOT 4	Balls, Bearing, Steel, Chrome Alloy, Metric (No S/S Document) [CUST: AT OS 99 GS4] [REVIEW: 11 84 AV CR IS SH]	A	3110		GS4	28-FEB-2007
M	DOD-B-82737/3 NOT 4	Balls, Bearing, Corrosion Resistant Steel, Metric (No S/S Document) [CUST: AT OS 99 GS4] [REVIEW: 11 84 AV CR IS SH]	A	3110		GS4	28-FEB-2007
M	DOD-B-82737/4 NOT 4	Balls, Bearing, Steel, Carbon, Metric (No S/S Document) [CUST: AT OS 99 GS4] [REVIEW: 11 84 AV CR IS SH]	A	3110		GS4	28-FEB-2007
M	DOD-B-82737/5 NOT 4	Balls, Bearing, Bronze, Metric (No S/S Document) [CUST: AT OS 99 GS4] [REVIEW: 11 84 AV CR IS SH]	A	3110		GS4	28-FEB-2007
M	DOD-B-82737/6 NOT 4	Balls, Bearing, Nickel-Copper Alloy (K-Monel), Metric (No S/S Document) [CUST: AT OS 99 GS4] [REVIEW: 11 84 AV CR IS SH]	A	3110		GS4	28-FEB-2007
M	ASTM-C1089	Concrete Poles, Prestressed Spun Cast (No S/S Document) [CUST: CR4 YD 99 IS]	A	5620		IS	12-FEB-2007
M	ASTM-D2436	Laboratory Ovens for Electrical Insulation, Forced-Convection (No S/S Document) [CUST: YD]	A	5970		YD	21-FEB-2007
M	MIL-STD-2163C NOT 1	Insert Arrangements for MIL-C-28876 Connectors, Fiber Optic, Circular, Plug and Receptacle Style, Multiple Removable Termini (See Notice 1 for Replacement Information) [CUST: CR SH 11] [REVIEW: 19 70 71 CC MC MI OS]	A	6060		SH	01-MAR-2007
M	MIL-L-87132B NOT 2	Lubricant, CETYL Alcohol, 1-Hexadecanol, Application to Fasteners (See Notice 2 for Replacement Information) [CUST: AT AS 11 GS] [REVIEW: 68 AV]	A	9150		11	21-FEB-2007
M	ASTM-D3254	Fabric-Reinforced, Vulcanized Rubber Sheeting for Pond, Canal, and Reservoir Lining (No S/S Document) [CUST: MR YD 99] [REVIEW: GS]	A	9320		YD	21-FEB-2007
M	ASTM-D702	Cast Methacrylate Plastic Sheets, Rods, Tubes, and Shapes (No S/S Document) [CUST: MR YD 99] [REVIEW: 84 GS SH]	A	9330		YD	21-FEB-2007
M	ASTM-A525	Steel Sheet, Zinc-Coated (Galvanized) by the Hot-Dip Process, General Requirements for (No S/S Document) [CUST: MR YD 99] [REVIEW: IS SH]	A	9515		YD	21-FEB-2007
M	ASTM-A642/A642M	Steel Sheet, Zinc-Coated (Galvanized) by the Hot-Dip Process, Drawing Quality, Special Killed (No S/S Document) [CUST: MR YD 99] [REVIEW: IS MC SH]	A	9515		YD	21-FEB-2007
M	ASTM-A806/A806M	Steel Sheet, 55 Percent Aluminum-Zinc Alloy Coated by the Hot-Dip Process for Storm Sewer and Drainage Pipe (No S/S Document) [CUST: MR YD 99] [REVIEW: IS SH]	A	9515		YD	21-FEB-2007
M	MIL-HDBK-1003/1 NOT 1	Plumbing (S/S by MIL-STD-3007) [CUST: YD]	A	FACR		YD	30-NOV-2006
M	MIL-HDBK-1003/7(1) NOT 2	Steam Power Plants - Fossil Fueled (S/S By MIL-STD-3007) [CUST: YD]	A	FACR		YD	05-DEC-2006
M	MIL-HDBK-1003/8A(2) NOT 3	Exterior Distribution of Steam, High Temperature Water, Chilled Water, Natural Gas, and Compressed Air (S/S by MIL-STD-3007) [CUST: YD]	A	FACR		YD	05-DEC-2006
M	MIL-HDBK-1003/11 NOT 1	Diesel-Electric Generating Plants (S/S by MIL-STD-3007) [CUST: YD]	A	FACR		YD	05-DEC-2006
M	MIL-HDBK-1005/13(2) NOT 3	Hazardous Waste Storage Facilities (S/S by MIL-STD-3007) [CUST: YD]	A	FACR		YD	05-DEC-2006
M	MIL-HDBK-1021/1(1) NOT 2	Airfield Geometric Design (S/S by MIL-STD-3007) [CUST: YD]	A	FACR		YD	05-DEC-2006
M	MIL-HDBK-1021/2 NOT 1	General Concepts for Airfield Pavement Design (S/S by MIL-STD-3007) [CUST: YD]	A	FACR		YD	05-DEC-2006