

# Department of Defense Standardization Program



## ASSIST UPDATE

(A bi-monthly summary of changes to the ASSIST document database)

**1 March 2012**

(For the Period 15 February 2012 to 29 February 2012)

## ASSIST UPDATE

Documents listed in the ASSIST UPDATE have an indicator of “N” or “M” to describe the last action taken on a listed document.

“N” indicates that a “new” document has been entered into the ASSIST database.

“M” indicates that a document already in ASSIST has been “modified” in some way.

The ASSIST UPDATE is published twice a month and provides a summary of changes to Department of Defense standardization documents for the period indicated. Since changes are processed to the ASSIST database on a daily basis, users should consult the ASSIST web site at <https://assist.daps.dla.mil> for the most current information.

If you need to track changes more frequently, or if you have an interest in specific Federal Supply Classes or individual specifications, standards, or other standardization documents, you may wish to take advantage of the ASSIST Alert Service. This feature lets you establish a list of documents of interest to you, and then the ASSIST will alert you with an E-mail message each day there is a change to one or more documents of interest to you. There is no charge for this service; however, you must have an ASSIST user account. To obtain one, complete the ASSIST online registration form at <https://assist.daps.dla.mil/online/registration/registration.cfm>.

Once you have your account, you can establish your Alert Portal profile. For more information on the ASSIST Alert Service, go to: <https://assist.daps.dla.mil/online/news/AlertService.htm>.

## ACTIVE SECTION

## ASSIST UPDATE

LAST ACTION			DISTRIBUTION	FSC/AREA	MCA	PREP ACTY	DATE
	DOCUMENT NUMBER	DOCUMENT TITLE					
M	MIL-DTL-32358A	Cartridge, 40 Millimeter: Non-Lethal - M1006 [CUST: AR OS 99] [REVIEW: 70 MC NP]	C	1310		AR	21-FEB-2012
M	MIL-DTL-46225D	Lead Azide RD-1333 [CUST: AR OS 11] [REVIEW: 70 99 AS FAS NP]	A	1376		AR	15-FEB-2012
M	MIL-DTL-22244F	Cartridge, Impulse, Mark 23 Mod 0 [CUST: OS]	A	1377		OS	07-FEB-2012
M	MIL-DTL-32154A	Cord Assembly, Detonating, Shielded Mild [CUST: OS]	A	1377		OS	12-AUG-2011
M	MIL-DTL-18714F	Primer, Electric, Mark 45 Mod 1 [CUST: OS]	A	1390		OS	19-FEB-2012
M	MIL-DTL-7034/3A(2) NOT 1	Pulley, Groove, Heavy Duty, Control, Aircraft [CUST: AV AS 99 GS] [REVIEW: 71]	A	1640		GS5	15-FEB-2012
M	MIL-DTL-83420/1D NOT 2	Wire Rope, Flexible, Type I, Composition A [CUST: AV AS 99] [REVIEW: 71 MI]	A	1640		GS5	22-FEB-2012
M	MIL-DTL-83420/2D(1) NOT 1	Wire Rope, Flexible, Type I, Composition B [CUST: AV AS 99] [REVIEW: 71 MI]	A	1640		GS5	22-FEB-2012
M	MIL-DTL-83420/3D NOT 2	Wire Rope, Flexible, Type II (Jacketed), Composition A [CUST: AV AS 99] [REVIEW: 71 MI]	A	1640		GS5	22-FEB-2012
M	MIL-DTL-83420/4D NOT 2	Wire Rope, Flexible, Type II (Jacketed), Composition B [CUST: AV AS 99] [REVIEW: 71 MI]	A	1640		GS5	22-FEB-2012
M	MIL-PRF-32350(2)	Fan and Filter Housing Assembly (FFHA), 400 CFM, Variable Speed, Lightweight [CUST: EA]	X	4240		EA	27-FEB-2012
M	MIL-PRF-51193F(1)	Filter, Gas, 10 CFM, M18A1 [CUST: EA]	X	4240		EA	21-FEB-2012
M	A-A-55697B	Tube, Nonmetallic; Polyvinyl Chloride (PVC) Flexible (for Laboratory and Medical Use) [CUST: AV SH 99 CC] [REVIEW: 03 71 AS NP SA]	A	4720	/	CC	22-FEB-2012
M	MIL-DTL-83798D(2) SUP 1	Fitting, Rubber Hose, Lightweight, Medium Pressure, General Specification For [CUST: AV AS 99 CC] [REVIEW: 11 71 AT MC SA]	A	4730		CC	14-FEB-2012
M	MS16625D	Ring, Retaining, Internal, Basic (Tapered Section Type) [CUST: AR OS 99 IS] [REVIEW: AV MI]	A	5325		IS	13-FEB-2012
M	A-A-55801A	Rubber, Silicone; Packing, Preformed (O-Ring) [CUST: MR AS 11 IS] [REVIEW: 84 99 AR CR MI OS SH YD]	A	5331	/	IS	13-FEB-2012
M	MIL-DTL-85069D	Sleeves and Grommets, Fastener, [CUST: AV AS 99 GS] [REVIEW: 71]	A	5365		GS4	10-FEB-2012
M	MIL-PRF-32192(2)	Resistors, Chip, Thermal (Thermistor), General Specification for [CUST: CR EC 85 CC] [REVIEW: 19 99 AS AT AV CG CR4 MC NA OS]	A	5905		CC	29-FEB-2012
M	MIL-PRF-32192/1(2)	Resistor, Chip, Thermal (Thermistor), Positive Temperature Coefficient, Style RCTP0303 [CUST: CR EC 85 CC] [REVIEW: 19 99 AS AT AV CG CR4 MC NA OS]	A	5905		CC	29-FEB-2012
M	MIL-PRF-32192/2(2)	Resistor, Chip, Thermal (Thermistor), Insulated Positive Temperature Coefficient Style RCTP0805 [CUST: CR EC 85 CC] [REVIEW: 19 99 AS AT AV CG CR4 MC NA OS]	A	5905		CC	29-FEB-2012
M	MIL-PRF-32192/3(2)	Resistor, Chip, Thermal (Thermistor), Negative Temperature Coefficient, Style RCTN0404 [CUST: CR EC 85 CC] [REVIEW: 19 99 AS AT AV CG CR4 MC NA OS]	A	5905		CC	29-FEB-2012
M	MIL-PRF-32192/4(2)	Resistor, Chip, Thermal (Thermistor), Insulated Negative Temperature Coefficient Style RCTN0805 [CUST: CR EC 85 CC] [REVIEW: 19 99 AS AT AV CG CR4 MC NA OS]	A	5905		CC	29-FEB-2012
M	MIL-PRF-32192/5(2)	Resistor, Chip, Thermal (Thermistor), Insulated Negative Temperature Coefficient Style RCTN1206 [CUST: CR EC 85 CC] [REVIEW: 19 99 AS AT AV CG CR4 MC NA OS]	A	5905		CC	29-FEB-2012
M	MIL-PRF-20M	Capacitor, Fixed, Ceramic Dielectric, (Temperature Compensating), Established Reliability and Non -Established Reliability, General Specification for [CUST: CR EC 85 CC] [REVIEW: 19 99 AS MC MI OS SH]	A	5910		CC	27-FEB-2012
M	MIL-PRF-83421/2D	Capacitors, Fixed, Metallized Plastic Film Dielectric, (DC, AC, or DC and AC), Hermetically Sealed in Metal Cases, Established Reliability Styles CRH11, CRH12, and CRH13 (Insulated) [CUST: CR EC 85 CC NA] [REVIEW: 19 99 AR AS MC OS SH]	A	5910		CC	27-FEB-2012
M	QPL-17361-41 NOT 1	Circuit-Breakers, Air, Electric, Insulated Housing (Shipboard Use) (Replaced by the Qualified Products Database (QPD) See Notice 1 for Additional Information)	A	5925		SH	27-FEB-2012
M	QPL-17588-26 NOT 1	Circuit Breakers (Automatic - ALB-1) and Switch, Toggle (Circuit Breaker, Non-Automatic - NLB-1) Air, Insulated Housing, 125 Volts and Below, A.C. and D.C., (Naval Shipboard use) (Replaced by the Qualified Products Database (QPD) See Notice 1 for Additional Information)	A	5925		SH	24-FEB-2012
M	MIL-PRF-24236/1N	Switches, Thermostatic, (Bimetallic), Subminiature, Type I, Hermetically Sealed, Single Pole, Single Throw (SPST), 5 Amperes, and Low Level [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS AT AV MC MI OS]	A	5930		CC	14-FEB-2012
M	MIL-PRF-24236/29B	Switches, Thermostatic, (Bimetallic), Type I, Hermetically Sealed, Single Pole, Single Throw (SPST), 10 Ampere [CUST: CR EC 85 CC]	A	5930		CC	14-FEB-2012
M	QPL-22885-97	Switches, Push Button, Illuminated, General Specification for	A	5930		CC	14-FEB-2012
M	MS27466K	Connectors, Receptacle, Electrical, Wall Mounting Flange, Crimp Type, Bayonet Coupling, Series I [CUST: CR AS 85 CC] [REVIEW: 19 99 AR EC MC MI OS]	A	5935		CC	02-FEB-2012
M	MS27467M	Connectors, Plug, Electrical, Straight, Crimp Type, Bayonet Coupling, Series I [CUST: CR AS 85 CC] [REVIEW: 19 99 AR EC IS MC MI OS]	A	5935		CC	02-FEB-2012
M	MS27468K	Connectors, Receptacle, Electrical, Jam Nut Mounting, Crimp Type, Bayonet Coupling, Series I [CUST: CR AS 85 CC] [REVIEW: 19 99 AR EC IS MC MI OS]	A	5935		CC	02-FEB-2012
M	MS27472J	Connectors, Receptacle, Electrical, Wall Mounting Flange, Crimp Type, Bayonet Coupling, Series II [CUST: CR AS 85 CC] [REVIEW: 19 99 AR EC IS MC MI OS]	A	5935		CC	02-FEB-2012
M	MS27473N	Connectors, Plug, Electrical, Straight, Crimp Type, Bayonet Coupling, Series II [CUST: CR AS 85 CC] [REVIEW: 19 99 AR EC IS MC MI OS]	A	5935		CC	02-FEB-2012
M	MS27474H	Connectors, Receptacle, Electrical, Jam Nut Mounting, Crimp Type, Bayonet Coupling, Series II [CUST: CR AS 85 CC] [REVIEW: 19 99 AR EC IS MC MI OS]	A	5935		CC	02-FEB-2012
M	MS27484N	Connectors, Plug, Electrical, Straight, Crimp Type, Bayonet Coupling, EMI, Series II [CUST: CR AS 85 CC] [REVIEW: 19 99 AR EC MI]	A	5935		CC	02-FEB-2012
M	MS27496H	Connectors, Receptacle, Electrical, Box Mounting, Crimp Type, Bayonet Coupling, Series I [CUST: CR AS 85 CC] [REVIEW: 19 99 AR EC MC MI OS]	A	5935		CC	02-FEB-2012
M	MS27497P	Connectors, Receptacle, Electrical, Back Panel, Wall Mounting Flange, Crimp Type, Bayonet Coupling, Series II [CUST: CR AS 85 CC] [REVIEW: 19 99 AR EC IS MC MI OS]	A	5935		CC	02-FEB-2012
M	MS27500H	Connectors, Plug, Electrical, 90 Degrees Elbow, Crimp Type, Bayonet Coupling, Series II [CUST: CR AS 85 CC] [REVIEW: 19 99 AR EC IS MC MI OS]	A	5935		CC	02-FEB-2012
M	MS27513F	Connectors, Receptacle, Electrical, Box Mounting Flange, Extended Grommet, Crimp Type, Bayonet Coupling, Series II [CUST: CR AS 85 CC] [REVIEW: 19 99 AR EC IS MC MI OS]	A	5935		CC	02-FEB-2012
M	MS27656E	Connectors, Receptacle, Electrical, Back Panel, Wall Mounting Flange, Crimp Type, Bayonet Coupling, Series I [CUST: CR AS 85 CC] [REVIEW: 19 99 AR EC MC MI OS]	A	5935		CC	02-FEB-2012
M	MS25024H	Relay, 10AMP, 4PDT, Sealed, Class O [CUST: CR AS 85 CC] [REVIEW: 99]	A	5945		CC	28-FEB-2012
M	MIL-PRF-19500/439G	Semiconductor Device, Transistor, NPN, Silicon, High-Power, Types 2N5038 and 2N5039, JAN, JANTX, JANTXV, JANS, JANHC, and JANKC [CUST: CR EC 85 CC NA] [REVIEW: 19 AS MC MI SM]	A	5961		CC	17-FEB-2012

## ACTIVE SECTION

## ASSIST UPDATE

LAST ACTION			DISTRIBUTION	FSC/AREA	MCA	PREP ACTY	DATE
	DOCUMENT NUMBER	DOCUMENT TITLE					
M	MIL-PRF-19500/511H(2)	Semiconductor Device, Transistor, PNP, Silicon, Switching Type 2N4261, 2N4261UB, 2N4261UBC JAN, JANTX, JANTXV and JANS, JANHC and JANKC, JANTXVM, JANTXVD, JANTXVP, JANTXVL, JANTXVR, JANTXVF, JANTXVG, JANTXVH, JANSM, JANSJ, JANSF, JANSK, JANSR, JANSF, JANSJ, JANSK, JANSH, JANHCM, JANHCD, JANHCP, JANHCL, JANHCR, JANHCF, JANHCG, JANHCH, JANKCM, JANKCD, JANKCP, JANKCL, JANKCR, JANKCF, JANKCG, and JANKCH [CUST: CR 85 CC NA] [REVIEW: 19 71 99]	A	5961		CC	02-MAR-2012
M	MIL-PRF-19500/518D(1)	Semiconductor Device, Transistor, NPN, Silicon, Power, Type 2N3766, 2N3767, JAN, JANTX, and JANTXV [CUST: CR 85 CC] [REVIEW: 19 99 AR]	A	5961		CC	02-MAR-2012
M	MIL-PRF-19500/655E	Semiconductor Device, Field Effect Radiation Hardened (Total Dose and Single Event Effects) Transistor, P-Channel Silicon, Types 2N7424U, 2N7425U, and 2N7426U, JANTXVR and F and JANSR and F [CUST: CR 85 CC]	A	5961		CC	14-FEB-2012
M	MIL-PRF-19500/671A	Semiconductor Device, Diode, Silicon, Schottky Power Rectifier, Common Cathode or Anode Center Tap, Types 1N6828, 1N6828R, 1N6833, 1N6833R, 1N6828U3 and 1N6833U3 JAN, JANTX, JANTXV, and JANS [CUST: CR 85 CC NA]	A	5961		CC	17-FEB-2012
M	MIL-PRF-19500/519D NOT 1	Semiconductor Device, Diode, Light Emitting, Red Types, JAN1N6092, JANTX1N6092, JAN1N6099 (Clear Lens) JANTX1N6609 (Clear Lens), and Panel Mount Assembly, Types JANM19500/51901, JANTXM19500/51902, JANM19500/51903 (Clear Lens), and JANTXM19500/51904 (Clear Lens) [CUST: CR 85 CC]	A	5980		CC	15-FEB-2012
M	MIL-PRF-19500/520D NOT 1	Semiconductor Device, Diode, Light Emitting, Yellow, Types JAN1N6093, JANTX1N6093, JAN1N6610 (Clear Lens), JANTX1N6610 (Clear Lens), and Panel Mount Assembly, Types JANM19500/52001, JANTXM19500/52002, JANM19500/52003 (Clear Lens), and JANTXM19500/52004 (Clear Lens) [CUST: CR 85 CC]	A	5980		CC	15-FEB-2012
M	MIL-PRF-19500/521D NOT 1	Semiconductor Device, Diode, Light Emitting, Green Types JAN1N6094 JANTX1N6094, JAN1N6611 (Clear Lens) JANTX1N6611 (Clear Lens), and Panel Mount Assembly, Types JANM19500/52101, JANTXM19500/52102, JANM19500/52103 (Clear Lens), and JANTXM19500/52104 (Clear Lens) [CUST: CR 85 CC] [REVIEW: AR MI SM]	A	5980		CC	15-FEB-2012
N	A-A-59789/23	Holder, Electrical Card, Wedge Retainers, 5 Piece, for Cold Plate Applications, .225 X .225 Inch Body Size, with Two, Three, or Four Mounting Holes, Screw Actuated, 7.0 Inch through 8.5 Inch Assembly Length [CUST: CR EC 85 CC] [REVIEW: 99]	A	5998	/	CC	23-FEB-2012
N	A-A-59789/24	Holder, Electrical Card, Wedge Retainers, 5 Piece, for Cold Plate Applications, .225 x .225 Inch Body Size, with Two, Three, or Four Mounting Holes and Visual Lock Indication, Screw Actuated, 7.0 Inch through 8.5 Inch Assembly Length [CUST: CR EC 85 CC] [REVIEW: 99]	A	5998	/	CC	24-FEB-2012
N	TIA455.26	Fiber Optic Cable Interconnecting Devices, Crush Resistance of [CUST: CR AS 85 CC] [REVIEW: 19 99 EC MC SH TE]	A	60GP		CC	23-FEB-2012
N	TIA455.29	Refractive Index Profile, Transverse Interference Method [CUST: CR AS 85 CC] [REVIEW: 13 19 EC MC MI SH TE]	A	60GP		CC	23-FEB-2012
N	TIA455.33	Fiber Optic Cable Tensile Loading and Bending Test [CUST: CR AS 85 CC] [REVIEW: 13 19 EC MC SH TE]	A	60GP		CC	23-FEB-2012
N	TIA455.34	Interconnection Device Insertion Loss Test [CUST: CR AS 85 CC] [REVIEW: 13 19 EC MC SH TE]	A	60GP		CC	23-FEB-2012
N	TIA455.35	Fiber Optic Component Dust (Fine Sand) Test [CUST: CR AS 85 CC]	A	60GP		CC	23-FEB-2012
N	TIA455.37	Fiber, Optic Cable, Low or High Temperature Bend Test for [CUST: CR AS 85 CC]	A	60GP		CC	23-FEB-2012
N	TIA455.41	Fiber Optic Cables, Compressive Loading Resistance of [CUST: CR AS 85 CC] [REVIEW: 13 19 EC MC SH TE]	A	60GP		CC	23-FEB-2012
N	TIA455.42	Optical Crosstalk in Fiber Optic Components [CUST: CR AS 85 CC] [REVIEW: 19 EC MC MI SH TE]	A	60GP		CC	23-FEB-2012
N	TIA455.43	Output Near-Field Radiation Pattern Measurement of Optical Waveguide Fibers [CUST: CR AS 85 CC] [REVIEW: 13 19 EC MC SH TE]	A	60GP		CC	23-FEB-2012
N	TIA455.50	Fiber, Optical, Spectral Attenuation Measurements, Light Launch Conditions for Long-Length Graded-Index [CUST: CR AS 85 CC] [REVIEW: AR AT CR4 EC MC MI SH]	A	60GP		CC	23-FEB-2012
M	A-A-55524A	Shunt, Instrument (External, 50 Millivolt, Lightweight Type) [CUST: CR EC 99 CC] [REVIEW: 84 AR MI]	A	6625	/	CC	22-FEB-2012
M	A-A-55524/1B	Shunt, Instrument (External, 50 Millivolt, 10 through 150 Amperes (A) Lightweight Type) [CUST: CR EC 99 CC] [REVIEW: 71 AR MI]	A	6625	/	CC	22-FEB-2012
M	A-A-55524/2B	Shunt, Instrument (External, 50 Millivolt, 170 through 600 Amperes (A) Lightweight Type) [CUST: CR EC 99 CC] [REVIEW: 71 AR MI]	A	6625	/	CC	22-FEB-2012
M	A-A-55524/3B	Shunt, Instrument (External, 50 Millivolt, 800 through 1200 Amperes(A) Lightweight Type) [CUST: CR EC 99 CC] [REVIEW: 71 AR MI]	A	6625	/	CC	22-FEB-2012
M	A-A-55450A	Rubber, Silicone; Channel, Nonmetallic, Shape 1 [CUST: MR AS 11 IS]	A	9320	/	IS	13-FEB-2012
M	A-A-55757A	Rubber, Silicone; Gasket, Shape 13 [CUST: MR AS 11 IS]	A	9320	/	IS	13-FEB-2012
M	MIL-HDBK-6870B	Nondestructive Inspection Program Requirements for Aircraft and Missile Materials and Parts [CUST: MR AS 11]	A	NDTI		11	14-FEB-2012
N	TECHAMERICA-STD0016	Standard for Preparing a Diminishing Manufacturing Sources and Material Shortages (DMSMS) Management Plan [CUST: MI AS 10 CC] [REVIEW: 11 16 70 71 85 AT AV MC MR SA SH]	A	STDZ		SO	14-FEB-2012
M	MIL-STD-188-110C(1)	Interoperability and Performance Standards for Data Modems [CUST: CR EC 71] [REVIEW: 02 07 DC1 MC NS]	A	TCSS		71	03-JAN-2012
M	MIL-STD-188-141C(1)	Interoperability and Performance Standards for Medium and High Frequency Radio Systems [CUST: CR EC 71] [REVIEW: 02 07 DC MC NS]	A	TCSS		71	27-DEC-2011

## INACTIVE SECTION

## ASSIST UPDATE

LAST ACTION			DISTRIBUTION	FSC/AREA	MCA	PREP ACTY	DATE
	DOCUMENT NUMBER	DOCUMENT TITLE					
M	MIL-DTL-32309(2)	Rifle, 5.56 Millimeter - M16A4 [CUST: AR OS 99] [REVIEW: 84 AS CC CG FAS MC NP]	A	1005	AR		07-FEB-2012
M	MIL-R-71135(4) NOT 1	Rifle, 5.56MM: M16A2E3 (M16A3) [CUST: AR CC]	A	1005	AR		07-FEB-2012
M	MIL-DTL-64002C	Delay Igniter for Projectile, 155MM, Smoke: M825/M825A1 [CUST: EA]	D	1320	EA		07-DEC-2012
M	MIL-DTL-12957D	Destructor, Explosive: Universal - M10 Assembly Parts, Loading, Assembling and Packing [CUST: AR]	C	1375	AR		22-FEB-2012
M	MIL-H-8810B NOT 4	Handles, Control, Aircraft [CUST: AV 99] [REVIEW: 71]	A	1680	GS1		15-FEB-2012
M	MIL-C-43647(1) NOT 3	Case, Individual, Survival Kit, Army [CUST: GL] [REVIEW: AV MD]	A	1680	GS1		16-FEB-2012
M	MS16068A NOT 4	Harness, Aircraft Safety, Pilot's Shoulder V Type [CUST: AS GS1]	A	1680	GS1		16-FEB-2012
M	MS16069A NOT 4	Harness, Aircraft Safety, Pilot's Shoulder Y Type [CUST: AS GS1]	A	1680	GS1		16-FEB-2012
M	MS9483C(1)	Ferrule, Brazing, Tube Fitting-Cres SAE-AMS5646, Straight [CUST: AS CC] [REVIEW: SA]	A	4730	CC		14-FEB-2012
M	MIL-PRF-19500/295F	Semiconductor Device, Field-Effect Transistors, P-Channel, Silicon, Type 2N2608, JAN and UB [CUST: CR EC 85 CC NA] [REVIEW: 19 99 AS MC]	A	5961	CC		15-FEB-2012
M	MIL-M-38510/54D(2) NOT 4	Microcircuits, Digital, CMOS, Positive Logic, Four-Bit Full Adder, Monolithic Silicon [CUST: CR EC 85 CC NA] [REVIEW: 03 19 99 AS CG MC MI SH SM]	A	5962	CC		15-FEB-2012
M	MIL-M-38510/420A(2) NOT 4	Microcircuits, Digital, N-Channel, Silicon Gate Monolithic 8 Bit Microprocessor (Fixed Instruction) [CUST: CR EC 85 CC NA] [REVIEW: 03 19 99 AS CG MC MI SH SM]	A	5962	CC		15-FEB-2012
M	MIL-M-38510/440C NOT 4	Microcircuits, Digital, Four Bit Microprocessor Slice Monolithic Silicon [CUST: CR EC 85 CC NA] [REVIEW: 03 19 99 AS CG MC MI SH SM]	A	5962	CC		15-FEB-2012
M	MIL-M-38510/520B(2) NOT 4	Microcircuits, Digital, N-Channel, Silicon Gate Monolithic 16-Bit Microprocessor [CUST: CR EC 85 CC NA] [REVIEW: 03 19 99 AS CG MC MI SH SM]	A	5962	CC		15-FEB-2012
M	MIL-M-38510/530A NOT 4	Microcircuits, Digital, N-Channel, Silicon Gate Monolithic 16-Bit Microprocessor (Fixed Instruction) [CUST: CR EC 85 CC NA] [REVIEW: 03 19 99 AS CG MC MI SH SM]	A	5962	CC		15-FEB-2012
M	MIL-M-38510/540B NOT 4	Microcircuits, Digital, N-Channel, Silicon Gate Monolithic 16-Bit Microprocessor [CUST: CR EC 85 CC NA] [REVIEW: 03 19 99 AS CG MC MI SH SM]	A	5962	CC		15-FEB-2012
M	MIL-M-38510/600(2) NOT 4	Microcircuits, Digital, Bipolar, Semicustom (Gate Array) Devices, Monolithic Silicon [CUST: CR EC 85 CC NA] [REVIEW: 03 19 99 AS CG MC MI SH SM]	A	5962	CC		15-FEB-2012
M	MIL-M-38510/620 NOT 4	Microcircuits, Digital, VHSIC, CMOS, Signal Processing Element, Monolithic Silicon [CUST: CR EC 85 CC NA] [REVIEW: 03 19 99 AS CG MC MI SH SM]	C	5962	CC		15-FEB-2012
M	MIL-M-38510/630 NOT 4	Microcircuits, Digital, CMOS, FFT Processor Monolithic Silicon [CUST: CR EC 85 CC NA] [REVIEW: 03 19 99 AS CG MC MI SH SM]	A	5962	CC		15-FEB-2012
M	MIL-M-38510/662 NOT 4	Microcircuits, Digital, High Speed, CMOS Data Selectors/Multiplexers, Monolithic Silicon [CUST: CR EC 85 CC NA] [REVIEW: 03 19 99 AS CG MC MI SH SM]	A	5962	CC		15-FEB-2012
M	MIL-M-38510/665 NOT 4	Microcircuits, Digital, High Speed, CMOS, Shift Register, Monolithic Silicon [CUST: CR EC 85 CC NA] [REVIEW: 03 19 99 AS CG MC MI SH SM]	A	5962	CC		15-FEB-2012

## CANCELED SECTION

## ASSIST UPDATE

LAST ACTION			DISTRIBUTION	FSC/AREA	MCA	PREP ACTY	DATE
	DOCUMENT NUMBER	DOCUMENT TITLE					
M	MIL-S-85069/1A NOT 5	Sleeves, Fastener, Grooved, Reliability and Maintainability (Repair and Maintenance) Requirements for (S/S by Mil-DTL-85069) [CUST: AR AS 99 GS] [REVIEW: 71]	A	5365		GS4	10-FEB-2012
M	MIL-DTL-85069/2B NOT 1	Sleeves, Fastener, Grooved, Protruding Head, Shear and Tension, 1/64 Oversize (S/S by MIL-DTL-85069) [CUST: AV AS 99 GS]	A	5365		GS4	10-FEB-2012
M	MIL-DTL-85069/3B NOT 1	Sleeves, Fastener, Grooved, 100 Degrees Flush Reduced Head, Shear, 1/64 Oversize (S/S by MIL-DTL-85069) [CUST: AV AS 99 GS]	A	5365		GS4	10-FEB-2012
M	MIL-DTL-85069/4B NOT 1	Sleeves, Fastener, Grooved, 100 Degrees Flush Head, 1/64 Oversize (S/S by MIL-DTL-85069) [CUST: AV AS 99 GS]	A	5365		GS4	10-FEB-2012
M	MIL-DTL-85069/5B NOT 1	Sleeves, Fastener, Grooved, 100 Degrees Flush Full Head, Tension, 1/64 Oversize (S/S by MIL-DTL-85069) [CUST: AV AS 99 GS] [REVIEW: 71]	A	5365		GS4	10-FEB-2012
M	MIL-DTL-85069/6B NOT 1	Sleeves, Fastener, Grooved, Protruding Head, Shear and Tension, 1/32 Oversize (S/S by MIL-DTL-85069) [CUST: AV AS 99 GS] [REVIEW: 71]	A	5365		GS4	10-FEB-2012
M	MIL-DTL-85069/7B NOT 1	Sleeves, Fastener, Grooved, 100 Degrees Flush Reduced Head, Shear, 1/32 Oversize (S/S by MIL-DTL-85069) [CUST: AV AS 99 GS] [REVIEW: 71]	A	5365		GS4	10-FEB-2012
M	MIL-DTL-85069/8B NOT 1	Sleeves, Fastener, Grooved, 100 Degrees Flush Head, 1/32 Oversize (S/S by MIL-D-85069) [CUST: AV AS 99 GS] [REVIEW: 71]	A	5365		GS4	10-FEB-2012
M	MIL-DTL-85069/9B NOT 1	Sleeves, Fastener, Grooved, 100 Degrees Flush Full Head, Tension, 1/32 Oversize (S/S by MIL-DTL-85069) [CUST: AV AS 99 GS] [REVIEW: 71]	A	5365		GS4	10-FEB-2012
M	MIL-DTL-85069/10A NOT 1	Sleeve (Grommet), Hard Seat, Reduced Head, Swaged, Countersunk, Panel Fastener (S/S by MIL-DTL-85069) [CUST: AV AS 99 GS] [REVIEW: 71]	A	5365		GS4	10-FEB-2011
M	MIL-DTL-85069/11A NOT 1	Sleeve (Grommet), Hard Seat, Tension Head, Swaged, Countersunk, Panel Fastener (S/S by MIL-DTL-85069) [CUST: AV AS 99 GS] [REVIEW: 71]	A	5365		GS4	10-FEB-2012
M	MIL-PRF-26542/7B(1) NOT 1	Microphone, M-94B/A (No S/S Document) [CUST: CR EC 85 CC] [REVIEW: 99 AS AT AV CR4 OS]	A	5965		CC	13-JAN-2012
M	EIA455.26	Fiber Optic Cable Interconnecting Devices, Crush Resistance of (S/S by TIA455.26) [CUST: CR AS 85 CC] [REVIEW: 19 99 EC MC SH TE]	A	60GP		CC	23-FEB-2012
M	EIA455.29	Refractive Index Profile, Transverse Interference Method (S/S by TIA455.29) [CUST: CR AS 85 CC] [REVIEW: 13 19 EC MC MI SH TE]	A	60GP		CC	23-FEB-2012
M	EIA455.33	Fiber Optic Cable Tensile Loading and Bending Test (S/S by TIA455.33) [CUST: CR AS 85 CC] [REVIEW: 13 19 EC MC SH TE]	A	60GP		CC	23-FEB-2012
M	EIA455.34	Interconnection Device Insertion Loss Test (S/S by TIA455.34) [CUST: CR AS 85 CC] [REVIEW: 13 19 EC MC SH TE]	A	60GP		CC	23-FEB-2012
M	EIA455.35	Fiber Optic Component Dust (Fine Sand) Test (S/S by TIA455.35) [CUST: CR AS 85 CC]	A	60GP		CC	23-FEB-2012
M	EIA455.37	Fiber Optic Cable, Low or High Temperature Bend Test for (S/S by TIA455.37) [CUST: CR AS 85 CC]	A	60GP		CC	23-FEB-2012
M	EIA455.41	Fiber Optic Cables, Compressive Loading Resistance of (S/S by TIA455.41) [CUST: CR AS 85 CC] [REVIEW: 13 19 EC MC SH TE]	A	60GP		CC	23-FEB-2012
M	EIA455.42	Optical Crosstalk in Fiber Optic Components (S/S by TIA455.42) [CUST: CR AS 85 CC] [REVIEW: 19 EC MC MI SH TE]	A	60GP		CC	23-FEB-2012
M	MIL-A-27328(6) NOT 2	Amplifier-Indicator Group, Altitude-Vertical Speed A/A24G-7 (No S/S Document) [CUST: 71] [REVIEW: 99 GS]	A	6610		71	27-FEB-2012
M	ASTM-E171	Materials, Flexible Barrier, Conditioning and Testing, Standard Atmospheres for (See Notice for Replacement Information) [CUST: MR AS 99]	A	6635		MR	21-FEB-2012