

Department of Defense Standardization Program



ASSIST UPDATE

(A bi-monthly summary of changes to the ASSIST document database)

1 March 2014

(For the Period 15 February 2014 to 28 February 2014)

ASSIST UPDATE

Documents listed in the ASSIST UPDATE have an indicator of “N” or “M” to describe the last action taken on a listed document.

“N” indicates that a “new” document has been entered into the ASSIST database.

“M” indicates that a document already in ASSIST has been “modified” in some way.

The ASSIST UPDATE is published twice a month and provides a summary of changes to Department of Defense standardization documents for the period indicated. Since changes are processed to the ASSIST database on a daily basis, users should consult the ASSIST web site at <https://assist.dla.mil/> for the most current information.

If you need to track changes more frequently, or if you have an interest in specific Federal Supply Classes or individual specifications, standards, or other standardization documents, you may wish to take advantage of the ASSIST Alert Service. This feature lets you establish a list of documents of interest to you, and then the ASSIST will alert you with an E-mail message each day there is a change to one or more documents of interest to you. There is no charge for this service; however, you must have an ASSIST user account. To obtain one, complete the ASSIST online registration form at <https://assist.dla.mil/online/registration/registration.cfm>.

Once you have your account, you can establish your Alert Portal profile. For more information on the ASSIST Alert Service, go to: <https://assist.dla.mil/online/news/AlertService.htm>.

ACTIVE SECTION

ASSIST UPDATE

| LAST ACTION | DOCUMENT NUMBER | DOCUMENT TITLE | DISTRIBUTION | MCA | | DATE |
|-------------|--------------------------|---|--------------|----------|-----------|-------------|
| | | | | FSC/AREA | PREP ACTY | |
| M | MIL-C-50652/4A(1) NOT 3 | Circuit Card Assembly: 10548046 (Counter, Range) [CUST: AR] | A 1285 | | AR | 21-FEB-2014 |
| M | MIL-C-50652/10 NOT 3 | Circuit Card Assembly, 10548012 (Counter B, Range Rate) [CUST: AR] | A 1285 | | AR | 21-FEB-2014 |
| M | MIL-DTL-12235A NOT 1 | Projectile, Plate-Proofing (for Impact or Shock Testing) 37mm M1000, 57mm M1001, 75mm M1002, 90mm M1003, 105mm M1004, 20mm M1005, 57mm M1001A, and 75mm M1002A [CUST: MR] [REVIEW: AR AV] | A 1310 | | MR | 28-FEB-2014 |
| M | DOD-D-64015A(2) NOT 1 | Diethylene Glycol Dinitrate (DEGDN) (for use in Ammunition) [CUST: AR] | A 1315 | | AR | 28-FEB-2014 |
| M | DOD-E-63496A NOT 1 | Explosive, Booster, R8150, for use in 120MM Ammunition [CUST: AR] | A 1376 | | AR | 28-FEB-2014 |
| M | DOD-P-64041A NOT 1 | Polyurethane, Impregnation Solution [CUST: AR] | B 1376 | | AR | 28-FEB-2014 |
| M | MIL-F-48275(1) NOT 3 | Fuze, PIBD, M550; Test Vehicle for Metal Parts and Loading, Assembling and Packing [CUST: AR] | A 1390 | | AR | 21-FEB-2014 |
| M | MIL-DTL-27422F | Tank, Fuel, Crash-Resistant, Ballistic-Tolerant, Aircraft [CUST: AV AS] | A 1560 | | AV | 06-FEB-2014 |
| M | MIL-STD-5522 NOT 2 | Test Requirements and Methods for Aircraft Hydraulic and Emergency Pneumatic Systems [CUST: AV AS] [REVIEW: 11 71 CG GS MC MI] | A 1650 | | AS | 07-FEB-2014 |
| M | A-A-59210D | Tractor, Aircraft Towing, MB-4 [CUST: 84] [REVIEW: 99] | A 1740 | / | 84 | 19-FEB-2014 |
| M | MIL-HDBK-702 NOT 3 | Engineering Practices Productivity Enhancement of Industrial Plant Equipment and Production Support Systems [CUST: AR SH 99 GS6] [REVIEW: 84 AS AV SM YD] | A 34GP | | GS6 | 20-FEB-2014 |
| M | MIL-DTL-83140B | Wire Rope: Stainless Steel, Preformed, Rotation Resistant, for Aircraft Rescue Hoist, Utility Hoist and Winching [CUST: AV AS 99 GS] | A 4010 | | GS5 | 19-FEB-2014 |
| M | MS28921C(2) | Hose Assembly, Rubber, Hydraulic, 3,000 PSI, Straight to Elbow 90 Degrees, Flared Tube [CUST: AT AS 99 CC] [REVIEW: 71 AV MI SA] | A 4720 | | CC | 14-JAN-2014 |
| M | MS27064E | Elbow Subassembly, Swivel Flange, 45 Degrees [CUST: AV AS 99 CC] [REVIEW: 71 AR AT MC MI SA SH] | A 4730 | | CC | 14-JAN-2014 |
| M | MS27077D | Flange, Swivel, Retaining [CUST: AV AS 99 CC] [REVIEW: 71 AR AT MC MI SA SH] | A 4730 | | CC | 14-JAN-2014 |
| M | MS27082E | Elbow, Nipple End, Swivel Flange to Hose-90 Degrees [CUST: AV AS 99 CC] [REVIEW: 71 AR AT MC MI SA SH] | A 4730 | | CC | 14-JAN-2014 |
| M | MS27084D | Elbow, Nipple End, Swivel Flange to Hose - 45 Degrees [CUST: AV AS 99 CC] [REVIEW: 71 AR AT MC MI SA SH] | A 4730 | | CC | 14-JAN-2014 |
| M | MS27383C | Adapter Assembly, Flareless, 90 Degrees Elbow, Tube to Hose - with Swivel Nut [CUST: AV AS 99 CC] [REVIEW: 71 AR AT MC MI SA SH] | A 4730 | | CC | 14-JAN-2014 |
| M | MS27384C | Adapter Assembly, Flareless, 45 Degrees Forged Elbow, Tube to Hose - with Swivel Nut [CUST: AV AS 99 CC] [REVIEW: 71 AR AT MC MI SA SH] | A 4730 | | CC | 14-JAN-2014 |
| M | MS27388D | Elbow Subassembly, Flareless, 90 Degrees, Swivel Nut [CUST: AV AS 99 CC] [REVIEW: 71 AT MC MI SA SH] | A 4730 | | CC | 14-JAN-2014 |
| M | MS27389D | Elbow Subassembly, Flareless, 45 Degrees Forged, Swivel Nut [CUST: AV AS 99 CC] [REVIEW: 71 AT MC MI SA SH] | A 4730 | | CC | 14-JAN-2014 |
| M | MS27394C | Elbow, Flareless, Tube to Hose - 90 Degrees Swivel Nut [CUST: AV AS 99 CC] [REVIEW: 71 AT MC MI SA SH] | A 4730 | | CC | 14-JAN-2014 |
| M | MS27395D | Elbow, Flareless, Tube to Hose - 45 Degrees Swivel Nut [CUST: AV AS 99 CC] [REVIEW: 71 AT MC MI SA SH] | A 4730 | | CC | 14-JAN-2014 |
| N | A-A-49614/4 | Coupling Assembly, Hose (Garden, Water, and Water Suction), Long Shank with Pin Lug Swivel [CUST: AT SH 99 CC] [REVIEW: 71 SA] | A 4730 | / | CC | 13-JAN-2013 |
| M | A-A-59614A | Coupling Assembly, Hose (Garden, Water, and Water Suction) [CUST: AT SH 99 CC] [REVIEW: 71 SA] | A 4730 | / | CC | 12-JAN-2014 |
| N | A-A-59614/1 | Coupling Assembly, Hose (Garden, Water, and Water Suction), Short Shank with Octagon or Hex Swivel [CUST: AT SH 99 CC] [REVIEW: 71 SA] | A 4730 | / | CC | 13-JAN-2014 |
| N | A-A-59614/2 | Coupling Assembly, Hose (Garden, Water, and Water Suction), Short Shank with Pin Lug Swivel [CUST: AT SH 99 CC] [REVIEW: 71 SA] | A 4730 | / | CC | 13-JAN-2014 |
| N | A-A-59614/3 | Coupling Assembly, Hose (Garden, Water, and Water Suction), Long Shank with Octagon or Hex Swivel [CUST: AT SH 99 CC] [REVIEW: 71 SA] | A 4730 | / | CC | 13-JAN-2014 |
| N | A-A-59614/4 | Coupling Assembly, Hose (Garden, Water, and Water Suction), Long Shank with Pin Lug Swivel [CUST: AT SH 99 CC] [REVIEW: 71 SA] | A 4730 | / | CC | 13-JAN-2014 |
| N | A-A-59614/5 | Coupling Assembly, Hose (Garden, Water, and Water Suction) Expansion Shank [CUST: AT SH 99 CC] [REVIEW: 71 SA] | A 4730 | / | CC | 13-JAN-2014 |
| N | A-A-59614/6 | Coupling Assembly, Hose (Garden, Water, and Water Suction), Compression Ferrule [CUST: AT SH 99 CC] [REVIEW: 71 SA] | A 4730 | / | CC | 13-JAN-2014 |
| M | MIL-PRF-24172B(1) | Insulation, Plastic, Cellular Foam, Rigid, Preformed and Foam-in-Place [CUST: SH] | A 5640 | | SH | 11-FEB-2014 |
| M | MIL-PRF-55182H(5) SUP 1A | Resistors, Fixed, Film, Nonestablished Reliability, Established Reliability, and Space Level, General Specification for [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS CG EA MC NA OS] | A 5905 | | CR | 07-FEB-2014 |
| N | MIL-PRF-23419/13 | Fuses, Instrument Type, Style FM13 (Subminiature-High Performance) [CUST: CR EC 85 CC] [REVIEW: 19 99 AR CR4 MI NS OS SH] | A 5920 | | CC | 06-FEB-2014 |
| M | MIL-DTL-24646/1C | Fuse Boxes, Feeder Distribution, Totally Enclosed, 125 Volts, Alternating Current, Single and Three Phase Buses, Single Phase Branches, 0-30 Ampere Midget Fuses, Symbols 600, 601, 612, 612.1, 613, 613.1 and 614 [CUST: SH CC] | A 5920 | | CC | 23-JAN-2014 |
| M | MIL-PRF-39012E(2) | Connectors, Coaxial, Radio Frequency, General Specification for [CUST: CR EC 85 CC NA] [REVIEW: 19 99 AR AS AT MC MI OS SH] | A 5935 | | CC | 12-JAN-2014 |
| M | MIL-DTL-2036E | Enclosures for Electric and Electronic Equipment, Naval Shipboard [CUST: CR SH CC] [REVIEW: CR4] | A 5935 | | CC | 14-FEB-2014 |
| M | MIL-DTL-24308G(3) | Connectors, Electric, Rectangular, Nonenvironmental, Miniature, Polarized Shell, Rack and Panel, General Specification for [CUST: CR EC 85 CC NA] [REVIEW: 99 AS AT CG CR4 MC MDA MI SH] | A 5935 | | CC | 29-JAN-2014 |
| M | MS33695A NOT 2 | Contacts, Video Coaxial Connector [CUST: CR AS 85 CC] | A 5935 | | AS | 28-FEB-2014 |
| M | A-A-59213A NOT 1 | Splice Connectors [CUST: CR YD 85 GS] [REVIEW: 03 99 AS] | A 5940 | / | GS4 | 28-FEB-2014 |
| M | MIL-PRF-19500/463K | Semiconductor Device, Diode, Silicon, Current Regulator, Types 1N5283-1 through 1N5314-1, and 1N5283UR-1 through 1N5314UR-1, 1N7048-1 through 1N7055 1, 1N7048UR-1 through 1N7055UR-1, JAN, JANTX, JANTXV, JANS, JANHC, and JANKC [CUST: CR EC 85 CC NA] [REVIEW: 19 99 AR AS MC MI SM] | A 5961 | | CC | 24-JAN-2014 |
| M | MIL-PRF-19500/621D | Semiconductor Device, Transistor, PNP, Silicon, High-Power, Type 2N7369, JAN, JANTX, JANTXV, and JANS [CUST: CR EC 85 CC NA] [REVIEW: 19 99 AR AS MI SM] | A 5961 | | CC | 24-JAN-2014 |
| M | MIL-PRF-19500/738B | Semiconductor Device, Transistor, NPN, Silicon, Power Darlington Types 2N7575, 2N7576, and 2N7577, JAN, JANTX, JANTXV, and JANS [CUST: CR EC 85 CC NA] [REVIEW: 99 MI] | A 5961 | | CC | 24-JAN-2014 |
| M | MIL-DTL-24223/1B | Loudspeaker, Shipboard Announcing Systems Encased, 70 Volt, 1 Volt-Ampere [CUST: SH] | A 5965 | | SH | 28-JAN-2014 |
| M | MIL-DTL-24223/2B | Loudspeaker, Shipboard Announcing Systems Encased, 70 Volt, 6 to 15 Volt-Ampere [CUST: SH] | A 5965 | | SH | 28-JAN-2014 |

ACTIVE SECTION

ASSIST UPDATE

| LAST ACTION | DOCUMENT NUMBER | DOCUMENT TITLE | DISTRIBUTION | FSC/AREA | MCA | PREP ACTY | DATE |
|-------------|-------------------------|---|--------------|----------|-----|-----------|-------------|
| M | MIL-DTL-24223/4B | Loudspeaker, Shipboard Announcing Systems Encased, High Power, Rotational, 70 Volt, 250 Volt-Amperes [CUST: SH] | A | 5965 | | SH | 28-JAN-2014 |
| N | MIL-DTL-24223/5 | Loudspeaker, Shipboard Announcing Systems Encased, 70 and 95 Volt, 10 Volt-Amperes [CUST: SH] | A | 5965 | | SH | 28-JAN-2014 |
| M | MIL-DTL-85/1H | Waveguides, Rigid, Rectangular [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS CG CR4 MC MI OS] | A | 5985 | | CC | 07-FEB-2014 |
| M | MIL-DTL-85/2F | Waveguides, Rigid, Rectangular (Heavy Wall) [CUST: CR EC 85 CC] [REVIEW: 99 AR AS MC OS] | A | 5985 | | CC | 07-FEB-2014 |
| M | MIL-DTL-3933/14F | Attenuators, Fixed, Space Level, Non Space Level, Coaxial Line (SMA Connectors), Frequency Range: DC to 12.4 GHZ, Class IV, Low Power [CUST: CR EC 85 CC] [REVIEW: 99 AS MC MI] | A | 5985 | | CC | 12-FEB-2014 |
| M | MIL-DTL-3933/18H | Attenuators, Fixed, Space Level, Non Space Level, Coaxial Line (Series N), Frequency Range: DC to 12.4 GHZ and DC to 18 GHZ, Class III, Low Power [CUST: CR EC 85 CC] [REVIEW: 99 AS MC MI SH] | A | 5985 | | CC | 12-FEB-2014 |
| M | MIL-DTL-3933/25D | Attenuators, Fixed, Miniature, Space Level, Non Space Level, Coaxial Line (SMA Connectors), Frequency Range: DC to 18 GHZ, Class IV, Low Power [CUST: CR EC 85 CC] [REVIEW: 99 AS MC MI SH] | A | 5985 | | CC | 12-FEB-2014 |
| M | MIL-DTL-22442/62A NOT 1 | Cable Assembly, Aircraft Audio [CUST: AS] | A | 5995 | | AS | 28-FEB-2014 |
| M | MIL-PRF-64266/1B | Connectors, Fiber Optic, Circular, Receptacle Style, Multiple Removable Genderless Termini, Screw Threads, Wall Mounting, Environment Resisting [CUST: CR SH 85 CC] [REVIEW: 13 19 93 99 AS MI NA] | A | 6060 | | CC | 03-FEB-2014 |
| M | MIL-PRF-64266/2B | Connectors, Fiber Optic, Circular, Plug Style, Multiple Removable Genderless Termini, Screw Threads, Environment Resisting [CUST: CR SH 85 CC] [REVIEW: 13 19 93 99 AS MI NA] | A | 6060 | | CC | 03-FEB-2014 |
| M | MIL-PRF-64266/3B | Connectors, Fiber Optic, Circular, Receptacle Style, Multiple Removable Termini, Screw Threads, Jamnut Mounting, Environment Resisting [CUST: CR SH 85 CC] [REVIEW: 13 19 93 99 AS MI NA] | A | 6060 | | CC | 03-FEB-2014 |
| M | MIL-PRF-64266/8A | Connectors, Fiber Optic, Circular, Receptacle Style, Multiple Removable Genderless Termini, Screw Threads, EMI Retention Nut [CUST: CR SH 85 CC] [REVIEW: 13 19 93 99 AS NA] | A | 6060 | | CC | 03-FEB-2014 |
| M | MIL-PRF-64266/11B | Connectors, Fiber Optic, Circular, Receptacle Style, Multiple Removable Termini, Dust Cover, Screw Threads, Environment Resisting [CUST: CR SH 85 CC] [REVIEW: 13 19 93 99 AS MI NA] | A | 6060 | | CC | 03-FEB-2014 |
| N | MIL-PRF-64266/27 | Connectors, Fiber Optic, Rectangular, Multiple Removable Termini, Single Fiber Cables, Receptacle Backshell Backplane Style, No Strength Member Capture at Cable Entry Interface, Nonenvironment Resisting, Temperature Ranges 1 & 2 [CUST: CR AS 11 CC] [REVIEW: 13 19 93 99 AS DI NA] | A | 6060 | | CC | 03-FEB-2014 |
| M | MIL-L-3661/2B NOT 5 | Lampholders, Indicator Lights, Indicator-Light Housings and Indicator-Light Lenses Housings, Dripproof, Style LH50 [CUST: CR AS 11 GS2] [REVIEW: IS] | A | 6210 | | GS2 | 28-FEB-2014 |
| M | MIL-L-3661/23B NOT 5 | Lenses, Indicator-Light, Style LC23, Convex, Complete-Blackout, Dripproof, Mechanical Dimmer [CUST: CR AS 99 GS2] [REVIEW: IS] | A | 6210 | | GS2 | 28-FEB-2014 |
| M | MIL-L-3661/35 NOT 5 | Lenses, Indicator-Light, Watertight, Style LC35 [CUST: CR AS 11 GS2] [REVIEW: IS] | A | 6210 | | GS2 | 28-FEB-2014 |
| M | MIL-L-3661/54A(1) NOT 2 | Lenses, Indicator Light, Style LC40 [CUST: CR SH GS2] [REVIEW: CR4 IS] | A | 6210 | | GS2 | 24-FEB-2014 |
| M | A-A-59308 NOT 3 | Clinometers, Ship, and Accessories [CUST: SH 99 GS1] | A | 6605 | / | GS1 | 28-FEB-2014 |
| N | A-A-59948 | Test Set, Synchro (Resolver/Standard) [CUST: 84] [REVIEW: 99] | A | 6625 | / | 84 | 13-FEB-2014 |
| M | MIL-W-14624 NOT 1 | Watch, Pocket, (60 Seconds Daily Rate), Grade III [CUST: AR] | A | 6645 | | AR | 28-FEB-2014 |
| M | A-A-55811A NOT 2 | Stopwatch, General Purpose [CUST: CR AS 99] [REVIEW: 71 MC OS] | A | 6645 | / | GS1 | 28-FEB-2014 |
| M | JAN-A-183 NOT 3 | Acid, Nitric (for Ordnance Use) [CUST: AR OS] [REVIEW: GS] | A | 6810 | | AR | 21-FEB-2014 |
| M | ASTM-D3266 | Separation and Collection, Automated, of Particulate and Acidic Gaseous Fluoride in the Atmosphere (Double Paper Tape Sampler Method), Standard Test Method for [CUST: EA SH] | A | 6810 | | GS3 | 15-MAR-1991 |
| N | MIL-PRF-32490 | Additive, Lubricity Improver, Diesel [CUST: AT SH 68] [REVIEW: 11 99 AS AV CG CR4 EA MC MI MP MR PS] | A | 6850 | | SH | 03-FEB-2014 |
| M | QPL-32489 NOT 1 | Pillow, Flame Resistant, Shipboard | A | 7210 | | SH | 14-JAN-2014 |
| M | MIL-DTL-1563/7B | Insignia, U.S.M.A., Button, Ball,36 Ligne [CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 06-JAN-2014 |
| M | MIL-DTL-1563/9B | Insignia, U.S.M.A., Button, Ball, 25 Ligne with Tube Screw [CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 06-JAN-2014 |
| M | MIL-DTL-11132/6L | Insignia, Service and Garrison Cap, ROTC, U.S. Air Force [CUST: IH 11] [REVIEW: CT] | A | 8455 | | IH | 23-JAN-2014 |
| M | MIL-DTL-11589/12H | Ribbon, Armed Forces Expeditionary Medal [CUST: IH NU 11] [REVIEW: CG1 CT MC] | A | 8455 | | IH | 23-JAN-2014 |
| M | MIL-DTL-15665/36G | Insignia, Collar, Enlisted, Chaplain Assistant, U.S. Army [CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 18-FEB-2014 |
| M | MIL-DTL-15665/37G | Insignia, Branch of Service, Enlisted, Public Affairs, U.S. Army [CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 18-FEB-2014 |
| M | MIL-DTL-15665/38F | Insignia, Collar, Enlisted, Psychological Operations, U.S. Army [CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 18-FEB-2014 |
| M | MIL-PRF-2104J | Lubricating Oil, Internal Combustion Engine, Combat/Tactical Service [CUST: AT SH 68] [REVIEW: 03 11 99 AR AS GS MC MI PS SA SM YD] | A | 9150 | | AT | 11-FEB-2014 |
| M | MIL-STD-2161C | Paint Schemes and Exterior Markings for U.S. Navy and Marine Corps Aircraft [CUST: AS] [AMSC: N9453] | A | MFFP | | AS | 07-FEB-2014 |
| M | DI-MGMT-81931A | Intermediate Level Maintenance Facility Report [AMSC: N9454] | A | MGMT | | SH | 11-FEB-2014 |
| M | MIL-STD-129R | Military Marking for Shipment and Storage [CUST: SM SA 69 DH] [REVIEW: 11 13 16 70 71 84 99 AM AR AS AT AV CC CG CR CT DM EA EC GL GS3 IS MC MI MR MT OS PS PT SE SH TE TM] | A | PACK | | SM | 18-FEB-2014 |
| M | MIL-HDBK-419A NOT 1 | Grounding, Bonding and Shielding for Electronic Equipments and Facilities, (Handbook Contains both Volume I Basic Theory, and Volume II Applications) [CUST: CR EC 02] | A | TCSS | | 02 | 20-FEB-2014 |
| M | DI-TMSS-81813A | Technical Manual Book Plan [AMSC: N9450] | A | TMSS | | SA | 06-FEB-2014 |
| M | DI-TMSS-81814A | Interactive Electronic Technical Manual (IETM) Content Plan [AMSC: N9451] | A | TMSS | | SA | 06-FEB-2014 |

INACTIVE SECTION

ASSIST UPDATE

| LAST ACTION | DOCUMENT NUMBER | DOCUMENT TITLE | DISTRIBUTION | FSC/AREA | | MCA | | DATE |
|-------------|--------------------------|---|--------------|----------|----|-----|-----------|-------------|
| | | | | FSC/AREA | | MCA | PREP ACTY | |
| M | MIL-R-12605A NOT 4 | Rifle, 57MM, M18A1 [CUST: AR] | A | 1010 | | AR | | 28-FEB-2014 |
| M | MIL-C-13678B NOT 4 | Cannon, 37MM Gun, Subcaliber: M13 (No S/S Document) [CUST: AR] | A | 1010 | | AR | | 21-FEB-2014 |
| M | MIL-C-14385D NOT 2 | Cannon, 40MM Dual Automatic Gun: M2A1 and Clip, Charger: M3 [CUST: AR] | A | 1010 | | AR | | 21-FEB-2014 |
| M | MIL-M-45965(1) NOT 3 | Mortar, 60MM: M19 [CUST: AR] | A | 1010 | | AR | | 21-FEB-2014 |
| M | MIL-C-45526B(1) NOT 2 | Cannon, 105MM Howitzer, M103 [CUST: AR] | A | 1015 | | AR | | 21-FEB-2014 |
| M | MIL-H-45586A(3) NOT 2 | Howitzer, Light, Towed, 105MM: M102 [CUST: AR] | A | 1015 | | AR | | 21-FEB-2014 |
| M | MIL-H-63192 NOT 2 | Howitzer, Light, Towed, 105mm, M204 [CUST: AR] | A | 1015 | | AR | | 21-FEB-2014 |
| M | MIL-S-48459B(1) | Select Unit, Ammunition: 11732600 [CUST: AR] | A | 1220 | | AR | | 27-MAY-1993 |
| M | MIL-C-70490(1) NOT 2 | Circuit Card Assembly, Memory [CUST: AR] | A | 1220 | | AR | | 21-FEB-2014 |
| M | MIL-C-70491(2) NOT 2 | Circuit Card Assembly, Display/Processor [CUST: AR] | A | 1220 | | AR | | 21-FEB-2014 |
| M | MIL-C-70492(2) NOT 2 | Circuit Card Assembly, Modem [CUST: AR] | A | 1220 | | AR | | 21-FEB-2014 |
| M | MIL-C-70494(1) NOT 2 | Circuit Card Assembly, Audio Interface [CUST: AR] | A | 1220 | | AR | | 21-FEB-2014 |
| M | MIL-T-46313B(4) NOT 3 | Telescope, Panoramic: M117 [CUST: AR] | A | 1240 | | AR | | 21-FEB-2014 |
| M | MIL-L-48407B NOT 3 | Laser, Tank Gunnery Trainer: M55 [CUST: AR] | A | 1240 | | AR | | 21-FEB-2014 |
| M | MIL-C-10375C(1) NOT 2 | Cups, Case, Copper Alloy (for Small Arms Ammunition) [CUST: AR] | A | 1305 | | AR | | 21-FEB-2014 |
| M | MIL-C-60813(2) NOT 2 | Cartridge, Caliber .50, Spotter Tracer, M48A2 [CUST: AR] | A | 1305 | | AR | | 21-FEB-2014 |
| M | MIL-C-70468A(1) NOT 5 | Cartridge, Dummy, 5.56mm Inert Loaded, M857 [CUST: AR] | A | 1305 | | AR | | 21-FEB-2014 |
| M | MIL-C-70690 NOT 2 | Cartridge, Fuzeless, 25MM, High Explosive Incendiary Tracer, (HEL-T), M792 [CUST: AR] | A | 1305 | | AR | | 21-FEB-2014 |
| M | MIL-C-70784 NOT 2 | Cartridge, 25MM, Armor Piercing Discarding Sabot Tracer (APDS-T), M791, Reference [CUST: AR] | A | 1305 | | AR | | 21-FEB-2014 |
| M | MIL-C-70785 NOT 2 | Cartridge, 25MM, Target Practice Tracer (TP-T), M793 Reference [CUST: AR] | A | 1305 | | AR | | 21-FEB-2014 |
| M | MIL-C-71138(1) NOT 2 | Cartridge, 25MM, Armor Piercing Discarding Sabot Tracer, M791 [CUST: AR] | A | 1305 | | AR | | 21-FEB-2014 |
| M | MIL-C-71164(1) NOT 2 | Cartridge, 25MM, Dummy, M794 Performance Specification for [CUST: AR] | A | 1305 | | AR | | 21-FEB-2014 |
| M | MIL-E-14776A NOT 3 | Extension, Fin [CUST: AR] | A | 1310 | | AR | | 21-FEB-2014 |
| M | MIL-C-14836A NOT 3 | Case, Projectile, Burster, M9A1 [CUST: AR] | A | 1310 | | AR | | 21-FEB-2014 |
| M | MIL-C-13473C(3) NOT 3 | Cartridge, 106MM, Heat, M344A1 Loading, Assembling and Packing [CUST: AR] | A | 1315 | | AR | | 21-FEB-2014 |
| M | MIL-C-14887 NOT 3 | Case, Cartridge, 106MM, M9431 Assembly [CUST: AR] | A | 1315 | | AR | | 21-FEB-2014 |
| M | MIL-C-14909A(2) NOT 2 | Cartridge, Illuminating, M301A3 with Fuze, Time M84A1 for 81MM Mortars Loading, Assembling and Packing [CUST: AR] | A | 1315 | | AR | | 21-FEB-2014 |
| M | MIL-C-46919A(1) NOT 3 | Cartridge, Illumination, M301A2 with Fuze, Time, M84 for 81MM Mortars Loading, Assembling and Packing [CUST: AR] | A | 1315 | | AR | | 21-FEB-2014 |
| M | MIL-R-48032 NOT 1 | Ring Lucky and Insulator Assembly for Cartridge, 105MM, Heat-T, M456A1E1 Parts for, Assembly and Packing [CUST: AR] | A | 1315 | | AR | | 21-FEB-2014 |
| M | MIL-C-60028C(1) NOT 3 | Cartridge, 81MM, Smoke, WP, M375 and M375A2 Assembling, Marking and Packing [CUST: AR] [REVIEW: EA] | A | 1315 | | AR | | 21-FEB-2014 |
| M | MIL-P-63448A NOT 3 | Projectile, 105MM, Heat-T-MP, M456A2 Spike and Cap Assembly [CUST: AR] | A | 1315 | | AR | | 21-FEB-2014 |
| M | MIL-P-48762(1) NOT 3 | Projectile, 155MM, HE, Rocket Assisted, M549, Inert, Simulated Parts and Loading [CUST: AR] | A | 1320 | | AR | | 21-FEB-2014 |
| M | MIL-P-64005(1) NOT 2 | Projectile, 155mm, GB2, M687, Metal Parts Assembly With Loaded Ogive [CUST: AR] | A | 1320 | | AR | | 28-FEB-2014 |
| M | MIL-F-50532A NOT 3 | Fuse, Rocket, Base Detonating XM434 Assembling and Packing [CUST: AR] | A | 1340 | | AR | | 21-FEB-2014 |
| M | MIL-DTL-45417D | Bandoleer, APERS, Mine, M7, Assembly [CUST: AR MC 11] [REVIEW: 70 99 AS AV MI SH] | A | 1345 | | AR | | 31-JAN-2014 |
| M | MIL-M-64024A NOT 2 | Mine, Ground, Antitank HE Loading, Assembling and Packing for M131 System [CUST: AR] | D | 1345 | | AR | | 21-FEB-2014 |
| M | MIL-M-63248 NOT 3 | Microdetonator Clip Assembly Parts for [CUST: AR] | A | 1375 | | AR | | 26-FEB-2014 |
| M | MIL-D-71199A NOT 4 | Demolition Attack Munition: M3 [CUST: AR] | F | 1375 | | AR | | 21-FEB-2014 |
| M | MIL-C-27505B(2) NOT 5 | Cartridge, Engine Starter MXU-4A/A [CUST: 70] [REVIEW: 71] | A | 1377 | 70 | | | 28-FEB-2014 |
| M | MIL-C-27556A NOT 6 | Cartridge Kit, Parachute MLU-14/B and Cartridge Kit, Parachute MLU-15/B [CUST: 70] [REVIEW: 71] | A | 1377 | 70 | | | 28-FEB-2014 |
| M | MIL-F-11245A NOT 5 | Fuze, Mine, AT, M603 Loading, Assembling and Packing [CUST: AR] [REVIEW: EA] | A | 1390 | | AR | | 26-FEB-2014 |
| M | MIL-F-11247A NOT 6 | Fuze, Mine, AT, M603 Fuze, Mine, AT, Practice, M604 Metal Parts for [CUST: AR] | A | 1390 | | AR | | 26-FEB-2014 |
| M | MIL-F-20481B NOT 5 | Fuze, Mine, Combination M6A1 and M10A1, Parts for [CUST: AR] | A | 1390 | | AR | | 26-FEB-2014 |
| M | MIL-T-6053C(1) NOT 4 | Tests, Impact, Shock Absorber Landing Gear, Aircraft [CUST: 70] [REVIEW: GS] | A | 1620 | 70 | | | 28-FEB-2014 |
| M | MIL-V-24630/2A(1) NOT 2 | Valves, Check, In-Line, for Hydraulic Fluid and Lubricating Oil Fluid [CUST: SH] [REVIEW: CC] | A | 4820 | | SH | | 28-FEB-2014 |
| M | MIL-C-25548C(2) NOT 3 | Control, Public Address Set C-1614/AIC-13 [CUST: 84] [REVIEW: 99 GS] | A | 5831 | 84 | | | 28-FEB-2014 |
| M | MIL-DTL-5372/1B NOT 1 | Fuse, Limiter Type Enclosed Link, 1 - 60 Ampere [CUST: AS 85 CC] | A | 5920 | | AS | | 28-FEB-2014 |
| M | MIL-PRF-1/29E NOT 2 | Electron Tube, Receiving Type IZ2 [CUST: CR EC 85 CC] [REVIEW: 19 99 AS CG CR4 OS] | A | 5960 | | CC | | 04-FEB-2014 |
| M | MIL-PRF-1/1754B(1) NOT 2 | Electron Tube, Magnetron Type DOD-032 [CUST: EC CC] [REVIEW: AS OS] | A | 5960 | | CC | | 04-FEB-2014 |
| M | MIL-PRF-1/1755B(1) NOT 2 | Electron Tube, Magnetron Type DOD-033 [CUST: CR EC 85 CC] [REVIEW: AS OS] | A | 5960 | | CC | | 04-FEB-2014 |
| M | MIL-PRF-1/1756B NOT 2 | Electron Tube, Negative Grid (Microwave) Type 8964 [CUST: EC CC] [REVIEW: AS CG OS SH] | A | 5960 | | CC | | 04-FEB-2014 |
| M | MIL-PRF-1/1757B NOT 2 | Electron Tube, Negative Grid (Microwave) Type 8965 [CUST: EC CC] [REVIEW: AS CG OS SH] | A | 5960 | | CC | | 04-FEB-2014 |
| M | MIL-I-23264A SUP 1 NOT 5 | Insulators, Ceramic, Electrical and Electronic, General Specification for [CUST: CR EC 85 GS] [REVIEW: 99 AR AS CR4 MC MI SH] | A | 5970 | | GS8 | | 28-FEB-2014 |
| M | MIL-I-23264/19A NOT 5 | Insulators, Bowl (Style 58) [CUST: CR EC 85 GS] [REVIEW: 99 AS CC CR4 MC MI] | A | 5970 | | GS8 | | 28-FEB-2014 |
| M | MIL-A-26336(2) NOT 2 | Antenna AT-840-ARC [CUST: 84] [REVIEW: 99 CC] | A | 5985 | | 84 | | 28-FEB-2014 |
| M | MIL-DTL-18266C | Cord Assembly, Electrical: P/O H-87B/U [CUST: AS CC] | A | 5995 | | CC | | 15-JAN-2014 |
| M | MIL-A-25546C(2) NOT 3 | Amplifier, Audio Frequency AM-944/AIC-13 [CUST: 84] [REVIEW: 99] | A | 5996 | | 84 | | 28-FEB-2014 |
| M | MIL-S-22432/34 NOT 3 | Servomotor, Type 18SM4 (7631932) [CUST: AR] [REVIEW: GS] | A | 6105 | | AR | | 25-FEB-2014 |
| M | MIL-S-24561 NOT 1 | Sensing and Signaling Device, Current-Time (CTS) (Naval Shipboard use) [CUST: SH] [REVIEW: GS] | A | 6110 | | SH | | 11-FEB-2014 |
| M | MIL-DTL-38195D NOT 1 | Generator Set, Gas Turbine Engine, 60 KW 400 Hertz, General Purpose [CUST: YD 84] [REVIEW: 99 AS GS] | A | 6115 | | 84 | | 28-FEB-2014 |
| M | MIL-I-12659A(1) NOT 2 | Inverter, 350 Volt Ampere [CUST: AR] [REVIEW: GS] | A | 6125 | | AR | | 21-FEB-2014 |
| M | MIL-DTL-81219C NOT 1 | Indicator, Elapsed Time, Electrochemical [CUST: AS 71 GS1] | A | 6645 | | GS1 | | 28-FEB-2014 |
| M | MS90386D NOT 1 | Indicator, Elapsed Time, Electrochemical (Mercury) 115 Volt AC 50/2400 Hz, 28 Volt DC or 5 Volt DC [CUST: AS 71 GS1] | A | 6645 | | GS1 | | 28-FEB-2014 |
| M | MIL-DTL-8348K(1) NOT 1 | Gage Assemblies, Air Pressure, Dial Indicating Chuck Type, Self-Contained [CUST: AS 99 GS1] [REVIEW: 71] | A | 6685 | | GS1 | | 28-FEB-2014 |

INACTIVE SECTION

ASSIST UPDATE

| LAST ACTION | DOCUMENT NUMBER | DOCUMENT TITLE | DISTRIBUTION | MCA | | DATE |
|-------------|-----------------------|---|--------------|----------|-----------|-------------|
| | | | | FSC/AREA | PREP ACTY | |
| M | MIL-B-51092(1) NOT 2 | Boron, Amorphous, Powder [CUST: AR] [REVIEW: EA GS MI] | A | 6810 | AR | 21-FEB-2014 |
| M | MIL-T-13559B NOT 2 | Target Equipment [CUST: AR AS 99] | A | 6920 | AR | 28-FEB-2014 |
| M | MIL-T-13560D NOT 3 | Target, Pasteboard and Polyethylene [CUST: AR AS 99] [REVIEW: MC OS] | A | 6920 | AR | 28-FEB-2014 |
| M | MIL-A-16288/1 NOT 5 | Adapter, Compressed Gas Cylinder Valve Connections: U.S. Regulator to British Oxygen Valve [CUST: AT YD 68 GS7] [REVIEW: AS AV MC MD MS SH] | A | 8120 | GS7 | 28-FEB-2014 |
| M | MIL-C-13358F(1) NOT 2 | Cobalt-Chromium Alloy Castings (for Barrel Tube Liners) [CUST: AR] | A | MECA | AR | 21-FEB-2014 |
| M | MIL-I-46182 NOT 3 | Iron Castings, Spheroidal Graphite (Extra Tough) [CUST: AR] [REVIEW: SM] | A | MECA | AR | 26-FEB-2014 |
| M | MIL-STD-868B(2) NOT 1 | Nickel Plating, Low Embrittlement, Electro-Deposition [CUST: 70] | A | MFFP | 70 | 28-FEB-2014 |
| M | MIL-STD-870C(1) NOT 1 | Cadmium Plating, Low Embrittlement, Electrodeposition [CUST: 70] | A | MFFP | 70 | 28-FEB-2014 |

CANCELED SECTION

ASSIST UPDATE

| LAST ACTION | DOCUMENT NUMBER | DOCUMENT TITLE | DISTRIBUTION | MCA | | DATE |
|-------------|----------------------|--|--------------|----------|-----------|-------------|
| | | | | FSC/AREA | PREP ACTY | |
| M | MIL-M-49235A NOT 2 | Modem, Digital Data MD-1065()/G (No S/S Document) [CUST: CR 99] [REVIEW: 84] | A 5805 | | CR | 04-FEB-2014 |
| M | MIL-S-49301(1) NOT 2 | Scanner, Mechanical MX-10717(V)/U (No S/S Document) [CUST: CR] | A 5855 | | CR | 03-FEB-2014 |
| M | MIL-S-49301/5 NOT 2 | Scanner, Mechanical MX-10717(V)5/U (No S/S Document) [CUST: CR] | A 5855 | | CR | 03-FEB-2014 |
| M | MIL-C-8052C(1) NOT 3 | Control, Pressurizing Set, C-1173/ASQ (No S/S Document) [CUST: 84] [REVIEW: 99] | A 5895 | | 84 | 14-FEB-2014 |
| M | A-A-59002 NOT 1 | Loudspeaker, Shipboard Announcing Systems (S/S by MIL-DTL-24223) [CUST: SH] | A 6320 | / | SH | 28-JAN-2014 |
| M | A-A-59002/1 NOT 1 | Loudspeaker, Shipboard Announcing Systems Encased, 70.7 Volt, 1 to 5 Volt-Amperes (S/S by MIL-DTL-24223/1) [CUST: SH] | A 6320 | / | SH | 28-JAN-2014 |
| M | A-A-59002/2 NOT 1 | Loudspeaker, Shipboard Announcing Systems Encased, 70.7 Volt, 6 to 15 Volt-Amperes (S/S by MIL-DTL-24223/2) [CUST: SH] | A 6320 | / | SH | 28-JAN-2014 |
| M | A-A-59002/3 NOT 1 | Loudspeaker, Shipboard Announcing Systems Encased, 70.7 Volt, 80 Volt-Amperes (S/S by MIL-DTL-24223/3) [CUST: SH] | A 6320 | / | SH | 28-JAN-2014 |
| M | A-A-59002/4 NOT 1 | Loudspeaker, Shipboard Announcing Systems Encased, High Power, Rotational, 70.7 Volt (S/S by MIL-DTL-24223/4) [CUST: SH] | A 6320 | / | SH | 28-JAN-2014 |
| M | A-A-59002/5 NOT 1 | Loudspeaker, Shipboard Announcing Systems Encased, 70.7 Volt, 10 Volt-Amperes (S/S by MIL-DTL-24223/5) [CUST: SH] | A 6320 | / | SH | 28-JAN-2014 |
| M | VV-G-632B NOT 1 | Grease, Industrial, General Purpose (S/S by MIL-PRF-10924) [CUST: AT AS 68] [REVIEW: AS CD GS MC MI OS SA SH SM TE YD] | A 9150 | / | AT | 11-FEB-2014 |
| M | MIL-F-87168(2) NOT 3 | Fire and Explosion Hazard Protection Systems, Aircraft, General Specification for (S/S by JSSG-2009) [CUST: 11] | D SAFT | | 11 | 14-FEB-2014 |