

# Department of Defense Standardization Program



## ASSIST UPDATE

(A bi-monthly summary of changes to the ASSIST document database)

**1 May 2012**

(For the Period 15 April 2012 to 30 April 2012)

## ASSIST UPDATE

Documents listed in the ASSIST UPDATE have an indicator of “N” or “M” to describe the last action taken on a listed document.

“N” indicates that a “new” document has been entered into the ASSIST database.

“M” indicates that a document already in ASSIST has been “modified” in some way.

The ASSIST UPDATE is published twice a month and provides a summary of changes to Department of Defense standardization documents for the period indicated. Since changes are processed to the ASSIST database on a daily basis, users should consult the ASSIST web site at <https://assist.daps.dla.mil> for the most current information.

If you need to track changes more frequently, or if you have an interest in specific Federal Supply Classes or individual specifications, standards, or other standardization documents, you may wish to take advantage of the ASSIST Alert Service. This feature lets you establish a list of documents of interest to you, and then the ASSIST will alert you with an E-mail message each day there is a change to one or more documents of interest to you. There is no charge for this service; however, you must have an ASSIST user account. To obtain one, complete the ASSIST online registration form at <https://assist.daps.dla.mil/online/registration/registration.cfm>.

Once you have your account, you can establish your Alert Portal profile. For more information on the ASSIST Alert Service, go to: <https://assist.daps.dla.mil/online/news/AlertService.htm>.

ACTIVE SECTION

ASSIST UPDATE

LAST ACTION	DOCUMENT NUMBER	DOCUMENT TITLE	DISTRIBUTION	FSC/AREA		MCA		DATE
							PREP ACTY	
N	MIL-DTL-0046409E	Cartridge, Caliber .38 Special: Ball - M41 [CUST: AR]	D	1305		AR		12-APR-2012
M	MIL-DTL-27422E	Tank, Fuel, Crash-Resistant, Ballistic-Tolerant, Aircraft [CUST: AV AS]	A	1560		AV		04-APR-2012
M	MIL-DTL-7750C NOT 1	Housing, Parachute Ripcord [CUST: GL AS 99 GS] [REVIEW: 11 AV MC MD]	A	1670		GS2		30-APR-2012
M	A-A-51129C NOT 2	Mandrels, Machine, Solid [CUST: AR 99 IS] [REVIEW: 84]	A	3460	/	IS		30-APR-2012
M	A-A-51137B NOT 1	Tool Holders, Boring Tool and Boring Bar, Lathe [CUST: AR 99 IS] [REVIEW: 84 GS]	A	3460	/	IS		30-APR-2012
M	FF-C-450F	Clamps, Wire Rope [CUST: AR SH 99 CC] [REVIEW: 71 AT AV CR4 GL MC SA YD]	A	4030	/	CC		16-APR-2012
M	MIL-B-23071/29(1) NOT 4	Blowers: Miniature, for Cooling Electronic Equipment, Tubeaxial (30 Watts Input Power) [CUST: CR4 EC 99 IS] [REVIEW: AS SH]	A	4140		IS		30-APR-2012
M	A-A-59226A NOT 1	Hose Assembly, Nonmetallic, Fire Fighting, with Couplings [CUST: YD 99] [REVIEW: 84 CC CG SH]	A	4210	/	IS		17-APR-2012
N	A-A-59890	Truck, Fire Fighting (Aircraft Rescue and Fire Fighting) (ARFF) [CUST: 84] [REVIEW: 99]	A	4210	/	84		10-APR-2012
M	F-T-2907A NOT 1	Tanks, Potable Hot Water Storage [CUST: YD 99 IS] [REVIEW: CE CG MC MD]	A	4520	/	IS		30-APR-2012
M	AN6270 REV 9	Hose Assembly - Detachable Swivel Fitting, Low Pressure [CUST: MI AS 99 CC] [REVIEW: 71 AV MC SA]	A	4720		CC		29-MAR-2012
N	MIL-DTL-32371	Fittings, Adapter, Hydraulic and Pneumatic, Spherical to ORFS Connectors, 1500 to 3000 PSI, General Specification for [CUST: AT AS 99 CC] [REVIEW: 71 AR CG MC SA SH]	A	4730		CC		24-APR-2012
N	MIL-DTL-32371/1	Fittings, Hydraulic Tube, Spherical to ORFS, Male Adapter, Straight [CUST: AT AS 99 CC] [REVIEW: 71 AR CG MC SA SH]	A	4730		CC		24-APR-2012
N	MIL-DTL-32371/2	Fittings, Hydraulic Tube, Spherical to ORFS, Male Adapter, 45 Degrees Elbow [CUST: AT AS 99 CC] [REVIEW: 71 AR CG MC SA SH]	A	4730		CC		24-APR-2012
N	MIL-DTL-32371/3	Fittings, Hydraulic Tube, Spherical to ORFS, Male Adapter, 90 Degrees Elbow [CUST: AT AS 99 CC] [REVIEW: 71 AR CG MC SA SH]	A	4730		CC		24-APR-2012
N	MIL-DTL-32371/4	Fittings, Hydraulic Tube, Spherical to ORFS, Male Adapter, Tee, Spherical on Branch [CUST: AT AS 99 CC] [REVIEW: 71 AR CG MC SA SH]	A	4730		CC		24-APR-2012
N	MIL-DTL-32371/5	Fittings, Hydraulic Tube, Spherical to ORFS, Male Adapter, Union Cross, Spherical on Branch [CUST: AT AS 99 CC] [REVIEW: 71 AR CG MC SA SH]	A	4730		CC		24-APR-2012
N	MIL-DTL-32371/6	Fittings, Hydraulic Tube, Spherical to ORFS, Male Adapter, Nipple Tube, Regular Hex, Long [CUST: AT AS 99 CC] [REVIEW: 71 AR CG MC SA SH]	A	4730		CC		24-APR-2012
N	MIL-DTL-32371/7	Fittings, Hydraulic Tube, Spherical to ORFS, Male Adapter, 45 Degrees Elbow, Bulkhead [CUST: AT AS 99 CC] [REVIEW: 71 AR CG MC SA SH]	A	4730		CC		24-APR-2012
N	MIL-DTL-32371/8	Fittings, Hydraulic Tube, Spherical to ORFS, Male Adapter, 90 Degrees Elbow, Bulkhead [CUST: AT AS 99 CC] [REVIEW: 71 AR CG MC SA SH]	A	4730		CC		24-APR-2012
N	MIL-DTL-32371/9	Fittings, Hydraulic Tube, Spherical to ORFS, Male Adapter, Tee, Bulkhead, Spherical on Run [CUST: AT AS 99 CC] [REVIEW: 71 AR CG MC SA SH]	A	4730		CC		24-APR-2012
N	MIL-DTL-32371/10	Fittings, Hydraulic Tube, Sleeve, Double Angle [CUST: AT AS 99 CC] [REVIEW: 71 AR CG MC SA SH]	A	4730		CC		24-APR-2012
M	MIL-DTL-52618F	Fittings, Pipe, Aluminum-Alloy Threaded, 150-Pound, General Specification for [CUST: AT AS CC] [REVIEW: CE MC SA]	A	4730		CC		12-APR-2012
M	FF-L-2937(2) NOT 1	Combination Lock, Mechanical [CUST: AR 99 IS]	A	5340	*	IS		30-APR-2012
N	WDMA-I.S.1	Architectural Wood Flush Doors [CUST: YD IS] [REVIEW: 99 CC CR4 SH]	A	5520		IS		26-APR-2012
N	WDMA-I.S.2	Windows, Doors and Unit Skylights [CUST: CR4 YD 99 IS] [REVIEW: 84 CC]	A	5520		IS		26-APR-2012
N	WDMA-I.S.4	Preservative Treatment for Millwork [CUST: CR4 99 IS] [REVIEW: 84 CE SM YD]	A	5520		IS		26-APR-2012
N	WDMA-I.S.6	Architectural Stile and Rail Doors [CUST: CR4 YD 99 IS] [REVIEW: 84]	A	5520		IS		26-APR-2012
N	WDMA-T.M.6	Adhesive Durability [CUST: CR4 YD 99 IS] [REVIEW: 84 CC]	A	5520		IS		26-APR-2012
N	WDMA-T.M.7	Cycle-Slam Test [CUST: CR4 YD 99 IS] [REVIEW: 84 CC]	A	5520		IS		26-APR-2012
N	WDMA-T.M.8	Hinge Loading Test [CUST: CR4 YD 99 IS] [REVIEW: 84 CC]	A	5520		IS		26-APR-2012
N	WDMA-T.M.10	Screw Holding Capacity [CUST: CR4 YD 99 IS] [REVIEW: 84 CC]	A	5520		IS		26-APR-2012
N	WDMA-T.M.13	Retention and Penetration Test [CUST: CR4 YD 99 IS] [REVIEW: 84 CC]	A	5520		IS		26-APR-2012
M	MIL-PRF-23419/8J	Fuse, Cartridge, Instrument Type, Style FM08, (Subminiature - High Performance) [CUST: CR EC 85 CC] [REVIEW: 19 99 AS MI NS]	A	5920		CC		17-APR-2012
M	MIL-PRF-23419/9D	Fuse Cartridge, Instrument Type, Style FM09, (Nonindicating) [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS CR4 MC MI NA OS SH]	A	5920		CC		17-APR-2012
M	MIL-PRF-23419/10C	Fuses, Cartridge, Instrument Type, Style FM10 (Nonindicating) [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS CR4 MC MI OS SH]	A	5920		CC		17-APR-2012
M	MIL-PRF-23419/12E	Fuses, Instrument Type, Style FM12 (Subminiature - High Performance) [CUST: EC 85 CC]	A	5920		CC		17-APR-2012
M	A-A-55570C	Fuseholder for Automotive Blade Type, Inclosed Link Fuses, General Requirements for [CUST: EC CC]	A	5920	/	CC		19-APR-2012
M	A-A-55570/1C	Fuseholder, Extractor Post, In-Line Type, Accommodates Fast Acting, Automotive Blade Type, Inclosed Link Fuses [CUST: EC CC]	A	5920	/	CC		19-APR-2012
M	A-A-55570/2C	Fuseholder, Extractor Post, In-Line Crimp Type, Accommodates Miniature, Automotive Blade Type, Inclosed Link Fuses [CUST: EC CC]	A	5920	/	CC		19-APR-2012
M	A-A-55570/3C	Fuseholder, Extractor Post, Printed Circuit (PC) Board Mount Type, Accommodates Miniature, Automotive Blade Type, Inclosed Link Fuses [CUST: EC CC]	A	5920	/	CC		19-APR-2012
M	A-A-59306B	Fuse Cartridge, Class T, General Requirements for [CUST: EC CC]	A	5920	/	CC		26-APR-2012
M	A-A-59306/1B	Fuse Cartridge, Class T, 300 Volts AC, Fast Acting [CUST: EC CC]	A	5920	/	CC		26-APR-2012
M	A-A-59306/2B	Fuse Cartridge, Class T, 600 Volts AC, Fast Acting [CUST: EC CC]	A	5920	/	CC		26-APR-2012
M	MIL-DTL-21617B	Connectors, Plug and Receptacle, Electrical, Rectangular, Polarized Shell, Miniature Type General Specification for [CUST: CR EC 85 CC] [REVIEW: AV MI]	A	5935		CC		06-APR-2012
M	MIL-DTL-28748D(1)	Connector, Plug and Receptacle, Rectangular, Rack and Panel Solder Type and Crimp Type Contacts General Specification for [CUST: CR EC 85 CC] [REVIEW: 99 AR AS AT AV CR4 MC MI OS SH]	A	5935		CC		11-APR-2012
M	MS27470H	Connectors, Receptacle, Electrical, Jam Nut Mounting, Solder Type, Hermetic Seal, Series I [CUST: CR AS 85 CC] [REVIEW: 19 99 AR EC IS MC MI OS]	A	5935		CC		13-APR-2012
M	MS27471G	Connectors, Receptacle, Electrical, Solder Mounting, Solder Type, Hermetic Seal, Series I [CUST: CR AS 85 CC] [REVIEW: 19 99 AR EC MC MI OS]	A	5935		CC		13-APR-2012
M	MS27475G	Connectors, Receptacle, Electrical, Wall Mounting Flange, Solder Type, Hermetic Seal, Series II [CUST: CR AS 85 CC] [REVIEW: 19 EC IS MC MI OS]	A	5935		CC		13-APR-2012
M	MS27476G	Connector, Receptacle, Electrical, Box Mounting, Solder Type, Hermetic Seal, Series II [CUST: CR AS 85 CC] [REVIEW: 19 99 EC MC MI OS]	A	5935		CC		13-APR-2012

## ACTIVE SECTION

## ASSIST UPDATE

LAST ACTION	DOCUMENT NUMBER	DOCUMENT TITLE	DISTRIBUTION			DATE	
			FSC/AREA	MCA	PREP ACTY		
M	MS27477J	Connectors, Receptacle, Electrical, Jam Nut Mounting, Solder Type, Hermetic Seal, Series II [CUST: CR AS 85 CC] [REVIEW: 19 99 EC MC MI OS]	A	5935	CC	13-APR-2012	
M	MS27478G	Connectors, Receptacle, Electrical, Solder Mounting, Solder Type, Hermetic Seal, Series II [CUST: CR AS 85 CC] [REVIEW: 19 99 AR EC IS MC MI OS]	A	5935	CC	13-APR-2012	
M	MIL-PRF-6106/39F	Relay, Electromagnetic, Type I, Magnetic Latch, Permanent Magnet Drive, Low Level to 5 Amperes, 4PDT, Hermetically Sealed [CUST: 85 CC] [REVIEW: 99]	A	5945	CC	19-APR-2012	
N	MIL-PRF-27/372	Transformers and Inductors (Audio, Power and High-Power Pulse), Inductor, Surface Mount, Leadless [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS MC MI OS]	A	5950	CC	27-APR-2012	
M	MIL-DTL-75K(1)	Electron Tubes, Packaging of [CUST: CR EC 85 CC] [REVIEW: AR AS CG MC MI OS SH SM]	A	5960	CC	12-APR-2012	
M	MIL-PRF-19500/382J	Semiconductor Device, Transistor, PNP, Silicon, Low-Power, Types 2N2944A, 2N2945A, 2N2945AM, and 2N2946A, 2N2944AUB, 2N2945AUB, 2N2945AUBM, and 2N2946AUB, JAN, JANTX, JANTXV, JANS, JANHC, JANKC, JANSM, JANSJ, JANSF, JANSR, JANSF, JANSJ, JANSK, JANHCD, JANHCP, JANHCL, JANHCR, JANHCF, JANHCG, JANHCH, JANKCM, JANKCD, JANKCP, JANKCL, JANKCR, JANKCF, JANKCG, and JANKCH [CUST: CR EC 85 CC NA] [REVIEW: 19 71 99 AV MI]	A	5961	CC	18-APR-2012	
M	MIL-PRF-19500/744C	Semiconductor Device, Field Effect Transistor, N-Channel, Radiation Hardened (Total Dose and Single Event Effects), Logic-Level Silicon, Types 2N7616UB, 2N7616UBC, 2N7616UBN, 2N7616UBCN, JANTXVR, JANTXVF, JANSR, and JANSF [CUST: CR EC 85 CC NA]	A	5961	CC	01-MAY-2012	
N	TIA455.57	Fiber Optical, End Preparation and Examination [CUST: CR AS CC] [REVIEW: AR AT CR4 EC MC MI SH]	A	60GP	CC	12-APR-2012	
N	TIA455.60	Fiber or Cable Length Measurement of, Using and OTDR [CUST: CR AS 85 CC] [REVIEW: 13 19 EC MC MI SH TE]	A	60GP	CC	12-APR-2012	
N	TIA455.62	Optical Fiber Macrobend Attenuation, Measurement of [CUST: CR AS 85 CC] [REVIEW: 13 19 MC SH TE]	A	60GP	CC	12-APR-2012	
N	TIA455.80	Fiber, Cutoff Wavelength of Uncabled Single-Mode, by Transmitted Power [CUST: CR AS 85 CC] [REVIEW: 13 19 EC MC SH TE]	A	60GP	CC	12-APR-2012	
N	TIA455.81	Optic Cable, Compound Flow (Drip) Test for Filled Fiber [CUST: CR AS 85 CC] [REVIEW: 13 19 EC MC SH TE]	A	60GP	CC	12-APR-2012	
N	TIA455.82	Fluid Penetration Test for Fluid-Blocked Fiber Optic Cable [CUST: MR AS CC] [REVIEW: AR AT CR4 EC MC MI SH]	A	60GP	CC	12-APR-2012	
N	TIA455.84	Fiber Optic Cable, Jacket Self-Adhesion (Blocking Test) for [CUST: CR AS 85 CC]	A	60GP	CC	12-APR-2012	
N	TIA455.87	Fiber Optic Cable Knot Test [CUST: CR AS 85 CC]	A	60GP	CC	12-APR-2012	
N	TIA455.88	Fiber Optic Cable Bend Test [CUST: MR AS CC] [REVIEW: AR AT CR4 EC MC MI SH]	A	60GP	CC	12-APR-2012	
N	TIA455.91	Fiber Optic Cable Twist-Bend Test [CUST: CR AS 85 CC] [REVIEW: 13 19 EC MC SH TE]	A	60GP	CC	12-APR-2012	
N	TIA455.100	Gas Leakage Test for Gas - Blocked Fiber Optic Cables [CUST: CR AS 85 CC]	A	60GP	CC	12-APR-2012	
N	TIA455.107	Determination of Component Reflectance or Link/System return Loss Using a Loss Test Set [CUST: CR AS 85 CC]	A	60GP	CC	12-APR-2012	
N	TIA455.167	Mode Field Diameter Measurement - Variable Aperture Method in the Farfield [CUST: MR AS CC] [REVIEW: AR AT EC MC MI SH]	A	60GP	CC	12-APR-2012	
N	TIA455.168	Fibers Optical, Chromatic Dispersion Measurement of Multimode Graded-Index and Single-Mode, by Spectral Group Delay Measurement in the Time Domain [CUST: CR AS 85 CC] [REVIEW: AR AT EC MC MI SH]	A	60GP	CC	12-APR-2012	
N	TIA455.171	Fiber Optical Cable Assemblies, Attenuation by Substitution Measurement - for Short-Length Multimode Graded-Index and Single-Mode [CUST: CR AS 85 CC] [REVIEW: AR AT EC MC MI SH]	A	60GP	CC	12-APR-2012	
N	TIA455.175	Single-Mode Optical Fibers by the Differential, Phase Shift Method, Chromatic Dispersion Measurement of [CUST: CR AS 85 CC]	A	60GP	CC	12-APR-2012	
N	TIA455.177	Optical Fibers, Graded Index, Numerical Aperture Measurement of [CUST: CR AS 85 CC] [REVIEW: 13 19 EC MC MI SH TE]	A	60GP	CC	12-APR-2012	
N	TIA455.179	Fiber, Cleaved, End Faces by Interferometry, Inspection of [CUST: CR AS 85 CC] [REVIEW: 13 19 EC MC SH TE]	A	60GP	CC	12-APR-2012	
M	MIL-DTL-3702F	Cable, Power, Electrical: Ignition, High-Tension [CUST: AT AS 85 CC] [REVIEW: AV CR EA MC]	A	6145	CC	18-APR-2012	
M	MIL-DTL-16878H SUP 1	Wire, Electrical, Insulated, General Specification for [CUST: SH 85 CC] [REVIEW: AS]	A	6145	CC	11-APR-2012	
M	MS28933 NOT 4	Lamp, Incandescent - T-20 Bulb, Medium Bipost Base [CUST: AS 99 GS2] [REVIEW: IS]	A	6240	GS2	30-APR-2012	
M	MIL-PRF-83174E	Transmitter, Accelerometer, Axial [CUST: 71] [REVIEW: 99]	A	6610	71	24-APR-2012	
M	MS33558C NOT 4	Numerical and Letters, Aircraft Instrument Dial, Standard Form of [CUST: AV AS 99] [REVIEW: GS]	A	6610	AS	19-APR-2012	
M	A-A-50060C	Balances, Trip, Laboratory [CUST: GL MS 03 GS] [REVIEW: 99 MD YD]	A	6670	/	GS1	17-APR-2012
M	A-A-50062B	Scales, Spring, (Suspension Mounted) [CUST: GL YD 99 GS] [REVIEW: MS]	A	6670	/	GS1	04-APR-2012
M	A-A-52021B	Scale, Beam Indicating, Weighing Sensitive to 1 Gram [CUST: CE 99 GS] [REVIEW: 71 SM]	A	6670	/	GS1	17-APR-2012
M	MIL-DTL-32101A(2)	Carbon, Activated, Impregnated, Copper-Silver-Zinc-Molybdenum-Triethylenediamine (ASZM-TEDA) [CUST: EA SH 68] [REVIEW: 99 GS]	C	6850	EA	12-JAN-2012	
M	A-A-52202C	Opener, Can, Hand, for Square and Round Food Cans [CUST: GL SA 99 SS] [REVIEW: 35 84 MC MD1 QM1]	A	7330	/	SS	18-APR-2012
M	MIL-DTL-44436B	Cloth, Wind Resistant Poplin, Nylon/Cotton Blend [CUST: GL CT] [REVIEW: MD]	A	8305		CT	04-APR-2012
M	MIL-DTL-14650/1U	Streamers, Army Set [CUST: IH] [REVIEW: CT]	A	8345		IH	24-APR-2012
M	A-A-55124B	Creepers, Ice [CUST: GL MC CT]	A	8465	/	CT	02-APR-2012
M	A-A-20087D	Soy Sauce [CUST: GL SA 35 SS] [REVIEW: MC MD QM]	A	8950	/	SS	18-APR-2012
M	MIL-PRF-27404D	Propellant, Monomethylhydrazine [CUST: AS 68 PS] [REVIEW: 19]	A	9135		68	20-APR-2012
M	MIL-DTL-17111E	Fluid, Power Transmission [CUST: AI OS 68 GS]	A	9150		GS3	12-APR-2012
N	ASME-Y14.37	Composite Part Drawings [CUST: AR SA 16] [REVIEW: 04 13 99 AS AV CG CH CR DH IS MC MI MP NP NS PT SE TE TM]	A	DRPR		AR	27-APR-2012
M	ITOP-5.1.060 ED.A	GE/US International Test Operations Procedure (ITOP) 05-1-060A Identification of Hazards For Operators and Maintainers of Surface Launched Weapons [CUST: TE]	D	ISDA		TE	22-SEP-2011
N	TOP-10-2-176	Test Operations Procedure (TOP) 10-2-176 Condensation Testing - Shelters [CUST: TE]	A	ISDA		TE	15-DEC-2011
M	TOP-10-2-210A	Ballistic Testing of Hard Body Armor Using Clay Backing [CUST: TE]	D	ISDA		TE	28-APR-2011
N	SAE-AMS2590	Rotary Flap Peening of Metal Parts [CUST: MR AS] [REVIEW: OS]	A	MFFP		AS	23-APR-2012
M	MIL-STD-3022(1)	Documentation of Verification, Validation, and Accreditation (VV&A) for Models and Simulations [CUST: AC EC 05] [REVIEW: 01 13 CG CR DC1 DC2 IR MC MP ND NP PT SE SH] [AMSC: D9037]	A	MSSM		DMS	05-APR-2012

## ACTIVE SECTION

## ASSIST UPDATE

LAST ACTION	DOCUMENT NUMBER	DOCUMENT TITLE	DISTRIBUTION	FSC/AREA		MCA		DATE
							PREP ACTY	
M	MIL-STD-188-164B	Interoperability of SHF Satellite Communications Terminals [CUST: CR EC 02 NS] [REVIEW: 11 13 44 71 93 99 AC AS AV CG DC5 DI DMS IR MC MI MP OM PT SE SPO TE]	A	TCSS		DC1		23-MAR-2012
M	MIL-PRF-85337B	Manuals, Technical: Quality Assurance Program; Requirements for [CUST: AS]	A	TMSS		AS		11-APR-2012
M	MIL-DTL-87929D	Technical Manuals, Operation and Maintenance Instructions in Work Package Format (for USAF Equipment) [CUST: 16] [REVIEW: 10 99]	A	TMSS		16		20-APR-2012

## INACTIVE SECTION

## ASSIST UPDATE

LAST ACTION	DOCUMENT NUMBER	DOCUMENT TITLE	DISTRIBUTION	MCA		DATE
				FSC/AREA	PREP ACTY	
M	MIL-DTL-32267A(1)	Fuze, Point Detonating, M739A1 [CUST: AR]	A	1315	AR	30-APR-2012
M	OO-D-1297B NOT 2	Drying and Conditioning Tumblers, Laundry, Commercial, General Specification for [CUST: GL YD 99 IS] [REVIEW: CE CR4 MC]	A	3510	/ IS	17-APR-2012
M	MIL-DTL-51221B	Filter, Particulate, 150 CFM, M24 [CUST: EA]	X	4240	EA	25-APR-2012
M	MS21931B NOT 1	Fitting Installation, Cluster [CUST: AV AS 99] [REVIEW: 71 AT CC MC SA SH]	A	4730	AS	19-APR-2012
M	MIL-DTL-85667/7B NOT 1	Bolt, Sleeve, Protruding Head, Straight Shank, CRES 304 Sleeve, Nickel Alloy 718 Pin, 125 KSI FSU, 220 KSI FTU, 450 [CUST: AV AS 99]	A	5306	IS	17-APR-2012
M	MIL-PRF-1/664F NOT 1	Electron Tube, Thyratron Type 5665 [CUST: CR EC 85 CC] [REVIEW: 11 99 AR AS AV CG MC MI OS]	A	5960	CC	12-APR-2012
M	MIL-PRF-1/1011E NOT 2	Electron Tube, Thyratron Type 5957 [CUST: CR EC 85 CC] [REVIEW: 11 19 AR AS AV CG MC MI SH]	A	5960	CC	12-APR-2012
M	MIL-PRF-1/1099H NOT 1	Electron Tube, Thyratron Types 5948A, 5948B, and 5948C [CUST: CR EC 85 CC] [REVIEW: 11 19 99 AS AV CG MC MI OS]	A	5960	CC	12-APR-2012
M	MIL-PRF-1/1100G NOT 1	Electron Tube, Thyratron Type 5949A and 5949A-1 [CUST: CR EC 85 CC] [REVIEW: 11 AR AS AV CG MC MI OS SH]	A	5960	CC	12-APR-2012
M	MIL-M-38510/211(1) NOT 2	Microcircuits, Digital, 32,768 Bit Schottky, Bipolar, Programmable Read-Only Memory (PROM), Monolithic Silicon [CUST: CR EC 85 CC NA] [REVIEW: 03 19 99 AS CG MC MI SH SM]	A	5962	CC	13-APR-2012
M	MIL-M-38510/212 NOT 3	Microcircuits, Digital, 65,536 Bit Schottky, Bipolar, Programmable Read-Only Memory (Prom), Monolithic Silicon (No S/S Document) [CUST: CR EC 85 CC NA] [REVIEW: 03 19 99 AS AV CG MC MI SH]	A	5962	CC	13-APR-2012
M	MIL-DTL-7830E NOT 1	Light Assembly, Marker, Aircraft Obstruction [CUST: CR4 AS 99 GS2] [REVIEW: 11 IS YD]	A	6210	GS2	30-APR-2012
M	AN2547 REV 5 NOT 3	Light, Market, Aircraft Obstruction [CUST: CR4 AS 99 GS2] [REVIEW: IS]	A	6210	GS2	30-APR-2012
M	MIL-T-5494A NOT 3	Thermocouple, Contact, Aircraft Engine Spark Plug Gasket Type [CUST: AS 99 GS1]	A	6685	GS1	25-APR-2012
M	MIL-I-7749A(1) NOT 3	Indicator, Temperature, Electrical Resistance, Multifunction, -70 Degree to +150 Degree C Single [CUST: AS GS]	A	6685	GS1	25-APR-2012
M	MS27188 NOT 4	Probe, Total Temperature, Deiceable [CUST: 99 GS1] [REVIEW: 71]	A	6685	GS1	19-APR-2012
M	MS27043B NOT 4	Bearing, Jewel - Olive Hole, Bombe [CUST: AR SH 99 GS1] [REVIEW: 71 AS]	A	6695	GS1	30-APR-2012
M	MIL-B-15228G NOT 3	Bed, Bunk, Steel, Round Tube, Single and Double-Deck (Convertible Type) [CUST: GL 99 IS] [REVIEW: 84 MD]	A	7105	IS	17-APR-2012



CANCELED SECTION

ASSIST UPDATE

LAST ACTION	DOCUMENT NUMBER	DOCUMENT TITLE	DISTRIBUTION	FSC/AREA	MCA	PREP ACTY	DATE
M	MS70117A NOT 3	Snap Assembly - Parachute Connector, Locking Type (No S/S Document) [CUST: GL AS 99 GS] [REVIEW: 84 AV MC]	A	1670		GS2	24-APR-2012
M	ANSI-B5.53M	Cutter and Tool Grinding Machines (No S/S Document) [CUST: AR SH 99] [REVIEW: 84]	A	3415		GS6	30-APR-2012
M	ANSI-MC96.1	Thermocouples, Temperature Measurement (No S/S Document) [CUST: AR SH 99] [REVIEW: CR4]	A	34GP		GS6	30-APR-2012
M	NFPA-T2.24.1	Hydraulic Fluid Power-Systems Standard for Stationary Industrial Machinery (No S/S Document) [CUST: AR SH 99] [REVIEW: 84]	A	34GP		GS6	24-APR-2012
M	A-A-5555A NOT 2	Duster, Manually-Operated Tubular-Pump Manually Carried (No S/S Document) [CUST: MD MC 99 GS] [REVIEW: 84 MS PM]	A	3740	/	GS3	16-APR-2012
M	NFPA1931.1	Design of and Design Verification Tests for Fire Department Ground Ladders (S/S by NFPA1931) [CUST: AV YD 99] [REVIEW: 84 CC CE IS MC]	A	4210		AV	25-APR-2012
M	ANSI-S3.19	Measurement of Real-Ear Protection of Hearing Protectors and Physical Attenuation of Earmuffs (See Notice of Withdrawal for Replacement Information) [CUST: AV SH 99 MB]	A	4240		MB	30-APR-2012
M	A-A-50560 NOT 1	Pumps, Centrifugal, Water Circulating, Electric-Motor-Driven (No S/S Document) [CUST: AT YD CC] [REVIEW: AR MC SA SH]	A	4320	/	CC	06-APR-2012
M	A-A-50561 NOT 1	Pumps, Rotary, Power-Driven, Viscous Liquids (No S/S Document) [CUST: AT YD CC] [REVIEW: AR MC SA SH]	A	4320	/	CC	06-APR-2012
M	A-A-50562 NOT 1	Pump Units, Centrifugal, Water, Horizontal; General Service and Boiler-Feed: Electric-Motor-or-Steam-Turbine-Driven (No S/S Document) [CUST: AT YD CC] [REVIEW: AR MC SA SH]	A	4320	/	CC	06-APR-2012
M	NFPA-T2.13.2	Fluid Power-Fire Resistant Fluids-Information Report on Company Trade Names, Hydraulic (No S/S Document) [CUST: AT SH 99 CC] [REVIEW: 70 MC SA]	A	4330		CC	24-APR-2012
M	NFPA-T2.30.4	Fluid Power Systems-Application Guidelines for Selection of Fluid Power Position Transducers, Recommended Practice (No S/S Document) [CUST: AT SH 99 CC] [REVIEW: 70 71 MC SA]	A	4330		CC	24-APR-2012
M	NFPA-T3.12.17	Pneumatic Fluid Power-Filters, Regulators and Lubricators-Application Guidelines (No S/S Document) [CUST: AT SH 99 CC] [REVIEW: 70 MC SA]	A	4330		CC	24-APR-2012
M	USAS-B2.4	Hose Couplings Screw Threads (See Notice of Withdrawal for Replacement Information) [CUST: AV YD 99]	A	4730		YD	30-APR-2012
M	MSS-SP69	Pipe Hangers and Supports - Selection and Application (S/S by MSS-SP58) [CUST: YD IS] [REVIEW: CE CR4 MC]	A	5340		IS	19-APR-2012
M	MSS-SP89	Pipe Hangers and Supports - Fabrication and Installation Practices (S/S by MSS-SP58) [CUST: CR4 YD 99 IS] [REVIEW: 71]	A	5340		IS	19-APR-2012
M	NWWDA-I.S.1	Doors, Wood Flush, Standard for (S/S by WDMA-I.S.1) [CUST: YD IS] [REVIEW: 99 CC CR4 SH]	A	5520		IS	26-APR-2012
M	NWWDA-I.S.2	Wood Window Units (S/S by WDMA-I.S.2) [CUST: CR4 YD 99 IS] [REVIEW: 84 CC]	A	5520		IS	26-APR-2012
M	NWWDA-I.S.4	Millwork, Water-Repellent Preservative Treatment for (S/S by WDMA-I.S.4) [CUST: CR4 99] [REVIEW: 84 CE SM YD]	A	5520		IS	26-APR-2012
M	NWWDA-I.S.6	Wood Stile, and Rail Doors (S/S by WDMA-I.S.6) [CUST: CR4 YD 99 IS] [REVIEW: 84]	A	5520		IS	26-APR-2012
M	NWWDA-TM5	Wood Doors, the Split Resistance of Stile Edges of, Test Method of Determine (No S/S Document) [CUST: CR4 YD 99 IS] [REVIEW: 84 CC]	A	5520		IS	26-APR-2012
M	NWWDA-TM6	Doors Adhesive Bonds Accelerated Aging Conditions Test Methods for Determining the Performance of the (S/S by WDMA-T.M.6) [CUST: CR4 YD 99 IS] [REVIEW: 84 CC]	A	5520		IS	26-APR-2012
M	NWWDA-TM7	Wood Doors and Associated Hardware Connections Under Accelerated Operating Conditions, Test Method to Determine the Physical Endurance of (S/S by WDMA-T.M.7) [CUST: CR4 YD 99 IS] [REVIEW: 84 CC]	A	5520		IS	26-APR-2012
M	NWWDA-TM8	Wood Door Stiles, Hinge Loading Resistance of, Test Method to Determine (S/S by WDMA-T.M.8) [CUST: CR4 YD 99 IS] [REVIEW: 84 CC]	A	5520		IS	26-APR-2012
M	NWWDA-TM9	Finishes Wood Door to Determine the Performance of (S/S by WDMA-T.M.13) [CUST: CR4 YD 99 IS] [REVIEW: 84 CC]	A	5520		IS	26-APR-2012
M	NWWDA-TM10	Screwholding Capacity Test (S/S by WDMA-T.M.10) [CUST: CR4 YD 99 IS] [REVIEW: 84 CC]	A	5520		IS	26-APR-2012
M	NFPA255	Surface Burning Characteristics of Building Materials (S/S by ASTM-E84 and UL723) [CUST: CR YD 99] [REVIEW: 84 EC]	A	56GP		YD	25-APR-2012
M	IEEE152	Audio Program Level Measurement (No S/S Document) [CUST: CR SH 99]	A	5830		CR	18-APR-2012
M	IEEE432	Insulation Maintenance for Rotating Electric Machinery (5 HP to Less than 10,000 HP) (No S/S Document) [CUST: CR SH 85]	A	5920		SH	18-APR-2012
M	ANSI-C57.12.26	Pad-Mounted Compartmental-Type, Self-Cooled, Three-Phase Distribution Transformers for use with Separable Insulated High-Voltage Connectors, High-Voltage, 34 500 GRD Y/19 920 Volts and Below; 2500 KVA and Smaller, for Transformers (No S/S Document) [CUST: CR4 YD 99]	A	5950		CC	30-APR-2012
M	NEMA-ST20	Transformers, Dry-Type for General Applications (No S/S Document) [CUST: CR YD 85]	A	5950		CC	24-APR-2012
M	IEEE176	Piezoelectricity, IEEE Standard on (No S/S Document) [CUST: CR SH 99] [REVIEW: 84]	A	5955		SH	18-APR-2012
M	MIL-M-38510/221A NOT 4	Microcircuits, Digital, 16,384 Bit MOS, Ultraviolet Erasable Programmable Read-Only Memory (EPROM), Monolithic Silicon (No S/S Document) [CUST: 85 CC] [REVIEW: 03 19 99]	A	5962		CC	11-APR-2012
M	MIL-M-38510/222A NOT 4	Microcircuit, Digital, 32,768 Bit Mos, Ultraviolet Erasable Programmable Read-Only Memory (EPROM) Monolithic Silicon (No S/S Document) [CUST: 85 CC] [REVIEW: 03 19 99]	A	5962		CC	11-APR-2012
M	ANSI-C2	Electrical Safety Code, National (See Notice of Withdrawal for Replacement Information) [CUST: CR YD 85] [REVIEW: 99 CR4 GS MC SH]	A	5975		YD	30-APR-2012
M	NEMA-BU1	Busways (S/S by UL857) [CUST: YD] [REVIEW: GS]	A	5975		YD	25-APR-2012
M	EIA455.57	Fiber Optical, End Preparation and Examination (S/S by TIA455.57) [CUST: CR AS CC] [REVIEW: 11 AR AT CR4 EC MC MI SH]	A	60GP		CC	12-APR-2012
M	EIA455.60	Fiber or Cable Length, Measurement of, Using an OTDR (S/S by TIA455.60) [CUST: CR AS 85 CC] [REVIEW: 13 19 EC MC MI SH TE]	A	60GP		CC	12-APR-2012
M	EIA455.62	Optical Fiber Macrobend Attenuation, Measurement of (S/S by TIA455.62) [CUST: CR AS 85 CC] [REVIEW: 13 19 EC MC SH TE]	A	60GP		CC	12-APR-2012
M	EIA455.80	Fiber, Cutoff Wavelength of Uncabled Single-Mode, by Transmitted Power (S/S by TIA455.80) [CUST: CR AS 85 CC] [REVIEW: 13 19 EC MC SH TE]	A	60GP		CC	12-APR-2012
M	EIA455.81	Optic Cable, Compound Flow (Drip) Test for Filled Fiber (S/S by TIA455.81) [CUST: CR AS 85 CC] [REVIEW: 13 19 EC MC SH TE]	A	60GP		CC	12-APR-2012
M	EIA455.82	Fluid Penetration Test for Fluid-Blocked Fiber Optic Cable (S/S by TIA455.82) [CUST: MR AS CC] [REVIEW: 11 AR AT CR4 EC MC MI SH]	A	60GP		CC	12-APR-2012
M	EIA455.84	Fiber Optic Cable, Jacket Self-Adhesion (Blocking Test) for (S/S by TIA455.84) [CUST: CR AS 85 CC] [REVIEW: 13 19 EC MC SH TE]	A	60GP		CC	12-APR-2012
M	EIA455.87	Fiber Optic Cable Knot Test (S/S by TIA455.87) [CUST: CR AS 85 CC]	A	60GP		CC	12-APR-2012

## CANCELED SECTION

## ASSIST UPDATE

LAST ACTION	DOCUMENT NUMBER	DOCUMENT TITLE	DISTRIBUTION	FSC/AREA		MCA	PREP ACTY	DATE
M	EIA455.88	Fiber Optic Cable Bend Test (S/S by TIA455.88) [CUST: MR AS CC] [REVIEW: 11 AR AT CR4 EC MC MI SH]	A	60GP			CC	12-APR-2012
M	EIA455.91	Fiber Optic Cable Twist-Bend Test (S/S by TIA455.91) [CUST: CR AS 85 CC] [REVIEW: 13 19 EC MC SH TE]	A	60GP			CC	12-APR-2012
M	EIA455.100	Gas Leakage Test for Gas - Blocked Fiber Optic Cables (S/S By TIA455.100) [CUST: CR AS 85 CC]	A	60GP			CC	12-APR-2012
M	EIA455.107	Fiber Optic Components, Return for Loss (S/S by TIA455.107) [CUST: CR AS 85 CC]	A	60GP			CC	12-APR-2012
M	EIA455.167	Mode Field Diameter Measurement - Variable Aperture Method in the Farfield (S/S by TIA455.167) [CUST: MR AS CC] [REVIEW: 11 AR AT EC MC MI SH]	A	60GP			CC	12-APR-2012
M	EIA455.168	Fibers Optical, Chromatic Dispersion Measurement of Multimode Graded-Index and Single-Mode, By Spectral Group Delay Measurement in the Time Domain (S/S by TIA455.168) [CUST: CR AS 85 CC] [REVIEW: AR AT EC MC MI SH]	A	60GP			CC	12-APR-2012
M	EIA455.169	Single-Mode Optical Fibers by the Phase-Shift Method, Chromatic Dispersion Measurement of (S/S by TIA455.175) [CUST: CR AS 85 CC]	A	60GP			CC	12-APR-2012
M	EIA455.171	Fiber Optical Cable Assemblies, Attenuation by Substitution Measurement - for Short-Length Multimode Graded-Index and Single-Mode (S/S by TIA455.171) [CUST: CR AS 85 CC] [REVIEW: AR AT EC MC MI SH]	A	60GP			CC	12-APR-2012
M	EIA455.175	Single-Mode Optical Fibers by the Differential Phase Shift Method, Chromatic Dispersion Measurement of (S/S by TIA455.175) [CUST: CR AS 85 CC]	A	60GP			CC	12-APR-2012
M	EIA455.177	Optical Fibers, Graded Index, Numerical Aperture Measurement of (S/S by TIA455.177) [CUST: CR AS 85 CC] [REVIEW: 13 19 EC MC MI SH TE]	A	60GP			CC	12-APR-2012
M	EIA455.179	Fiber, Cleaved, End Faces by Interferometry, Inspection of (S/S by TIA455.179) [CUST: CR AS 85 CC] [REVIEW: 13 19 EC MC SH TE]	A	60GP			CC	12-APR-2012
M	TIA455.18	Optic Components and Assemblies, Fiber, Acceleration Testing of (No S/S Document) [CUST: CR AS 85 CC] [REVIEW: 19 EC MC SH TE]	A	60GP			CC	24-APR-2012
M	ANSI-C37.6	Circuit Breaker, AC High Voltage, Rated on a Symmetrical Current Basis, Preferred Ratings and Related Required Capabilities for (No S/S Document) [CUST: CR4 YD 99] [REVIEW: 71 GS]	A	6110			YD	30-APR-2012
M	ANSI-C37.12	Circuit Breakers, AC High-Voltage, Rated on a Symmetrical Current Basis (See Notice of Withdrawal for Replacement Information) [CUST: CR4 YD 99] [REVIEW: GS SH]	A	6110			YD	30-APR-2012
M	IEEE-C37.9	Circuit Breaker AC High Volt Rated on a Symmetrical Current Basis, Standard Test Procedure for (No S/S Document) [CUST: CR4 YD 99] [REVIEW: 71 GS]	A	6110			YD	19-APR-2012
M	IEEE-C37.20	Switchgear, Assemblies, Including Metal Enclosed Bus Standard for (S/S by IEEE-C37.20.1) [CUST: YD] [REVIEW: GS]	A	6110			YD	19-APR-2012
M	ANSI-C57.12.10	Transformer 230 000 Volts and Below 833/958 through 8333/10 417 KVA, Single Phase, and 750/862 through 60 000/80 000/100 000 KVA, Three Phase, American National Standard Requirements for (See Notice of Withdrawal for Replacement Information) [CUST: CR4 YD 99] [REVIEW: GS SH]	A	6120			YD	30-APR-2012
M	ADA4	Wax, Dental Inlay Casting (No S/S Document) [CUST: MD MS 03 MB]	A	6520			MB	24-APR-2012
M	ADA5	Alloys, Casting, Dental (No S/S Document) [CUST: MD MS 03 MB]	A	6520			MB	24-APR-2012
M	ADA8	Cement, Dental Zinc - Phosphate (No S/S Document) [CUST: MD MS 03 MB]	A	6520			MB	24-APR-2012
M	ADA29	Instruments, Hand (No S/S Document) [CUST: MD MS 03 MB]	A	6520			MB	24-APR-2012
M	ANSI-C39.1	Electrical Analog Indicating Instruments, Requirements for (No S/S Document) [CUST: YD]	A	6625			CC	30-APR-2012
M	ANSI-B40.1M	Gauge, Pressure Indicating Dial Type, Elastic Element (Metric) (S/S by ASME-B40.100) [CUST: CR4 YD 99] [REVIEW: AR AS AT GS MC OS SH]	A	6685			YD	30-APR-2012
M	NFPA-T2.9.16	Information Report Hydraulic Power - Determination of Particulate Contaminant Level Using Automatic Optical Particle Counters (No S/S Document) [CUST: SH 99] [REVIEW: 71 GS]	A	6695			SH	24-APR-2012
M	NSF30	Laboratory and Cabinetry Furniture for Hospitals (No S/S Document) [CUST: GL YD 99]	A	71GP			YD	19-APR-2012
M	NSF26	Pot, Pan and Utensil Washers (No S/S Document) [CUST: GL YD 99] [REVIEW: 84 GS MD]	A	7320			GL	19-APR-2012
M	NSF-C2	Food Service, Special Equipment and/or Devices (See Notice of Withdrawal for Replacement Information) [CUST: GL YD 99] [REVIEW: 84 GS MD]	A	73GP			GL	19-APR-2012
M	SMACNA-KEFG	Equipment, Kitchen, Fabrication Guidelines (See Notice of Withdrawal for Replacement Information) [CUST: GL YD 99] [REVIEW: 50 84 CE GS]	A	73GP			YD	25-APR-2012
M	SSPC-PAINT22	Epoxy-Polyimide Paints (Primer, Intermediate, and Topcoated) Paint Specification No. 22 (No S/S Document) [CUST: CR4 YD IS] [REVIEW: CC MC OS SH]	A	8010			IS	19-APR-2012
M	SSPC-PS1.09	Three-Coat Oil Base Zinc Oxide Painting System (without Lead or Chromate Pigment) (No S/S Document) [CUST: CR4 YD 99 IS] [REVIEW: 84 CE MC SH]	A	8010			IS	19-APR-2012
M	SSPC-PS14.01	Painting System Specification No. 14.01, Steel Joist Shop Painting System (No S/S Document) [CUST: CR4 YD 11 IS] [REVIEW: CE MC MD MR MS OS]	A	8010			IS	19-APR-2012
M	NEMA-LD3.1	Laminates, High-Pressure, Performance, Application, Fabrication, and Installation of (No S/S Document) [CUST: MR YD 99] [REVIEW: IS]	A	9330			YD	24-APR-2012
M	AGA-XR0104	AGA Plastic Pipe Manual for Gas Service (See Notice of Withdrawal for Replacement Information) [CUST: YD]	A	FACR			YD	18-APR-2012
M	AISC-S303	Steel Buildings and Bridges, Code of Standard Practice for (S/S by AISC-303) [CUST: CE YD 04]	A	FACR			YD	19-APR-2012
M	AISC-S335	Buildings, Structural Steel, Allowable Stress Design and Plastic Design (See Notice of Withdrawal for Replacement Information) [CUST: CE YD 04]	A	FACR			YD	18-APR-2012
M	ASCE-REPORT-NO13	Sewage Treatment Plants, Filtering Materials for (No S/S Document) [CUST: YD]	A	FACR			YD	18-APR-2012
M	AWS-D1.2A	Aluminum, Commentary on Structural Welding Code (No S/S Document) [CUST: AR YD 99] [REVIEW: GS]	A	FACR			YD	18-APR-2012
M	IESNA-RP8	Roadway Lighting (S/S by IESNA-RP8) [CUST: YD]	A	FACR			YD	19-APR-2012
M	IESNA-HB9	Lighting Handbook (No S/S Document) [CUST: YD]	A	FACR			YD	19-APR-2012
M	IESNA-LM44	Approved Method for Total and Diffuse Reflectometry (No S/S Document) [CUST: YD]	A	FACR			YD	19-APR-2012
M	ISA-MC96.1	Temperature Measurement Thermocouples (No S/S Document) [CUST: YD]	A	FACR			YD	24-APR-2012
M	MSS-SP73	Brazing Joints for Copper and Copper Alloy Pressure Fittings (No S/S Document) [CUST: YD]	A	FACR			YD	19-APR-2012
M	MSS-SP84	Valves - Socket Welding and Threaded Ends (S/S by ASME-B16.34) [CUST: YD]	A	FACR			YD	19-APR-2012
M	NACE-RP0169	Control of External Corrosion on Underground or Submerged Metallic Piping Systems (See Notice of Withdrawal for Replacement Information) [CUST: YD]	A	FACR			YD	25-APR-2012
M	NACE-RP0177	Mitigation of Alternating Current and Lightning Effects on Metallic Structures and Corrosion Control Systems (See Notice of Withdrawal for Replacement Information) [CUST: YD]	A	FACR			YD	24-APR-2012
M	NACE-RP0178	Fabrication Details, Surface Finish Requirements, and Proper Design Considerations for Tanks and Vessels to be Lined for Immersion Service (See Notice of Withdrawal for Replacement Information) [CUST: YD]	A	FACR			YD	24-APR-2012



## CANCELED SECTION

## ASSIST UPDATE

LAST ACTION	DOCUMENT NUMBER	DOCUMENT TITLE	DISTRIBUTION	MCA		DATE
				FSC/AREA	PREP ACTY	
M	NACE-RP0185	Extruded, Polyolefin Resin Coating Systems with Soft Adhesives for Underground or Submerged Pipe (/see Notice of Withdrawal for Replacement Information) [CUST: YD]	A	FACR	YD	24-APR-2012
M	NACE-RP0190	External Protective Coatings for Joints, Fittings, and Valves on Metallic Underground or Submerged Pipelines and Piping Systems (See Notice of Withdrawal for Replacement Information) [CUST: YD]	A	FACR	YD	25-APR-2012
M	NACE-RP0196	Galvanic Anode Cathodic Protection of Internal Submerged Surfaces of Steel Water Storage Tanks (See Notice of Withdrawal for Replacement Information) [CUST: YD]	A	FACR	YD	25-APR-2012
M	NACE-RP0388	Impressed Current Cathodic Protection of Internal Submerged Surfaces of Carbon Steel Water Tanks (See Notice of Withdrawal for Replacement Information) [CUST: YD]	A	FACR	YD	25-APR-2012
M	NACE-RP0572	Design, Installation, Operation and Maintenance of Impressed Current Deep Groundbeds (See Notice of Withdrawal for Replacement Information) [CUST: YD]	A	FACR	YD	25-APR-2012
M	NEMA-AB1	Circuit Breakers, Molded-Case, Molded Case Switches, and Circuit-Breaker Enclosures (S/S by UL489) [CUST: YD]	A	FACR	YD	25-APR-2012
M	NEMA-LL1	Procedures for Linear Fluorescent Lamp Sample Preparation and the TCLP (No S/S Document) [CUST: YD]	A	FACR	YD	24-APR-2012
M	SMACNA-SRM	Manual Seismic Restraint: Guidelines for Mechanical Systems (See Notice of Withdrawal for Replacement Information) [CUST: YD] [REVIEW: 19 CE]	A	FACR	YD	25-APR-2012
M	MIL-STD-740B NOT 1	Airborne and Structureborne Noise Measurements and Acceptance Criteria of Shipboard Equipment (S/S by MIL-STD-740-1, MIL-STD-740-2 and MIL-STD-1474) [CUST: AV SH] [REVIEW: EC MI]	A	HFAC	SH	17-APR-2012
M	IEEE12207.0	Software Life Cycle Processes (See Notice of Withdrawal for Replacement Information) [CUST: CR EC 11] [REVIEW: 06 13 19 AR AS AV DC3 DS IR MC MI MP NA NT OM SA SE SH]	A	IPSC	EC	19-APR-2012
M	IEEE12207.1	Software Life Cycle Processes-Life Cycle Data (No S/S Document) [CUST: CR EC 11] [REVIEW: 06 13 19 AR AS AV DC3 DS IR MC MI MP NA NT OM SA SE SH]	A	IPSC	EC	19-APR-2012
M	IEEE12207.2	Software Life Cycle Processes-Implementation Considerations (See Notice of Withdrawal for Replacement Information) [CUST: CR EC 11] [REVIEW: 06 13 19 AR AS AV DC3 DS IR MC MI MP NA NT OM SA SE SH]	A	IPSC	EC	19-APR-2012
M	MIL-R-81841 NOT 1	Rotary Flap Peening of Metal Parts (S/S by SAE-AMS2590) [CUST: AS] [REVIEW: OS]	A	MFFP	AS	23-APR-2012
M	IEEE260	Letter Symbols for Units of Measurement (SI Units, Customary Inch-Pound Units, and Certain Other Units) (See Notice of Withdrawal for Replacement Information) [CUST: AR SH 11]	A	MISC	SH	18-APR-2012
M	ISO1000	Units, SI and Recommendations for the use of their Multiples and of Certain Other Units (See Notice of Withdrawal for Replacement Information) [CUST: AR SH 01]	A	MISC	AR	25-APR-2012
M	IEEE1516.3	High Level Architecture (HLA) Federation and Development and Execution Process (FEDEP), IEEE Recommended Practice for (See Notice of Withdrawal for Replacement Information) [CUST: AC EC 05]	A	MSSM	DMS	18-APR-2012
M	ANSI-Z129.1	Chemicals, Hazardous Industrial, Precautionary Labeling of (See Notice of Withdrawal for Replacement Information) [CUST: SM SA 11] [REVIEW: 99 AR AS CR4 GL MC MI MR OS SH YD]	A	PACK	GS3	30-APR-2012
M	ISO9000-4	Quality Management and Quality Assurance Standards - Part 4: Guide to Dependability Programme Management (No S/S Document) [CUST: AR OS 05] [REVIEW: 10 13 19 70 71 84 AS AT AV CR DH EA EC MC MI SH TE]	A	QCIC	05	24-APR-2012
M	NCSL-Z540.1	Laboratories, Calibration, and Measuring and Test Equipment (See Notice of Withdrawal for Replacement Information) [CUST: MI OS 05] [REVIEW: AR AS AV CR4 DH EC SH SS]	A	QCIC	MI	25-APR-2012
M	IEEE455	Telephone Equipment, IEEE Standard Test Procedure for Measuring Longitudinal Balance of, Operating in the Voice Band (No S/S Document) [CUST: CR EC]	A	TCSS	DC1	19-APR-2012