

# Department of Defense Standardization Program



## ASSIST UPDATE

(A bi-monthly summary of changes to the ASSIST document database)

**1 May 2016**

(For the Period 15 April 2016 to 30 April 2016)

## ASSIST UPDATE

Documents listed in the ASSIST UPDATE have an indicator of “N” or “M” to describe the last action taken on a listed document.

“N” indicates that a “new” document has been entered into the ASSIST database.

“M” indicates that a document already in ASSIST has been “modified” in some way.

The ASSIST UPDATE is published twice a month and provides a summary of changes to Department of Defense standardization documents for the period indicated. Since changes are processed to the ASSIST database on a daily basis, users should consult the ASSIST web site at <https://assist.dla.mil/> for the most current information.

If you need to track changes more frequently, or if you have an interest in specific Federal Supply Classes or individual specifications, standards, or other standardization documents, you may wish to take advantage of the ASSIST Alert Service. This feature lets you establish a list of documents of interest to you, and then the ASSIST will alert you with an E-mail message each day there is a change to one or more documents of interest to you. There is no charge for this service; however, you must have an ASSIST user account. To obtain one, complete the ASSIST online registration form at <https://assist.dla.mil/online/registration/registration.cfm>.

Once you have your account, you can establish your Alert Portal profile. For more information on the ASSIST Alert Service, go to: <https://assist.dla.mil/online/news/AlertService.htm>.

ACTIVE SECTION

ASSIST UPDATE

DOCUMENT NUMBER	DOCUMENT TITLE	DISTRIBUTION	FSC/AREA	MCA	PREP ACTY	DATE
M MIL-DTL-3066D(5)	Cartridges, Caliber 50: Armor-Piercing Incendiary, M8 and Armor-Piercing Incendiary Tracer, M20 [CUST: AR OS 99] [REVIEW: 40 70 AS MC MR SH]	D	1305		AR	18-APR-2016
M MIL-DTL-10190F(5)	Cartridge, Caliber 50, Ball - M33 [CUST: AR OS 99] [REVIEW: 40 70 AS MC MR SH]	D	1305		AR	18-APR-2016
M MIL-DTL-48623B(4)	Cartridge, Caliber 50, Blank - M1A1 [CUST: AR OS 99] [REVIEW: 40 70 AS MC MR SH]	D	1305		AR	18-APR-2016
M MIL-DTL-70663D NOT 1	Cartridge, Caliber 50, Saboted Light Armor Penetrator (Slap) Ball - M903 and Cartridge, Caliber 50 Slap Tracer - M962 [CUST: AR OS 99] [REVIEW: 40 70 AS MC MR]	D	1305		AR	19-APR-2016
M MIL-DTL-71038A(1)	Projectile, 120mm, HE, M933A1/M934A1/M934A2 Body [CUST: AR]	D	1315		AR	12-APR-2016
M MIL-B-45451B(5) NOT 3	Benite Strands [CUST: AR]	A	1375		AR	14-APR-2016
M MS24355C	Coupling, Reception - Type MA-2, Flight-Pressure-Refueling, Assembly of [CUST: AS 71] [REVIEW: 99 GS]	A	1680	71		18-APR-2016
M MIL-PRF-14442E NOT 2	Tank, Fuel, Engine: Nonmetallic, Non-Self Sealing, for Military Vehicles [CUST: AT]	A	2910		AT	19-APR-2016
M MIL-PRF-22594C(1)	Heaters, Duct Type, Electric [CUST: SH]	A	4520		SH	12-APR-2016
M MS9879B(1)	Sleeve, Swivel-Piloted O-Ring Tube Connection, Brazing, AMS 5046 [CUST: AS 71 GS]	A	4730		71	16-MAR-2016
M ASTM-F1793	Automatic Shut-off Valves (Also Known as Excess Flow Valves, EFV) for Air or Nitrogen Service [CUST: SH] [REVIEW: CC]	A	4820		SH	12-APR-2016
M MIL-PRF-32535/6(1)	Capacitor, Chip, Fixed, Ceramic Dielectric (Temperature Stable and General Purpose), Extended Range, High Reliability and Standard Reliability, Size 1210 [CUST: CR EC 85 CC] [REVIEW: 19 99 AS MC MDA MI NA OS SH]	A	5910		CC	22-APR-2016
M MIL-PRF-32535/8(1)	Capacitor, Chip, Fixed, Ceramic Dielectric (Temperature Stable and General Purpose), Extended Range, High Reliability and Standard Reliability, Size 2220 [CUST: CR EC 85 CC] [REVIEW: 19 99 AS MC MDA MI NA OS SH]	A	5910		CC	22-APR-2016
M MIL-DTL-83731E(1) SUP 1	Switches, Toggle, Unsealed and Sealed, General Specification for [CUST: CR AS 85 CC] [REVIEW: AR AV EC MC MI]	A	5930		CC	20-APR-2016
M MS25307L(1)	Switch, Toggle, Positive Break, Lever Lock, Environmentally Sealed, Screw Terminal, Double Pole, 469 Mounting Bushing, 25 Amperes [CUST: CR AS 85 CC] [REVIEW: 99 AV EC MI]	A	5930		CC	20-APR-2016
M MS27785D(1)	Switch, Toggle, Two Pole, Environmentally Sealed, Integrated Wire Terminals [CUST: CR AS 85 CC] [REVIEW: 99 AR AV EC MC MI]	A	5930		CC	04-APR-2016
M MIL-PRF-31031/12A(2) NOT 1	Connector, Receptacle, Electrical, Radio Frequency, Series BMA, Jamnut Mount, for Semirigid Cable, Pin Contact, High Reliability [CUST: CR EC 85 CC NA] [REVIEW: 19 99 AS AT AV EA MC MI OS SH]	A	5935		CC	26-APR-2016
M MIL-PRF-39012F(1) SUP 1	Connectors, Coaxial, Radio Frequency, General Specification for [CUST: CR EC 85 CC NA] [REVIEW: 19 99 AR AS AT MC MI OS SH]	A	5935		CC	25-APR-2016
M MIL-PRF-55339/28C(1)	Adaptor, Connector, Coaxial, Radio Frequency, In-Line, Jamnut and Flange Mounted, (within Series SMA Plug to Series SMA Plug Hermetic and Non-Hermetic), Class 2 [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS AT MC MI OS]	A	5935		CC	20-APR-2016
M MIL-PRF-83536/6E	Relays, Electromagnetic, Established Reliability, 4PDT, Low Level to 5 Amperes, Permanent Magnet Drive, Hermetically Sealed, All Welded, Transient Suppressed DC Coils [CUST: CR EC 85 CC] [REVIEW: 99]	A	5945		CC	12-APR-2016
M MS24192R	Relays, Electromagnetic, 25 Amperes, 3 PST (N O ) Type II, Non-Hermetically Sealed [CUST: AS 85 CC] [REVIEW: EC]	A	5945		CC	27-APR-2016
M QPL-3098-109	Crystal Units, Quartz, General Specification for	A	5955		CR	21-APR-2016
M MIL-PRF-1/884H	Electron Tube, Power Type 304TH [CUST: CR EC 85 CC] [REVIEW: 99 AR AS CG MC OS]	A	5960		CC	08-APR-2016
M MIL-PRF-19500/114J	Semiconductor Device, Diode, Silicon, Voltage Regulator, Case Mount through Hole Package, Standard and Reverse Polarity, Types 1N2804 through 1N2811, 1N2813, 1N2814, 1N2816, 1N2818 through 1N2820, 1N2822 through 1N2827, 1N2829, 1N2831 through 1N2838, 1N2840 through 1N2846, and 1N4557 through 1N4562, Quality Levels JAN, JANTX, JANTXV, and JANS [CUST: CR EC 85 CC] [REVIEW: 19 AR AS MC MI MR SH SM]	A	5961		CC	14-APR-2016
M MIL-PRF-19500/683E	Transistor, Field Effect, N-Channel, Radiation Hardened, Encapsulated (Surface Mount Package), Type 2N7467, JANTXVR, F, G, and H and JANSR, F, G, and H [CUST: CR EC 85 CC NA]	A	5961		CC	15-APR-2016
M MIL-PRF-19500/684F	Transistor, Field Effect, Silicon, N-Channel, Radiation Hardened, Encapsulated Surface Mount Package, Types 2N7472, 2N7473, and 2N7474, JANTXVR and JANSR [CUST: CR EC 85 CC NA] [REVIEW: 99]	A	5961		CC	15-APR-2016
M MIL-PRF-19500/519F	Light Emitting Diode, Red, through-Hole Mount and Panel Mount Assembly, Clear and Diffused Lens, Types 1N6092, 1N6609, M19500/51901, M19500/51902, M19500/51903 and M19500/51904, Quality Levels JAN and JANTX [CUST: CR 85 CC] [REVIEW: 99 MI]	A	5980		CC	19-APR-2016
M MIL-PRF-19500/520F	Light Emitting Diode, Yellow, through-Hole Mount and Panel Mount Assembly, Clear and Diffused Lens, Types 1N6093, 1N6610, M19500/52001, M19500/52002, M19500/52003 and M19500/52004, Quality Levels JAN and JANTX [CUST: CR 85 CC] [REVIEW: 99 MI]	A	5980		CC	20-APR-2016
M MIL-DTL-3922E SUP 1	Flanges, Waveguide, General Purpose, General Specification for [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS AV MC MI OS]	A	5985		CC	18-APR-2016
M MIL-DTL-3922/68B	Flanges, Waveguide Cover (Butt Mount) (Square, 4 Hole) [CUST: CR EC 85 CC] [REVIEW: 99 AR AS AV CR4 MC MI OS SH]	A	5985		CC	18-APR-2016
M MIL-DTL-17/139D(1)	Cable, Radio Frequency, Flexible Coaxial, 95 OHMS, M17/139-00001 [CUST: CR EC 85 CC] [REVIEW: 19 99 AS AT CR4 MC MI OS SH]	A	6145		CC	20-APR-2016
M MIL-DTL-25038J(1)	Wire, Electrical, High Temperature, Fire Resistant, and Flight Critical [CUST: CR AS 85 CC] [REVIEW: 99 AR CR4 MI OS]	A	6145		CC	19-APR-2016
M MIL-DTL-25038/1E(1)	Wire, Electrical, High Temperature, Fire Resistant, Flight Critical, Normal Weight [CUST: CR AS 85 CC] [REVIEW: 99 AR MI OS]	A	6145		CC	19-APR-2016
M MIL-DTL-16377J SUP 1 NOT 1	Fixtures, Lighting and Associated Parts Shipboard Use, General Specification for [CUST: SH]	A	6210		SH	26-APR-2016
M A-A-52614 NOT 2	Light, Market, Directional, Flashing [CUST: AT AS 99 GS] [REVIEW: 71 AV CE IS MC YD]	A	6230	/	AT	19-APR-2016
M MIL-DTL-0015303R	Audible Signals: Alarms, Bells, Buzzers, Horns, and Sirens, Electronic, Shipboard [CUST: SH]	A	6350		SH	12-APR-2016
M A-A-59878 NOT 1	Load Bank, Electrical 250 kilowatts, 400 Hertz [CUST: 84] [REVIEW: 99 IS]	A	6625	/	84	19-APR-2016
M ISO1496-1	Containers, Series 1 Freight - Specification and Testing - Part 1: General Cargo Containers for General Purposes [CUST: AR MC 69]	A	8150		AR	01-APR-2016
M MIL-DTL-3628/52J	Badge, Occupational, Weapons Controller, U S Air Force [CUST: IH 11] [REVIEW: CT]	A	8455		IH	18-APR-2016
M MIL-DTL-3628/92D	Badge, Occupational, Intelligence, U S Air Force [CUST: IH 11] [REVIEW: CT]	A	8455		IH	18-APR-2016
M MIL-DTL-3628/96C	Badge, Occupational, Paralegal, Air Force [CUST: IH 11] [REVIEW: CT]	A	8455		IH	18-APR-2016
M MIL-DTL-3628/97C	Badge, Occupational, Public Affairs, Air Force [CUST: IH 11] [REVIEW: CT]	A	8455		IH	18-APR-2016
M MIL-DTL-3628/99C	Badge, Occupational, Transportation, U S Air Force [CUST: IH 11] [REVIEW: CT]	A	8455		IH	18-APR-2016
M MIL-DTL-3628/217A	Badge, Qualification, Explosive Ordnance Disposal, U S Air Force [CUST: IH 11] [REVIEW: CT]	A	8455		IH	18-APR-2016
N MIL-DTL-3943/372	Decoration, Meritorious Civilian Service, Defense Intelligence Agency [CUST: IH] [REVIEW: CT]	A	8455		IH	18-APR-2016

## ACTIVE SECTION

## ASSIST UPDATE

DOCUMENT NUMBER	DOCUMENT TITLE	DISTRIBUTION FSC/AREA	MCA PREP ACTY	DATE
N MIL-DTL-3943/373	Decoration, Civilian Achievement, Defense Intelligence Agency [CUST: IH] [REVIEW: CT]	A 8455	IH	18-APR-2016
M MIL-DTL-11132/12G	Insignia, Rank, Cadet, First Lieutenant, ROTC and JROTC, U S Air Force [CUST: IH 11] [REVIEW: CT]	A 8455	IH	18-APR-2016
M MIL-DTL-11132/44C	Badge, Qualification, Star, Honor Units, ROTC and NDCC, Army [CUST: IH] [REVIEW: CT]	A 8455	IH	06-APR-2016
M MIL-DTL-11484/277A	Lapel Button, Civilian Career Service, Defense Contract Management Agency [CUST: IH] [REVIEW: CT]	A 8455	IH	21-APR-2016
M MIL-DTL-11484/278A	Lapel Button, Meritorious Civilian Service, Defense Contract Management Agency [CUST: IH] [REVIEW: CT]	A 8455	IH	21-APR-2016
M MIL-DTL-11484/280A	Lapel Button, Newton-Azark Medal for Heroism, U S Border Patrol [CUST: IH] [REVIEW: CT]	A 8455	IH	21-APR-2016
M MIL-DTL-11484/281A	Lapel Button, Chief's Commendation Medal, U S Border Patrol [CUST: IH] [REVIEW: CT]	A 8455	IH	21-APR-2016
M MIL-DTL-11484/283A	Lapel Button, Presidential Award for Distinguished Service, Department of State [CUST: IH] [REVIEW: CT]	A 8455	IH	21-APR-2016
M MIL-DTL-11484/284A	Lapel Button, Presidential Award for Meritorious Service, Department of State [CUST: IH] [REVIEW: CT]	A 8455	IH	21-APR-2016
N MIL-DTL-11484/331	Lapel Button, Civilian Achievement, Defense Intelligence Agency [CUST: IH] [REVIEW: CT]	A 8455	IH	18-APR-2016
N MIL-DTL-11484/332	Lapel Button, Meritorious Civilian Service, Defense Intelligence Agency [CUST: IH] [REVIEW: CT]	A 8455	IH	18-APR-2016
N MIL-DTL-11484/373	Lapel Button, Defense Threat Reduction Agency, Honorable Civilian Service [CUST: IH] [REVIEW: CT]	A 8455	IH	21-APR-2016
M MIL-DTL-11589/567A	Ribbon, Civilian Achievement Medal, U S Air Force [CUST: IH 11] [REVIEW: CT]	A 8455	IH	18-APR-2016
M MIL-DTL-11589/627C	Ribbon, Meritorious Civilian Service, Defense Intelligence Agency [CUST: IH] [REVIEW: CT]	A 8455	IH	18-APR-2016
M MIL-DTL-11589/628A	Ribbon, Civilian Achievement, Defense Intelligence Agency [CUST: IH] [REVIEW: CT]	A 8455	IH	18-APR-2016
M MIL-DTL-5002E NOT 1	Surface Treatments and Inorganic Coatings For Metal Surfaces of Weapons Systems [CUST: MR AS 20 CC] [REVIEW: AR AV EA MI OS]	A MFFP	AS	19-APR-2016
M DI-MGMT-80441A	Government Property Physical Inventory Count or Custodial Balance Report [AMSC: H9650]	A MGMT	MDA	19-APR-2016
N SAE-JA1012	A Guide to the Reliability-Centered Maintenance (RCM) Standard [CUST: AV MC 10] [REVIEW: 11 19 AS EC SH]	A PSSS	MC	25-APR-2016

## INACTIVE SECTION

## ASSIST UPDATE

DOCUMENT NUMBER	DOCUMENT TITLE	DISTRIBUTION FSC/AREA	MCA PREP ACTY	DATE
M MIL-B-46367A(1) NOT 3	Bandoleer, M2 [CUST: AR]	D 1305	AR	20-APR-2016
M MIL-B-48553(4) NOT 3	Bandoleer, M8 [CUST: AR]	D 1305	AR	20-APR-2016
M MIL-B-60107B(3) NOT 2	Bandoleer, M4 [CUST: AR]	D 1305	AR	20-APR-2016
M MIL-B-63992A(4) NOT 3	Bandoleer, 200 Round Magazine (M249 M G ) [CUST: AR]	D 1305	AR	20-APR-2016
M MIL-PRF-1/1383D NOT 1	Electron Tube, Power Type 2041 [CUST: CR EC 85 CC] [REVIEW: 99 AS CG MC OS SH]	A 5960	CC	14-APR-2016
M MIL-PRF-1/1404E NOT 2	Electron Tube, Receiving Type 2DF4 [CUST: CR EC 85 CC] [REVIEW: 99 AR AS CG MC OS SH]	A 5960	CC	14-APR-2016
M MIL-PRF-1/1472E NOT 2	Electron Tube, Power Type 8188 [CUST: CR EC 85 CC] [REVIEW: 99 AS CG MC OS]	A 5960	CC	14-APR-2016
M MIL-PRF-1/1506E NOT 1	Electron Tube, Power Type 8245 [CUST: CR EC 85 CC] [REVIEW: 99 AS CG CR4 MC OS SH]	A 5960	CC	14-APR-2016
M MIL-PRF-1/1542C NOT 1	Electron Tube, Power Type 7402 [CUST: 85 CC] [REVIEW: 99]	A 5960	CC	14-APR-2016
M MIL-DTL-12632E	Loudspeakers, Permanent Magnet (Encased, 2 -Watt, Fungus-, Gunblast-, and Immersion - Resistant), General Specification for [CUST: CR EC 85 CC]	A 5965	CC	25-APR-2016
M MIL-DTL-12632/1B	Loudspeaker, Permanent Magnet (Encased, 2 Watt, Fungus-, Gunblast-, and Immersion- Resistant), Type LS-590( )/U [CUST: CR EC 85 CC]	A 5965	CC	25-APR-2016
M MIL-DTL-12632/2B	Loudspeaker, Permanent Magnet (Encased, 2 -Watt, Fungus-, Gunblast-, and Immersion- Resistant), Type LS-166/U [CUST: CR EC 85 CC]	A 5965	CC	25-APR-2016
M MIL-DTL-12632/4B	Loudspeaker, Permanent Magnet (Encased, 2 -Watt, Fungus-, Gunblast-, and Immersion- Resistant), Type LS-454/U [CUST: CR EC 85 CC]	A 5965	CC	25-APR-2016
M MIL-DTL-17/73B(2) NOT 2	Cables, Radio Frequency, Flexible, Coaxial, 50 OHMS, M17/73-RG212 [CUST: CR EC 85 CC] [REVIEW: 19 99 AS AT CR4 IS MC MI OS SH]	A 6145	CC	20-APR-2016

## CANCELED SECTION

## ASSIST UPDATE

DOCUMENT NUMBER	DOCUMENT TITLE	DISTRIBUTION FSC/AREA	MCA PREP ACTY	DATE
M SAE-AMS4822	Bearings, Leaded Bronze 71 5CU - 25PB - 3 0SN Steel Back (No S/S Document) [CUST: AV AS 11 GS4]	A 3120	GS4	27-APR-2016
M SAE-AMS4755	Solder, Lead-Silver 94PB - 5 5AG (No S/S Document) [CUST: MR AS 20] [REVIEW: GS]	A 3439	AS	27-APR-2016
M SAE-AMS4756	Solder 97 5PB - 1 5AG - 1SN (No S/S Document) [CUST: AS 20] [REVIEW: GS]	A 3439	AS	27-APR-2016
M MIL-V-24394(1) NOT 2	Valves, Automatic Shut-off, for Gas Service (Sizes 1/4 to 2 Inches IPS) (S/S by ASTM-F1793) [CUST: SH] [REVIEW: CC]	A 4820	SH	12-APR-2016
M MIL-C-28754/42C NOT 2	Connectors, Electrical, Modular, Type IV, Connector, 100 Pin, Offset Contact Tails on 050 Centers (No S/S Document) [CUST: AS CC] [REVIEW: MC]	A 5935	CC	20-APR-2016
M MIL-C-28754/43B(1) NOT 2	Connectors, Electrical, Modular, Connector Assembly, Type IV, 100 Pin, DoubleSpan contact Tails on 050 Centers (No S/S Document) [CUST: CR AS 85 CC] [REVIEW: 99 AR MC MI YD]	A 5935	CC	20-APR-2016
M MIL-C-28754/48B(1) NOT 2	Connectors, Electrical, Modular, Type IV, Connector Assembly, Single Span (No S/S Document) [CUST: CR AS 85 CC] [REVIEW: 99 AR MC MI YD]	A 5935	CC	20-APR-2016
M MIL-C-28754/52A(1) NOT 2	Connectors, Electrical, Modular, Housing, Connector Assembly, Style I (No S/S Document) [CUST: CR AS 85 CC] [REVIEW: 99 AR MC MI]	A 5935	CC	20-APR-2016
M MIL-C-28754/53A(1) NOT 2	Connectors, Electrical, Modular, Housing Connector Assembly, Style II (No S/S Document) [CUST: CR AS 85 CC] [REVIEW: 99 AR MC MI YD]	A 5935	CC	20-APR-2016
M MIL-C-28754/56 NOT 2	Connectors, Electrical, Modular, Type IV, Connector, 100 Pin, Offset Contact Tails, on 050 Centers (Ceramic Compatible) (No S/S Document) [CUST: AS CC]	A 5935	CC	20-APR-2016
M MIL-C-28754/63 NOT 3	Connectors, Electrical, Modular, Type IV, Connector, 40 Pin, Offset, Contact Tails on 050 Centers (Ceramic Compatible) (No S/S Document) [CUST: AS CC]	A 5935	CC	20-APR-2016
M MIL-C-28754/64 NOT 3	Connectors, Electrical, Modular, Type IV, Connector, 40 Pin, Offset, Contact Tails on 050 Centers (Modified Frame, Ceramic Compatible) (No S/S Document) [CUST: AS CC]	A 5935	CC	20-APR-2016
M MIL-C-28754/65 NOT 2	Connectors, Electrical, Modular, Type IV, Connector, 40 Pin, Center Contact Tails on 100 Centers (Ceramic Compatible) (No S/S Document) [CUST: AS CC]	A 5935	CC	20-APR-2016
M MIL-C-28754/66 NOT 2	Connectors, Electrical, Modular, Type IV, Connector, 40 Pin, Crossover, Contact Tails on 050 Centers (Ceramic Compatible) (No S/S Document) [CUST: AS CC]	A 5935	CC	20-APR-2016
M MIL-T-8275C NOT 3	Transmitter, Rate of Flow, Fuel Synchro Style, Type MA-1 (No S/S Document) [CUST: AV AS 71] [REVIEW: GS]	A 6620	71	25-APR-2016
M MIL-T-25485C(2) NOT 4	Transmitter, Thrust, Single Synchro Style, Pressure Ratio, Type MK-2 (No S/S Document) [CUST: 71] [REVIEW: GS]	A 6620	71	15-APR-2016
M ASTM-D2245	Identification of Oils and Oil Acids in Solvent-Reducible Paints (No S/S Document) [CUST: MR SH 99] [REVIEW: 84]	A 8010	MR	19-APR-2016
M SAE-AMS-S-7916	Compound, Sealing, Thread and Gasket, Fuel, Oil, and Water Resistant (No S/S Document) [CUST: MR AS 99] [REVIEW: 84 AT CR CR4 EA FAS MC SH]	A 8030	AS	27-APR-2016
M SAE-AMS3671	Plastic Molding Compound, Novolac Epoxy Resin, Short Glass Fiber Reinforced, Structural (No S/S Document) [CUST: AS 20] [REVIEW: IS]	A 9330	AS	27-APR-2016
M SAE-AMS3911	Panels, Sandwich, for Light Weight Portable Shelters, Fabrication of (No S/S Document) [CUST: MR AS 20] [REVIEW: GS IS]	A 9330	AS	27-APR-2016
M SAE-AMS4022	Aluminum Alloy Sheet and Plate, Alclad 1 0MG - 0 60SI - 0 28CU - 0 20CR (Alclad 6061 -T4 Sheet, -T451 Plate) (No S/S Document) [CUST: MR AS 20] [REVIEW: IS]	A 9535	AS	27-APR-2016
M SAE-AMS4386	Magnesium Alloy Sheet and Plate 14LI - 1 25AL (LA 141A-T7) (No S/S Document) [CUST: MR AS 20] [REVIEW: IS]	A 9535	AS	27-APR-2016
M MIL-STD-689	Mobile Communications and Electronic Design Classes [CUST: EL] [REVIEW: AR MI]	A MISC	EL	23-APR-1963
M DI-SESS-80529 NOT 1	Modification Work Order (No S/S Document)	A SESS	NS	19-APR-2016
M DI-GDRQ-81027 NOT 1	Test Data Card for Transducers and Hydrophones (No S/S Document)	C SESS	SH	18-APR-2016
M DI-GDRQ-81048 NOT 1	Test Data Card for Transducers and Hydrophones (No S/S Document)	C SESS	SH	18-APR-2016