

# Department of Defense Standardization Program



## ASSIST UPDATE

(A bi-monthly summary of changes to the ASSIST document database)

**1 November 2011**

(For the Period 15 October 2011 to 31 October 2011)

## ASSIST UPDATE

Documents listed in the ASSIST UPDATE have an indicator of “N” or “M” to describe the last action taken on a listed document.

“N” indicates that a “new” document has been entered into the ASSIST database.

“M” indicates that a document already in ASSIST has been “modified” in some way.

The ASSIST UPDATE is published twice a month and provides a summary of changes to Department of Defense standardization documents for the period indicated. Since changes are processed to the ASSIST database on a daily basis, users should consult the ASSIST web site at <https://assist.daps.dla.mil> for the most current information.

If you need to track changes more frequently, or if you have an interest in specific Federal Supply Classes or individual specifications, standards, or other standardization documents, you may wish to take advantage of the ASSIST Alert Service. This feature lets you establish a list of documents of interest to you, and then the ASSIST will alert you with an E-mail message each day there is a change to one or more documents of interest to you. There is no charge for this service; however, you must have an ASSIST user account. To obtain one, complete the ASSIST online registration form at <https://assist.daps.dla.mil/online/registration/registration.cfm>.

Once you have your account, you can establish your Alert Portal profile. For more information on the ASSIST Alert Service, go to: <https://assist.daps.dla.mil/online/news/AlertService.htm>.

ACTIVE SECTION

ASSIST UPDATE

LAST ACTION	DOCUMENT NUMBER	DOCUMENT TITLE	DISTRIBUTION		DATE	
			FSC/AREA	MCA PREP ACTY		
M	MIL-DTL-1311F(1)	Cartridge, Caliber .45, Ball - M1911 [CUST: AR OS 99] [REVIEW: 40 70 AS MC MR NP]	D	1305	AR	22-MAR-2011
M	MIL-DTL-3498C(1)	Cartridges, Dummy (for Small Arms) [CUST: AR OS 99] [REVIEW: 40 70 AS MC MR NP]	D	1305	AR	11-SEP-2011
M	MIL-DTL-46550D	Charge, Demolition, Shaped, 40lb. M3A1, Metal Parts Assembly [CUST: AR]	A	1375	AR	11-SEP-2011
M	MIL-DTL-46594C	Charge, Demolition, Shaped, 40 LB. M3A1 Loading, Assembling and Packing [CUST: AR]	A	1375	AR	11-SEP-2011
N	MIL-PRF-32390	Engaging Device, Aircraft Arresting System - USAF Pendant Cable Retraction Systems (PCRS) [CUST: 84] [REVIEW: 99]	A	1710	84	27-OCT-2011
N	MIL-DTL-32392	Aircraft Arresting System - Textile (TAAS) [CUST: 84] [REVIEW: 99]	A	1710	84	27-OCT-2011
M	MIL-DTL-27516G	Hose and Hose Assembly, Nonmetallic, Suction and Discharge [CUST: AT AS 99 CC] [REVIEW: 70 71 AV MC SA]	A	4720	CC	19-OCT-2011
N	EI-1529	Aviation Fuelling Hose and Hose Assemblies [CUST: CR4 YD 99 CC] [REVIEW: 71 AS SH]	A	4720	CC	05-OCT-2011
M	MS9769B(1)	Reducer, Tube - Straight, Tube to Boss [CUST: AS 99 CC] [REVIEW: 71 MC SA]	A	4730	CC	12-OCT-2011
M	MIL-DTL-24694A	Valve, Hydraulic Relief, 1.5 - 35 Bars (22 - 500 Pounds Per Square Inch) Cartridge Type, General Specification (Metric) [CUST: SH]	A	4810	SH	04-OCT-2011
M	MIL-DTL-24704B	Flanges, Four Bolt Square, Hydraulic General Specification for [CUST: SH]	A	4810	SH	04-OCT-2011
M	A-A-50310A	Spray Gun, Paint, Heavy Duty (Siphon or Pressure Feed) [CUST: AR MC 99 CC]	A	4940	/ CC	19-OCT-2011
M	A-A-55543C	Gun, Air Blow, (Blast Cleaning) [CUST: AR AS 99 CC] [REVIEW: 84]	A	4940	/ CC	19-OCT-2011
M	MS3211B	Ring, Retainer, External [CUST: MI OS IS]	A	5325	IS	25-OCT-2011
M	MS3215C	Ring, Retaining, External, "E", Reinforced (Reduced Section Type) [CUST: AR OS 99 IS] [REVIEW: MI]	A	5325	IS	25-OCT-2011
M	MS3216D	Ring, Retaining, External, Prong-Lock (Reduced Section Type) [CUST: AR OS 99 IS] [REVIEW: AT CR4 MC MI]	A	5325	IS	25-OCT-2011
M	MS3217C	Ring, Retaining, External, Heavy-Duty (Tapered Section Type) [CUST: AR OS 99 IS]	A	5325	IS	25-OCT-2011
M	MIL-PRF-39014/22F	Capacitors, Fixed, Ceramic Dielectric (General Purpose), Established Reliability, Styles CKR22, CKR23, and CKR24 [CUST: CR EC 85 CC NA] [REVIEW: 19 99 AR AT AV CR4 MC MI]	A	5910	CR	28-OCT-2011
M	MIL-PRF-39022/1G	Capacitors, Fixed, Metallized, Paper-Plastic Film, or Plastic Film Dielectric, Direct Current, (Hermetically Sealed in Metal Cases), Established Reliability, Style CHR09 (Insulated) [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS CG MC OS SH]	A	5910	CC	24-OCT-2011
M	MIL-PRF-39022/2G	Capacitors, Fixed, Metallized, Paper-Plastic Film, Dielectric, Direct Current, (Hermetically Sealed in Metal Cases), Established Reliability, Style CHR19 (Insulated) [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS CG MC OS SH]	A	5910	CC	24-OCT-2011
M	MIL-PRF-55681/1F NOT 1	Capacitors, Chip, Multiple Layer, Fixed, Ceramic Dielectric, Established Reliability and Non-Established Reliability, Styles CDR01, CDR02, CDR03, and CDR04 [CUST: CR EC 85 CC] [REVIEW: 19 99 AS MC MI OS SH]	A	5910	CR	20-OCT-2011
M	MIL-PRF-55681/2D NOT 1	Capacitors, Chip, Multiple Layer, Fixed, Ceramic Dielectric, Established Reliability and Non-Established Reliability, Style CDR05 [CUST: CR EC 85 CC] [REVIEW: 19 99 AS MC OS SH]	A	5910	CR	20-OCT-2011
M	MIL-PRF-55681/3E NOT 1	Capacitors, Chip, Multiple Layer, Fixed, Ceramic Dielectric, Established Reliability and Non-Established Reliability, Style CDR06 [CUST: CR EC 85 CC] [REVIEW: 19 99 AS MC OS SH]	A	5910	CR	20-OCT-2011
M	MIL-PRF-55681/5E NOT 1	Capacitors, Chip, Multiple Layer, Fixed, Ceramic Dielectric, Established Reliability and Non-Established Reliability, Styles CDR21, CDR22, CDR23, CDR24, and CDR25 (High Frequency) [CUST: CR EC 85 CC] [REVIEW: 19 99 AS MC OS SH]	A	5910	CR	20-OCT-2011
M	MIL-PRF-55681/7C NOT 1	Capacitors, Chip, Multiple Layer, Fixed, Ceramic Dielectric, Established Reliability and Non-Established Reliability, Style CDR31, Metric [CUST: CR EC 85 CC] [REVIEW: 19 99 AS MC OS SH]	A	5910	CR	20-OCT-2011
M	MIL-PRF-55681/8C NOT 1	Capacitors, Chip, Multiple Layer, Fixed, Ceramic Dielectric, Established Reliability and Non-Established Reliability, Style CDR32, Metric [CUST: CR EC 85 CC] [REVIEW: 19 99 AS MC OS SH]	A	5910	CR	20-OCT-2011
M	A-A-55569C	Fuse, Inclosed Link, Automotive Blade Type, General Requirements for [CUST: EC CC]	A	5920	/ CC	12-OCT-2011
M	A-A-55569/1C	Fuse, Inclosed Link, Fast Acting, 1 Ampere (A) Through 40 A, Automotive Blade Type [CUST: EC CC]	A	5920	/ CC	12-OCT-2011
M	A-A-55569/2D	Fuse, Inclosed Link, Fast Acting, 2 Amperes (A) through 30 A, Miniature, Automotive Blade Type [CUST: EC CC]	A	5920	/ CC	12-OCT-2011
M	A-A-55569/3C	Fuse, Inclosed Link, Slow Blowing, 20 Amperes (A) through 80 A, Automotive Blade Type [CUST: EC CC]	A	5920	/ CC	12-OCT-2011
M	MIL-PRF-83383E(2)	Circuit Breakers, Remote Control, Thermal, Trip Free General Specification For [CUST: CR AS 85 CC] [REVIEW: 99 AT AV CR4 MI]	A	5925	CC	25-OCT-2011
M	MIL-PRF-83383/4F	Circuit Breakers, Remote Control, AC-DC, Thermal, Trip-Free, Series Trip, Triple Pole, Auxiliary Contacts (5 to 100 Amperes) [CUST: CR AS 85 CC]	A	5925	CC	25-OCT-2011
M	A-A-59886/1A	Circuit Breakers, Miniature, Thermal Magnetic, Shock Enhanced, Trip-Free, Series Trip, High Density Design, 35 MM Din Channel Mount, One Pole, 0.2 to 30 Amperes (A) [CUST: EC CC]	A	5925	/ CC	27-OCT-2011
M	A-A-59886/2A	Circuit Breakers, Miniature, Thermal Magnetic, Shock Enhanced, Trip-Free, Series Trip, High Density Design, 35 MM Din Channel Mount, Two Pole, 0.2 TO 30 Amperes (A) [CUST: EC CC]	A	5925	/ CC	27-OCT-2011
M	A-A-59886/3A	Circuit Breakers, Miniature, Thermal Magnetic, Shock Enhanced, Trip-Free, Series Trip, High Density Design, 35 MM Din Channel Mount, Three Pole, 0.2 to 30 Amperes (A) [CUST: EC CC]	A	5925	/ CC	27-OCT-2011
M	MS24612L	Switch, Toggle, Positive Break, Lever Lock, Environmentally Sealed, Screw Terminal, Single Pole, .469 Mounting Bushing, 25 Amperes [CUST: CR AS 85 CC] [REVIEW: 99 AR EC MI]	A	5930	CC	05-OCT-2011
M	MS24613K	Switch, Toggle, Positive Break, Lever Lock, Environmentally Sealed, Screw Terminal, Double Pole, .469 Mounting Bushing, 25 Amperes [CUST: CR AS 85 CC] [REVIEW: 99 AR EC MI]	A	5930	CC	05-OCT-2011
M	MS25306K	Switch, Toggle, Positive Break, Environmentally Sealed, Screw Terminal, Single Pole, .469 Mounting Bushing, 25 Amperes [CUST: CR AS 85 CC] [REVIEW: 99 AR AV EC MI]	A	5930	CC	05-OCT-2011
M	MS25307L	Switch, Toggle, Positive Break, Lever Lock, Environmentally Sealed, Screw Terminal, Double Pole, .469 Mounting Bushing, 25 Amperes [CUST: CR AS 85 CC] [REVIEW: 99 AR AV EC MI]	A	5930	CC	05-OCT-2011
M	MS25308L	Switch, Toggle, Positive Break, Lever Lock, Environmentally Sealed, Screw Terminal, Four Pole, .469 Mounting Bushing, 25 Amperes [CUST: CR AS 85 CC] [REVIEW: 99 AR EC MI]	A	5930	CC	05-OCT-2011
M	MIL-DTL-24558B SUP 1	Terminal Boxes, Connection, for Electrical and Electronic Systems, General Specification for [CUST: SH GS]	A	5940	GS4	03-OCT-2011
M	MIL-DTL-24558/20B	Terminal Box, Connection, Submersible (15-Foot), 10-Terminal, 20-Wire, 1000 Volts, Symbol No. 529 [CUST: SH GS]	A	5940	GS4	03-OCT-2011
M	MIL-DTL-24558/21B	Terminal Box, Connection, Submersible (15-Foot), 500 Volts, Symbol No. 476.1, 24 Lugs for Twelve 2-Conductor 23 MCM Cables or Eight 3-Conductor 23 MCM Cables [CUST: SH GS]	A	5940	GS4	03-OCT-2011

ACTIVE SECTION

ASSIST UPDATE

LAST ACTION	DOCUMENT NUMBER	DOCUMENT TITLE	DISTRIBUTION	FSC/AREA	MCA	PREP ACTY	DATE
M	MIL-DTL-24558/22B	Terminal Boxes, Connection, Submersible (15-Foot), 500 Volts, Single- Phase, Symbol No. 415 - Two 75 MCM Cables, Symbol No. 415.1 - Two 100 MCM Cables, Symbol No. 415.2 - Two 125 MCM Cables, Symbol No. 415.3 - Two 150 MCM Cables and Symbol No. 415.4 - Two 200 MCM Cables [CUST: SH GS]	A	5940	GS4		03-OCT-2011
M	MIL-DTL-24558/23B	Terminal Box, Connection, Submersible (15-Foot), 500 Volts, Three-Phase, Symbol No. 403.1, Two -Circuit, Three-Phase Bus Lugs for Two 75 MCM Cables [CUST: SH GS]	A	5940	GS4		03-OCT-2011
M	MIL-DTL-24558/24B	Terminal Box, Connection, Submersible (15-Foot), 500 Volts,Three-Phase, Symbol No. 416, Two-Circuit, Three-Phase Bus Lugs for Two 75 MCM Cables [CUST: SH GS]	A	5940	GS4		03-OCT-2011
M	MIL-DTL-24558/25B	Terminal Boxes, Connection, Submersible (15-Foot), 500 Volts, Three-Phase, Symbol No. 418.1 - Six Bus Lugs for Two 3-Conductor 250 MCM Cables, Symbol No. 418.2 - Six Bus Lugs for Two 3-Conductor 300 MCM Cables, Symbol No. 418.3 - Six Bus Lugs for Two 3-Conductor 400 MCM Cables [CUST: SH GS]	A	5940	GS4		03-OCT-2011
M	MIL-DTL-24558/26B	Terminal Box, Connection, Submersible (15-Foot), 500 Volts, Three-Phase, Symbol No. 572.1, Six Branch Lugs for Two 3-Conductor 40 MCM Cables, Six Bus Lugs for Two 3-Conductor 75 MCM Cables [CUST: SH GS]	A	5940	GS4		03-OCT-2011
M	MIL-DTL-24558/27C	Terminal Box, Connection, Submersible (15-Foot), 500 Volts, Three-Phase, Symbol No. 573.1, Twelve Branch Terminals for Four 3-Conductor 40 MCM Cables, Six Main Bus Terminals for Two 3-Conductor 75 MCM Cables [CUST: SH GS]	A	5940	GS4		03-OCT-2011
M	MIL-DTL-24558/28B	Terminal Box,Connection, Submersible (15-Foot), 500 Volts, Three-Phase, Symbol No. 574.1, Eighteen Branch Terminals for Six 3-Conductor 40 MCM Cables, Six Main Bus Terminals for Two 3-Conductor 75 MCM Cables [CUST: SH GS]	A	5940	GS4		03-OCT-2011
M	MIL-DTL-24558/29B	Terminal Box, Connection, Submersible (15-Foot), 500 Volts, Three-Phase, Symbol No. 575.1, Six Branch Terminals for Two 3-Conductor 75 MCM Cables, Six Main Bus Terminals for Two 3-Conductor 200 MCM Cables [CUST: SH GS]	A	5940	GS4		03-OCT-2011
M	MIL-DTL-83725D SUP 1	Relays, Vacuum, General Specification for [CUST: CR EC 85 CC] [REVIEW: AS OS]	A	5945	CC		07-OCT-2011
M	MIL-PRF-1N SUP 1	Electron Tube General Specification for [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS AT AV CG MC MI OS SH SM]	A	5960	CC		12-OCT-2011
M	MIL-PRF-19500/286J	Semiconductor Device, Diode, Silicon, Power Rectifier, Types 1N4245 through 1N4249, JAN, JANTX, JANTXV, and JANHC [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS MC MI]	A	5961	CC		28-OCT-2011
M	MIL-PRF-19500/301L(1)	Semiconductor Device, Transistor, NPN Silicon, Low-Power, Type 2N918 and 2N918UB, JAN, JANTX, JANTXV, JANS, JANSM, JANSJ, JANSK, JANSL, JANSR, JANSF, JANSJ, JANSK, JANSH, JANHC, JANKC, JANHC, JANHCB, JANHCM, JANHCD, JANHCP, JANHCL, JANHCR, JANHCF, JANHCG, JANHCH, JANKCM, JANKCD, JANKCP, JANKCL, JANKCR, JANKCF, JANKCG, and JANKCH [CUST: CR EC 85 CC NA] [REVIEW: 19 99 AR AS MC MI SH]	A	5961	CC		18-OCT-2011
M	MIL-PRF-19500/323M	Semiconductor Device, Transistor, PNP, Silicon, Switching, Types 2N3250A, 2N3251A, 2N3250AUB, 2N3251AUB, JAN, JANTX, JANTXV, JANTXVM, JANTXVD, JANTXVP, JANTXVL, JANTXVR, JANTXVF, JANTXVG, JANTXVH, JANS, JANSM, JANSJ, JANSK, JANSL, JANSR, JANSF, JANSJ, JANSK, JANSH, JANHC, JANHCB, JANHCM, JANHCD, JANHCP, JANHCL, JANHCR, JANHCF, JANHCG, JANHCH, JANKCM, JANKCD, JANKCP, JANKCL, JANKCR, JANKCF, JANKCG, and JANKCH [CUST: CR EC 85 CC NA] [REVIEW: 19 AR AS AV MC MI SM]	A	5961	CC		28-OCT-2011
M	MIL-PRF-19500/411N	Semiconductor Device, Diode, Silicon, Power Rectifier, Fast Recovery, 1N5415 through 1N5420, 1N5415US through 1N5420US, JAN, JANTX, JANTXV, JANS, JANTXVM, JANTXVD, JANTXVR, JANTXVH, JANSM, JANSJ, JANSR, and JANSH [CUST: CR EC 85 CC NA] [REVIEW: 19 71 99 AR AS AV MC MI SM]	A	5961	CC		17-OCT-2011
M	MIL-PRF-19500/448E	Semiconductor Device, Transistor, PNP, Silicon, Low-Power, Type 2N4405, 2N4405UA, and 2N4405UB, JAN and JANTX [CUST: CR 85 CC] [REVIEW: 19 99 MI]	A	5961	CC		18-OCT-2011
M	MIL-PRF-19500/503G	Semiconductor Device, Diode, Silicon, Power Rectifier, Ultra Fast Recovery, Types 1N6073 through 1N6081, JAN, JANTX, JANTXV, and JANHC [CUST: CR EC 85 CC NA] [REVIEW: 99 AR]	A	5961	CC		18-OCT-2011
M	MIL-M-38510/113C	Microcircuits, Linear, 8 Bit, Digital-to-Analog Converters, Monolithic Silicon [CUST: CR EC 85 CC NA] [REVIEW: 03 19 99 AS CG MC MI SH SM]	A	5962	CC		03-OCT-2011
M	MIL-DTL-39030/6B(1) NOT 1	Dummy Loads, Electrical, Coaxial, Type V (N), Low Power [CUST: CR EC 85 CC] [REVIEW: 19 AS AV MI OS SH]	A	5985	CC		26-OCT-2011
N	SAE-AS20708/25	Synchro, Control Transformer, Type 16CTB4b [CUST: AS 85 CC] [REVIEW: 99 OS]	A	5990	AS		19-OCT-2011
N	SAE-AS20708/39	Synchro, Control Transformer, Type 19CTB4B [CUST: AS 85 CC] [REVIEW: 99 OS]	A	5990	AS		19-OCT-2011
N	SAE-AS20708/68	Synchro, Torque Differential Transmitter, Type 31TDX6C [CUST: AS 85 CC] [REVIEW: CG MC OS SH]	A	5990	AS		19-OCT-2011
N	SAE-AS20708/94	Synchro, 60 and 400 Hz, Size 23 [CUST: AR AS 85 CC] [REVIEW: AT CR CR4 MI]	A	5990	AS		19-OCT-2011
N	SAE-AS20708/139	Synchro, Control Transmitter, Type 31CX6a [CUST: AS 85 CC] [REVIEW: CG MC OS SH]	A	5990	AS		19-OCT-2011
M	MIL-PRF-64266(1) SUP 1	Connectors, Fiber Optic, Circular, Plug and Receptacle Style, Multiple Removable Genderless Termini, Environment Resisting General Specification for [CUST: CR SH 85 CC] [REVIEW: 13 19 93 99 AS NA]	A	6060	CC		18-OCT-2011
N	TIA455	Fiber Optic Fibers, Cables, Transducers, Sensors, Connecting and Terminating Devices, and other Fiber Optic Components [CUST: CC]	A	60GP	CC		12-OCT-2011
N	TIA455.2	Optic Devices, Fiber, Impact Test Measurements for [CUST: CR AS 85 CC] [REVIEW: 19 EC MC SH TE]	A	60GP	CC		12-OCT-2011
N	TIA455.3	Optical Fibers, Optical Cable, and Other Passive Fiber Optic Components, Procedure to Measure Temperature Cycling Effects on [CUST: CR AS 85 CC]	A	60GP	CC		12-OCT-2011
N	TIA455.4	Fiber Optic Connector/Component Temperature Life [CUST: CR AS 85 CC] [REVIEW: 13 19 EC MC SH TE]	A	60GP	CC		12-OCT-2011
N	TIA455.5	Fiber Optic Components, Humidity Test Procedure for [CUST: CR AS 85 CC]	A	60GP	CC		12-OCT-2011
N	TIA455.6	Cable Retention Test Procedure for Fiber Optic Cable Interconnecting Devices [CUST: CR AS 85 CC]	A	60GP	CC		12-OCT-2011
N	TIA455.18	Optic Components and Assemblies, Fiber, Acceleration Testing of [CUST: CR AS 85 CC] [REVIEW: 19 EC MC SH TE]	A	60GP	CC		12-OCT-2011
N	TIA455.21	Fiber Optic, Interconnecting Devices, Mating Durability of [CUST: CR AS 85 CC] [REVIEW: 13 19 EC MC SH TE]	A	60GP	CC		12-OCT-2011
N	TIA455.22	Fiber Optic Components, Ambient Light Susceptibility of [CUST: CR AS 85 CC] [REVIEW: 13 19 EC MC SH TE]	A	60GP	CC		12-OCT-2011
N	TIA455.23	Fiber Optic Component Seals, Air Leakage of [CUST: CR AS 85 CC] [REVIEW: 13 19 EC MC SH TE]	A	60GP	CC		12-OCT-2011
M	A-A-59263B	Battery, Dry, BA-53 [CUST: CR SH 99 CC] [REVIEW: MC]	A	6135	/	CC	15-OCT-2011
M	A-A-59352A	Battery, Dry, BA-223/U [CUST: CR SH CC] [REVIEW: AR MC YD]	A	6135	/	CC	15-OCT-2011

## ACTIVE SECTION

## ASSIST UPDATE

LAST ACTION	DOCUMENT NUMBER	DOCUMENT TITLE	DISTRIBUTION	FSC/AREA		MCA	PREP ACTY	DATE
M	A-A-59499B	Battery, Dry, BA-59 [CUST: CR SH CC] [REVIEW: AV MC MI]	A	6135	/	CC		15-OCT-2011
M	MIL-DTL-7788H	Panels, Information, Integrally Illuminated [CUST: AV AS 99 GS] [REVIEW: IS]	A	6220		GS2		18-OCT-2011
M	MIL-DTL-51490C(2)	Detector Kit, Chemical Agent: M256A2 [CUST: EA SH 99]	X	6665		EA		17-OCT-2011
M	MIL-DTL-7601C	Gage, Emergency Oxygen, Type L-2 [CUST: AS 99 GS] [REVIEW: 71]	A	6685		GS1		17-OCT-2011
M	A-A-58044A	N-Methylpyrrolidone [CUST: 68 GS]	A	6810	/	68		27-OCT-2011
M	MIL-PRF-11090J	Cleaning Compound, Degreasing and Depreserving Solvent [CUST: MR OS GS] [REVIEW: EA]	A	6850		GS3		18-OCT-2011
M	QPL-87937-13 NOT 1	Cleaning Compound, Aerospace Equipment (Replaced by the Qualified Products Database (QPD) See Notice 1 for Additional Information)	A	6850		68		27-OCT-2011
M	MIL-DTL-83133H	Turbine Fuel, Aviation, Kerosene Type, JP-8 (NATO F-34), NATO F-35, and JP-8+100 (NATO F-37) [CUST: AT AS 68 PS] [REVIEW: 11 AR AV]	A	9130		68		25-OCT-2011
M	MIL-PRF-25508H	Propellant, Oxygen [CUST: MI AS 68 PS] [REVIEW: 19 LS NA]	A	9135		68		27-OCT-2011
M	MIL-STD-881C	Work Breakdown Structures for Defense Materiel Items [CUST: MI SH 10] [REVIEW: 11 16 19 70 71 84 AR AS AT AV CR MC OS] [AMSC: D9213]	A	MISC		WB		03-OCT-2011
M	MIL-STD-3018(1)	Parts Management [CUST: MI AS 85 DH] [REVIEW: 11 13 19 70 71 84 99 AR AT CC CH CR EA EC GS IS MC OS SH] [AMSC: D7730]	A	STDZ		SO		27-OCT-2011
M	MIL-STD-188-110C	Interoperability and Performance Standards for Data Modems [CUST: CR EC 71] [REVIEW: 02 07 DC1 MC NS]	A	TCSS		71		23-SEP-2011
M	MIL-DTL-5288J	Manuals, Technical and Checklists - Preparation of Cargo Aircraft Loading and Off-Loading [CUST: TM AS 16] [REVIEW: 11 99 AV MT]	A	TMSS		16		06-OCT-2011

## INACTIVE SECTION

## ASSIST UPDATE

LAST ACTION	DOCUMENT NUMBER	DOCUMENT TITLE	DISTRIBUTION	MCA	PREP ACTY	DATE
			FSC/AREA			
M	MS28052C	Valve, Check, Pressure Gage Lines Bleeder and Filler [CUST: AS 99 CC]	A 4820		CC	14-OCT-2011
M	MS51492A	Screw, Machine, Pan Head, Cross-Recessed, Carbon Steel, UNC-2A [CUST: AR 99 IS]	A 5305		IS	20-OCT-2011
M	MIL-M-49231A NOT 2	Modem, Cable, Driver, MD-1023( )/G [CUST: CR]	A 5805		CR	25-OCT-2011
M	MIL-M-49232A NOT 2	Modem, Cable, Driver, MD-1024( )/G [CUST: CR]	A 5805		CR	25-OCT-2011
M	MIL-M-49233A NOT 2	Modem, Cable Driver MD-1025( )/G [CUST: CR]	A 5805		CR	25-OCT-2011
M	MIL-M-49238A NOT 2	Multiplexer, TD-1233( )/TTC [CUST: CR]	A 5805		CR	25-OCT-2011
M	MIL-R-55602A(2) NOT 2	Restorer, Pulse Form TD-206B/G [CUST: CR]	A 5805		CR	18-OCT-2011
M	MIL-C-55607A(3) NOT 3	Converter, Telephone Signal CV-1548( )/G [CUST: CR]	A 5805		CR	26-OCT-2011
M	MIL-M-55650B(1) NOT 3	Multiplexer TD-660( )/G [CUST: CR]	A 5805		CR	26-OCT-2011
M	MIL-R-49023 NOT 2	Radio Set AN/GRC-103 (V) 1 [CUST: CR 99]	A 5820		CR	18-OCT-2011
M	MIL-R-49237A NOT 2	Restorer, Pulse Form, TD-1219( )/G [CUST: CR]	A 5820		CR	25-OCT-2011
M	MIL-R-55656(2) NOT 3	Radio Set, AN/GRC-103( ) (V) (Basic) [CUST: CR]	A 5820		CR	26-OCT-2011
M	MIL-P-55695(2) NOT 2	Power Supply PP-4763( )/GRC [CUST: CR]	A 5820		CR	26-OCT-2011
M	MIL-S-55389(2) NOT 2	Suppressor, Electrical Transient, MX-7778A/GRC [CUST: CR]	A 5915		CR	26-OCT-2011
M	MIL-PRF-15160/6E	Fuses; Instrument, Power, and Telephone (Nonindicating), Style F06 [CUST: CR SH 85 CC] [REVIEW: 19 99 AS AT CG CR4 EC MC MI]	A 5920		CC	12-OCT-2011
M	MIL-PRF-15160/30B	Fuses, Style F30 [CUST: CR SH 85 CC] [REVIEW: 99 MI]	A 5920		CC	12-OCT-2011
M	MIL-PRF-15160/36B	Fuses, Style F36 [CUST: CR SH 85 CC] [REVIEW: 99]	A 5920		CC	12-OCT-2011
M	MIL-PRF-15160/37B	Fuses, Style F37 [CUST: CR SH 85 CC] [REVIEW: 99]	A 5920		CC	12-OCT-2011
M	MIL-PRF-15160/38B	Fuses, Style F38 [CUST: CR SH 85 CC] [REVIEW: 99]	A 5920		CC	12-OCT-2011
M	MIL-PRF-15160/39B	Fuses, Style F39 [CUST: CR SH 85 CC] [REVIEW: 99]	A 5920		CC	12-OCT-2011
M	MS24614L	Switch, Toggle, Positive Break, Lever Lock, Environmentally Sealed, Screw Terminal, Four Pole, .469 Mounting Bushing 25 Amperes [CUST: CR AS 85 CC]	A 5930		CC	05-OCT-2011
N	MIL-DTL-32401	Terminal Board Assembly, Two Stud [CUST: AS 85 GS] [REVIEW: 99]	A 5940		GS4	27-OCT-2011
M	MIL-R-5757J SUP 1	Relays, Electromagnetic, General Specification for [CUST: CR EC 85 CC] [REVIEW: 99 AS AT AV CR4 MC MI OS]	A 5945		CC	11-OCT-2011
M	MS25471F	Wire, Electrical, Silicone-Insulated, Copper, 600 Volt, 200 Degrees C, Polyester Jacket [CUST: AV AS 85 CC]	A 6145		CC	19-OCT-2011
M	MS27110E	Wire, Electrical - Silicone Insulated, Copper, 600 Volt, 200 Degrees C, FEP Jacket [CUST: AV AS 85 CC]	A 6145		CC	19-OCT-2011
M	MIL-DTL-8954C NOT 1	Base and Accessories, Airport Marker Lights, General Specification for [CUST: AS 99 GS2] [REVIEW: IS]	A 6210		GS2	20-OCT-2011
M	MS26580B NOT 2	Cover, Airport Marker Light Base, Blank [CUST: AS 99 GS2] [REVIEW: IS YD]	A 6210		GS2	20-OCT-2011

## CANCELED SECTION

## ASSIST UPDATE

LAST ACTION	DOCUMENT NUMBER	DOCUMENT TITLE	DISTRIBUTION	MCA		DATE
				FSC/AREA	PREP ACTY	
M	MS24370B NOT 4	Rim Contours-24 X 5.5, 22 X 5.5, 20 X 5.5 and 18 X 5.5, Type VII, Extra High Pressure, Landing Gear Wheel (No S/S Document) [CUST: AV AS 70] [REVIEW: GS MC]	A 1630		70	27-OCT-2011
M	AND10583 REV B NOT 4	Rim Contour-25.00-28, Type III, Low Pressure, Main Landing Gear Wheel (No S/S Document) [CUST: AV AS 70] [REVIEW: GS]	A 1630		70	27-OCT-2011
M	ANSI-B94.2	Reamers (No S/S Document) [CUST: AR SH 99 GS] [REVIEW: 84 CR4]	A 3455	GS6		20-OCT-2011
M	ANSI-B94.19	Milling Cutters and End Mills (No S/S Document) [CUST: AR 99 GS]	A 3455	GS6		20-OCT-2011
M	API-STD-1529	Aviation Fueling Hose and Hose Assemblies (S/S by EI-1529) [CUST: CR4 YD 99 CC] [REVIEW: 71 AS SH]	A 4720		CC	05-OCT-2011
M	MS9012A NOT 1	Ring-Retaining External, Beryllium Copper (S/S by MS16624) [CUST: AS] [REVIEW: IS MI]	A 5340		AS	20-OCT-2011
M	MS9013B NOT 1	Ring-Retaining, External, Steel (ASG) (S/S by MS16624) [CUST: AS] [REVIEW: AR IS MI]	A 5340		AS	20-OCT-2011
M	MIL-G-12519(2) NOT 3	Generator, Ringing, Hand GN-38-3 (No S/S Document) [CUST: CR]	A 5805		CR	20-OCT-2011
M	MIL-M-49143 NOT 3	Multiplexer, Time Division Digital TD-1069 ( )/G (No S/S Document) [CUST: CR]	A 5805		CR	20-OCT-2011
M	MIL-P-49115A(2) NOT 1	Platoon Early Warning System AN/TRS-2( ) (No S/S Document) [CUST: CR]	A 5895		CR	20-OCT-2011
M	A-A-59705A NOT 1	Fuse Cartridge, Low-Voltage, Class RK5, Blown Fuse Indication, General Requirements for (No S/S Document) [CUST: EC CC]	A 5920	/	CC	15-OCT-2011
M	A-A-59705/1A NOT 1	Fuse Cartridge, Dual-Element, Time-Delay, Class RK5 250 Volts (V), Blown Fuse Indication (No S/S Document) [CUST: EC CC]	A 5920	/	CC	15-OCT-2011
M	A-A-59705/2A NOT 1	Fuse Cartridge, Dual-Element, Time-Delay, Class RK5 600 VOLTS (V), Blown Fuse Indication (No S/S Document) [CUST: EC CC]	A 5920	/	CC	15-OCT-2011
M	A-A-59705/3A NOT 1	Fuse Cartridge, Time-Delay, Class RK5 600 Volts (V), Blown Fuse Indication (No S/S Document) [CUST: EC CC]	A 5920	/	CC	15-OCT-2011
M	MS24570A NOT 5	Switch, Vehicular Ignition: Waterproof, Starter and Magneto, with Degasser Control (No S/S Document) [CUST: AT MC 85 CC]	A 5930		CC	03-OCT-2011
M	MS25044B NOT 3	Terminal Board, Two Stud (S/S by MIL-DTL-32401) [CUST: AS 85 GS] [REVIEW: 99]	A 5940	GS4		27-OCT-2011
M	MIL-R-55168B NOT 3	Retransmission Cable Kit MK-456 ( )/GRC (Units of) (No S/S Document) [CUST: CR GS]	A 5995	GS4		17-OCT-2011
M	EIA455	Fiber Optic Fibers, Cables, Transducers, Sensors, Connecting and Terminating Devices, and Other Fiber Optic Components (S/S by TIA455) [CUST: CC]	A 60GP		CC	12-OCT-2011
M	EIA455.2	Optic Devices, Fiber, Impact Test Measurements for (S/S by TIA455.2) [CUST: CR AS 85 CC] [REVIEW: 19 EC MC MI SH SM TE]	A 60GP		CC	12-OCT-2011
M	EIA455.3	Optical Fibers, Optical Cable, and Other Passive Fiber Optic Components, Procedure to Measure Temperature Cycling Effects on (S/S by TIA455.3) [CUST: CR AS 85 CC]	A 60GP		CC	12-OCT-2011
M	EIA455.4	Fiber Optic Connector/Component Temperature Life (S/S by TIA455.4) [CUST: CR AS 85 CC] [REVIEW: 13 19 EC MC SH TE]	A 60GP		CC	12-OCT-2011
M	EIA455.5	Fiber Optic Components, Humidity Test Procedure for (S/S by TIA455.5) [CUST: CR AS 85 CC]	A 60GP		CC	12-OCT-2011
M	EIA455.6	Cable Retention Test Procedure for Fiber Optic Cable Interconnecting Devices (S/S by TIA455.6) [CUST: CR AS 85 CC]	A 60GP		CC	12-OCT-2011
M	EIA455.18	Optic Components and Assemblies, Fiber, Acceleration Testing of (S/S by TIA455.18) [CUST: CR AS 85 CC] [REVIEW: 19 EC MC SH TE]	A 60GP		CC	12-OCT-2011
M	EIA455.21	Fiber Optic, Interconnecting Devices, Mating Durability of (S/S by TIA455.21) [CUST: CR AS 85 CC] [REVIEW: 13 19 EC MC SH TE]	A 60GP		CC	12-OCT-2011
M	EIA455.22	Fiber Optic Components, Ambient Light Susceptibility of (S/S TIA455.22) [CUST: CR AS 85 CC] [REVIEW: 13 19 EC MC SH TE]	A 60GP		CC	12-OCT-2011
M	EIA455.23	Fiber Optic Component Seals, Air Leakage of (S/S by TIA455.23) [CUST: CR AS 85 CC] [REVIEW: 19 EC MC SH TE]	A 60GP		CC	12-OCT-2011
M	MIL-STD-1564A(2) NOT 3	Procedure for Calibration and Analysis of Trace Contaminants in Aviator's Breathing Oxygen by Infrared Spectroscopy (S/S by CGA-G4.3) [CUST: AS 68 GS]	A 6830		68	27-OCT-2011
M	MIL-HDBK-881A NOT 1	Work Breakdown Structures for Defense Materiel Items (S/S by MIL-STD-881) [CUST: MI SH 10 WB] [REVIEW: 11 16 19 70 71 84 AR AS AT AV CR MC OS SH]	A MISC		WB	03-OCT-2011