# Department of Defense Standardization Program



## **ASSIST UPDATE**

(A bi-monthly summary of changes to the ASSIST document database)

### 1 November 2014

(For the Period 15 October 2014 to 31 October 2014)

#### **ASSIST UPDATE**

Documents listed in the ASSIST UPDATE have an indicator of "N" or "M" to describe the last action taken on a listed document

"N" indicates that a "new" document has been entered into the ASSIST database.

"M" indicates that a document already in ASSIST has been "modified" in some way.

The ASSIST UPDATE is published twice a month and provides a summary of changes to Department of Defense standardization documents for the period indicated. Since changes are processed to the ASSIST database on a daily basis, users should consult the ASSIST web site at <a href="https://assist.dla.mil/">https://assist.dla.mil/</a> for the most current information.

If you need to track changes more frequently, or if you have an interest in specific Federal Supply Classes or individual specifications, standards, or other standardization documents, you may wish to take advantage of the ASSIST Alert Service. This feature lets you establish a list of documents of interest to you, and then the ASSIST will alert you with an E-mail message each day there is a change to one or more documents of interest to you. There is no charge for this service; however, you must have an ASSIST user account. To obtain one, complete the ASSIST online registration form at <a href="https://assist.dla.mil/online/registration/registration.cfm">https://assist.dla.mil/online/registration/registration.cfm</a>.

Once you have your account, you can establish your Alert Portal profile. For more information on the ASSIST Alert Service, go to: <a href="https://assist.dla.mil/online/news/AlertService.htm">https://assist.dla.mil/online/news/AlertService.htm</a>.

### **ACTIVE SECTION**

#### ASSIST UPDATE

A	CTIVE SECTION	ASSIST UPDATE					
NC			DISTRIBUTION				
LAST ACTION			3UT	EA		ACTY	
TA			RE	FSC/AREA	_	P A(	
LAS	DOCUMENT NUMBER	DOCUMENT TITLE	DIST	FSC	MCA	PREP	DATE
-	MIL-DTL-70508A	Cartridge, 9MM, Nato, Ball-M882 [CUST: AR OS 99] [REVIEW: 70 AS FAS MC MR SH]	D	1305		AR	23-OCT-2014
	MIL-V-27296C NOT 2	Valve, Oxygen Mask, Combination Inhalation and Exhalation [CUST: 11] [REVIEW: GS]	A	1660		11	27-OCT-2014
	MIL-M-87163A NOT 2 QPL-0032482 NOT 1	Mask, Oxygen MBU 12/P [CUST: 11] [REVIEW: GS] Watertight Door, Quick-Acting, Interior	A A	1660 2040		11 SH	27-OCT-2014 15-SEP-2014
	MIL-DTL-2902E NOT 1	Wire Rope Lanyard, Single Leg, Oxygen Breathing Apparatus Safety Line [CUST: SH GS]	A	4010		GS5	16-OCT-2014
	MIL-PRF-26626F(1) NOT 1	Hose Assembly, Reinforced, Cryogenic, Oxygen [CUST: AV AS 71 CC] [REVIEW: 99]	A	4720		71	31-OCT-2014
	MIL-DTL-17505G MIL-DTL-25677F	Hose and Hose Assembly, Rubber, Oil and Gasoline, Suction and Discharge [CUST: YD CC] [REVIEW: SH]  Adapter, Cap, and Nozzle, Pressure Lubricating Oil Servicing, Aircraft, General Specification for	A	4720 4730		CC	03-OCT-2014 03-OCT-2014
	MIL-DTL-25677/1A	[CUST: AS 99 CC] [REVIEW: 06 70 71 CG MC SA]  Adapter, Pressure Lubricating Oil Servicing, Aircraft [CUST: AS 99 CC] [REVIEW: 06 71 CG MC		4730		CC	03-OCT-2014 03-OCT-2014
	A-A-59959	SA] Mounter and Demounter, Pneumatic Tire, Computer Controlled Torqueing System [CUST: AR SH		4910	/	84	06-OCT-2014
M	A-A-50696B	[84] [REVIEW: 99 AS AV CC CG YD]  Reels, Static Discharge, Grounding, 50 and 75 Foot Cable Lengths [CUST: 84] [REVIEW: 68 99]	Δ	4930	,	84	07-OCT-2014
	FF-S-92C	CCI Screw, Machine, Slotted, Cross-Recessed or Hexagon Head [CUST: AR OS 99 IS] [REVIEW: AS		5305	,	IS	28-OCT-2014
		AT AV CR4 EA MC MI SH]			,		
	FF-S-1362A MIL-PRF-32504	Stud, Plain, General Purpose [CUST: AR OS 99 IS] [REVIEW: AT AV CE CR MC MI] Modular Large Area Maintenance Shelter (MLAMS) Types: Aviation (A), Vehicle (V), Storage (S) [CUST: GL] [REVIEW: DH]	1	5307 5410	/	IS GL	08-OCT-2014 30-SEP-2014
M	MIL-PRF-39017G(2)	Resistor, Fixed, Film (Insulated), Nonestablished Reliability, and Established Reliability, General Specification for [CUST: CR EC 85 CC NA] [REVIEW: 19 99 AR AS AT AV CG CR4 EA MC MDA MI OS]	A	5905		CR	09-OCT-2014
M	MIL-PRF-39017/1P(2) NOT 1	Resistor, Fixed, Film (Insulated), Nonestablished Reliability, and Established Reliability, Style RLR07 [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS AT AV CG CR4 MC OS]	Α	5905		CR	09-OCT-2014
M	MIL-PRF-39017/2K(2) NOT 1	Resistor, Fixed, Film (Insulated), Nonestablished Reliability, and Established Reliability, Style RLR20 [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS AT AV CG CR4 MC OS]	A	5905		CR	09-OCT-2014
M	MIL-PRF-39017/3H(2) NOT 1	Resistor, Fixed, Film (Insulated), Nonestablished Reliability, and Established Reliability, Style RLR32 [CUST: CR EC 85 CC] [REVIEW: 99 AR AS AT AV CG CR4 MC OS]	A	5905		CR	09-OCT-2014
M	MIL-PRF-39017/5M(2) NOT 1	Resistor, Fixed, Film (Insulated), Nonestablished Reliability, and Established Reliability, Style RLR05 [CUST: CR EC 85 CC] [REVIEW: 99 AR AS AT AV CG CR4 MC OS]	A	5905		CR	09-OCT-2014
M	MIL-PRF-49137/1E	Capacitors, Fixed, Electrolytic (Solid Electrolyte), Tantalum, Polar, Molded, Nonhermetically Sealed, Style CX01 [CUST: CR EC 85 CC] [REVIEW: 19 AS MC OS SH]	A	5910		CR	10-OCT-2014
M	MIL-PRF-49137/2E	Capacitors, Fixed, Electrolytic (Solid Electrolyte), Tantalum, Polar, Conformal Coated, Nonhermetically Sealed, Styles CX02 and CX12 [CUST: CR EC 85 CC] [REVIEW: 19 AS MC OS SH]	A	5910		CR	10-OCT-2014
M	MIL-PRF-49137/5D	Capacitors, Fixed, Electrolytic (Solid Electrolyte), Tantalum, Polar, Molded, Nonhermetically Sealed, Style CX05 [CUST: CR EC 85 CC] [REVIEW: 19 AS MC OS SH]	A	5910		CR	10-OCT-2014
M	MIL-PRF-49137/6F	Capacitors, Fixed, Electrolytic (Solid Electrolyte), Tantalum, Polar, Nonhermetically Sealed, Styles CX06 and CX16 [CUST: CR EC 85 CC] [REVIEW: 19 AS MC OS SH]	A	5910		CR	10-OCT-2014
N	UL489D	Outline of Investigation for US Naval Commercial-Off-the-Shelf (COTS) Designated Molded-Case Circuit Breakers and Accessories for Use on Non Nuclear Naval Combatant Ships [CUST: AV SH	A	5925		SH	28-OCT-2014
N	UL1066A	99] [REVIEW: 03 19 85 AS CC CG CR FAS MDA MI NA] Outline of Investigation for US Naval Commercial Off the Shelf (COTS) Designated Three-Pole Low-Voltage AC Power Circuit Breakers, Drawout-Mounted Type, and Accessories/Functional Components for Use on Non-Nuclear Naval Combatant Ships [CUST: AV SH 99] [REVIEW: 03 19	A	5925		SH	28-OCT-2014
N	UL2831	85 AS CC CG CR FAS MDA MI NA] Outline of Investigation for US Naval Commercial Off the Shelf (COTS) Three-Pole, Rated Maximum Voltage 4 76, 8 25, and 15KV, AC, Vacuum Circuit Breakers, Drawout Type, without Internal Overcurrent Protection, and Accessories/Components for Use on Non-Nuclear Naval	A	5925		SH	28-OCT-2014
M	MIL-DTL-15743/5D	Combatant Ships [CUST: AV SH 99] [REVIEW: 03 19 85 AS CC CG CR FAS MDA MI NA] Switches, Rotary, Enclosed, Submersible (15 Feet), Snap Action, 125 Volts Alternating Current, 10 Ampere, Symbols 827 1 (Special), 850 1 (TPDT), and 863 (4PDT) [CUST: SH CC]	A	5930		CC	24-SEP-2014
	QPL-22885-99	Switches, Push Button, Illuminated, General Specification for	A			CC	14-OCT-2014
M	MIL-PRF-39012/34C	Connectors, Coaxial, Radio Frequency (Series TNC (Uncabled) - Receptacle, Socket, Hermetic Sealed, Jam Nut Mounted, Class 2) [CUST: CR EC 85 CC] [REVIEW: 19 99 AS AT AV EA MC MI NA OS SH]	A	5935		CC	31-OCT-2014
M	MIL-DTL-24308/6R(1)	Connectors, Electric, Rectangular, Miniature, Polarized Shell, Rack and Panel, Receptacle Socket Contacts, Nonmagnetic, Classes M and N, Crimp Type [CUST: CR EC 85 CC NA] [REVIEW: 99 AS AT AV CG CR4 MC MI SH]	A	5935		CC	03-OCT-2014
M	MIL-DTL-24308/8R(1)	Connectors, Electric, Rectangular, Miniature, Polarized Shell, Rack and Panel, Pin Contacts, Nonmagnetic, Class M and N, Crimp Type [CUST: CR EC 85 CC NA] [REVIEW: 99 AS AT AV CG CR4 MC MI SH]	A	5935		CC	03-OCT-2014
M	MIL-DTL-83413/4E	Connectors and Assemblies, Electrical, Aircraft Grounding: Plugs, for Types I and II Grounding Assemblies [CUST: AV AS 85 CC] [REVIEW: 02 99 AR CR CR4 MC MI]	A	5935		CC	31-OCT-2014
M	MS75020F(1)	Connector, Plug, Electrical, - 12 Contact, Intervehicular, 28 Volt, Waterproof [CUST: AT YD 85 CC] [REVIEW: 99 CR CR4 MC MI SH]	A	5935		CC	08-OCT-2014
	MS75021E(1)	Connector, Receptacle, Electrical - 12 Contact, Intervehicular, 28 Volt, Waterproof [CUST: AT YD 85 CC] [REVIEW: 99 CR CR4 MC MI SH]		5935		CC	08-OCT-2014
	MS27243M MIL-STD-981C(1)	Relay, 10 AMP, 4PDT, Sealed, Class O [CUST: AS 85 CC] [REVIEW: 99] Design, Manufacturing and Quality Standards for Custom Electromagnetic Devices for Space Applications [CUST: 19 CC NA] [REVIEW: MDA]	1	5945 5950		CC CC	08-OCT-2014 13-OCT-2014
M	A-A-59737A	Inductor, Power, Surface Mount [CUST: EC CC]	A	5950	/	CC	13-OCT-2014
M	A-A-59738A	Inductor, Power, Low Profile, Surface Mount [CUST: EC CC]	A	5950	/	CC	13-OCT-2014
	A-A-59741A MIL-PRF-55310E(2) SUP 1	Inductor, Power, Shielded, Ultraminiature, Surface Mount [CUST: EC CC] Oscillator, Crystal Controlled, General Specification for [CUST: CR EC 84 CC] [REVIEW: 19 99	A A	5950 5955	/	CC CR	13-OCT-2014 26-SEP-2014
	QPL-55310-90	Oscillator, Crystal Controlled, General Specification for Cost Cost EC 84 CC   REVIEW. 19 99 AR AS CG MC MDA MI NA SM]  Oscillator, Crystal Controlled, General Specification for		5955		CR	02-OCT-2014
	-			-			

### **ACTIVE SECTION**

### ASSIST UPDATE

ACTIVE SECTION	ASSIST UPDATE					
z		NC				
N ACTION TO THE PROPERTY OF TH		DISTRIBUTION	∢.		<u> </u>	
AC		IBI	m RE		AC	
T		TR	FSC/AREA	Ą	H.	
DOCUMENT NUMBER	DOCUMENT TITLE	DIS	FSC	MCA	PREP ACTY	DATE
M MIL-PRF-19500/260M	Semiconductor Device, Diode, Silicon, Power Rectifier, Types 1N1202A, 1N1204A, 1N1206A,	Α			CC	30-OCT-2014
	1N3671A, 1N3673A, and AR Versions, JAN, JANTX, JANTXV, JANS, JANHC, and JANKC, 1N1124A, 1N1126A, 1N1128A, 1N3649, 1N3650, 1N1124RA, 1N1126RA, 1N1128RA, 1N3649R, and 1N3650R, JAN Only [CUST: CR EC 85 CC NA] [REVIEW: 19 71 99 AR AS MC MI]					
M MIL-PRF-19500/291V	Semiconductor Device, Transistor, PNP, Silicon, Switching, Types 2N2906A, 2N2906AL, 2N2907A, 2N2907AL, 2N2906AUA, 2N2907AUA, 2N2906AUB, 2N2906AUBC, 2N2906AUBC, 2N2906AUBC, 2N2906AUBN, 2N2906AUBN, 2N2906AUBN, 2N2906AUBN, 2N2906AUBN, 2N2906AUBN, 2N2906AUBN, 2N2906AUBN, 2N2907AUBN, and 2N2907AUBCN, JAN, JANTXV, JANTXVV, JANSS, JANS	A	5961		CC	16-OCT-2014
M MIL-PRF-19500/376L	JANKCG, and JANKCH [CUST: CR EC 85 CC NA] [REVIEW: 19 99 AR AS MC MI SM] Semiconductor Device, Transistor, NPN, Silicon, Low-Power, Types 2N2484, 2N2484UA, 2N2484UB, 2N2484UB, 2N2484UBCN JAN, JANTX, JANTXV, JANTXVR, JANTXVF, JANS, JANSM, JANSD, JANSP, JANSR, JANSF, JANSG, JANSH JANHCA, JANHCB, JANHCC, JANKCA, JANKCB, JANKCB, JANKCB, JANKCD, JANKCP, JANKCL, JANKCR, JANKCF, JANKCG, and JANKCH [CUST: CR EC 85 CC NA] [REVIEW: 19 AR AS MC MI SH SM]	A	5961		CC	24-OCT-2014
M MIL-PRF-19500/539G	Transistor, NPN, Silicon, Power Darlington, Types 2N6300 and 2N6301, JAN, JANTX, and JANTXV [CUST: CR EC 85 CC NA] [REVIEW: 19 99 AR AV MI]	A	5961		CC	24-OCT-2014
M MIL-PRF-19500/564J	Transistor, Field Effect, P-Channel, Silicon, Types 2N6849, 2N6849U, 2N6851 and 2N6851U, JAN,	Α	5961		CC	01-NOV-2014
	JANTX, JÁNTXV, JANS, JANHĆ, and JANKĆ [CUST: CR EC 85 CC NA] [REVIEW: 19 70 AS MC MI SM]					
M MIL-PRF-19500/685G	Transistor, Field Effect Radiation Hardened, N-Channel, Silicon, Device Types 2N7475, 2N7476, and 2N7477 JANTXVR and JANSR [CUST: CR EC 85 CC NA] [REVIEW: 99]	A	5961		CC	16-OCT-2014
M MIL-PRF-19500/732D	Transistor, Field Effect Radiation Hardened, P-Channel, Silicon, Through-Hole and Surface Mount, Types 2N7519 and 2N7520, Quality Levels JANTXV and JANS [CUST: CR EC 85 CC NA] [REVIEW: MI]	A	5961		CC	08-OCT-2014
M MIL-PRF-19500/750A	Transistor, Field Effect N-Channel, Silicon, Surface Mount Package, Type 2N7507 Quality Levels JANTX, JANTXV and JANS [CUST: CR EC 85 CC NA]	A	5961		CC	08-OCT-2014
M MIL-PRF-19500/757C	Transistor, Field Effect Radiation Hardened, P-Channel, Silicon, through Hole and Surface Mount, Types 2N7624 and 2N7625 Quality Levels JANTXV and JANS [CUST: CR EC 85 CC NA] [REVIEW: 99]	A	5961		CC	08-OCT-2014
M MIL-HDBK-103AR	List of Standard Microcircuit Drawings [CUST: CC]	1	5962		CC	02-OCT-2014
M MIL-E-24142/1C NOT 2	Enclosure for Electrical Fittings and Fixtures, Submersible, Size 4 by 4 (15-Foot) [CUST: SH] [REVIEW: GS]	A	5975		SH	21-OCT-2014
M MIL-E-24142/2C NOT 2	Enclosure for Electrical Fittings and Fixtures, Submersible (15-Foot), Size 3 by 5 [CUST: SH] [REVIEW: GS]	A	5975		SH	21-OCT-2014
M MIL-E-24142/3C NOT 2	Enclosure for Electrical Fittings and Fixtures, Submersible, Size 6 by 9 (15-Foot) [CUST: SH] [REVIEW: GS]	A	5975		SH	21-OCT-2014
M MIL-E-24142/4C NOT 2	Enclosure, Submersible (15-Foot) Size 4 by 7 [CUST: SH] [REVIEW: GS]	Α	5975		SH	21-OCT-2014
M MIL-E-24142/6G NOT 2	Enclosure, Submersible (15-Foot), Sizes 8 by 10 and through 14 by 26 [CUST: SH] [REVIEW: GS]	Α	5975		SH	21-OCT-2014
M MIL-E-24142/8C NOT 2	Enclosure, Totally Enclosed, Size 2-1/4 by 2-7/8 (Octagon), Nonwatertight [CUST: SH] [REVIEW: GS MI]	A	5975		SH	21-OCT-2014
M MIL-E-24142/9B NOT 2	Enclosure for Electrical Fittings and Fixtures, Submersible (15-Foot), Size 2-1/8 by 3 [CUST: SH] [REVIEW: GS]	A	5975		SH	21-OCT-2014
M MIL-E-24142/10B NOT 2	Enclosure for Electrical Fittings and Fixtures Submersible (15-Foot), Size 2-1/8 by 4-1/2 [CUST: SH] [REVIEW: GS]	A	5975		SH	21-OCT-2014
M MIL-E-24142/20A NOT 2	Enclosures, with Fuse Cover, Size 10 by 20, through 12 by 22, Totally Enclosed, Nonwatertight [CUST: SH] [REVIEW: GS]	A	5975		SH	21-OCT-2014
M MIL-HDBK-1861B(1)	Selection and Use of Electrical and Electronic Assemblies, Boards, Cards, and Associated Hardware [CUST: CR EC 85 CC] [REVIEW: 99]	A	5998		CC	20-OCT-2014
M MIL-PRF-83531D	Delay Lines, Passive, General Specification for [CUST: CR EC 85 CC] [REVIEW: 19 99 AS CG MC SH]	A	5999		CC	02-OCT-2014
M MIL-DTL-83413/12(1)	Connectors and Assemblies, Electrical, Aircraft Grounding: Grounding Clamp Connector for Types I and III Grounding Assemblies, Stainless Steel Clip, Electrical [CUST: AV AS 85 CC] [REVIEW: 02 13 99 AR CR CR4 MC MI]	A	5999		CC	22-OCT-2014
M MIL-DTL-17/213A	Cable, Radio Frequency, Flexible, Coaxial, 50 OHMS, M17/213-00001 [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS AT CR4 MC MI OS SH]	A	6145		CC	05-OCT-2014
N SAE-AS29606	Wire, Electrical, Stranded, Uninsulated Copper, Copper Alloy, or Aluminum, or Thermocouple Extension, General Specification for [CUST: CR AS 85 CC] [REVIEW: AR SH]	A	6145		AS	14-OCT-2014
M MIL-L-3661/18C NOT 5	Lenses, Indicator-Light, Style LC18, Convex, Semi-Blackout, Dripproof, Mechanical Dimmer [CUST: CR AS 99 GS2] [REVIEW: IS]	A	6210		GS2	16-OCT-2014
M MIL-L-3661/19B NOT 5	Lenses, Indicator-Light, Dripproof, Style LC19 [CUST: CR AS 99 GS2] [REVIEW: IS]		6210		GS2	21-OCT-2014
M MIL-L-3661/20B NOT 5 M MIL-L-3661/1A(1) NOT 5	Lenses, Indicator-Light, Dripproof, Style LC20 [CUST: CR AS 99 GS2] [REVIEW: IS]	A			GS2	21-OCT-2014 16-OCT-2014
M MIL-L-3661/1A(1) NOT 5 M ASTM-D3359	Lampholders, Styles LH20 and LH22 [CUST: CR AS 11 GS2] [REVIEW: IS]  Measuring Adhesion by Tape Test, Standard Test Method for [CUST: MI SH 99 CC]	A			GS2 CC	01-OCT-2014
M A-A-50535A	Adhesive, Starch [CUST: MC]	A		/	MC	03-OCT-2014
M MIL-DTL-2439G	Container, Ammunition, Fiber, Spirally Wound [CUST: AR OS 99] [REVIEW: 11 69 70 AS DH FAS GS GS3 GS7 MC MI MP]		8140		AR	03-JUL-2014
M MIL-DTL-87177B	Lubricants, Corrosion Preventive Compound, Water Displacing, Synthetic [CUST: CR4 AS 70 GS] [REVIEW: 11 99 AT]		9150		70	23-SEP-2014
M A-A-59173A NOT 1 N ASTM-D6045	Grease, Silicone [CUST: MI OS 68 GS] [REVIEW: CD PS]  Color of Petroleum Products by the Automatic Tristimulus Method, Standard Test Method for [CUST: AT AS 68 PS]	1	9150 91GP	/	GS3 68	16-OCT-2014 24-OCT-2014
N ASTM-D7153	Freezing Point of Aviation Fuels (Automatic Laser Method), Standard Test Method for [CUST: AT AS 68 PS]	A	91GP		68	24-OCT-2014
N SAE-AS6129	Interface Standard, Airborne EO/IR Systems, Electrical [CUST: AV AS 11]		AVCS		AS	14-OCT-2014
N SAE-AS6135	Interface Standard, Airborne EO/IR Systems, Data [CUST: AV AS 11]		AVCS		AS	14-OCT-2014
N SAE-AS6165 N SAE-AS6169	Interface Standard, Airborne EO/IR Systems, Maintenance and Test [CUST: AV AS 11] Interface Standard, Airborne EO/IR Systems, Mechanical [CUST: AV AS 11]	1	AVCS AVCS		AS AS	14-OCT-2014 14-OCT-2014
N AEODP-8 ED A	INTERSERVICE CHEMICAL BIOLOGICAL RADIOLOGICAL NUCLEAR EXPLOSIVE		ISDA		AI	11-MAR-2011
	ORDNANCE DISPOSAL OPERATIONS (CBRN EOD) ON MULTINATIONAL DEPLOYMENTS					

ACTIVE SECTION	ASSIST UPDATE				
N OCUMENT NUMBER		DISTRIBUTION	FSC/AREA	MCA PREP ACTY	
OCUMENT NUMBER	DOCUMENT TITLE	DIS	FSC	MCA PREP	DATE
N AEP-72-2 ED A(1)	CHEMICAL AGENT CHALLENGE LEVELS	_	ISDA	AI3	09-JAN-2014
N AEP-72-3 ED A	TIC CHALLENGE LEVELS	A	ISDA	AI3	09-JAN-2014
N AMOVP-6 ED A(1)	ALLIED MULTI-MODAL TRANSPORTATION OF DANGEROUS GOODS DIRECTIVE		ISDA ISDA	AI	09-FEB-2014
N STANAG-4441 ED 2	ALLIED MULTI-MODAL TRANSPORTATION OF DANGEROUS GOODS DIRECTIVE - AMOVP-6 EDITION A	A	ISDA	AI	02-SEP-2014
N AFP-1-1 ED 5(1) N STANAG-1236 ED 4	NATO FORACS RANGE USERS GUIDE GLIDE SLOPE INDICATORS FOR HELICOPTER OPERATIONS FROM NATO SHIPS - MPP- 02 3 1 EDITION A		ISDD ISDD	SO1 NI	08-JUL-2014 06-JUN-2014
N STANAG-4224	LARGE CALIBRE ARTILLERY AND NAVAL GUN AMMUNITION GREATER THAN 40MM, SAFETY AND SUITABILITY FOR SERVICE EVALUATION		ISDD	SO1	13-JUL-2007
N AAEP-2 ED A	AIRCRAFT AND GROUND SUPPORT EQUPIMENT ELECTRICAL CONNECTIONS FOR STATIC GROUNDING	A	ISDF	06	20-AUG-2014
N STANAG-3632 ED 6	AIRCRAFT AND GROUND SUPPORT EQUIPMENT ELECTRICAL CONNECTIONS FOR STATIC GROUNDING - AAEP-02 EDITION A		ISDF	06	20-AUG-2014
N ADIVP-1 ED C(1) N ANEP-86 ED A(1)	ALLIED GUIDE TO DIVING OPERATIONS TECHNICAL AND MEDICAL STANDARDS AND REQUIREMENTS FOR SUBMARINE SURVIVAL AND ESCAPE		ISDN ISDN	NI NI	28-JUL-2014 28-JUL-2014
N STANAG-1372 ED 11	ALLIED GUIDE TO DIVING OPERATIONS - ADIVP-1 EDITION C		ISDN	NI	28-JUL-2014
N STANAG-1462 ED 3	SUBMARINE TRANSFER PROCEDURES - MPP-02 3 2 EDITION A		ISDN	NI	25-JUN-2014
N STANAG-1476 ED 1	TECHNICAL AND MEDICAL STANDARDS AND REQUIREMENTS FOR SUBMARINE SURVIVAL AND ESCAPE – ANEP/MNEP-86 EDITION A	A	ISDN	NI	28-JUL-2014
M SD-1	Standardization Directory [CUST: AM NM 01 DH DC1] [REVIEW: DA]	A	STDZ	so	01-OCT-2014

#### INACTIVE SECTION

#### ASSIST LIPDATE

INACTIVE SECTION	ASSIST UPDATE					
N 2 10 10 10 10 10 10 10 10 10 10 10 10 10	DOCUMENT TITLE	DISTRIBUTION	FSC/AREA	MCA DDED ACTV		DATE
M MIL-W-19623B NOT 2	Windlass: Anchor, Electric-Hydraulic, Vertical and Navy Type, Naval Shipboard [CUST: SH]	1	3950	S	Н	29-OCT-2014
M MIL-C-24633A NOT 2	Chain, Stud Link, Anchor, Low Alloy Steel, Flash Butt Welded [CUST: SH 99] [REVIEW: 71 CG GS IS YD]		4010		SH	29-OCT-2014
	Relays, Electromagnetic, Hermetically Sealed, 4PDT, Low-Level to 3 Amperes (400 Milliwatts) [CUST: CR EC 85 CC] [REVIEW: 99 AR AT AV CR4 MI SH]		5945		CC	07-OCT-2014
M MS25205H M MIL-PRF-19500/74F	Flasher, Solid State, Aircraft Light [CUST: AS CC] Transistors, NPN, Silicon, Medium-Power, Through-Hole Mount Package, Types 2N497, 2N498, 2N656 and 2N657, Quality Level Jan [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS CG MC MI SH]		5945 5961		CC CC	06-OCT-2014 24-OCT-2014
M MIL-PRF-19500/180E	Transistor, NPN, Silicon, Medium-Power, Through-Hole Mount Package, Types 2N1483, 2N1484, 2N1845, and 2N1486, Quality Levels JAN, JANTX, JANTXV [CUST: CR EC 85 CC] [REVIEW: 19 70 99 AR AS AV CG MC MI OS SH SM]	A	5961	C	CC	28-OCT-2014
M MIL-PRF-19500/198F	Semiconductor Device, Thyristors, Types 2N1870A, 2N1871A, 2N1872A, and 2N1874A, JAN [CUST: CR EC 11 CC] [REVIEW: 19 AS MC MI]	A	5961	C	CC	28-OCT-2014
M MIL-PRF-19500/380C	Transistor, NPN, Silicon, Power, for Power-Switching Applications, Stud Mounted Case, Types 2N4865, 2N5250, and 2N5251, Quality Levels JANTX, JANTXV, and JANS [CUST: CR EC 85 CC NA] [REVIEW: 19 99 AR AS AV CG MC SH]	A	5961	(	CC	31-OCT-2014
M MIL-DTL-52701C NOT 1	Indicator Solution, Ph Determination (Range 3 0 to 11 0) [CUST: AT GS] [REVIEW: MD1] Illustrations for Stock List Publications: Preparation of [CUST: MC]		6810 TMSS		SS3 AC	16-OCT-2014 15-OCT-2014

(	CANCELED SECTION	ASSIST UPDATE					
I ACT ACTION			DISTRIBUTION	FSC/AREA	MCA	PREP ACTY	
- N	DOCUMENT NUMBER  M MIL-P-9388B(1) NOT 3	DOCUMENT TITLE  Pump, Pressure, Oil Free Air Type MA-2 (No S/S Document) [CUST: 71]		4310	Ž	<u>岩</u> 71	DATE 28-OCT-2014
	M MIL-DTL-13253E NOT 2	Handset, General Specification for (No S/S Document) [CUST: CR EC 85 CC] [REVIEW: CG MC		5965		CC	27-OCT-2014
N	M MIL-DTL-13253/4B NOT 2	SH SM] Handset, Type H-23( )/U (No S/S Document) [CUST: CR SH 85 CC] [REVIEW: 99 AR AS CG MC	Α	5965		CC	27-OCT-2014
N	M MIL-DTL-29606A(1) NOT 1	MI] Wire, Electrical, Stranded, Uninsulated Copper, Copper Alloy, or Aluminum, or Thermocouple Extension, General Specification for (S/S by SAE-AS29606) [CUST: CR AS 85 CC] [REVIEW: AR	A	6145		AS	14-OCT-2014
N N	4 QPL-27848-16 NOT 1 4 MS28036D NOT 4 4 A-A-59830 NOT 1 4 MIL-STD-1820(2) NOT 5	SH] Indicator, Horizontal Situation AQU-4/A (No S/S Document) Indicator-True Airspeed, Type M-1A (No S/S Document) [CUST: AS 71] [REVIEW: 99 GS] Analyzer, Digital Communication (No S/S Document) [CUST: 84] [REVIEW: 99] Generic Transformed Data Base (GTDB) (No S/S Document) [CUST: PT AS 11]	A A	6605 6610 6625 69GP	/	71 71 84 11	22-OCT-2014 24-OCT-2014 07-OCT-2014 06-OCT-2014