

Department of Defense Standardization Program



ASSIST UPDATE

(A bi-monthly summary of changes to the ASSIST document database)

1 October 2011

(For the Period 15 September 2011 to 30 September 2011)

ASSIST UPDATE

Documents listed in the ASSIST UPDATE have an indicator of “N” or “M” to describe the last action taken on a listed document.

“N” indicates that a “new” document has been entered into the ASSIST database.

“M” indicates that a document already in ASSIST has been “modified” in some way.

The ASSIST UPDATE is published twice a month and provides a summary of changes to Department of Defense standardization documents for the period indicated. Since changes are processed to the ASSIST database on a daily basis, users should consult the ASSIST web site at <https://assist.daps.dla.mil> for the most current information.

If you need to track changes more frequently, or if you have an interest in specific Federal Supply Classes or individual specifications, standards, or other standardization documents, you may wish to take advantage of the ASSIST Alert Service. This feature lets you establish a list of documents of interest to you, and then the ASSIST will alert you with an E-mail message each day there is a change to one or more documents of interest to you. There is no charge for this service; however, you must have an ASSIST user account. To obtain one, complete the ASSIST online registration form at <https://assist.daps.dla.mil/online/registration/registration.cfm>.

Once you have your account, you can establish your Alert Portal profile. For more information on the ASSIST Alert Service, go to: <https://assist.daps.dla.mil/online/news/AlertService.htm>.

ACTIVE SECTION

ASSIST UPDATE

LAST ACTION	DOCUMENT NUMBER	DOCUMENT TITLE	DISTRIBUTION	MCA		DATE
				FSC/AREA	PREP ACTY	
M	JSSG-2005 NOT 2	Avionic Subsystem [CUST: AV AS 11]	A	15GP	11	28-SEP-2011
M	MS20667K	Terminal, Wire Rope, Swaging, Fork End [CUST: CR4 AS 99 GS] [REVIEW: 71 MD]	A	1640	GS5	19-SEP-2011
M	MS20668H	Terminal, Wire Rope, Swaging, Eye End [CUST: CR4 AS 99 GS] [REVIEW: 71]	A	1640	GS5	19-SEP-2011
M	MS21259K	Terminal, Wire Rope, Swaging, Stud, Long Thread [CUST: AS 99 GS] [REVIEW: 71 MC]	A	1640	GS5	19-SEP-2011
M	MS21260N	Terminal, Wire Rope, Swaging, Stud [CUST: CR4 AS 99 GS] [REVIEW: 71 MC]	A	1640	GS5	19-SEP-2011
M	MIL-DTL-8794F(3)	Hose, Synthetic Rubber - Hydraulic Fluid, Fuel, and Oil Resistant [CUST: AV AS 99 CC] [REVIEW: 11 71 AT MC MI SA]	A	4720	CC	01-SEP-2011
M	MIL-V-81940/4 NOT 1	Valve, Sampling and Bleed, Hydraulic, 3,000 PSI Non-Aircraft Applications [CUST: AV SH 11] [REVIEW: 71 AS MC SA]	A	4820	SH	29-SEP-2011
M	MS51971D	Nut, Plain, Hexagon-Steel, Corrosion Resisting, 300 Series, Passivated, UNC-2B [CUST: AR 99 IS]	A	5310	IS	19-SEP-2011
M	QPL-55342-115	Resistors, Chip, Fixed, Film, Nonestablished Reliability, Established Reliability, Space Level, General Specification for	A	5905	CR	21-SEP-2011
M	MIL-PRF-6106/9E	Relay, Electromagnetic, Continuous Duty, 60 AMP, 3PDT, Environmentally Sealed [CUST: 85 CC] [REVIEW: 99]	A	5945	CC	22-SEP-2011
M	MIL-PRF-83536/1B	Relays, Electromagnetic, Established Reliability, DPDT, Low Level to 5 Amperes, Permanent Magnetic Drive, Hermetically Sealed, All Welded, DC Coils [CUST: CR EC 85 CC] [REVIEW: 99]	A	5945	CC	29-SEP-2011
M	MIL-PRF-83726/29G	Relays, Hybrid, Time Delay (on Release), Class B, Type IIA, Hermetically Sealed, DPDT, 10 Amperes, Fixed Time, 0.1 to 500 Seconds [CUST: EC 85 CC] [REVIEW: 19 OS]	A	5945	CC	15-SEP-2011
M	MIL-PRF-83726/30G	Relay, Hybrid, Time Delay (on Operate), Class B, Type I, Hermetically Sealed, DPDT, 10 Amperes, Adjustable Time Delay (External Resistor), 0.1 to 500 Seconds [CUST: EC 85 CC] [REVIEW: 19 OS]	A	5945	CC	28-SEP-2011
M	MIL-PRF-83726/31G	Relay, Hybrid, Time Delay (on Release), Class B, Type IIA, Hermetically Sealed, DPDT, 10 Amperes, Adjustable Time Delay (External Resistor), 0.1 to 500 Seconds [CUST: EC 85 CC] [REVIEW: 19 OS]	A	5945	CC	29-SEP-2011
M	MIL-PRF-83446/36A	Coils, Radio Frequency, Chip, Open Construction, Surface Mount, 0603 Size [CUST: CR EC 85 CC] [REVIEW: 19 AS MI OS]	A	5950	CC	16-SEP-2011
M	MIL-PRF-83446/37A	Coils, Radio Frequency, Chip, Open Construction, Surface Mount, 0805 Size [CUST: CR EC 85 CC] [REVIEW: 19 AS MI OS]	A	5950	CC	16-SEP-2011
N	ECA-512-1	Measurement of the Equivalent Electrical Parameters of Quartz Crystal Units, 1 kHz to 1 GHz [CUST: CR EC 85 CC] [REVIEW: 19 84 99 AR AS CG MC MI NA OS SH SM]	A	5955	CC	14-SEP-2011
N	ECA-512	Measurement of the Equivalent Electrical Parameters of Quartz Crystal Units, 1 kHz to 1 GHz [CUST: CR EC 85 CC] [REVIEW: 19 84 99 AR AS CG MC MI NA OS SH SM]	A	5955	CC	14-SEP-2011
M	MIL-PRF-19500/114H	Semiconductor Device, Diode, Silicon, Voltage Regulator, 1N2804B Through 1N2811B, 1N2813B, 1N2814B, 1N2816B, 1N2818B Through 1N2820B, 1N2822B Through 1N2827B, 1N2829B, 1N2831B Through 1N2838B, 1N2840B Through 1N2846B, and RB Types, 1N4557B Through 1N4562B, and RB Types, JAN, JANTX, JANTXV, and JANS [CUST: CR EC 85 CC] [REVIEW: 19 AR AS MC MR SH SM]	A	5961	CC	09-SEP-2011
M	MIL-PRF-19500/231M(3)	Semiconductor Device, Diode, Silicon, Switching, Types 1N4150-1, 1N4150UR-1, 1N4150UB, 1N4150UBCA, 1N4150UBCC, 1N4150UBD, and 1N3600, JAN, JANTX, and JANTXV [CUST: CR EC 85 CC NA] [REVIEW: 19 71 99 AR AS AV MC MI SM]	A	5961	CC	16-SEP-2011
M	MIL-PRF-19500/291T	Semiconductor Device, Transistor, PNP, Silicon, Switching, Types 2N2906A, 2N2906AL, 2N2907A, 2N2907AL, 2N2906AUA, 2N2907AUA, 2N2906AUB, 2N2906AUBC, 2N2907AUB, and 2N2907AUBC, JAN, JANTX, JANTXV, JANS, JANSM, JANSJ, JANSK, JANSR, JANSF, JANSJ, JANSK, JANHC, JANKC, JANKCM, JANKCD, JANKCP, JANKCL, JANKCR, JANKCF, JANKCG, and JANKCH [CUST: CR EC 85 CC NA] [REVIEW: 19 99 AR AS MC MI SM]	A	5961	CC	23-SEP-2011
M	MIL-PRF-19500/304E	Semiconductor Device, Diode, Silicon, Power Rectifier, Fast-Recovery Types 1N3885, 1N3886, 1N3888, 1N3890, 1N3891, 1N3893, 1N3890R, 1N3891R, 1N3893R and A-Versions JAN, JANTX, JANTXV, JANS, JANHC and JANKC [CUST: CR EC 85 CC NA] [REVIEW: 19 AR AS MC MI SM]	A	5961	CC	20-SEP-2011
M	MIL-PRF-19500/542J	Semiconductor Device, Transistor, Field Effect, N-Channel, Silicon, Types 2N6756, 2N6758, 2N6760, 2N6762, JAN, JANTX, JANTXV, JANS, JANHC, and JANKC [CUST: CR EC 85 CC NA] [REVIEW: 19 70 AS]	A	5961	CC	22-SEP-2011
M	MIL-PRF-19500/543M	Semiconductor Device, Field Effect Transistors, N-Channel, Silicon Repetitive Avalanche, Types 2N6764, 2N6764T1, 2N6766, 2N6766T1, 2N6768, 2N6768T1, 2N6770, and 2N6770T1, JAN, JANTX, JANTXV, JANS, JANHC, and JANKC [CUST: CR EC 85 CC NA] [REVIEW: 19 70 99 AR MI]	A	5961	CC	22-SEP-2011
M	MIL-PRF-19500/613D	Semiconductor Device, Transistor, NPN, Silicon, Power, Type 2N7373, JAN, JANTX, JANTXV, JANS and JANSJ, D, P, L, R, F, G, and H [CUST: CR EC 85 CC NA] [REVIEW: 19 99 AR AS MC MI SM]	A	5961	CC	21-SEP-2011
M	MIL-HDBK-103AJ	List of Standard Microcircuit Drawings [CUST: CC]	A	5962	CC	19-SEP-2011
N	SAE-AS81914	Tubing, Plastic, Flexible, Convoluted, Conduit, General Specification for [CUST: MI AS] [REVIEW: GS]	A	5975	AS	12-SEP-2011
N	SAE-AS81914/1	Tubing, Plastic, Flexible, Convoluted Helical, Polytetrafluoroethylene (PTFE) Standard Convolutions [CUST: MI AS] [REVIEW: GS]	A	5975	AS	12-SEP-2011
N	SAE-AS81914/2	Tubing, Plastic, Extra Flexible, Convoluted Helical, Polytetrafluoroethylene (PTFE) Close Convolutions [CUST: AS] [REVIEW: GS]	A	5975	AS	12-SEP-2011
N	SAE-AS81914/3	Tubing, Plastic, Flexible, Convoluted, Helical Fluorinated Ethylene Propylene (FEP), Standard Convolutions [CUST: AS] [REVIEW: GS]	A	5975	AS	12-SEP-2011
N	SAE-AS81914/4	Tubing, Plastic, Extra Flexible, Convoluted, Helical, Fluorinated Ethylene Propylene (FEP), Close Convolutions [CUST: AS] [REVIEW: GS]	A	5975	AS	12-SEP-2011
N	SAE-AS81914/5	Tubing, Plastic, Extra Flexible, Convoluted, Helical, Ethylene Tetrafluoroethylene (ETFE), Close Convolutions [CUST: AS] [REVIEW: GS]	A	5975	AS	12-SEP-2011
N	SAE-AS81914/6	Tubing, Plastic, Flexible, Convoluted, Helical Ethylene Tetrafluoroethylene (ETFE), Standard Convolutions [CUST: AS] [REVIEW: GS]	A	5975	AS	12-SEP-2011
N	SAE-AS81914/7	Tubing, Plastic, Flexible, Convoluted with Integral Braid (s) [CUST: AS] [REVIEW: GS]	A	5975	AS	12-SEP-2011
N	SAE-AS81914/8	Tubing, Plastic, Flexible, Convoluted, Annular Polyvinylidene Fluoride (PVDF), Thermally Stabilized, Standard Convolutions [CUST: AS] [REVIEW: GS]	A	5975	AS	12-SEP-2011
N	SAE-AS81914/9	Tubing, Plastic, Flexible, Convoluted, Helical Perfluoroalkoxy (PFA), Standard Convolutions [CUST: AS] [REVIEW: GS]	A	5975	AS	12-SEP-2011
N	SAE-AS81914/10	Tubing, Plastic, Extra Flexible, Convoluted, Helical, Perfluoroalkoxy (PFA), Close Convolutions [CUST: AS] [REVIEW: GS]	A	5975	AS	12-SEP-2011

ACTIVE SECTION

ASSIST UPDATE

LAST ACTION	DOCUMENT NUMBER	DOCUMENT TITLE	DISTRIBUTION	MCA		DATE
				FSC/AREA	PREP ACTY	
N	SAE-AS81914/11	Tubing, Plastic, Lightweight, Zero Halogen, Extra Flexible, Convoluted, Helical, Close Convolution, Polyetheretherkeytone (PEEK) [CUST: AS] [REVIEW: GS]	A	5975	AS	12-SEP-2011
M	MIL-DTL-3933/29A	Attenuators, Fixed, Space Level, Non Space Level, Chip, (Surface Mount), 0-20 DB, Frequency Range: DC To 18 GHZ, Class IV [CUST: CR EC 85 CC]	A	5985	CC	27-SEP-2011
M	MIL-DTL-24044/1C	Flanges, Fixed, Coaxial Line, Rigid [CUST: CR EC 85 CC] [REVIEW: AS MC OS]	A	5985	CC	15-SEP-2011
M	MIL-DTL-25707/1C	Antenna, Flush Mount, Type AT-740/A [CUST: 85 CC]	A	5985	CC	15-SEP-2011
M	MIL-DTL-25707/3C	Antenna, Flush Mount (Radius of Curvature - 66.50 Inches) [CUST: 85 CC] [REVIEW: 99]	A	5985	CC	15-SEP-2011
M	MIL-DTL-83528D SUP 1	Gasketing Material, Conductive, Shielding Gasket, Electronic, Elastomer, EMI/RFI General Specification for [CUST: CR EC 85 CC] [REVIEW: 19 99]	A	5999	CC	20-SEP-2011
M	A-A-59466C	Clips, Electrical, General Specification for [CUST: CR SH 85 CC] [REVIEW: 99 CR4 EA MI]	A	5999	/ CC	22-SEP-2011
N	MIL-PRF-64266/18	Connectors, Fiber Optic, Circular, Plug and Receptacle Style, Multiple Removable Termini, Screw Threads, Backshell, Split, Multiple Fiber Cables, Strength Member Capture at Cable Entry Interface, Environment Resisting, Temperature Range 1 [CUST: CR SH 85 CC] [REVIEW: 13 19 93 99 AS DI NA]	A	6060	CC	22-SEP-2011
M	MIL-STD-1678-1(1)	Fiber Optic Cabling Systems Requirements and Measurements (Part 1: Design, Installation and Maintenance Requirements) (Part 1 of 5 Parts) [CUST: CR AS 85 CC] [REVIEW: 99]	A	60GP	CC	21-SEP-2011
M	MIL-STD-1678-2(1)	Fiber Optic Cabling Systems Requirements and Measurements (Part 2: Optical Measurements) (Part 2 of 5 Parts) [CUST: CR SH 85 CC] [REVIEW: 99]	A	60GP	CC	21-SEP-2011
M	MIL-PRF-8565/19(1)	Battery, Storage, Aircraft, Medium Rate, Maintenance-Free, 24-Volt, 15-Ampere-Hour [CUST: AS 99 CC] [REVIEW: 11]	A	6140	AS	21-SEP-2011
M	MIL-PRF-8565/20(1)	Battery, Storage, Aircraft, Medium Rate, Maintenance-Free, 24-Volt, 17-Ampere-Hour [CUST: AS 99 CC] [REVIEW: 11]	A	6140	AS	21-SEP-2011
M	MIL-PRF-81298E	Dye, Liquid for the Detection of Leaks in Aircraft Fuel Systems [CUST: AV AS 68 GS] [REVIEW: 11 19 99 AT CG EA MR PS SH SM]	A	6820	68	28-SEP-2011
M	MIL-DTL-44054C	Bottle: Oil Sample; with Container, Nonaeronautical [CUST: GL IS] [REVIEW: MD]	A	8125	IS	14-SEP-2011
N	ASTM-B177/B177M	Engineering Chromium Electroplating, Standard Guide for [CUST: MR YD 11]	A	MFFP	11	30-SEP-2011
M	DI-MGMT-81838	Commercial Asset Visibility (CAV) Reporting [AMSC: N9211]	A	MGMT	SA	14-SEP-2011

INACTIVE SECTION

ASSIST UPDATE

LAST ACTION	DOCUMENT NUMBER	DOCUMENT TITLE	DISTRIBUTION			DATE
			FSC/AREA	MCA	PREP ACTY	
M	MIL-DTL-51447A	Riot Control Agent, CR Solution [CUST: EA]	D	1365	EA	28-SEP-2011
M	MIL-DTL-3928/16B NOT 2	Switches, Radio-Frequency Transmission Line (Coaxial) (Electrically Operated) Class 5, 1P3T [CUST: CR EC 85 CC] [REVIEW: 19 99 AS MC MI OS SH]	A	5985	CC	20-SEP-2011

CANCELED SECTION

ASSIST UPDATE

LAST ACTION	DOCUMENT NUMBER	DOCUMENT TITLE	DISTRIBUTION	MCA		DATE
				FSC/AREA	PREP ACTY	
M	MIL-A-51487A NOT 3	Arming/Firing Unit (See Notice 3 for Replacement Information) [CUST: EA]	A 1040		EA	29-SEP-2011
M	MS24369A NOT 4	Rim Contour - 30X8.8, Type VII, Extra High Pressure, Main Landing Gear Wheel (No S/S Document) [CUST: 70] [REVIEW: GS]	A 1630		70	19-SEP-2011
M	AND10578 REV B NOT 4	Rim Contour-5.00-5, Type III, Low Pressure, Helicopter Landing Gear Wheel (No S/S Document) [CUST: AV AS 70] [REVIEW: GS MC]	A 1630		70	19-SEP-2011
M	MS21780 NOT 4	Tire - Pneumatic Rebuilt Type VIII 30 X 11.5-14.5/24 PR (No S/S Document) [CUST: 70] [REVIEW: CC GS]	A 2620		70	19-SEP-2011
M	MS22078 NOT 4	Tire Rebuilt 26 X 6.6/14PR (No S/S Document) [CUST: AS 70] [REVIEW: CC GS]	A 2620		70	19-SEP-2011
M	MIL-S-12511G NOT 3	Sprayer, Pesticide, Frame-Mounted: Gasoline-Engine-Driven, Mist and Solid Stream, 360 GHP (No S/S Document) [CUST: MS 99 GS] [REVIEW: 84 MC MD]	A 3740		GS3	28-SEP-2011
M	MIL-S-23923D NOT 3	Sprayer and Duster Units, Insecticide, Mist-Dust Blower Type: GED, 30 to 100 Gal/H Liquid, 30 to 300 LB/H Dust (Commercial) (No S/S Document) [CUST: MS 99 GS] [REVIEW: 84 MC]	A 3740		GS3	20-SEP-2011
M	AN960 REV 21 NOT 1	Washer, Flat (S/S by NAS1149) [CUST: AV AS 99 IS] [REVIEW: 71 EA]	A 5310		IS	16-SEP-2011
M	MIL-T-81914 SUP 1 NOT 2	Tubing, Plastic, Flexible, Convoluted, Conduit General Specification For (S/S by SAE-AS81914) [CUST: AS] [REVIEW: GS]	A 5975		AS	12-SEP-2011
M	MIL-T-81914/1 NOT 3	Tubing, Plastic, Flexible, Convoluted, Polytetrafluoroethylene, Standard Convolutions (S/S by SAE-AS81914/1) [CUST: MI AS] [REVIEW: GS]	A 5975		AS	12-SEP-2011
M	MIL-T-81914/2 NOT 3	Tubing, Plastic, Extra Flexible, Convoluted, Polytetrafluoroethylene Close Convolution (S/S by SAE-AS81914/2) [CUST: AS] [REVIEW: GS]	A 5975		AS	12-SEP-2011
M	MIL-T-81914/3 NOT 3	Tubing, Plastic, Flexible, Convoluted, fluorinated Ethylene Propylene, Standard Convolution (S/S by SAE-AS81914/3) [CUST: AS] [REVIEW: GS]	A 5975		AS	12-SEP-2011
M	MIL-T-81914/4 NOT 2	Tubing, Plastic, Extra Flexible, Convoluted, Fluorinated Ethylene Propylene, Close Convolution (S/S by SAE-AS81914/4) [CUST: AS] [REVIEW: GS]	A 5975		AS	12-SEP-2011
M	MIL-T-81914/5 NOT 4	Tubing, Plastic, Extra Flexible, Convoluted, Ethylene-Tetrafluoroethylene, Close Convolution (S/S by SAE-AS81914/5) [CUST: AS]	A 5975		AS	12-SEP-2011
M	MIL-T-81914/6 NOT 3	Tubing, Plastic, Flexible, Convoluted, Ethylene-Tetrafluoroethylene, Standard Convolution (S/S by SAE-AS81914/6) [CUST: AS] [REVIEW: GS]	A 5975		AS	12-SEP-2011
M	MIL-T-81914/7 NOT 5	Tubing, Plastic, Flexible, Convoluted, Fluorinated Ethylene Propylene, Integral Braid (S/S by SAE-AS81914/7) [CUST: AS] [REVIEW: GS]	A 5975		AS	12-SEP-2011
M	SAE-AMS-T-81914	Tubing, Plastic, Flexible, Convoluted, Conduit (S/S by SAE-AS81914) [CUST: MI AS] [REVIEW: GS]	A 5975		AS	12-SEP-2011
M	SAE-AMS-T-81914/1	Tubing, Plastic, Flexible, Convoluted, Polytetrafluoroethylene, Standard Convolutions (S/S by SAE-AS81914/1) [CUST: MI AS] [REVIEW: GS]	A 5975		AS	12-SEP-2011
M	SAE-AMS-T-81914/2	Tubing, Plastic, Extra Flexible, Convoluted, Polytetrafluoroethylene, Close Convolution (S/S by SAE-AS81914/2) [CUST: AS] [REVIEW: GS]	A 5975		AS	12-SEP-2011
M	SAE-AMS-T-81914/3	Tubing, Plastic, Flexible, Convoluted, Fluorinated Ethylene Propylene, Standard Convolution (S/S by SAE-AS81914/3) [CUST: AS] [REVIEW: GS]	A 5975		AS	12-SEP-2011
M	SAE-AMS-T-81914/4	Tubing, Plastic, Extra Flexible, Convoluted, Fluorinated Ethylene Propylene, Close Convolution (S/S by SAE-AS81914/4) [CUST: AS] [REVIEW: GS]	A 5975		AS	12-SEP-2011
M	SAE-AMS-T-81914/5	Tubing, Plastic, Extra Flexible, Convoluted, Ethylene-Tetrafluoroethylene, Close Convolution (S/S by SAE-AS81914/5) [CUST: AS] [REVIEW: GS]	A 5975		AS	12-SEP-2011
M	SAE-AMS-T-81914/6	Tubing, Plastic, Flexible, Convoluted, Ethylene-Tetrafluoroethylene, Standard Convolution (S/S by SAE-AS81914/6) [CUST: AS] [REVIEW: GS]	A 5975		AS	12-SEP-2011
M	SAE-AMS-T-81914/7	Tubing, Plastic, Flexible, Convoluted, Fluorinated Ethylene Propylene, Integral Braid (S/S by SAE-AS81914/7) [CUST: AS] [REVIEW: GS]	A 5975		AS	12-SEP-2011
M	MIL-E-19122A NOT 4	Electrodes, Carbon, Lighting, High-Intensity Searchlight Service (No S/S Document) [CUST: SH 99 GS]	A 5977		GS4	13-SEP-2011
M	EIA215	Basic Requirements for Broadcast Microphone Cables (No S/S Document) [CUST: CE YD 99]	A 5995		YD	30-SEP-2011
M	MS90384D NOT 5	Cable Assemblies, Electric Power, Permanently Wired, for Portable Ground Support Test Equipment (No S/S Document) [CUST: AS GS]	A 6150		GS8	28-SEP-2011
M	A-A-56001 NOT 1	Test Set, Electrical Power AN/UPM-93() (No S/S Document) [CUST: CR]	A 6625	/	CR	22-SEP-2011
M	A-A-56002 NOT 1	Test Set, Insulation Breakdown AN/GSM-6() (No S/S Document) [CUST: CR]	A 6625	/	CR	22-SEP-2011
M	EIA160	Sound Systems (No S/S Document) [CUST: YD]	A FACR		YD	30-SEP-2011
M	EIA330	Closed Circuit Television Camera 525/60, Electrical Performance Standard for (No S/S Document) [CUST: YD]	A FACR		YD	30-SEP-2011
M	EIA375	Television Monitors 525/60 Interlaced 2:1, Direct View Monochrome Closed Circuit (No S/S Document) [CUST: YD]	A FACR		YD	30-SEP-2011
M	EIA412	Direct View High Resolution Monochrome Closed Circuit Television Monitors (No S/S Document) [CUST: YD]	A FACR		YD	30-SEP-2011
M	ASTM-B177	Engineering Chromium Electroplating, Standard Guide for (S/S by ASTM-B177/B177M) [CUST: MR YD 11]	A MFFP		11	30-SEP-2011