

Department of Defense Standardization Program



ASSIST UPDATE

(A bi-monthly summary of changes to the ASSIST document database)

1 October 2013

(For the Period 15 September 2013 to 30 September 2013)

ASSIST UPDATE

Documents listed in the ASSIST UPDATE have an indicator of “N” or “M” to describe the last action taken on a listed document.

“N” indicates that a “new” document has been entered into the ASSIST database.

“M” indicates that a document already in ASSIST has been “modified” in some way.

The ASSIST UPDATE is published twice a month and provides a summary of changes to Department of Defense standardization documents for the period indicated. Since changes are processed to the ASSIST database on a daily basis, users should consult the ASSIST web site at <https://assist.dla.mil/> for the most current information.

If you need to track changes more frequently, or if you have an interest in specific Federal Supply Classes or individual specifications, standards, or other standardization documents, you may wish to take advantage of the ASSIST Alert Service. This feature lets you establish a list of documents of interest to you, and then the ASSIST will alert you with an E-mail message each day there is a change to one or more documents of interest to you. There is no charge for this service; however, you must have an ASSIST user account. To obtain one, complete the ASSIST online registration form at <https://assist.dla.mil/online/registration/registration.cfm>.

Once you have your account, you can establish your Alert Portal profile. For more information on the ASSIST Alert Service, go to: <https://assist.dla.mil/online/news/AlertService.htm>.

ACTIVE SECTION

ASSIST UPDATE

LAST ACTION	DOCUMENT NUMBER	DOCUMENT TITLE	DISTRIBUTION	FSC/AREA	MCA	PREP ACTY	DATE
M	MIL-PRF-32300A	Cartridge, 12 Gage Shotgun: Breaching - M1030 [CUST: AR OS 99] [REVIEW: 70 AS AV MC MI MR SH]	D	1305		AR	29-AUG-2013
M	MIL-DTL-12297L	Grenade, Hand, Incendiary, TH3, AN-M14 [CUST: AR MC 99] [REVIEW: 70 AV EA MI SH]	D	1330		AR	01-MAR-2013
M	MIL-STD-1234(3) NOT 5	Pyrotecnics: Sampling, Inspection and Testing [CUST: AR] [REVIEW: 11 MI OS]	A	1370		AR	29-AUG-2013
N	MIL-DTL-32419	High Explosive Material, Melt Castable: PAX-48 [CUST: AR OS 11] [REVIEW: 70 99 AS TE]	D	1376		AR	25-SEP-2013
M	MIL-S-50783(1) NOT 2	Steel Alloy, Special Purpose for Ammunition Components (HF-1) [CUST: AR]	A	1395		AR	30-MAY-2013
M	MIL-PRF-7605G	Regulator, Oxygen, Demand, Pressure Breathing, Type A-21 [CUST: AV AS 71] [REVIEW: 11 99 GS]	A	1660		71	26-AUG-2013
M	MIL-PRF-26392E NOT 1	Dummy Converters, Liquid Oxygen Indicator System, 10-Liter CRU-23/A and 25-Liter CRU-24/A [CUST: 71] [REVIEW: 11 99 GS]	A	1660		71	18-SEP-2013
M	A-A-59606A	Arm, Windshield Wiper: Blade, Windshield Wiper: and Blade Refill, Windshield Wiper [CUST: AT MC 99 CC] [REVIEW: 84 SA]	A	2540	/	CC	04-SEP-2013
M	A-A-59606/1A	Blade, Windshield Wiper, Light Duty (Class A) [CUST: AT MC 99 CC] [REVIEW: 84 SA]	A	2540	/	CC	04-SEP-2013
M	A-A-59606/2A	Arm, Windshield Wiper, Adjustable, Light Duty (Class A) [CUST: AT MC 99 CC] [REVIEW: 84 SA]	A	2540	/	CC	04-SEP-2013
M	A-A-59606/3A	Arm, Windshield Wiper, Adjustable, Heavy Duty (Class B) [CUST: AT MC 99 CC] [REVIEW: 84 SA]	A	2540	/	CC	04-SEP-2013
M	A-A-59606/4A	Blade, Windshield Wiper, Heavy Duty (Class B) [CUST: AT MC 99 CC] [REVIEW: 84 SA]	A	2540	/	CC	04-SEP-2013
M	A-A-59892A	Cover-Cargo-HEMTT-Truck [CUST: AT MC 99 CC] [REVIEW: 71 CT GL MR SA]	A	2540	/	CC	09-SEP-2013
M	MIL-PRF-7958D	Push-Pull Controls, Flexible and Rigid [CUST: AV AS 71] [REVIEW: 99 GS]	A	2995		71	16-SEP-2013
M	MIL-DTL-17557F	Coolers, Fluid, Industrial, Naval Shipboard (Sample Water Coolers) [CUST: SH]	A	4420		SH	17-SEP-2013
M	MIL-PRF-26385G	Hose, Oxygen and Pressurization, Ozone Resistant [CUST: AT 71] [REVIEW: 11 CC]	A	4720		71	24-SEP-2013
M	MIL-DTL-3155D	Valve, Temperature-Regulating Ventilation Heater, Steam Control, Naval Shipboard Use [CUST: SH] [REVIEW: CC]	A	4820		SH	10-SEP-2013
M	MIL-DTL-19379C	Mounts, Resilient, Mare Island Types 11M15, 11M25, and 10M50 [CUST: SH]	A	5342		SH	10-SEP-2013
M	MIL-PRF-27208F(2)	Resistor, Variable, Wirewound, Nonprecision General Specification for [CUST: CR EC 85 CC] [REVIEW: 19 AR AS AT AV MC MI OS]	A	5905		CC	18-SEP-2013
M	MIL-PRF-27208/8H(1)	Resistor, Variable, Wirewound, Adjustment Type, Lead Screw Actuated, Style RT12 [CUST: CR EC 85 CC] [REVIEW: 19 AS AT AV MC MI OS]	A	5905		CC	18-SEP-2013
M	MIL-PRF-27208/10C(1)	Resistor, Variable, Wirewound, Adjustment Type, Lead Screw Actuated, Style RT26 [CUST: CR EC 85 CC] [REVIEW: 19 AR AS AT AV MC MI OS]	A	5905		CC	18-SEP-2013
M	MIL-PRF-55514G SUP 1	Capacitors, Fixed, Plastic (or Metallized Plastic) Dielectric, DC or DC-AC, in Nonmetal Cases, Non-Established and Established Reliability General Specification for [CUST: CR EC 85 CC] [REVIEW: 19 AS MC OS]	A	5910		CR	06-SEP-2013
M	MIL-DTL-3950J	Switches, Toggle, Environmentally Sealed General Specification for [CUST: CR AS 85 CC] [REVIEW: 99 AR AT AV MC MI]	A	5930		CC	09-SEP-2013
M	MIL-PRF-39012/31C	Connectors, Coaxial, Radio Frequency (Series TNC (Uncabled - Receptacles, Socket, Jam Nut Mounted, Class 2) [CUST: CR EC 85 CC] [REVIEW: 19 99 AM AS AT CR4 MC MI NA OS SH]	A	5935		CC	12-SEP-2013
M	MIL-PRF-39012/34B	Connectors, Coaxial, Radio Frequency (Series TNC (Uncabled) - Receptacle, Socket, Hermetic Sealed, Jam Nut Mounted, Class 2) [CUST: CR EC 85 CC] [REVIEW: 19 99 AS AT AV EA MC MI NA OS SH]	A	5935		CC	09-SEP-2013
M	MIL-DTL-641F	Jacks, Telephone, General Specification for [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS AV CR4 MC MI OS SH]	A	5935		CC	09-SEP-2013
M	MIL-DTL-55302/56H(2)	Connectors, Printed Circuit Subassembly and Accessories: Receptacle, Pin Contacts, Decade Increments 10 thru 70 Contact Positions and Intermediate Positions of 14, 24, 44, 54 and 26, 36, 56, 66 for Printed Wiring Boards (.100 Spacing) [CUST: CR EC 85 CC NA] [REVIEW: 19 99 AR AS AT AV CR4 MC MI OS]	A	5935		CC	05-SEP-2013
M	MIL-DTL-83513G(1)	Connectors, Electrical, Rectangular, Microminiature, Polarized Shell, General Specification for [CUST: CR EC 85 CC] [REVIEW: 99 AS AT CG CR4 MC MI SH]	A	5935		CC	04-SEP-2013
M	MIL-DTL-83513/3J(2)	Connectors, Electrical, Rectangular, Plug, Microminiature, Polarized Shell, Pin Contacts, Class M, Crimp Type [CUST: CR EC 85 CC NA] [REVIEW: 99 AS AT CG MC MI SH]	A	5935		CC	04-SEP-2013
M	MIL-DTL-83513/4J(1)	Connectors, Electrical, Rectangular, Receptacle, Microminiature, Polarized Shell, Socket Contacts, Class M, Crimp Type [CUST: CR EC 85 CC NA] [REVIEW: 99 AS AT CG MC MI SH]	A	5935		CC	04-SEP-2013
M	MIL-DTL-83513/8F(2)	Connectors, Electrical, Rectangular, Plug, Microminiature, Polarized Shell, Pin Contacts, Class P, Crimp Type [CUST: CR EC 85 CC NA] [REVIEW: 99 AS AT CG MC MI SH]	A	5935		CC	04-SEP-2013
M	MIL-DTL-83513/9F(3)	Connectors, Electrical, Rectangular, Receptacle, Microminiature, Polarized Shell, Socket Contacts, Class P, Crimp Type [CUST: CR EC 85 CC NA] [REVIEW: 99 AS AT CG MC MI SH]	A	5935		CC	04-SEP-2013
M	MS33704 NOT 2	Insert Arrangements, Electric Connector, Shell Size 61 [CUST: AS] [REVIEW: CC EC]	A	5935		AS	26-SEP-2013
M	MS75020F	Connector, Plug, Electrical, - 12 Contact, Intervehicular, 28 Volt, Waterproof [CUST: AT YD 85 CC] [REVIEW: 99 MC MI SH]	A	5935		CC	05-SEP-2013
M	MS75021E	Connector, Receptacle, Electrical - 12 Contact, Intervehicular, 28 Volt, Waterproof [CUST: AT CC] [REVIEW: 99 CR CR4 MC MI SH]	A	5935		CC	05-SEP-2013
M	A-A-52425B	Adapter, Battery Terminal [CUST: AT MC 85] [REVIEW: 99 CR4 GS MI]	A	5940	/	AT	12-SEP-2013
M	MIL-PRF-27/327E	Transformers, Power, 15 VA, 60 Hertz [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS CR4 MC OS]	A	5950		CC	09-SEP-2013
N	MIL-PRF-39010/15	Coils, Radio Frequency, Open Construction, Ceramic Core, Fixed, Surface Mount Established Reliability and Non-Established Reliability [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS CG CR4 MC MI OS SH]	A	5950		CR	20-SEP-2013
N	MIL-PRF-39010/16	Coils, Radio Frequency, Open Construction, Ferrite Core, Fixed, Surface Mount Established Reliability and Non-Established Reliability [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS CG CR4 MC MI OS SH]	A	5950		CR	20-SEP-2013
N	MIL-PRF-39010/17	Coils, Radio Frequency, Shielded, Molded, Fixed, Surface Mount Established Reliability and Non-Established Reliability [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS CG CR4 MC MI OS SH]	A	5950		CR	20-SEP-2013
N	MIL-PRF-39010/18	Coils, Radio Frequency, Shielded, Molded, Fixed, Surface Mount Established Reliability and Non-Established Reliability [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS CG CR4 MC MI OS SH]	A	5950		CR	20-SEP-2013
N	MIL-PRF-39010/19	Coils, Radio Frequency, Molded, Phenolic Core, Fixed, Surface Mount Established Reliability and Non-Established Reliability [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS CG CR4 MC MI OS SH]	A	5950		CR	20-SEP-2013
N	MIL-PRF-39010/20	Coils, Radio Frequency, Molded, Iron Core, Fixed, Surface Mount Established Reliability and Non-Established Reliability [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS CG CR4 MC MI OS SH]	A	5950		CR	20-SEP-2013

ACTIVE SECTION

ASSIST UPDATE

LAST ACTION	DOCUMENT NUMBER	DOCUMENT TITLE	DISTRIBUTION	FSC/AREA		MCA		DATE
							PREP ACTY	
N	MIL-PRF-39010/21	Coils, Radio Frequency, Molded, Ferrite Core, Fixed, Surface Mount Established Reliability and Non-Reliability [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS CG CR4 MC MI OS SH]	A	5950		CR		20-SEP-2013
M	MIL-PRF-55310/32B NOT 1	Oscillator, Crystal Controlled, Type 1 (Crystal Oscillator (XO)), 1.544 MHz through 125 MHz, Hermetic Seal, Square Wave, Advanced CMOS [CUST: CR EC 99 CC] [REVIEW: 19 84 AR AS CG MC MI NA SM]	A	5955		CR		18-SEP-2013
M	MIL-PRF-1/1388G	Electron Tube, Radiation Counter Type 7840 [CUST: EC 85 CC] [REVIEW: 99 AS MC OS]	A	5960		CC		11-SEP-2013
M	MIL-PRF-19500/420M	Semiconductor Device, Diode, Silicon, Power, Rectifier, Types 1N5550 through 1N5554, 1N5550US through 1N5554US, JAN, JANTX, JANTXV, JANS, JANHCA, JANHCB, JANHCC, JANHCD, JANHCE, JANKCA, JANKCD, and JANKCE [CUST: CR EC 85 CC] [REVIEW: 19 71 84 99 AR AS MC MI SM]	A	5961		CC		06-SEP-2013
M	MIL-PRF-19500/434E(2)	Semiconductor Device, Diode, Silicon, Transient Voltage Suppressor, Type 1N5610 through 1N5613, JAN, JANTX, JANTXV, and JANS [CUST: CR EC 85 CC NA] [REVIEW: 19 99 AR AS AV MC MI SM]	A	5961		CC		01-SEP-2013
M	MIL-PRF-19500/448F	Semiconductor Device, Transistor, PNP, Silicon, Low-Power, Type 2N4405, 2N4405UA, and 2N4405UB, JAN and JANTX [CUST: CR 85 CC] [REVIEW: 19 99 MI]	A	5961		CC		12-SEP-2013
M	MIL-PRF-19500/500E(1)	Semiconductor Device, Diode, Silicon, Unipolar Transient Voltage Suppressor, Types 1N5555 through 1N5558, 1N5907, 1N5629A through 1N5665A, JAN, JANTX, and JANTXV [CUST: CR EC 85 CC NA] [REVIEW: 19 99 AR AS MC MI SM]	A	5961		CC		12-SEP-2013
M	MIL-PRF-19500/501E	Semiconductor Device, Darlington Transistor, PNP, Silicon, Power, Types 2N6051, and 2N6052, JAN, JANTX, and JANTXV [CUST: CR EC 85 CC NA] [REVIEW: 19 99]	A	5961		CC		04-SEP-2013
M	MIL-PRF-19500/507F(1)	Semiconductor Device, Diode, Silicon, Bipolar Transient Voltage Suppressor, Types 1N6036A through 1N6072A JAN, JANTX, and JANTXV [CUST: CR EC 85 CC NA] [REVIEW: 19 99 MI]	A	5961		CC		12-SEP-2013
M	MIL-PRF-19500/516F(1)	Semiconductor Device, Diode Silicon, Bipolar Transient Voltage Suppressor, Types 1N6102 through 1N6137, 1N6102A through 1N6137A, 1N6138 through 1N6173, 1N6138A through 1N6173A, 1N6102US through 1N6137US, 1N6102AUS through 1N6137AUS, 1N6138US through 1N6173US, 1N6138AUS through 1N6173AUS, 1N6102URS through 1N6137URS, 1N6102AURS through 1N6137AURS, 1N6138URS through 1N6173URS, 1N6138AURS through 1N6173AURS, JAN, JANTX, JANTXV, JANS, JANHC, and JANKC [CUST: CR EC 85 CC NA]	A	5961		CC		12-SEP-2013
M	MIL-PRF-19500/542J(1)	Semiconductor Device, Transistor, Field Effect, N-Channel, Silicon, Types 2N6756, 2N6758, 2N6760, 2N6762, JAN, JANTX, JANTXV, JANS, JANHC, and JANKC [CUST: CR EC 85 CC NA] [REVIEW: 19 70 AS]	A	5961		CC		13-SEP-2013
M	MIL-PRF-19500/543N(1)	Semiconductor Device, Field Effect Transistors, N-Channel, Silicon Avalanche, Types 2N6764, 2N6764T1, 2N6766, 2N6766T1, 2N6768, 2N6768T1, 2N6770, and 2N6770T1, JAN, JANTX, JANTXV, JANS, JANHC, and JANKC [CUST: CR EC 85 CC NA] [REVIEW: 19 70 99 AR MI]	A	5961		CC		13-SEP-2013
M	MIL-PRF-19500/551F(1)	Semiconductor Device, Diode, Silicon, Transient Voltage Suppressor Types 1N6461 through 1N6468, 1N6461US through 1N6468US, and 1N6461URS through 1N6468URS, JAN, JANTX, and JANTXV [CUST: CR EC 85 CC NA]	A	5961		CC		12-SEP-2013
M	MIL-PRF-19500/552F(1)	Semiconductor Device, Diode, Silicon, Transient Voltage Suppressor, Types 1N6469 through 1N6476, 1N6469US through 1N6476US, 1N6469URS through 1N6476URS, JAN, JANTX, and JANTXV [CUST: CR EC 85 CC] [REVIEW: 19 99]	A	5961		CC		12-SEP-2013
M	MIL-PRF-19500/562E(1)	Semiconductor Device, Field Effect Transistor, P-Channel, Silicon, Types 2N6804 and 2N6806 JAN, JANTX, JANTXV, JANS, JANHC, and JANKC [CUST: CR EC 85 CC NA] [REVIEW: 19 70 AR AS MI]	A	5961		CC		13-SEP-2013
M	MIL-PRF-19500/679C	Semiconductor Device, Diode, Silicon, SCHOTTKY, Type 1N6844U3, JAN, JANTX, JANTXV, and JANS [CUST: CR EC 85 CC NA] [REVIEW: 99 MI]	A	5961		CC		13-SEP-2013
M	MIL-PRF-19500/681C	Semiconductor Device, Diode, Silicon, Schottky, Dual, Center Tap, Type 1N6843CCU3, JAN, JANTX, JANTXV, and JANS [CUST: CR EC 85 CC NA] [REVIEW: MI]	A	5961		CC		25-SEP-2013
M	MIL-STD-750-2(4)	Mechanical Test Methods for Semiconductor Devices Part 2: Test Methods 2001 through 2999 [CUST: CR EC 85 CC NA] [REVIEW: 19 99 AR AS AV CG MC MI NRO SH SM]	A	5961		CC		01-SEP-2013
M	MIL-HDBK-103AN	List of Standard Microcircuit Drawings [CUST: CC]	A	5962		CC		12-SEP-2013
M	MIL-DTL-8971F	Electrodes, Graphite, Spectrometric Grade [CUST: AV AS 85 GS] [REVIEW: 99 CR]	A	5977		GS3		16-SEP-2013
M	MIL-DTL-28803C	Display, Optoelectronic, Segmented Readouts, Backlighted, General Specification for [CUST: CR EC 85 CC] [REVIEW: 99 AR AS AT AV CR4 MC MI OS SH]	A	5980		CC		03-SEP-2013
M	MIL-DTL-3922/67E	Flanges, Waveguide (Contact) (Round, 4 Hole) (Millimeter) [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS CG CR4 MC MI OS]	A	5985		CC		17-SEP-2013
M	MIL-PRF-83532E SUP 1	Delay Lines, Active General Specification for [CUST: CR EC 85 CC] [REVIEW: 19 99 AS CG MC SH]	A	5999		CC		26-AUG-2013
M	MIL-DTL-83528/6E	Gasketing Material, Conductive, Shielding Gasket, Electronic, Elastomer, EMI/RFI, Rectangular, D-Cross Section [CUST: CR EC 85 CC] [REVIEW: 19 99 NS]	A	5999		CC		03-SEP-2013
M	MIL-DTL-83528/7F	Gasketing Material, Conductive, Shielding Gasket, Electronic, Elastomer, EMI/RFI, Hollow D-Strip [CUST: CR EC 85 CC] [REVIEW: 19 99 NS]	A	5999		CC		10-SEP-2013
M	MIL-DTL-49292/8	Cable Assemblies, Nonpressure Proof, Fiber Optic, MIL-DTL-83526/20 Expanded Beam Connector, Metric [CUST: CR SH 85 CC] [REVIEW: 99 AR AS AV CG EC MC MI]	A	6020		CC		20-SEP-2013
M	MIL-STD-1678-1B	Fiber Optic Cabling Systems Requirements and Measurements (Part 1: Design, Installation and Maintenance Requirements) (Part 1 of 6 Parts) [CUST: CR AS 85 CC] [REVIEW: 99]	A	60GP		CC		20-SEP-2013
M	MIL-PRF-81757/1E	Battery, Storage, Aircraft, Nickel-Cadmium, Cell [CUST: CR AS 11] [REVIEW: 71 99 AV CC GS]	A	6140		AS		11-SEP-2013
M	MIL-PRF-81757/18A	Battery, Storage, Aircraft, Nickel-Cadmium, High Rate, 12-Volt, 55-Ampere-Hour, Low-Maintenance, Vented [CUST: AS] [REVIEW: CC]	A	6140		AS		11-SEP-2013
M	A-A-55134A	Light, Chemiluminescent, 6 In - 12 Hour - B, C, E, F [CUST: EC 99 GS] [REVIEW: IS YD]	A	6260	/	GS2		16-SEP-2013
M	MIL-DTL-5882E	Transmitter, Pressure, Multipurpose, 0-50 PSI, MS28005-1 [CUST: AS 71] [REVIEW: 99 GS]	A	6620		71		17-SEP-2013
M	MIL-PRF-10304F(2) SUP 1A NOT 1	Meters, Electrical Indicating, Panel Type, Ruggedized, General Specification for [CUST: CR SH 99 CC] [REVIEW: AR AS AT AV CG CR4 EA MC MI OS]	A	6625		CC		28-AUG-2013
M	A-A-50059A NOT 1	Scales, Person Weighing [CUST: GL MS GS1] [REVIEW: MD1]	A	6670	/	GS1		18-SEP-2013
M	MIL-PRF-25439C	Transmitter Rate of Flow, In-Flight Refueling, 0-10,000 PPM, Type MB-3 [CUST: 71] [REVIEW: 99 GS]	A	6680		71		24-SEP-2013
M	MIL-DTL-1115E(I1)	Enamel, Interior, ALKYD, White (Formula No. 30) [CUST: SH]	A	8010		SH		10-SEP-2013
M	MIL-DTL-15090E(I1)	Enamel, Equipment, Light Gray (Navy Formula No. 111) [CUST: SH]	A	8010		SH		10-SEP-2013
M	MIL-DTL-24607B(I2)	Enamel, Interior, Nonflaming (Dry), Chlorinated Alkyd Resin, Semigloss [CUST: SH]	A	8010		SH		10-SEP-2013
M	QPL-11414-19 NOT 2	Primer, Alkyd, Fast Dry, Corrosion Inhibiting Lead and Chromate Free, VOC Complaint	A	8010		MR		28-AUG-2013
M	MIL-DTL-14639/11J	Insignia, Grade, Specialist 4 (SP-4) U.S. Army [CUST: IH] [REVIEW: CT]	A	8455		IH		20-SEP-2013
N	A-A-59933	Army Mountaineering Kit (AMK) Chock Pick Replacement Kit [CUST: GL MC CT]	A	8465	/	CT		12-SEP-2013

ACTIVE SECTION

ASSIST UPDATE

LAST ACTION	DOCUMENT NUMBER	DOCUMENT TITLE	DISTRIBUTION	MCA		DATE
				FSC/AREA	PREP ACTY	
N	MIL-STD-3049	Materials Deposition, DDM: Direct Deposition of Metal for Remanufacture, Restoration and Recoating [CUST: AT AS 11] [REVIEW: MR]	A	MFFP	AT	05-SEP-2013
N	DI-MGMT-81937	Manufacturing Non-Conformance Report [AMSC: N9432]	A	MGMT	AS	27-AUG-2013
N	DI-MGMT-81941	Obsolescence Alert Notice [AMSC: N9426]	A	MGMT	SH	27-AUG-2013
N	DI-MISC-81940	Welder Performance Qualification and Training Program [AMSC: N9425]	A	MISC	AS	27-AUG-2013
M	DI-SAFT-81934	Process/Operations Sheet [AMSC: N9419]	A	SAFT	AS	27-AUG-2013
N	DI-SAFT-81935	Inspection Method Sheet [AMSC: N9420]	A	SAFT	AS	27-AUG-2013
N	DI-SESS-81938	Performance Analysis Report [AMSC: N9423]	A	SESS	AS	27-AUG-2013

INACTIVE SECTION

ASSIST UPDATE

LAST ACTION	DOCUMENT NUMBER	DOCUMENT TITLE	DISTRIBUTION	MCA		DATE
				FSC/AREA	PREP ACTY	
M	A-A-50748(1) NOT 2	Holster, Hip, Pistol, Semi-Automatic, 9MM [CUST: AR OS 84] [REVIEW: 99]	A	1095	/ 84	09-SEP-2013
M	MIL-T-48460B(2) NOT 3	Tachometer, Rate, Computer, 11732700 [CUST: AR]	A	1220	AR	27-SEP-2013
M	MIL-C-48469B(1) NOT 3	Circuit Card Assembly 11732344 Switching Regulator [CUST: AR]	A	1220	AR	27-SEP-2013
M	MIL-C-48471B(2) NOT 5	Circuit Card Assembly: 11732354 Lead, Windage and Reference [CUST: AR]	A	1220	AR	27-SEP-2013
M	MIL-P-46329A(5) NOT 2	Periscope, Tank: M13, M14A1, M17, M17C, M26, M27, M37 and M45, Periscope, 15 Deg. Uplook and Periscope, 20 Deg. Uplook [CUST: AR]	A	1240	AR	27-SEP-2013
M	MIL-E-48491B(2) NOT 3	Electronic Unit: 11743131 [CUST: AR]	A	1240	AR	27-SEP-2013
M	MIL-P-62211B(3) NOT 2	Power Supply, Low Voltage: 11746916 [CUST: AR]	A	1240	AR	27-SEP-2013
M	MIL-C-46621C NOT 3	Cartridge, 20MM, High Explosive, Incendiary, M97A2 [CUST: AR]	A	1305	AR	27-SEP-2013
M	MIL-C-50797(1) NOT 3	Case, Cartridge, 20MM, M103A1 [CUST: AR]	A	1305	AR	27-SEP-2013
M	MIL-C-70508(8) NOT 2	Cartridge, 9MM, Ball, NATO, XM882 (M882) [CUST: AR]	A	1305	AR	27-SEP-2013
M	MIL-F-63281A(3) NOT 5	Fuze, Rocket: M433 Less Booster and Booster Lead [CUST: AR]	A	1340	AR	27-SEP-2013
M	MIL-F-45429C(2) NOT 2	Fuze, Mine, AT: M607 Loading, Assembling and Packing [CUST: AR]	A	1345	AR	27-SEP-2013
M	MIL-F-45430C(4) NOT 2	Fuze, Mine, AT: M607, Parts for [CUST: AR]	A	1345	AR	27-SEP-2013
M	MIL-M-46696D(5) NOT 5	Mine, Antipersonnel. M16A1, Loading, Assembling and Packing [CUST: AR]	A	1345	AR	27-SEP-2013
M	MIL-P-48189D(1) NOT 2	Projectile, 155mm, HE, M692 and M731 Housing, Timing and Fuzing for [CUST: AR]	A	1345	AR	27-SEP-2013
M	MIL-M-63287(4) NOT 2	Mine, Antipersonnel, XM74 (M74) Metal Parts for [CUST: AR]	A	1345	AR	27-SEP-2013
M	MIL-M-63984(2) NOT 2	Mine, AT, Practice, Heavy: M20, Parts for and Loading, Assembling and Packing [CUST: AR]	A	1345	AR	27-SEP-2013
M	MIL-A-70608A(1) NOT 2	Adapter and Fuze, Assembly: M624, Loading, Assembling and Packing [CUST: AR]	A	1345	AR	27-SEP-2013
M	MIL-A-70609A(1) NOT 2	Adapter and Fuze, Assembly: M624, Parts for [CUST: AR]	A	1345	AR	27-SEP-2013
M	MIL-M-70765(1) NOT 2	Mine Anti-Personnel, M86, Special Test Mine Loading and Assembly of [CUST: AR]	A	1345	AR	27-SEP-2013
M	MIL-C-11762B(1) NOT 3	Cap, Blasting, Electric Inert, Assembly [CUST: AR]	A	1375	AR	27-SEP-2013
M	MIL-B-12719C(1) NOT 5	Bag, Canvas, Carrying for Demolition Equipment [CUST: AR]	A	1375	AR	27-SEP-2013
M	MIL-P-13392B(4) NOT 2	Primer, Percussion, M54 Parts for and Loading, Assembling and Packing [CUST: AR]	A	1375	AR	27-SEP-2013
M	A-A-58036 NOT 1	Staircase, Aircraft Boarding [CUST: 84] [REVIEW: 99 GS]	A	1730	/ 84	03-SEP-2013
M	A-A-50742 NOT 1	Aircraft Mover, Electrically Powered [CUST: AV AS 84] [REVIEW: 99 GL IS NS]	A	1740	/ 84	09-SEP-2013
M	A-A-50766 NOT 1	Bus, Motor, 16 Passenger [CUST: AT YD 84] [REVIEW: 99]	A	2310	/ 84	03-SEP-2013
M	A-A-59266 NOT 2	Grinding Machine, Universal, Cylindrical, External, Center-Type [CUST: AR SH 99 GS] [REVIEW: 84 MC]	A	3415	/ GS6	16-SEP-2013
M	A-A-59330 NOT 2	Grinding Machine, Surface, Reciprocating-Table, Horizontal-Spindle, Power-Feed [CUST: AR SH 99 GS] [REVIEW: 84 MC SM]	A	3415	/ GS6	16-SEP-2013
M	A-A-58063 NOT 1	High Speed Snow Broom, Mounted on a 44,500 Lbs GVW (minimum), 6X4 Dump Truck [CUST: 84] [REVIEW: 99 IS]	A	3825	/ 84	03-SEP-2013
M	A-A-58041 NOT 1	Trailer, LD-3 Container, Side Transfer, Turntable [CUST: 84] [REVIEW: 99 IS]	A	3920	/ 84	03-SEP-2013
M	MIL-PRF-27208/9G(1)	Resistor, Variable, Wirewound, Adjustment Type, Lead Screw Actuated, Style RT24 [CUST: CR EC 85 CC] [REVIEW: 19 AR AT AV MC MI OS]	A	5905	CC	18-SEP-2013
M	MIL-R-27208/4J(1)	Resistor, Variable, Wirewound, Adjustment Type, Lead Screw Actuated, Style RT22 [CUST: CR EC 85 CC] [REVIEW: 19 AR AS AT AV MC MI OS]	A	5905	CC	18-SEP-2013
M	MS3116E	Connectors, Plug, Electrical, Solder Type, Straight, Bayonet Coupling, Series 1, Classes E, F, J and P [CUST: CR AS 85 CC] [REVIEW: 99 AV EC SH]	A	5935	CC	12-SEP-2013
M	MS3185B	Mold, Plotting, and Adapter, Electrical Connector (for MIL-DTL-26482, Series 1, Class P) [CUST: CR AS 85 CC] [REVIEW: 99]	A	5935	CC	12-SEP-2013
M	MIL-E-1/63C	Electron Tubes, Receiving Types 12SN7GT and 12SX7GT [CUST: CR EC 85 CC] [REVIEW: 99 AR AS CG CR4 MC MI OS SH]	A	5960	CC	17-SEP-2013
M	MIL-E-1/85D	Electron Tube, Receiving Type 5763 [CUST: CR EC 85 CC] [REVIEW: 99 AS CG MC MI]	A	5960	CC	17-SEP-2013
M	MIL-E-1/175K	Electron Tube, Receiving Type 5902 [CUST: CR EC 85 CC] [REVIEW: 99 AS CG MC MI OS]	A	5960	CC	17-SEP-2013
M	MIL-E-1/188J	Electron Tube, Receiving Types 6021W 1/ and 6021WSPL 2/ [CUST: CR EC 85 CC] [REVIEW: 99 AR AS AV CG CR4 MC MI OS SH]	A	5960	CC	17-SEP-2013
M	MIL-E-1/190K	Electron Tube, Receiving Type 6112 [CUST: CR EC 85 CC] [REVIEW: 99 AR AS CG MC MI OS]	A	5960	CC	17-SEP-2013
M	MIL-E-1/197F	Electron Tube, Receiving Type 6L6WGB [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS CG MC OS]	A	5960	CC	17-SEP-2013
M	MIL-M-38510/209G	Microcircuit, Digital, 8192-Bit, Schottky, Bipolar, Programmable Read-Only Memory (PROM), Monolithic Silicon [CUST: CR EC 85 CC] [REVIEW: 03 19 99 AS CG MC MI SH SM]	A	5962	CC	13-SEP-2013
M	AN3053 REV 3 NOT 4	Ferrule and Rigid Conduit [CUST: AV AS 85 GS4] [REVIEW: 99 AR MC MI]	A	5975	GS8	16-SEP-2013
M	MS17183B(1)	Clamp Assembly (Synchro) [CUST: AS CC]	A	5990	CC	30-AUG-2013
M	MS17185A(1)	Clamp (Synchro) [CUST: AS CC]	A	5990	CC	30-AUG-2013
M	A-A-58055 NOT 1	Indicator, Attitude, Three Inch, Solid State Self-Contained [CUST: 84] [REVIEW: 99 GS]	A	6610	/ 84	03-SEP-2013
M	MIL-E-70694A(2) NOT 2	Electronic Control Unit: 11784504 [CUST: AR]	A	6920	AR	27-SEP-2013

CANCELED SECTION

ASSIST UPDATE

LAST ACTION	DOCUMENT NUMBER	DOCUMENT TITLE	DISTRIBUTION	MCA		DATE
				FSC/AREA	PREP ACTY	
M	MIL-V-87991 NOT 2	Van, Multi-Purpose Mortuary Service, Commercial (S/S by A-A-58031) [CUST: 99]	A 2320	84		16-SEP-2013
M	ARI1010	Drinking-Fountains and Self-Contained, Mechanically-Refrigerated Drinking-Water Coolers, Standard for (No S/S Document) [CUST: CR4 YD 99] [REVIEW: 84 CE GS MC MS]	A 4110	SS		25-SEP-2013
M	ARI320	Pumps, Heat, Water-Source (No S/S Document) [CUST: CR4 YD 99] [REVIEW: CE GS]	A 4120	IS		25-SEP-2013
M	MIL-STD-1697 NOT 2	Tape, One-Half Inch Video Cassette Broadcast Format (No S/S Document) [CUST: BC]	A 5820	BC		17-SEP-2013
M	MIL-PRF-1/1766B NOT 2	Electron Tube, Negative Grid (Microwave) Type 8980 (No S/S Document) [CUST: EC CC]	A 5960	CC		17-SEP-2013
M	MIL-E-1/478E NOT 5	Electron Tube, Klystron Type 6116 (No S/S Document) [CUST: CR EC 85 CC] [REVIEW: 99 AS CG OS]	A 5960	CC		17-SEP-2013
M	MIL-E-1/601D(1) NOT 4	Electron Tube, Klystron Type 5836 (No S/S Document) [CUST: CR EC 85 CC] [REVIEW: 99 MI]	A 5960	CC		17-SEP-2013
M	MIL-E-1/1692A NOT 6	Electron Tube, Traveling Wave Type 8878 (No S/S Document) [CUST: 85 CC] [REVIEW: 99]	A 5960	CC		17-SEP-2013
M	MIL-E-1/1771(2) NOT 4	Electron Tube, Negative Grid (Microwave) Type DOD-041 (No S/S Document) [CUST: CR CC]	A 5960	CC		17-SEP-2013
M	MS39026A NOT 4	Hanger, Cable (Pole Line) (No S/S document) [CUST: CR 85 GS] [REVIEW: 99 MC]	A 5975	GS8		27-SEP-2013
M	MS39049A NOT 4	Step, Pole, Steel, Drive (No S/S Document) [CUST: CR YD 85 GS] [REVIEW: 99 MC]	A 5975	GS8		24-SEP-2013
M	MIL-F-3922/69(1) NOT 3	Flange, Waveguide (Choke) (Square, 4 Hole) (No S/S Document) [CUST: CR EC 85 CC] [REVIEW: 99 AR AS AV CR4 MC MI OS SH]	A 5985	CC		11-SEP-2013
M	MIL-DTL-23971/8A(1) NOT 1	Power Dividers, Quadrature, Flat Pack (No S/S Document) [CUST: CR EC 85 CC] [REVIEW: 99 AS MC OS]	A 5985	CC		23-SEP-2013
M	MIL-DTL-23971/13A NOT 2	Power Divider/Combiners, 2-Way, 180 Degrees, SMA Connectors (No S/S Document) [CUST: CR EC 85 CC] [REVIEW: 99 AS MC OS]	A 5985	CC		23-SEP-2013
M	MIL-T-23643(2) NOT 1	Test Set, Target Control System AN/SRM Series (AN/SRM-2, AN/SRM-3, AN/SRM-4, AN/SRM-5, and AN/SRM-6) (No S/S Document) [CUST: AS]	A 6625	AS		03-SEP-2013
M	MIL-T-81541(1) NOT 1	Test Set, Electric Circuit Plug-in Unit AN/ASM-152 (No S/S Document) [CUST: AS]	A 6625	AS		03-SEP-2013
M	MIL-PRF-25620D NOT 1	Tester, Oxygen Mask, Headset and Microphone, Type MQ-1A (No S/S Document) [CUST: 71] [REVIEW: 99 GS]	A 6695	71		24-SEP-2013
M	AA-L-486G(1) NOT 1	Lockers, Clothing, Steel (No S/S Document) [CUST: GL 99] [REVIEW: 84 YD]	A 7125	/	GL	10-JUN-2013
M	ARI325	Ground Water-Source Heat Pumps (No S/S Document) [CUST: YD]	A FACR		YD	25-SEP-2013
M	ARI330	Ground Source Closed-Loop Heat Pumps (No S/S Document) [CUST: YD]	A FACR		YD	25-SEP-2013
M	ARI720	Refrigerant Access Valves and Hose Connectors (No S/S Document) [CUST: YD]	A FACR		YD	25-SEP-2013